

From: Joanne Lewis <Joanne.Lewis@arun.gov.uk>
Sent: 27 April 2022 14:46
To: Planning.Responses <Planning.Responses@arun.gov.uk>
Subject: RE: Planning Consultation on: BN/54/22/WS

I have no objections to this amendment.

My working pattern is usually between 09.30 and 14.45 Tuesday – Friday.

Joanne Lewis

Senior Environmental Health Officer,
Environmental Health

T: 01903 737666

E: joanne.lewis@arun.gov.uk

Arun District Council, Civic Centre, Maltravers Rd, Littlehampton, West Sussex, BN17 5LF
www.arun.gov.uk

I occasionally send emails outside of working hours. If this arrives outside your normal working hours, please do not feel compelled to respond immediately.

Sign up to our newsletter [here](#)

Business Support during Coronavirus click [here](#)



From: Planning.Responses <Planning.Responses@arun.gov.uk>
Sent: 25 April 2022 16:49
To: EHPlanningConsultations <EHPlanningConsultations@arun.gov.uk>
Subject: Planning Consultation on: BN/54/22/WS

To: Environmental Health - Planning consultation

NOTIFICATION FROM ARUN DISTRICT COUNCIL

TOWN AND COUNTRY PLANNING ACT 1990

Application No: BN/54/22/WS
Registered: 25th April 2022
Site Address: Land to the north of Eastergate and north west of Barnham Barnham
Grid Reference:
Category: West Sussex Cons
Description of Works: Non material amendment following WSCC/052/20 (BN/126/20/WS) to change location of westbound bus stop and shelter located on Southern Carriageway of the proposed scheme.

The Council has been consulted on the above application which is being determined by West Sussex County Council. In this case, Arun District Council is acting as a statutory consultee and can only resolve to 'object' or 'not object' or make a comment as the responsibility for making a formal determination rests with the county council.

The documents can be viewed at:

[Click here to view documents available on our website](#)

[Click here to access West Sussex County Council web site and use search boxes to find the application.](#)

Should you have any comments to make, these should be sent by replying electronically to planning.responses@arun.gov.uk by **9th May 2022**.

Please be aware that any comments you may make will be available to view on our website so please do not insert personal details or signatures on your reply.

In the absence of a reply within the period stated, I shall assume that you have no observations to make.

Yours sincerely

Claire Potts

Planning Case Officer - Arun District Council

Telephone: 01903 737698

Email: claire.potts@arun.gov.uk

PLCONREG3 (ODD) 2020