

From: Kathy Harrison [REDACTED]
Sent: 08 March 2020 11:14
To: Neil Crowther
Subject: Planning Application BN/66/19/PL

To Mr Neil Crowther

Dear Sir,

In reference to concerns raised by Mr Graham Ettridge and Carol Whitehead at the meetings on both the 4th and 6th of March 2020 on the matter of planning reference BN/66/19/PL, I right to inform you I have exactly the same concerns.

I was shocked to discover you had held a meeting on the 6th March before giving all residents of Arun Place the right to reply before 19th of March 2020 which was clearly stated on the posted yellow planning application notices.

Please advise me why you would do this without giving the residents the correct period to respond before reviewing planning on this matter without waiting and,giving all residents the opportunity to do so as per your notice states.

I would also like answers to the other questions and issues raised by Graham Ettridge.

1. Have you considered heightened water inundation on a number of the existing properties?
2. Have you considered the history of the sewerage system already in place backing up?
3. Has it been determined by investigation, that the sewer running under the site is private or public yet?
4. If so, where is this evidence?
5. Will you give assurances that no approval will be given for this development until all these issues have been addressed?
6. Will you be applying the correct protocol regarding the application until all the comments and questions have been considered and answered before any decisions after 19th March 2020?

I would feel it unacceptable to permit further development on this site until all these issues are understood, investigated and fully resolved by all parties involved and information concerning this is fully transparent.

Regards

Kathy Harrison
8 Fieldfare Close
Arun Place