Tree schedule

Tree No	Species	Category	RPA Radius	Tree Works
All retained trees & hedges				Carry out safety check and lift over site to 3-4m as necessary.
T1	Plum	C	7.2	Fell
H2	Thorn	C	4.8	Fell (part)
T4	Laurel	C	2.4	Fell
T5	Cypress	C	7.2	Fell
T6	Variegated holly	C	3.6	Fell
T7	Holly	C	3.6	Fell
T8	Cypress	C	3.6	Fell
T9	Pittosporum	C	3.6	Fell
T10	Cypress	C	4.0	Fell
T11	Cypress stump	U	4.8	Fell for management
T12	Barberry	C	7.2	Fell
T13	Willow	C	3.6	Fell
T15	Willow	C	3.6	Fell
T16	Willow	C	3.6	Fell
T17	Cypress	U	7.2	Fell for management
H18	Privet, thorn	C	4.8	Fell (part)
T19	Ash	C	15.0	-
T20	Monterey cypress	C	15.0	Fell
G21	Thorn, willow	C	7.2	Fell
T22	Poplar	C	3.0	-
T23	Oak	C	3.6	-
T24	Willow	C	7.2	Fell
G25	Apple, laurel, palm	C	3.0	Fell
G26	Apple	C	3.6	-

TX BS category C Trees of low quality

TX BS category U Trees unsuitable for retention

TX Trees to be removed

Proposed layout

Estimated tree positions not included on original land survey

Construction exclusion zone (CEZ) to be protected by fencing and/or ground protection

Tree protection plan

Location of trees, categorisation & protection/management proposals at The Lillies Caravan Park, Yapton Road, Barnham

Barrell Plan Ref: 17160-BT2

Provided Plan Refs: 15708cv-01, 15708cv-02 & MATT151202 SL.01 Rev A

barrell TREE CONSULTANCY

Permission is granted to scale from this drawing for Local Authority Planning Approval purposes relating to tree protection measures only. Where applicable this drawing is to be read in conjunction with the arboricultural report. This drawing is the copyright of Barrell Tree Consultancy 2018. ©

This drawing to be reproduced in colour only.

www.barrelltreecare.co.uk

N

0 Metres 5 10 15 20

Scale: 1:200 @ A0