

From: Jennie Hann
To: [REDACTED]
Subject: RE: MBNL_ARN004 - VICTORIA ROAD/CHICHESTER RD
Date: 24 June 2020 09:50:00
Attachments: Proposed Plans Rev A.pdf

Dear Ms Davis

Thank you for the letter you sent to Clarke Telecom Ltd with comments made by members of Bognor Regis Town Council. This letter has been passed to me as Planning Manager of Clarke Telecom Ltd to respond to.

I note that some members raised concerns regarding the health implications of 5G installations. Radio base stations are designed to comply with the stringent, precautionary public exposure guidelines set out by ICNIRP (International Commission on Non-Ionizing Radiation Protection). These guidelines have been developed following a thorough review of the science including both thermal and non-thermal effects. UK radio base station installations have been surveyed by independent bodies and found to be hundreds and sometimes thousands of times below these guidelines. The Government's National Planning Policy Framework contains clear guidance that LPAs must determine applications on planning grounds only. They should not seek to set health safeguards different from the International Commission guidelines for public exposure (Para 116). A Declaration of Conformity with the International Commission on Non-Ionizing Radiation Protection (ICNIRP) Public Exposure Guidelines will be submitted with the application.

Notably, Ofcom have now undertaken 5G audits in the major cities and the results indicate that the exposure level are a small fraction of the limits. This further reinforces the PHE guidance in respect of 5G which states: "It is possible that there may be a small increase in overall exposure to radio waves when 5G is added to an existing network or in a new area. However, the overall exposure is expected to remain low relative to guidelines and, as such, there should be no consequences for public health." (<https://www.gov.uk/government/publications/5g-technologies-radio-waves-and-health>).

Comments have been raised as to whether an alternative location can be found. The current proposed works are an upgrade to this installation to enable 5G to be brought to this area. Ultimately the existing 17.5m column will be replaced by the proposed new column in a slightly different location, but the timings of this cannot be provided due to the need to ensure that there is no loss of service especially during these very trying times that we are living through. Consequently the intention is to retain the existing monopole for a short period, integrate the 5G antennas on the new monopole and to remove the existing monopole when it is practicable. The intention is not to have both monopoles in place for an extended period but simply to ensure that the most effective support for the network is provided at the current time. The timescales involved are dependent upon available teams to complete the works, the integration of the new site and the operational requirement to maintain the network to its fullest capacity during this unprecedented period. We do not anticipate this to be a long period of time but I hope you can appreciate that at present our priority is providing connectivity to all users without any chance of a loss in coverage.

As this is an upgrade to an existing installation the opportunity to relocate the column is very limited, as it is an established site which is configured in to the operators network. Therefore the

column needs to be as close as possible to the existing to ensure that the current service provision is not detrimentally affected and that equivalent coverage can continue to be provided. If the radio base station were to move further away from its current location, then it would not provide equivalent coverage and any significant move would start to interfere with neighbouring cells causing the service provision to be degraded in these areas, which would have a knock on effect to the operators network configuration in the wider area.

The latest plans have been provided for this site and I attach these to this email for your information. The proposed height is now at 18m and has been slightly relocated to the corner of Victoria Drive and the roundabout.

Kind regards

Jennie

From: Bognor Regis Town Council [REDACTED]
Sent: 19 June 2020 14:47
To: Victoria O'Toole [REDACTED]
Subject: RE: MBNL_ARN004 - VICTORIA ROAD/CHICHESTER RD

Good afternoon,

Please find attached a letter on behalf of Bognor Regis Town Council.

Yours sincerely,

Jo

[REDACTED]
Civic & Office Manager / Planning and Licensing Committee Clerk
Bognor Regis Town Council
Town Hall
Clarence Road
Bognor Regis
West Sussex PO21 1LD
[REDACTED]
[REDACTED]

*Town Council Office Hours: 9.00am-1.00pm and 2.00pm-5.30pm Mon-Thurs
Please note the office is closed between 1.00pm and 2.00pm Mon-Thurs and all day Friday*

[Sign up to the Town Council's E-Bulletin by clicking here](#)

You have received this email from Bognor Regis Town Council. The content of this email is confidential may be legally privileged and intended for the recipient specified in message only. It is strictly forbidden to share any part of this message with any third party, without a written consent of the sender. If you received this message by mistake, please reply to this message and follow with its deletion, so that we can ensure such a mistake does not occur in the future.

Bognor Regis Town Council, ensures that email security is a high priority. Therefore, we have put efforts into ensuring that the message is error and virus-free. Unfortunately, full security of the email cannot be ensured as, despite our efforts, the data included in emails could be infected, intercepted, or corrupted. Therefore, the recipient should check the email for threats with proper software, as the sender does not accept liability for any damage inflicted by viewing the content of this email. By Contacting Bognor Regis Town Council, you agree that your contact details may be held and processed for the purpose of corresponding. You may request access to the information we hold on you by emailing [REDACTED] You may request to be removed as a contact at any time by emailing [REDACTED] To view Bognor Regis Town Council's Privacy Notice please use the following link: [REDACTED]

From: Victoria O'Toole [REDACTED]
Sent: 08 June 2020 15:55
To: Bognortc [REDACTED]
Subject: MBNL_ARN004 - VICTORIA ROAD/CHICHESTER RD

Dear Sir/Madam,

Please find attached consultation information regarding a proposed upgrade to the existing telecommunications installation at the above site for your information/comment.

Kind regards

Victoria O'Toole | Administrator
Clarke Telecom

[REDACTED]

Head Office: Clarke Telecom Ltd, Unit E, Madison Place, Northampton Road, Manchester, M40 5AG. Tel. +44 (0)161 785 4500.
Registered Office: 3175 Century Way, Thorpe Park, Leeds, LS15 8ZB. Registered in England No. 07524755.

Disclaimer - Renew Holdings plc and subsidiary companies

This email and any files transmitted with it are CONFIDENTIAL and may contain legally privileged information intended solely for the use of the addressee. If you are not the intended recipient, please advise the sender or system administrator immediately by return email. This email was scanned for viruses prior to transmission. Renew Holdings plc (and its subsidiaries) however accept no responsibility for any viruses not revealed by such check and in accordance with good computing practice recipients should ensure that they are actually virus free.

Renew Holdings plc, registered in England & Wales, company number 856447. The Registered Office for Renew Holdings plc and subsidiary companies is Renew Holdings plc, 3175 Century Way, Thorpe Park, Leeds, LS15 8ZB.