ARUN DISTRICT COUNCIL BR/289/11/

New double doors.

LOADING

FIRE EXIT

Illuminated fire exit sign, (maintained).

STORE

Remove non load bearing wall under the direction of the structural engineer.

FIRE EXIT

DIS. WC

OFFICE

Wet riser for sprinkler system.

Form structural opening in accordance with client requirements. Support above to engineers detail and calculations.

UNIT 1

UNIT 2

OFFICE

DIS. WC

New party wall to be British Gypsum 'Jumbo Stud' partionining system with two leaves of 12.5 mm plasterboard either side of the steel channels fixed in accordance with manufacturers requirements to suit height and be fixed at head to suitable member.

New roller shutter door.

FACTORY FLOOR

FIRE EXIT

Storage racking.

ELECTRICAL SUB STATION - to be removed.

DIS. WC

Storage racking.

OFFICE

Electrics

PACKING

FIRE EXIT

FIRE EXIT

UNIT 3

GOODS IN/OUT

LOADING

OFFICE

BR. 289/11

Storage racking.

12.12.11

FIRE EXIT

ADJACENT UNIT

PROPOSED GROUND FLOOR PLAN

SCALE 0 2 4 6 8 10 METRES

SUSSEX BUILDING CONSULTANCY LIMITED

UNIT 4, DICKINSON PLACE,
BOGNOR REGIS, WEST SUSSEX.

SCALE - 1/100 REV - B DATE - 01/12/2011

partner LABC

3 NORTHCOTE ROAD
BOGNOR REGIS
PO21 5LZ

TEL - (01243) 861370