





Zinc cladding



OFF-WHITE RENDER WITH MINERAL BASED
BREATHABLE PAINT SYSTEM - SPEC TO SUIT
"SEVERE" EXTERNAL CONDITIONS

COLOUR ALIKE
Farrow & Ball - 'Wevet No. 273'



FACADE DETAILING IN MINERAL-BASED PAINT
SYSTEM IN SLIGHTLY CONTRASTING GREY

COLOUR ALIKE
Farrow & Ball - 'Cornforth White No. 228'

The existing render is in a poor state of repair with extensive cracking and large areas having blown from the substrate which is leading to damp internally. It is therefore proposed that the existing render be removed where required and all existing quoining and cornice detailing is to be repaired in situ. Following the replacement of the windows and doors, the building is to be rendered where required using traditional techniques with mineral based breathable paint system. All retained detailing to be painted with a mineral paint system with a slightly constrasting colour.

THIS IS A
COLOURED DRAWING
If this box does not appear Red, the drawing
may not be represented properly

This drawing is copyright of more than architecture ltd ©

CLIENT Metamorph Management LLP		DATE March 2019	NOTES This drawing is copyright and shall not be reproduced nor used for any other purpose without the written permission of the architects. This drawing must be read in conjunction with all other related drawings and documentation. Permission is granted to scale from this drawing for the purposes of Local Authority Planning Approval only. Please verify that the information is correctly printed to scale by checking the control bar.
PROJECT The Royal Hotel Apartments		DWG NO. 169 / 3.901	
DRAWING TITLE External Materials		SCALE N/A	
		REVISION N/A	
ARUN DISTRICT COUNCIL BR/326/18/PL		DATE 21.03.19	
randell design group architecture interior design project management			RIBA  Chartered Practice more studio halls orchard barn apuldram PO20 7FD +44 (0) 1243 214 204 mail@randelldesigngroup.com www.randelldesigngroup.com