DCD LC
DCD Lighting Column and head (mandatory requirement. only to be operational during tanker unloading
Refer to 500_01 for details

LC
LED lighting column
Refer to 500_01 for details

Underground fuel tank vents

2 No. 75,000 Ltr underground fuel storage tanks

Control Unit

DCD Unit
Refer to 500_01 for details

DCD Unit
Refer to 500_01 for details

CCTV
Dome CCTV/ANPR
Refer to 500_01 for details

Air / Water

LC
LED lighting column
Refer to 500_01 for details

Pedestrian Crossing Sign

Bullnose kerbs to forecourt islands

Forecourt canopy cover represented as dashed line

Pay at Pump only

Disabled call button

Impermeable concrete surface to forecourt

Drive to Pay

Fuel Dispenser
4 No. hose

Timber knee rail fence
Refer to 500_01 for details

F1

F2 (6.300)

F3 (6.300)

F4 (5.95)

F5
7.460
5.850

150ø @ 1:125

150ø @ 1:150

150ø @ 1:80

DC(100)

DC(60)

DC(300)

DC (100)

FI
IN
OUT

FORECOURT INTERCEPTOR
CLASS 1
10000 LTRS

S1 (6.25)
2 No. bollards to all rear forecourt islands

Forecourt grit bin

S)
STORMWATER ATTENUATION
68m³ OF ALDERBURGH PLUVIAL TANKS.
B x 11 x 0.5m deep.
BASE OF TANK 6.10m

150mm PITCH PROTECTIVE CONCRETE CURB SLAB

FL 6.10

SOUTHERN WATER REF 7301

EX4
7.3
5.03

1:125

150ø FW

FOUL WATER RISING MAIN

CCTV
Dome CCTV/ANPR
Refer to 500_01 for details

LC
LED lighting column
Refer to 500_01 for details

Pedestrian Crossing

Give way sign

Give way/No Entry Sign

EXISTING 225ø SERVING HIGHWAY

EX1
7.3
6.09

EXISTING HYDROBRAKE

LC
LED lighting column
Refer to 500_01 for details

225ø

DRAINAGE KEY

= EXISTING FW RUN
= EXISTING SW RUN
= EXISTING FW RISING MAIN
= PROPOSED SW RUN
= PROPOSED FW RUN
Dc 100 = DRAINAGE CHANNEL Ks 100
FI = FORECOURT INTERCEPTOR: CLASS 1
S1 = ATTENUATION REQUIREMENTS SEALED (NOT SOMMUM)

ASDA FERRING

PROPOSED DRAINAGE PLAN

PSK 100 Rev P4

1:200 @ A3

ARUN DISTRICT COUNCIL FG/105/18/PL