



2719

AIR MONITORING TEST CERTIFICATE



Client Name and Address:	ASDA Stores Ltd, ASDA House, Southbank, Great Wilson Street, Leeds, LS11 5AD	Project Number:	P-310908
Site Address:	Ferring (4792), Littlehampton Road, Ferring, Worthing, BN12 6PN	Date:	09/11/2018
Work Location:	Hygiene facility	Certificate Number:	20181109/SCA/001

Microscope No:	M47	NPL Test Slide	6925	Stage Micrometer:	SM49	Timepiece:	DB65
Testing Kit No:	A52	Test band observed:	5	Graticule Diameter(μm):	100.0	Exposed filter diameter:	22.0
Flow meter:	F42 / LF42	Barometer/Thermometer:	DB65	Pressure (mb):	999	Temperature (°C):	15

Sample Number	Sample Type	Pump No	Cowl No	Sample Location	Sampling Times		Duration (mins)	Flow Rates (l/min)		Mean Flow Rate (l/min)	Sample Volume (litres)	Fibres Counted	Graticule Fields	LoQ* (f/ml)	Calculated Result (f/ml)	Reported Result (f/ml)
					Start	Finish		Start	Finish							
001	C	P347	347	Between shower and dirty end	09:17	10:17	60	8.0	8.0	8.00	480	2	200	0.01	0.001	< 0.01
002	FB	-	FB52	With sample 001C	-	-	-	-	-	-	-	Not Counted	Not Counted	-	-	-

*LoQ = Limit of quantification

Comments: At time of testing, air monitoring result was below limit of quantification.																
Analyst(s) (print):	Stephanie Cave	Signature(s):											Date:	09-11-2018		

Quality Doc No: M/Doc19 - 8 - 30/06/18

Page No: 3 of 3



2719

AIR MONITORING TEST REPORT



Client Details	ASDA Stores Ltd	Project Number:	P-310908
	ASDA House, Southbank, Great Wilson Street, Leeds, LS11 5AD	Shift Number:	16
		Certificate Number:	20181112/SPA/001
Site Address	Ferring (4792), Littlehampton Road, Ferring, Worthing, BN12 6PN	Issued Date:	12/11/2018
		Issued by (print):	Simon Pratt
		Issued by (signature):	

Environmental Essentials' Issuing Laboratory

Lab L6, Unit C Faraday Court, Faraday Road, Crawley, West Sussex, RH10 9PU

Four stage site clearance procedures, air monitoring and fibre counting are undertaken in accordance with Environmental Essentials' in-house procedures which are based on the methodologies specified within HSE document HSG 248 Asbestos: The analysts' guide for sampling, analysis and clearance procedures.

All air tests will have one of the following suffix codes which will indicate the purpose of the test:

Sample Type B – Background Testing.

This testing is undertaken to establish a background level of airborne fibres prior to any remediation works being carried out.

Sample Type L – Leak Testing.

This testing is undertaken during works involving asbestos around the perimeter of a 'live' removal enclosure, in order to assess the effectiveness of control measures in place in particular the enclosure itself. Usually a sample of at least 480 litres of air will be taken, however shorter sampling periods or "pooled" sampling strategies may be adopted if the analyst suspects an enclosure breach, for example.

Sample Type C – Clearance Testing.

This testing is undertaken following the removal or encapsulation of asbestos materials within an enclosure in order to ascertain the quantification of airborne fibres compared with the clearance indicator level of 0.01 f/ml. At least 480 litres of air must be taken per sample. A clearance test will also be undertaken when assessing the suitability of a decontamination unit following completion of works.

For an area to be deemed as suitable for normal occupancy following asbestos remediation, at least 80% of the air test results must be below the clearance indicator level, whilst all results must be below 0.015 f/ml.

Sample Type R – Reassurance Testing.

This testing is undertaken in certain circumstances to confirm that airborne fibre levels are below 0.01 f/ml. For example, following the removal of an asbestos removal enclosure or as an assessment of an area for continued normal occupancy. At least 480 litres of air must be taken per sample.

Sample Type A – Personal Assessment Testing.

This testing will be undertaken during abatement works involving asbestos in order to assess the suitability of the respiratory protective equipment being used and also the effectiveness of the dust suppression methods in place. At least 40 litres of air must be sampled and the quantification limit will be calculated accordingly.

Sample Type P – Personal Compliance Testing.

This testing is undertaken in order to assess whether or not personal exposures are in compliance with the 4-hour Control Limit as defined within the ACOP L143 – Control of Asbestos Regulations (CAR) 2012.

Sample Type FB – Field Blank.

Field blanks are generated from satisfactory filter batches and treated in the same way as filters used for air sampling but without any air being drawn through them. In the event of elevated fibre counts on air samples, a field blank will be counted in order to exclude the possibility of contamination causing the elevated fibre count.

This test report may not be reproduced other than in full, except with the prior written approval of the issuing laboratory.

Air sampling and fibre counting fall within Environmental Essentials' scope of UKAS accreditation however, opinions and interpretations that may be expressed within this report are outside the scope of UKAS accreditation.

Certificate of cleanliness following works with non-licensed materials which may have been undertaken and witnessed as part of this project are not covered by Environmental Essentials' scope of UKAS accreditation.



2719

AIR MONITORING TEST CERTIFICATE



Client Name and Address:	ASDA Stores Ltd, ASDA House, Southbank, Great Wilson Street, Leeds, LS11 5AD	Project Number:	P-310908
Site Address:	Ferring (4792), Littlehampton Road, Ferring, Worthing, BN12 6PN	Date:	12/11/2018
Work Location:	Asda Ferring PFS	Certificate Number:	20181112/SPA/001

Microscope No:	M9	NPL Test Slide	3105	Stage Micrometer:	SM9	Timepiece:	DB33
Testing Kit No:	N/A	Test band observed:	5	Graticule Diameter(μm):	100.0	Exposed filter diameter:	22.0
Flow meter:	F14a	Barometer/Thermometer:	DB33	Pressure (mb):	1026	Temperature (°C):	20

Sample Number	Sample Type	Pump No	Cowl No	Sample Location	Sampling Times		Duration (mins)	Flow Rates (l/min)		Mean Flow Rate (l/min)	Sample Volume (litres)	Fibres Counted	Graticule Fields	LoQ* (f/ml)	Calculated Result**	Reported Result (f/ml)
					Start	Finish		Start	Finish							
001	R	P87	8E7	Rear of site car park next to public footpath	09:07	11:07	120	4.0	4.0	4.00	480	1.0	200	0.01	0.0005	< 0.01
002	R	P19	001	Right of site car park next to public footpath	09:08	11:08	120	4.0	4.0	4.00	480	0.5	200	0.01	0.0003	< 0.01
003	R	P217	232	Middle of site	09:15	11:15	120	4.0	4.0	4.00	480	3.0	200	0.01	0.0015	< 0.01
004	R	P8	24	Next to site entrance	09:16	11:17	121	4.0	4.0	4.00	484	1.0	200	0.01	0.0005	< 0.01
005	FB	-	FB01	003 FB	-	-	-	-	-	-	-	Not Counted	Not Counted	-	-	-
006	R	P96	286	On operative. Dave P. During clean up of site	10:04	13:19	195	2.0	2.0	2.00	390	2.0	100	0.03	0.0025	< 0.03
007	R	P87	8E7	Rear of site car park next to public footpath	12:45	14:45	120	4.0	4.0	4.00	480	0	200	0.01	0	< 0.01
008	R	P19	001	Right side of site car park next to public footpath	12:45	14:45	120	4.0	4.0	4.00	480	2.0	200	0.01	0.001	< 0.01
009	R	P217	24	next to trench	12:50	14:50	120	4.0	4.0	4.00	480	3.0	200	0.01	0.0015	< 0.01

*LoQ = Limit of quantification **Calculated result is provided for information only and is not intended to imply any greater accuracy of result than the stated limit of quantification.

Comments:			
Reassurance air monitoring carried out to determine airborne fibre concentration around site and next to trench. Results satisfactory below limit of quantification <0.01			
Analyst(s) (print):	Simon Pratt	Signature(s):	
Date:	12/11/2018 15:45		


Quality Doc No: M/Doc19 - 9 - TBC

Page No: 2 of 2

SITE LAYOUT

Client Name and Address:	ASDA Stores Ltd, ASDA House, Southbank, Great Wilson Street, Leeds, LS11 5AD	Project Number:	P-310908
Site Address:	Ferring (4792), Littlehampton Road, Ferring, Worthing, BN12 6PN	Certificate Number:	20181112/SPA/001

NB DIAGRAM FOR CERTIFICATE OF RE-OCCUPATION MUST BE INCLUSIVE OF APPROXIMATE ENCLOSURE DIMENSIONS



KEY FOR DIAGRAM

	Air Locks		Polythene Sheeting		Waste Skip		Viewing Panels
	Negative Pressure Unit		Flexible ducting		Asbestos Contractor Vehicle		Asbestos remaining
	Transit Route		Decontamination Unit		Sample Locations		

This diagram is only representative of the site layout and is not drawn to scale.

Analyst Name(s):	Simon Pratt	ARC Supervisor Name:	N/A	Date:	12/11/2018
Analyst Signature(s):		ARC Supervisor Signature:	N/A		



2719

AIR MONITORING TEST REPORT



Client Details	ASDA Stores Ltd	Project Number:	P-310908
	ASDA House, Southbank, Great Wilson Street, Leeds, LS11 5AD	Shift Number:	16
		Certificate Number:	20181113/SPA/001
Site Address	Ferring (4792), Littlehampton Road, Ferring, Worthing, BN12 6PN	Issued Date:	13/11/2018
		Issued by (print):	Simon Pratt
		Issued by (signature):	

Environmental Essentials' Issuing Laboratory

Lab L6, Unit C Faraday Court, Faraday Road, Crawley, West Sussex, RH10 9PU

Four stage site clearance procedures, air monitoring and fibre counting are undertaken in accordance with Environmental Essentials' in-house procedures which are based on the methodologies specified within HSE document HSG 248 Asbestos: The analysts' guide for sampling, analysis and clearance procedures.

All air tests will have one of the following suffix codes which will indicate the purpose of the test:

Sample Type B – Background Testing.

This testing is undertaken to establish a background level of airborne fibres prior to any remediation works being carried out.

Sample Type L – Leak Testing.

This testing is undertaken during works involving asbestos around the perimeter of a 'live' removal enclosure, in order to assess the effectiveness of control measures in place in particular the enclosure itself. Usually a sample of at least 480 litres of air will be taken, however shorter sampling periods or "pooled" sampling strategies may be adopted if the analyst suspects an enclosure breach, for example.

Sample Type C – Clearance Testing.

This testing is undertaken following the removal or encapsulation of asbestos materials within an enclosure in order to ascertain the quantification of airborne fibres compared with the clearance indicator level of 0.01 f/ml. At least 480 litres of air must be taken per sample. A clearance test will also be undertaken when assessing the suitability of a decontamination unit following completion of works.

For an area to be deemed as suitable for normal occupancy following asbestos remediation, at least 80% of the air test results must be below the clearance indicator level, whilst all results must be below 0.015 f/ml.

Sample Type R – Reassurance Testing.

This testing is undertaken in certain circumstances to confirm that airborne fibre levels are below 0.01 f/ml. For example, following the removal of an asbestos removal enclosure or as an assessment of an area for continued normal occupancy. At least 480 litres of air must be taken per sample.

Sample Type A – Personal Assessment Testing.

This testing will be undertaken during abatement works involving asbestos in order to assess the suitability of the respiratory protective equipment being used and also the effectiveness of the dust suppression methods in place. At least 40 litres of air must be sampled and the quantification limit will be calculated accordingly.

Sample Type P – Personal Compliance Testing.

This testing is undertaken in order to assess whether or not personal exposures are in compliance with the 4-hour Control Limit as defined within the ACOP L143 – Control of Asbestos Regulations (CAR) 2012.

Sample Type FB – Field Blank.

Field blanks are generated from satisfactory filter batches and treated in the same way as filters used for air sampling but without any air being drawn through them. In the event of elevated fibre counts on air samples, a field blank will be counted in order to exclude the possibility of contamination causing the elevated fibre count.

This test report may not be reproduced other than in full, except with the prior written approval of the issuing laboratory.

Air sampling and fibre counting fall within Environmental Essentials' scope of UKAS accreditation however, opinions and interpretations that may be expressed within this report are outside the scope of UKAS accreditation.

Certificate of cleanliness following works with non-licensed materials which may have been undertaken and witnessed as part of this project are not covered by Environmental Essentials' scope of UKAS accreditation.



2719

AIR MONITORING TEST CERTIFICATE



Client Name and Address:	ASDA Stores Ltd, ASDA House, Southbank, Great Wilson Street, Leeds, LS11 5AD	Project Number:	P-310908
Site Address:	Ferring (4792), Littlehampton Road, Ferring, Worthing, BN12 6PN	Date:	13/11/2018
Work Location:	Asda Ferring PFS	Certificate Number:	20181113/SPA/001

Microscope No:	M9	NPL Test Slide	3105	Stage Micrometer:	SM9	Timepiece:	DB33
Testing Kit No:	N/A	Test band observed:	5	Graticule Diameter(μm):	100.0	Exposed filter diameter:	22.0
Flow meter:	F14a	Barometer/Thermometer:	DB33	Pressure (mb):	1040	Temperature (°C):	19

Sample Number	Sample Type	Pump No	Cowl No	Sample Location	Sampling Times		Duration (mins)	Flow Rates (l/min)		Mean Flow Rate (l/min)	Sample Volume (litres)	Fibres Counted	Graticule Fields	LoQ* (f/ml)	Calculated Result**	Reported Result (f/ml)
					Start	Finish		Start	Finish							
001	R	P87	115	Rear of site car park	12:30	14:31	121	4.0	4.0	4.00	484	0	200	0.01	0	< 0.01
002	R	P19	001	Right side of site car park	12:32	14:32	120	4.0	4.0	4.00	480	1.0	200	0.01	0.0005	< 0.01
003	R	P217	232	Opposite waste skips	12:36	14:36	120	4.0	4.0	4.00	480	2.5	200	0.01	0.0013	< 0.01
004	R	P8	8E7	Next to trail pit	12:36	14:37	121	4.0	4.0	4.00	484	1.5	200	0.01	0.0008	< 0.01
005	FB	-	FB01	004 R	-	-	-	-	-	-	-	Not Counted	Not Counted	-	-	-
006	A	P96	24	on digger driver:- During dig of trial pit wearing half mask and type 5 suit	11:30	13:23	113	2.0	2.0	2.00	226	1.0	100	0.04	0.0021	< 0.04

*LoQ = Limit of quantification **Calculated result is provided for information only and is not intended to imply any greater accuracy of result than the stated limit of quantification.

Comments:
Reassurance air monitoring carried out around site during trial pit dig to determine airborne fibre concentration. Results satisfactory below limit of quantification<0.01. Rhodar carrying out watching brief during dig of trial pit no suspected ACMs found. Personal air monitoring carried out on operative during digging of trial pit, operative was wearing a half mask and type 5 suit

Analyst(s) (print):	Simon Pratt	Signature(s):				Date:	13/11/2018 15:15
---------------------	-------------	---------------	--	--	--	-------	------------------


Quality Doc No: M/Doc19 - 9 - TBC

Page No: 2 of 2

SITE LAYOUT

Client Name and Address:	ASDA Stores Ltd, ASDA House, Southbank, Great Wilson Street, Leeds, LS11 5AD	Project Number:	P-310908
Site Address:	Ferring (4792), Littlehampton Road, Ferring, Worthing, BN12 6PN	Certificate Number:	20181113/SPA/001

NB DIAGRAM FOR CERTIFICATE OF RE-OCCUPATION MUST BE INCLUSIVE OF APPROXIMATE ENCLOSURE DIMENSIONS



KEY FOR DIAGRAM

	Air Locks		Polythene Sheeting		Waste Skip		Viewing Panels
	Negative Pressure Unit		Flexible ducting		Asbestos Contractor Vehicle		Asbestos remaining
	Transit Route		Decontamination Unit		Sample Locations		

This diagram is only representative of the site layout and is not drawn to scale.

Analyst Name(s):	Simon Pratt	ARC Supervisor Name:	N/A	Date:	13/11/2018
Analyst Signature(s):		ARC Supervisor Signature:	N/A		

Quality Doc No: M/Doc73 - 4 - 041018


Page No: 1 of 1



2719

AIR MONITORING TEST REPORT



Client Details	ASDA Stores Ltd	Project Number:	P-310908
	ASDA House, Southbank, Great Wilson Street, Leeds, LS11 5AD	Shift Number:	17
		Certificate Number:	20181115/SPA/001
Site Address	Ferring (4792), Littlehampton Road, Ferring, Worthing, BN12 6PN	Issued Date:	15/11/2018
		Issued by (print):	Simon Pratt
		Issued by (signature):	

Environmental Essentials' Issuing Laboratory

Lab L6, Unit C Faraday Court, Faraday Road, Crawley, West Sussex, RH10 9PU

Four stage site clearance procedures, air monitoring and fibre counting are undertaken in accordance with Environmental Essentials' in-house procedures which are based on the methodologies specified within HSE document HSG 248 Asbestos: The analysts' guide for sampling, analysis and clearance procedures.

All air tests will have one of the following suffix codes which will indicate the purpose of the test:

Sample Type B – Background Testing.

This testing is undertaken to establish a background level of airborne fibres prior to any remediation works being carried out.

Sample Type L – Leak Testing.

This testing is undertaken during works involving asbestos around the perimeter of a 'live' removal enclosure, in order to assess the effectiveness of control measures in place in particular the enclosure itself. Usually a sample of at least 480 litres of air will be taken, however shorter sampling periods or "pooled" sampling strategies may be adopted if the analyst suspects an enclosure breach, for example.

Sample Type C – Clearance Testing.

This testing is undertaken following the removal or encapsulation of asbestos materials within an enclosure in order to ascertain the quantification of airborne fibres compared with the clearance indicator level of 0.01 f/ml. At least 480 litres of air must be taken per sample. A clearance test will also be undertaken when assessing the suitability of a decontamination unit following completion of works.

For an area to be deemed as suitable for normal occupancy following asbestos remediation, at least 80% of the air test results must be below the clearance indicator level, whilst all results must be below 0.015 f/ml.

Sample Type R – Reassurance Testing.

This testing is undertaken in certain circumstances to confirm that airborne fibre levels are below 0.01 f/ml. For example, following the removal of an asbestos removal enclosure or as an assessment of an area for continued normal occupancy. At least 480 litres of air must be taken per sample.

Sample Type A – Personal Assessment Testing.

This testing will be undertaken during abatement works involving asbestos in order to assess the suitability of the respiratory protective equipment being used and also the effectiveness of the dust suppression methods in place. At least 40 litres of air must be sampled and the quantification limit will be calculated accordingly.

Sample Type P – Personal Compliance Testing.

This testing is undertaken in order to assess whether or not personal exposures are in compliance with the 4-hour Control Limit as defined within the ACOP L143 – Control of Asbestos Regulations (CAR) 2012.

Sample Type FB – Field Blank.

Field blanks are generated from satisfactory filter batches and treated in the same way as filters used for air sampling but without any air being drawn through them. In the event of elevated fibre counts on air samples, a field blank will be counted in order to exclude the possibility of contamination causing the elevated fibre count.

This test report may not be reproduced other than in full, except with the prior written approval of the issuing laboratory.

Air sampling and fibre counting fall within Environmental Essentials' scope of UKAS accreditation however, opinions and interpretations that may be expressed within this report are outside the scope of UKAS accreditation.

Certificate of cleanliness following works with non-licensed materials which may have been undertaken and witnessed as part of this project are not covered by Environmental Essentials' scope of UKAS accreditation.



2719

AIR MONITORING TEST CERTIFICATE



Client Name and Address:	ASDA Stores Ltd, ASDA House, Southbank, Great Wilson Street, Leeds, LS11 5AD	Project Number:	P-310908
Site Address:	Ferring (4792), Littlehampton Road, Ferring, Worthing, BN12 6PN	Date:	15/11/2018
Work Location:	Asda Ferring PFS	Certificate Number:	20181115/SPA/001

Microscope No:	M9	NPL Test Slide	3105	Stage Micrometer:	SM9	Timepiece:	DB33
Testing Kit No:	N/A	Test band observed:	5	Graticule Diameter(µm):	100.0	Exposed filter diameter:	22.0
Flow meter:	F14a	Barometer/Thermometer:	DB33	Pressure (mb):	1019	Temperature (°C):	20

Sample Number	Sample Type	Pump No	Cowl No	Sample Location	Sampling Times		Duration (mins)	Flow Rates (l/min)		Mean Flow Rate (l/min)	Sample Volume (litres)	Fibres Counted	Graticule Fields	LoQ* (f/ml)	Calculated Result**	Reported Result (f/ml)
					Start	Finish		Start	Finish							
001	R	P217	24	Rear of site car park	09:55	11:55	120	4.0	4.0	4.00	480	1.0	200	0.01	0.0005	< 0.01
002	R	P19	115	Right side of site car park next to public footpath	09:56	11:56	120	4.0	4.0	4.00	480	0.5	200	0.01	0.0003	< 0.01
003	R	P87	232	Opposite waste skips	10:02	12:02	120	4.0	4.0	4.00	480	4.0	200	0.01	0.002	< 0.01
004	R	P8	286	Next to trial pit digging	10:21	12:21	120	4.0	4.0	4.00	480	3.0	200	0.01	0.0015	< 0.01
005	FB	-	FB01	004 R	-	-	-	-	-	-	-	Not Counted	Not Counted	-	-	-
006	A	P96	001	On digger driver:- Dave Cole during trial pit digging	10:04	12:37	153	2.0	2.0	2.00	306	2.0	100	0.03	0.0032	< 0.03
007	R	P87	8E7	Next to trail pit	12:20	14:20	120	4.0	4.0	4.00	480	1.5	200	0.01	0.0008	< 0.01
008	R	P217	24	Middle of site	12:23	14:23	120	4.0	4.0	4.00	480	0	200	0.01	0	< 0.01

*LoQ = Limit of quantification **Calculated result is provided for information only and is not intended to imply any greater accuracy of result than the stated limit of quantification.

Comments:

Reassurance air monitoring carried out to determine airborne fibre concentration during trial pit digging. Results satisfactory below limit of quantification <0.01 Rhodar carried out watching brief during dig and no suspected ACMs found within trial pits. Personal air monitoring carried out on digger driver during digging of trial pits. Driver was wearing half mask and type 5 suit.

Analyst(s) (print):	Simon Pratt	Signature(s):		Date:	15/11/2018 15:32
---------------------	-------------	---------------	--	-------	------------------


Quality Doc No: M/Doc19 - 9 - TBC

Page No: 2 of 2

SITE LAYOUT

Client Name and Address:	ASDA Stores Ltd, ASDA House, Southbank, Great Wilson Street, Leeds, LS11 5AD	Project Number:	P-310908
Site Address:	Ferring (4792), Littlehampton Road, Ferring, Worthing, BN12 6PN	Certificate Number:	20181115/SPA/001

NB DIAGRAM FOR CERTIFICATE OF RE-OCCUPATION MUST BE INCLUSIVE OF APPROXIMATE ENCLOSURE DIMENSIONS



KEY FOR DIAGRAM

	Air Locks		Polythene Sheeting		Waste Skip		Viewing Panels
	Negative Pressure Unit		Flexible ducting		Asbestos Contractor Vehicle		Asbestos remaining
	Transit Route		Decontamination Unit		Sample Locations		

This diagram is only representative of the site layout and is not drawn to scale.

Analyst Name(s):	Simon Pratt	ARC Supervisor Name:	N/A	Date:	15/11/2018
Analyst Signature(s):		ARC Supervisor Signature:	N/A		



2719

AIR MONITORING TEST REPORT



Client Details	ASDA Stores Ltd	Project Number:	P-310908
	ASDA House, Southbank, Great Wilson Street, Leeds, LS11 5AD	Shift Number:	14
		Certificate Number:	20181116/SPA/002
Site Address	Ferring (4792), Littlehampton Road, Ferring, Worthing, BN12 6PN	Issued Date:	16/11/2018
		Issued by (print):	Simon Pratt
		Issued by (signature):	

Environmental Essentials' Issuing Laboratory

Lab L6, Unit C Faraday Court, Faraday Road, Crawley, West Sussex, RH10 9PU

Four stage site clearance procedures, air monitoring and fibre counting are undertaken in accordance with Environmental Essentials' in-house procedures which are based on the methodologies specified within HSE document HSG 248 Asbestos: The analysts' guide for sampling, analysis and clearance procedures.

All air tests will have one of the following suffix codes which will indicate the purpose of the test:

Sample Type B – Background Testing.

This testing is undertaken to establish a background level of airborne fibres prior to any remediation works being carried out.

Sample Type L – Leak Testing.

This testing is undertaken during works involving asbestos around the perimeter of a 'live' removal enclosure, in order to assess the effectiveness of control measures in place in particular the enclosure itself. Usually a sample of at least 480 litres of air will be taken, however shorter sampling periods or "pooled" sampling strategies may be adopted if the analyst suspects an enclosure breach, for example.

Sample Type C – Clearance Testing.

This testing is undertaken following the removal or encapsulation of asbestos materials within an enclosure in order to ascertain the quantification of airborne fibres compared with the clearance indicator level of 0.01 f/ml. At least 480 litres of air must be taken per sample. A clearance test will also be undertaken when assessing the suitability of a decontamination unit following completion of works.

For an area to be deemed as suitable for normal occupancy following asbestos remediation, at least 80% of the air test results must be below the clearance indicator level, whilst all results must be below 0.015 f/ml.

Sample Type R – Reassurance Testing.

This testing is undertaken in certain circumstances to confirm that airborne fibre levels are below 0.01 f/ml. For example, following the removal of an asbestos removal enclosure or as an assessment of an area for continued normal occupancy. At least 480 litres of air must be taken per sample.

Sample Type A – Personal Assessment Testing.

This testing will be undertaken during abatement works involving asbestos in order to assess the suitability of the respiratory protective equipment being used and also the effectiveness of the dust suppression methods in place. At least 40 litres of air must be sampled and the quantification limit will be calculated accordingly.

Sample Type P – Personal Compliance Testing.

This testing is undertaken in order to assess whether or not personal exposures are in compliance with the 4-hour Control Limit as defined within the ACOP L143 – Control of Asbestos Regulations (CAR) 2012.

Sample Type FB – Field Blank.

Field blanks are generated from satisfactory filter batches and treated in the same way as filters used for air sampling but without any air being drawn through them. In the event of elevated fibre counts on air samples, a field blank will be counted in order to exclude the possibility of contamination causing the elevated fibre count.

This test report may not be reproduced other than in full, except with the prior written approval of the issuing laboratory.

Air sampling and fibre counting fall within Environmental Essentials' scope of UKAS accreditation however, opinions and interpretations that may be expressed within this report are outside the scope of UKAS accreditation.

Certificate of cleanliness following works with non-licensed materials which may have been undertaken and witnessed as part of this project are not covered by Environmental Essentials' scope of UKAS accreditation.



environmental
essentials

[illegible]


*LoQ = Limit of quantification **Calculated result is provided for information only and is not intended to imply any greater accuracy of result than the stated limit of quantification.

Comments:			
Reassurance air monitoring carried out in digger following environmental clean of digger komatsu PC 290 LC cab following on site use within possible contaminated soil area. Results satisfactory below limit of quantification <0.01			
Analyst(s) (print):	Simon Pratt	Signature(s):	 Date: 16/11/2018 13:39

SITE LAYOUT

Client Name and Address:	ASDA Stores Ltd, ASDA House, Southbank, Great Wilson Street, Leeds, LS11 5AD	Project Number:	P-310908
Site Address:	Ferring (4792), Littlehampton Road, Ferring, Worthing, BN12 6PN	Certificate Number:	20181116/SPA/002

NB DIAGRAM FOR CERTIFICATE OF RE-OCCUPATION MUST BE INCLUSIVE OF APPROXIMATE ENCLOSURE DIMENSIONS



KEY FOR DIAGRAM

	Air Locks		Polythene Sheeting		Waste Skip		Viewing Panels
	Negative Pressure Unit		Flexible ducting		Asbestos Contractor Vehicle		Asbestos remaining
	Transit Route		Decontamination Unit		Sample Locations		

This diagram is only representative of the site layout and is not drawn to scale.

Analyst Name(s):	Simon Pratt	ARC Supervisor Name:	N/A	Date:	16/11/2018
Analyst Signature(s):		ARC Supervisor Signature:	N/A		



2719

AIR MONITORING TEST REPORT



Client Details	ASDA Stores Ltd	Project Number:	P-317792
	ASDA House, Southbank, Great Wilson Street, Leeds, LS11 5AD	Shift Number:	1
		Certificate Number:	20190103/SPA/001
Site Address	Ferring (4792), Littlehampton Road, , Ferring, , Worthing, , BN12 6PN (Chain)	Issued Date:	03/01/2019
		Issued by (print):	Simon Pratt
		Issued by (signature):	

Environmental Essentials' Issuing Laboratory

Lab L6, Unit C Faraday Court, Faraday Road, Crawley, West Sussex, RH10 9PU

Four stage site clearance procedures, air monitoring and fibre counting are undertaken in accordance with Environmental Essentials' in-house procedures which are based on the methodologies specified within HSE document HSG 248 Asbestos: The analysts' guide for sampling, analysis and clearance procedures.

All air tests will have one of the following suffix codes which will indicate the purpose of the test:

Sample Type B – Background Testing.

This testing is undertaken to establish a background level of airborne fibres prior to any remediation works being carried out.

Sample Type L – Leak Testing.

This testing is undertaken during works involving asbestos around the perimeter of a 'live' removal enclosure, in order to assess the effectiveness of control measures in place in particular the enclosure itself. Usually a sample of at least 480 litres of air will be taken, however shorter sampling periods or "pooled" sampling strategies may be adopted if the analyst suspects an enclosure breach, for example.

Sample Type C – Clearance Testing.

This testing is undertaken following the removal or encapsulation of asbestos materials within an enclosure in order to ascertain the quantification of airborne fibres compared with the clearance indicator level of 0.01 f/ml. At least 480 litres of air must be taken per sample. A clearance test will also be undertaken when assessing the suitability of a decontamination unit following completion of works.

For an area to be deemed as suitable for normal occupancy following asbestos remediation, at least 80% of the air test results must be below the clearance indicator level, whilst all results must be below 0.015 f/ml.

Sample Type R – Reassurance Testing.

This testing is undertaken in certain circumstances to confirm that airborne fibre levels are below 0.01 f/ml. For example, following the removal of an asbestos removal enclosure or as an assessment of an area for continued normal occupancy. At least 480 litres of air must be taken per sample.

Sample Type A – Personal Assessment Testing.

This testing will be undertaken during abatement works involving asbestos in order to assess the suitability of the respiratory protective equipment being used and also the effectiveness of the dust suppression methods in place. At least 40 litres of air must be sampled and the quantification limit will be calculated accordingly.

Sample Type P – Personal Compliance Testing.

This testing is undertaken in order to assess whether or not personal exposures are in compliance with the 4-hour Control Limit as defined within the ACOP L143 – Control of Asbestos Regulations (CAR) 2012.

Sample Type FB – Field Blank.

Field blanks are generated from satisfactory filter batches and treated in the same way as filters used for air sampling but without any air being drawn through them. In the event of elevated fibre counts on air samples, a field blank will be counted in order to exclude the possibility of contamination causing the elevated fibre count.

This test report may not be reproduced other than in full, except with the prior written approval of the issuing laboratory.

Air sampling and fibre counting fall within Environmental Essentials' scope of UKAS accreditation however, opinions and interpretations that may be expressed within this report are outside the scope of UKAS accreditation.

Certificate of cleanliness following works with non-licensed materials which may have been undertaken and witnessed as part of this project are not covered by Environmental Essentials' scope of UKAS accreditation.



2719

AIR MONITORING TEST CERTIFICATE



Client Name and Address:	ASDA Stores Ltd, ASDA House, Southbank, Great Wilson Street, Leeds, LS11 5AD	Project Number:	P-317792
Site Address:	Ferring (4792), Littlehampton Road, , Ferring, , Worthing, , BN12 6PN (Chain)	Date:	03/01/2019
Work Location:	Asda Ferring PFS	Certificate Number:	20190103/SPA/001

Microscope No:	M9	NPL Test Slide	3105	Stage Micrometer:	SM9	Timepiece:	DB33
Testing Kit No:	N/A	Test band observed:	5	Graticule Diameter(μm):	100.0	Exposed filter diameter:	22.0
Flow meter:	F14a	Barometer/Thermometer:	DB33	Pressure (mb):	1061	Temperature (°C):	8

Sample Number	Sample Type	Pump No	Cowl No	Sample Location	Sampling Times		Duration (mins)	Flow Rates (l/min)		Mean Flow Rate (l/min)	Sample Volume (litres)	Fibres Counted	Graticule Fields	LoQ* (f/ml)	Calculated Result	Reported Result (f/ml)
					Start	Finish		Start	Finish							
001	R	P217	232	Next to site entrance	09:32	11:32	120	4.0	4.0	4.00	480	1.5	200	0.01	0.0008	< 0.01
002	R	P8	24	Next to public footpath opposite digging site.	09:35	11:35	120	4.0	4.0	4.00	480	2.0	200	0.01	0.001	< 0.01
003	FB	-	FB01	001 R	-	-	-	-	-	-	-	Not Counted	Not Counted	-	-	-
004	A	P96	8E7	On digger driver Jamie M. during dig of possible contaminated area, wearing P3 half mask and type S suit.	09:39	11:56	137	2.0	2.0	2.00	274	0.5	100	0.04	0.0009	< 0.04

*LoQ = Limit of quantification

Comments:																
Reassurance air monitoring carried out to determine airborne fibre concentration during the digging of possible contaminated ground. Results satisfactory below limit of quantification <0.01.																
Analyst(s) (print):	Simon Pratt	Signature(s):													Date:	03/01/2019 13:46


Quality Doc No: M/Doc19 - 8 - 30/06/018

Page No: 2 of 2

SITE LAYOUT

Client Name and Address:	ASDA Stores Ltd, ASDA House, Southbank, Great Wilson Street, Leeds, LS11 5AD	Project Number:	P-317792
Site Address:	Ferring (4792), Littlehampton Road, , Ferring, , Worthing, , BN12 6PN (Chain)	Certificate Number:	20190103/SPA/001

NB DIAGRAM FOR CERTIFICATE OF RE-OCCUPATION MUST BE INCLUSIVE OF APPROXIMATE ENCLOSURE DIMENSIONS



KEY FOR DIAGRAM

	Air Locks		Polythene Sheeting		Waste Skip		Viewing Panels
	Negative Pressure Unit		Flexible ducting		Asbestos Contractor Vehicle		Asbestos remaining
	Transit Route		Decontamination Unit		Sample Locations		

This diagram is only representative of the site layout and is not drawn to scale.

Analyst Name(s):	Simon Pratt	ARC Supervisor Name:	N/A	Date:	03/01/2019
Analyst Signature(s):		ARC Supervisor Signature:	N/A		



2719

AIR MONITORING TEST REPORT



Client Details	ASDA Stores Ltd	Project Number:	P-317792
	ASDA House, Southbank, Great Wilson Street, Leeds, LS11 5AD	Shift Number:	2
		Certificate Number:	20190104/SPA/001
Site Address	Ferring (4792), Littlehampton Road, , Ferring, , Worthing, , BN12 6PN (Chain)	Issued Date:	04/01/2019
		Issued by (print):	Simon Pratt
		Issued by (signature):	

Environmental Essentials' Issuing Laboratory

Lab L6, Unit C Faraday Court, Faraday Road, Crawley, West Sussex, RH10 9PU

Four stage site clearance procedures, air monitoring and fibre counting are undertaken in accordance with Environmental Essentials' in-house procedures which are based on the methodologies specified within HSE document HSG 248 Asbestos: The analysts' guide for sampling, analysis and clearance procedures.

All air tests will have one of the following suffix codes which will indicate the purpose of the test:

Sample Type B – Background Testing.

This testing is undertaken to establish a background level of airborne fibres prior to any remediation works being carried out.

Sample Type L – Leak Testing.

This testing is undertaken during works involving asbestos around the perimeter of a 'live' removal enclosure, in order to assess the effectiveness of control measures in place in particular the enclosure itself. Usually a sample of at least 480 litres of air will be taken, however shorter sampling periods or "pooled" sampling strategies may be adopted if the analyst suspects an enclosure breach, for example.

Sample Type C – Clearance Testing.

This testing is undertaken following the removal or encapsulation of asbestos materials within an enclosure in order to ascertain the quantification of airborne fibres compared with the clearance indicator level of 0.01 f/ml. At least 480 litres of air must be taken per sample. A clearance test will also be undertaken when assessing the suitability of a decontamination unit following completion of works.

For an area to be deemed as suitable for normal occupancy following asbestos remediation, at least 80% of the air test results must be below the clearance indicator level, whilst all results must be below 0.015 f/ml.

Sample Type R – Reassurance Testing.

This testing is undertaken in certain circumstances to confirm that airborne fibre levels are below 0.01 f/ml. For example, following the removal of an asbestos removal enclosure or as an assessment of an area for continued normal occupancy. At least 480 litres of air must be taken per sample.

Sample Type A – Personal Assessment Testing.

This testing will be undertaken during abatement works involving asbestos in order to assess the suitability of the respiratory protective equipment being used and also the effectiveness of the dust suppression methods in place. At least 40 litres of air must be sampled and the quantification limit will be calculated accordingly.

Sample Type P – Personal Compliance Testing.

This testing is undertaken in order to assess whether or not personal exposures are in compliance with the 4-hour Control Limit as defined within the ACOP L143 – Control of Asbestos Regulations (CAR) 2012.

Sample Type FB – Field Blank.

Field blanks are generated from satisfactory filter batches and treated in the same way as filters used for air sampling but without any air being drawn through them. In the event of elevated fibre counts on air samples, a field blank will be counted in order to exclude the possibility of contamination causing the elevated fibre count.

This test report may not be reproduced other than in full, except with the prior written approval of the issuing laboratory.

Air sampling and fibre counting fall within Environmental Essentials' scope of UKAS accreditation however, opinions and interpretations that may be expressed within this report are outside the scope of UKAS accreditation.

Certificate of cleanliness following works with non-licensed materials which may have been undertaken and witnessed as part of this project are not covered by Environmental Essentials' scope of UKAS accreditation.



2719

AIR MONITORING TEST CERTIFICATE



Client Name and Address:	ASDA Stores Ltd, ASDA House, Southbank, Great Wilson Street, Leeds, LS11 5AD	Project Number:	P-317792
Site Address:	Ferring (4792), Littlehampton Road, , Ferring, , Worthing, , BN12 6PN (Chain)	Date:	04/01/2019
Work Location:	Asda Ferring PFS	Certificate Number:	20190104/SPA/001

Microscope No:	M9	NPL Test Slide	3105	Stage Micrometer:	SM9	Timepiece:	DB33
Testing Kit No:	N/A	Test band observed:	5	Graticule Diameter(µm):	100.0	Exposed filter diameter:	22.0
Flow meter:	DB33	Barometer/Thermometer:	DB33	Pressure (mb):	1060	Temperature (°C):	8

Sample Number	Sample Type	Pump No	Cowl No	Sample Location	Sampling Times		Duration (mins)	Flow Rates (l/min)		Mean Flow Rate (l/min)	Sample Volume (litres)	Fibres Counted	Graticule Fields	LoQ* (f/ml)	Calculated Result	Reported Result (f/ml)
					Start	Finish		Start	Finish							
001	R	P217	001	Next to site entrance	07:36	09:36	120	4.0	4.0	4.00	480	1.5	200	0.01	0.0008	< 0.01
002	R	P19	232	Next to public footpath opposite digging area.	07:38	09:38	120	4.0	4.0	4.00	480	3.0	200	0.01	0.0015	< 0.01
003	FB	-	FB01	001 R	-	-	-	-	-	-	-	Not Counted	Not Counted	-	-	-
004	A	P96	8E7	On digger driver Jamie M during digging of possible contaminated soil. Wearing a half mask with P3 filter and type 5 suit.	07:39	09:40	121	2.0	2.0	2.00	242	1.0	100	0.04	0.002	< 0.04

*LoQ = Limit of quantification

Comments:																
Reassurance air monitoring carried out in various locations around site during the digging of possible contaminated ground. Results satisfactory below limit of quantification <0.01																
Analyst(s) (print):	Simon Pratt	Signature(s):										Date:	04/01/2019 12:25			

Quality Doc No: M/Doc19 - 8 - 30/06/018

Page No: 2 of 2

environmental
essentials

NB DIAGRAM FOR CERTIFICATE OF RE-OCCUPATION MUST BE INCLUSIVE OF APPROXIMATE ENCLOSURE DIMENSIONS

The diagram is a site plan showing a building complex. The building has a main rectangular section on the left and a larger, more complex section on the right. The left section contains a 'Car Park' area at the bottom, followed by 'Site Office', 'Canteen', and 'Toilets' in a row. The right section is labeled 'Site' and contains a 'Digging Area' marked with an 'X'. A line points from the 'Digging Area' label to this 'X'. Another line points from a label '002 R' to an 'X' on the boundary between the two building sections. A third line points from a label '001 R 003 FB' to an 'X' on the left wall of the right section. A fourth line points from a label '004 A' to a small rectangular area on the boundary between the two sections. The diagram also shows various door openings and windows, some with curved lines indicating their swing or position.

	Air Locks		Polythene Sheeting		Waste Skip		Viewing Panels
	Negative Pressure Unit		Flexible ducting		Asbestos Contractor Vehicle		Asbestos remaining
	Transit Route		Decontamination Unit		Sample Locations		


Analyst Name(s):	Simon Pratt	ARC Supervisor Name:	N/A	Date:	04/01/2019
Analyst Signature(s):		ARC Supervisor Signature:	N/A		



2719

AIR MONITORING TEST REPORT



Client Details	ASDA Stores Ltd	Project Number:	P-317792
	ASDA House, Southbank, Great Wilson Street, Leeds, LS11 5AD	Shift Number:	2
		Certificate Number:	20190104/SPA/002
Site Address	Ferring (4792), Littlehampton Road, , Ferring, , Worthing, , BN12 6PN (Chain)	Issued Date:	04/01/2019
		Issued by (print):	Simon Pratt
		Issued by (signature):	

Environmental Essentials' Issuing Laboratory

Lab L6, Unit C Faraday Court, Faraday Road, Crawley, West Sussex, RH10 9PU

Four stage site clearance procedures, air monitoring and fibre counting are undertaken in accordance with Environmental Essentials' in-house procedures which are based on the methodologies specified within HSE document HSG 248 Asbestos: The analysts' guide for sampling, analysis and clearance procedures.

All air tests will have one of the following suffix codes which will indicate the purpose of the test:

Sample Type B – Background Testing.

This testing is undertaken to establish a background level of airborne fibres prior to any remediation works being carried out.

Sample Type L – Leak Testing.

This testing is undertaken during works involving asbestos around the perimeter of a 'live' removal enclosure, in order to assess the effectiveness of control measures in place in particular the enclosure itself. Usually a sample of at least 480 litres of air will be taken, however shorter sampling periods or "pooled" sampling strategies may be adopted if the analyst suspects an enclosure breach, for example.

Sample Type C – Clearance Testing.

This testing is undertaken following the removal or encapsulation of asbestos materials within an enclosure in order to ascertain the quantification of airborne fibres compared with the clearance indicator level of 0.01 f/ml. At least 480 litres of air must be taken per sample. A clearance test will also be undertaken when assessing the suitability of a decontamination unit following completion of works.

For an area to be deemed as suitable for normal occupancy following asbestos remediation, at least 80% of the air test results must be below the clearance indicator level, whilst all results must be below 0.015 f/ml.

Sample Type R – Reassurance Testing.

This testing is undertaken in certain circumstances to confirm that airborne fibre levels are below 0.01 f/ml. For example, following the removal of an asbestos removal enclosure or as an assessment of an area for continued normal occupancy. At least 480 litres of air must be taken per sample.

Sample Type A – Personal Assessment Testing.

This testing will be undertaken during abatement works involving asbestos in order to assess the suitability of the respiratory protective equipment being used and also the effectiveness of the dust suppression methods in place. At least 40 litres of air must be sampled and the quantification limit will be calculated accordingly.

Sample Type P – Personal Compliance Testing.

This testing is undertaken in order to assess whether or not personal exposures are in compliance with the 4-hour Control Limit as defined within the ACOP L143 – Control of Asbestos Regulations (CAR) 2012.

Sample Type FB – Field Blank.

Field blanks are generated from satisfactory filter batches and treated in the same way as filters used for air sampling but without any air being drawn through them. In the event of elevated fibre counts on air samples, a field blank will be counted in order to exclude the possibility of contamination causing the elevated fibre count.

This test report may not be reproduced other than in full, except with the prior written approval of the issuing laboratory.

Air sampling and fibre counting fall within Environmental Essentials' scope of UKAS accreditation however, opinions and interpretations that may be expressed within this report are outside the scope of UKAS accreditation.

Certificate of cleanliness following works with non-licensed materials which may have been undertaken and witnessed as part of this project are not covered by Environmental Essentials' scope of UKAS accreditation.



2719

AIR MONITORING TEST CERTIFICATE



Client Name and Address:	ASDA Stores Ltd, ASDA House, Southbank, Great Wilson Street, Leeds, LS11 5AD	Project Number:	P-317792
Site Address:	Ferring (4792), Littlehampton Road, , Ferring, , Worthing, , BN12 6PN (Chain)	Date:	04/01/2019
Work Location:	Asda Ferring PFS	Certificate Number:	20190104/SPA/002

Microscope No:	N/A	NPL Test Slide	3105	Stage Micrometer:	SM9	Timepiece:	DB33
Testing Kit No:	N/A	Test band observed:	5	Graticule Diameter(μm):	100.0	Exposed filter diameter:	22.0
Flow meter:	F14a	Barometer/Thermometer:	DB33	Pressure (mb):	1060	Temperature (°C):	9

Sample Number	Sample Type	Pump No	Cowl No	Sample Location	Sampling Times		Duration (mins)	Flow Rates (l/min)		Mean Flow Rate (l/min)	Sample Volume (litres)	Fibres Counted	Graticule Fields	LoQ* (f/ml)	Calculated Result	Reported Result (f/ml)
					Start	Finish		Start	Finish							
001	R	P87	286	On digger used to dig in contaminated area	11:12	11:52	40	12.0	12.0	12.00	480	2.5	200	0.01	0.0013	< 0.01

*LoQ = Limit of quantification

Comments:																
Reassurance air monitoring carried out within cab of digger following on site use digging possible contaminated soil. Results satisfactory below limit of quantification <0.01																
Analyst(s) (print):	Simon Pratt	Signature(s):													Date:	04/01/2019 12:25


Quality Doc No: M/Doc19 - 8 - 30/06/018

Page No: 2 of 2

SITE LAYOUT

Client Name and Address:	ASDA Stores Ltd, ASDA House, Southbank, Great Wilson Street, Leeds, LS11 5AD	Project Number:	P-317792
Site Address:	Ferring (4792), Littlehampton Road, , Ferring, , Worthing, , BN12 6PN (Chain)	Certificate Number:	20190104/SPA/002

NB DIAGRAM FOR CERTIFICATE OF RE-OCCUPATION MUST BE INCLUSIVE OF APPROXIMATE ENCLOSURE DIMENSIONS



KEY FOR DIAGRAM

	Air Locks		Polythene Sheeting		Waste Skip		Viewing Panels
	Negative Pressure Unit		Flexible ducting		ARC		Asbestos Contractor Vehicle
	Transit Route		Decontamination Unit		Sample Locations		Asbestos remaining

This diagram is only representative of the site layout and is not drawn to scale.

Analyst Name(s):	Simon Pratt	ARC Supervisor Name:	N/A	Date:	04/01/2019
Analyst Signature(s):		ARC Supervisor Signature:	N/A		

ENCLOSURE D

**Copies of waste transfer notes
(31 pages)**

The Hazardous Waste Regulations 2005:

Consignment Note

52-603792

28/08/18

142795

Rhodar

PART A Notification details

1. Consignment note code: **RHODAR 09651**

2. The waste described below is to be removed from (name, address, postcode, telephone, e-mail, facsimile): **ARMANDO ACERAS SANE LITTLEHAMPTON ROAD FERRIS GW12 6AN (FERRIS STATION)**

3. The waste will be taken to (name, address and postcode): **Biffa Redhill site Cormorangers Lane, Redhill, RH1 4ER**

4. The waste producer uses (if different from 2) (name, address, postcode, telephone, e-mail, facsimile):

PART B Description of the waste

1. The process giving rise to the waste was: **CONSTRUCTION**

2. SIC for the process giving rise to the waste: **43.99/19**

3. WASTE DETAIL (where more than one waste type is collected all of the information given below must be completed for each EWC identified)

Description of waste	List of wastes (EWC codes (8 digit))	Quantity (kg)	The chemical/biological components of the waste and their concentrations are:		Physical form (gas, liquid, solid, powder, sludge or mixed)	Hazard code(s)	Container type, number and size
			Component	Concentration (kg or mg/kg)			
Soil Contaminated with Asbestos	170503	10T	Asbestos	>0.1%	Solid	H3720	200

The information given below is to be completed for each EWC identified

EWC code	UN identification number	Proper shipping name(s)	UN classed	Packing group(s)	Special handling requirements
170503	2570	Asbestos contaminated soil	9	III	

PART C Carrier's certificate

If more than one carrier is used please attach schedule of subsequent carriers. If schedule of carriers is attached tick here: ☐

I certify that I today collected the consignment and that the details in A2, A3 and B3 are correct and I have been advised of any special handling requirements.

1. Carrier name: **ARMANDO**

On behalf of (name, address, postcode, telephone, e-mail, facsimile):

2. Carrier registration no. (shown for inspection):

3. Vehicle registration no. (for mode of transport, if not road):

Signature: _____

Date: **28/08/18** Time: **14:12**

PART D Consignor's certificate

I certify that the information in A, B and C is correct, that the carrier is registered or exempt and was advised of the appropriate precautionary measures. All of the waste is packaged and labelled correctly and the carrier has been advised of any special handling requirements.

I confirm that I have fulfilled my duty to apply the waste hierarchy as required by Regulation 12 of the 2002 (England and Wales).

1. Consignor name: **ARMANDO**

On behalf of (name, address, postcode, telephone, e-mail, facsimile):

Signature: _____

Date: **28/08/18** Time: **14:12**

PART E Consignee's certificate

Where more than one waste type is collected all of the information given below must be completed for each EWC

Individual EWC code(s) received	Quantity of each EWC code received (kg)	EWC code accepted/rejected	Waste management operation (R or D code)
170503	13040	ACC	D05

1. I received this waste at the address given in A2 on: **22/10/2018** Time: **14:12**

2. Vehicle registration no. (for mode of transport, if not road):

3. If other waste is rejected please provide details: **H765B**

I certify that waste management is a permit licensed activity and I have not the management of the waste described in A2 at the address given in A2.

Signature: _____

Date: **22/10/2018** Time: **14:52**

BiffaBIFFA WASTE SERVICES LIMITED
CORONATION ROAD, CRESSEX
HIGH WYCOMBE
BUCKS. HP12 3TZ

SITE 833 REDHILL LANDFILL SITE

TICKET No. 830969

DATE 22/10/2018

LIC. No. BU0126
LICENSING AUTHORITY - South EastLICENCE HOLDER
BIFFA WASTE SERVICES LTDCUSTOMER
TRANSFER NOTE No.
LOAD REF. DB00092
ORDER REF. HAZ ASBESTOS CONT SOIL
SOURCE W870 WorthingCUSTOMER RHODAR LIMITED
CODE R301C1+1+27
ADDRESS R9DA
LITTLEHAMPTON ROAD, FERRING
WORTHINGWASTE DESCRIPTION
HAZ SOIL: Haz Asbestos Cont SoilPOSTCODE BN12 6PN
HAULIER SJ BOMBER WASTE DISPOSAL LTD
CARRIER REG. No. 080198631
REGISTRATION AUTHORITY NATIONALCODE 170503
DESTINATION 010 DISPOSAL
CONTRACT 142795+2/1
EWC CODE 170503
PRE-TREATED NO
CONSIGNMENT CODE RH01DA6/08551
LANDFILL TAX EXEMPTION REF. No. Standard rateVEHICLE H76JB BLACK CARRIER
CONTAINER 159 15.3 CLM OPEN BC
C.U.M. 15.30DEPOSIT THIS LOAD AT ASBESTOS CELL
PHASE NEW LIFT 23 CELL 6

	WEIGHT	DATE	TIME	TALLY No.
GROSS	28300 Kg	22/10/2018	14:32	0052020
TARE	15460 Kg	22/10/2018	15:24	0012941
NET	12840 Kg			
QTY. CHARGED	** 13.04 TONNE **			

THIS IS NET A VAT INVOICE
NET COST *****
VAT @ ***** % *****
TOTAL COST *****BY SIGNING THIS WASTE TRANSFER NOTE I AM CERTIFYING THAT THEY HAVE FULFILLED THEIR DUTY TO
APPLY THE W.F.D. WASTE HIERARCHY.

FOR BIFFA WASTE SERVICES

CHRIS. BLINNEY

NAME

By signing above, I have

fulfilled my duty to apply the W.F.D. Waste Hierarchy

THIS DOCUMENT IS A WASTE TRANSFER NOTE AS PROVIDED FOR BY ENVIRONMENTAL PROTECTION (DUTY OF CARE) REGULATIONS 1991. A TALLY RECORD OF THIS TRANSACTION IS AVAILABLE FOR 6 MONTHS.
WHERE WASTE MATERIALS ARE FOUND ON DISCHARGE TO BE INCONSISTENT WITH THE DESCRIPTION, BIFFA WASTE SERVICES RESERVE THE RIGHT TO RECOVER THE APPROPRIATE CHARGE AND ASSOCIATED
TAX FROM THE CUSTOMER. BIFFA WASTE SERVICES AS OPERATORS OF THE SITE ARE AUTHORIZED BY THE HOLDER OF THE APPROPRIATE PERMIT TO ACCEPT WASTE FOR DISPOSAL.

The Hazardous Waste Regulations 2005:
Consignment Note

23/10/18

142795

Rhodar

PART A Notification details							
1 Consignment note code: RH000010208		3 The waste will be taken to (name, address and postcode): Biffa Redhill site Cornmongers Lane, Redhill, RH1 4ER					
2 The waste described below is to be removed from (name, address, postcode, telephone, e-mail, facsimile): Rhoda Ho Adon (Peter Simon) Littlehampton Road Ferring BN12 6AN		4 The waste producer was (if different from 2) (name, address, postcode, telephone, e-mail, facsimile):					
PART B Description of the waste							
1 The process giving rise to waste(s) was: Construction		2 SIC for the process giving rise to the waste: 43.99/9					
3 WASTE DETAIL (where more than one waste type is collected all of the information given below must be completed for each EWC identified)							
Description of waste	List of wastes (EWC code) (6 digits)	Quantity (kg)	The chemical/biological components of the waste and their concentrations are:		Physical form (gas, liquid, solid, powder, sludge or mixed)	Hazard code(s)	Container type, number and size
Sol. Gypsum with		4000	Component	Concentration (% or mg/kg)			
Asbestos	170503	1st	Gypsum	> 0.1%	Solid	10	200
The information given below is to be completed for each EWC identified							
EWC code	UN identification number	Proper shipping name(s)	UN class(es)	Packing group(s)	Special handling requirements		
170503	2590	Asbestos	9	III			
PART C Carrier's certificate				PART D Consignor's certificate			
(If more than one carrier is used, please attach schedule of subsequent carriers. If schedule of carriers is attached tick here: ☐)				I certify that the information in A, B and C is correct, that the carrier is registered or exempt and was advised of the appropriate precautionary measures. All of the waste is packaged and labelled correctly and the carrier has been advised of any special handling requirements.			
I certify that I have collected the consignment and that the details in A2, A3 and B3 are correct and I have been advised of any specific handling requirements.				I confirm that I have fulfilled my duty to apply the waste hierarchy as required by Regulation 12 of the Waste (England and Wales) Regulations 2011.			
1 Carrier name: Rhoda Ho				1 Consignor name: Rhoda Ho			
On behalf of (name, address, postcode, telephone, e-mail, facsimile): Adon				On behalf of (name, address, postcode, telephone, e-mail, facsimile): Rhoda Ho 2511 SSE			
2 Carrier registration no./exemption:				Signature: [Signature]			
3 Vehicle registration no. (or mode of transport, if not road): 1460				Signature: [Signature]			
Signature: [Signature]				Signature: [Signature]			
Date: 24/10/2018 Time: 10:11				Date: 24/10/2018 Time: 10:11			
PART E Consignee's certificate (where more than one waste type is collected all of the information given below must be completed for each EWC)							
Individual EWC code(s) received	Quantity of each EWC code received (kg)	EWC code accepted/rejected	Waste management operation (R or D code)				
170503	13120	Accepted	205				
1 I received this waste at the address given in A3 on: Date: 23/10/18 Time: 10:11							
2 Vehicle registration no. (or mode of transport, if not road): 1460							
3 Where waste is rejected please provide details:							
I certify that waste management has been authorised (see exemption note).							
I authorise the management of the waste at the address given in A3.							
Where the consignment forms part of a multiple collection, as identified in Part C, I certify that the total number of consignments forming the collection is: 1							
Signature: [Signature]							
Date: 24/10/2018 Time: 10:11							

Biffa

BIFFA WASTE SERVICES LIMITED
CORONATION ROAD, CRESSEX
HIGH WYCOMBE
BUCKS. HP12 8TZ

SITE B33 REDHILL LANDFILL SITE

TICKET No. 631236

DATE 24/10/2018

LIC. No. BUB126
LICENSING AUTHORITY - South East

CUSTOMER

TRANSFER NOTE No.

LOAD REF

ORDER REF

SOURCE

HAZ ASBESTOS CONT SOIL
WS70 Worthing

DB000092

LICENCE HOLDER
BIFFA WASTE SERVICES LTD

WASTE DESCRIPTION

(HAZ SOIL) Haz Asbestos Cont Soil

CODE

170503

DESTINATION

D15

CONTRACT

142795*2/1

EWG CODE

170503

PRE-TREATED

NO

CONSIGNMENT CODE

RHODAR/10208

LANDFILL TAX EXEMPTION REF. No.

Standard rate

DEPOSIT THIS LOAD AT ASBESTOS CELL

PHASENO

LIFT 23

CELL 6

CUSTOMER RHODAR LIMITED
CODE R30161*1*27
ADDRESS ASDA
LITTLEHAMPTON ROAD, FERRING
WORTHING
POSTCODE BN12 6PN
HAULIER GJ BOWMER (WASTE DISPOSAL) LIM
CARRIER REG. No.
REGISTRATION AUTHORITY BD098031
NATIONAL

VEHICLE H7018 BULK CARRIER
CONTAINER 159 15.3 CU.M OPEN BC
G.U.M 15.30

	WEIGHT	DATE	TIME	TALLY No.
GROSS	29080 Kg	24/10/2018	15:44	0053228
TARE	15960 Kg	24/10/2018	16:06	0014058
NET	13120 Kg			
QTY. CHARGED	** 13.12 TONNE **			

THIS IS NOT A VAT INVOICE
NET COST *****
VAT @ ***** % *****
TOTAL COST *****

BY SIGNING THIS WASTE
TRANSFER NOTE, THE
APPLY THE W.F.D. WASTE
FOR BIFFA WASTE SERVICES

CONFIRMING THAT THEY HAVE FULFILLED THEIR DUTY TO

BY SIGNING THIS WASTE
TRANSFER NOTE, THE
APPLY THE W.F.D. WASTE
FOR BIFFA WASTE SERVICES

CHRIS. SLIA

JAMES FOX

NAME

By signing above

I have confirmed my duty to apply the WFD Waste Hierarchy

THIS DOCUMENT IS A WASTE TRANSFER NOTE AS PROVIDED FOR BY ENVIRONMENTAL PROTECTION (DUTY OF CARE) REGULATIONS 1991. A TALLY RECORD OF THIS TRANSACTION IS AVAILABLE FOR 8 MONTHS.
IF WASTE MATERIALS ARE FOUND ON DISCHARGE TO BE INCONSISTENT WITH THE DESCRIPTION, BIFFA WASTE SERVICES RESERVE THE RIGHT TO RECOVER THE APPROPRIATE CHARGE AND ASSOCIATED
VAT FROM THE CUSTOMER. BIFFA WASTE SERVICES AS OPERATORS OF THE SITE ARE AUTHORISED BY THE HOLDER OF THE APPROPRIATE PERMIT TO ACCEPT WASTE FOR DISPOSAL.

22/10/8.

142795

Rhodan

ARUN DISTRICT COUNCIL FG/13/19/DOC

BiffaBIFFA WASTE SERVICES LIMITED
CORONATION ROAD, CRESSEX
HIGH WYCOMBE
BUCKS. HP12 3TZ

SITE 833 REDHILL LANDFILL SITE

LIC. No. DU8126
LICENSING AUTHORITY - South EastLICENCE HOLDER
BIFFA WASTE SERVICES LTD

TICKET No: 831096

DATE 23/10/2018

CUSTOMER
TRANSFER NOTE No.
LOAD REF.
ORDER REF. DB00092
SOURCE HAZ ASBESTOS CONT SOIL
WS70 WorthingCUSTOMER RHODAR LIMITED
CODE R30161*1*27
ADDRESS ASDA
LITTLEHAMPTON ROAD, FERRING
WORTHINGWASTE DESCRIPTION
(HAZ SOIL) Haz Asbestos Cont SoilPOSTCODE BN12 6PN SIC 43.12
HAULER GJ BOWMER (WASTE DISPOSAL) LIM
CARRIER REG. No.
REGISTRATION AUTHORITY DU98031
NATIONAL
VEHICLE EUSEXAK BULK CARRIER
CONTAINER 159 15.3 CU.M OPEN BC
C.U.M 15.30CODE 170503
DESTINATION DIS DISPOSAL
CONTRACT 142755*2/1
EWC CODE 170503
PRE-TREATED NO
CONSIGNMENT CODE RHODAR/10205
LANDFILL TAX EXEMPTION REF No. Standard rateDEPOSIT THIS LOAD AS ASBESTOS CELL
PHASE NEW LIFT 23 CELL 5

	WEIGHT	DATE	TIME	TALLY No.
GROSS	21340 Kg	23/10/2018	14:13	0053122
TARE	17000 Kg	23/10/2018	14:29	0013984
NET	14340 Kg			
QTY. CHARGED	** 14.34 TONNE **			

THIS IS NOT A VAT INVOICE
NET COST *****
VAT @ ***** % *****
TOTAL COST *****BY SIGNING THIS WASTE TRANSFER NOTE THE HOLDER / CUSTOMER IS CONFIRMING THAT THEY HAVE FULFILLED THEIR DUTY TO
APPLY THE W.F.D. WASTE HIERARCHY.

FOR BIFFA WASTE SERVICES

CHRIS. SLIN

NAME

By signing above

I confirm that I have

fulfilled my duty to apply the W.F.D. waste hierarchy

THIS DOCUMENT IS A WASTE TRANSFER NOTE AS PROVIDED FOR BY ENVIRONMENTAL PROTECTION (DUTY OF CARE) REGULATIONS 1991. A TALLY RECORD OF THIS TRANSACTION IS AVAILABLE FOR 9 MONTHS.
WHERE WASTE MATERIALS ARE FOUND ON DISCHARGE TO BE INCONGRUENT WITH THE DESCRIPTION, BIFFA WASTE SERVICES RESERVE THE RIGHT TO RECOVER THE APPROPRIATE CHARGE AND ASSOCIATED
TAX FROM THE CUSTOMER. BIFFA WASTE SERVICES AS OPERATORS OF THE SITE ARE AUTHORISED BY THE HOLDER OF THE APPROPRIATE PERMIT TO ACCEPT WASTE FOR DISPOSAL.

The Hazardous Waste Regulations 2005:
Consignment Note

28/08/18

142795

Rhodar

PART A Notification details

1 Consignment note code: **RH00000 10209**

2 The waste described below is to be removed from (name, address, postcode, telephone, e-mail, facsimile): **Rhodar do
Aston (and Sarnes)
Littlehampton Road
Fenny Stratford, Bucks HP12 6PN**

3 The waste will be taken to (name, address and postcode): **Biffa Redhill site
Cormongers Lane, Redhill, RH1 4ER**

4 The waste producer was (if different from 2) (name, address, postcode, telephone, e-mail, facsimile):

PART B Description of the waste

1 The process giving rise to waste(s) was: **Construction** If continuation sheet used, tick here ☐

2 WASTE DETAIL (where more than one waste type is collected all of the information given below must be completed for each EWC identified)

Description of waste	List of wastes (EWC code) (6 digits)	Quantity (kg)	The chemical/biological components of the waste and their concentrations are:		Physical form (gas, liquid, solid, powder, sludge or mixed)	Hazard code(s)	Container type, number and size
			Component	Concentration (% or mg/kg)			
Soil Gravel WITH	170503	13.745	Gravel	> 20%	Sand	10	20m

The information given below is to be completed for each EWC identified

EWC code	UN classification number	Proper shipping name(s)	UN (Jan/03)	Packing group(s)	Special handling requirements
170503	2510	FRAGILE CONTENT	9	III	

PART C Carrier's certificate

(If more than one carrier is used, please attach schedule of subsequent carriers. If schedule of carriers is attached tick here: ☐)

I certify that I today collected the consignment and that the details in A2, A3 and B3 are correct and I have been advised of any specific handling requirements.

1 Carrier name: **Rhodar**

On behalf of (name, address, postcode, telephone, e-mail, facsimile): **Rhodar**

2 Carrier registration no./exemption:

3 Vehicle registration no. (or mode of transport, if not road): **117 JRB**

Signature: **[Signature]**

Date: **28/08/18** Time: **11:32**

PART D Consignor's certificate

I certify that the information in A, B and C is correct, that the carrier is registered or exempt and was advised of the appropriate precautionary measures. All of the waste is packaged and labelled correctly and the carrier has been advised of any special handling requirements.

I confirm that I have fulfilled my duty to supply the hierarchy as required (England and Wales).

1 Consignor name: **Rhodar**

On behalf of (name, address, postcode, telephone, e-mail, facsimile): **[Redacted]**

Signature: **[Signature]**

Date: **28/08/18** Time: **11:32**

PART E Consignee's certificate (where more than one waste type is collected all of the information given below must be completed for each EWC)

Individual EWC code(s) received	Quantity of each EWC code received (kg)	EWC code accepted/rejected	Waste management operation (R or D code)
170503	13.745	ALL	D05

1 I received this waste at the address given in A3 on: **28/08/18** Time: **11:32**

2 Vehicle registration no. (or mode of transport if not road): **117 JRB**

3 Where waste is rejected please provide details: **[Redacted]**

I certify that waste management licence permit number is: **[Redacted]**

Authorise the management of waste described in B at the address given in A3: **[Signature]**

Where the consignment forms part of a multiple collection as identified in Part C, I certify that the total number of consignments forming the collection is: **1**

Signature: **[Signature]**

Date: **28/08/18** Time: **11:32**

BUFFA 13712
CORMONGERS LANE
RETHILL
RETHILL RH1 4ER

BiffaBIFFA WASTE SERVICES LIMITED
CORONATION ROAD, CRESSEX
HIGH WYCOMBE
BUCKS. HP12 3JY

SITE 833 REDHILL LANDFILL

LIC. No. BU8126

LICENSING AUTHORITY - South East

LICENCE HOLDER

BIFFA WASTE SERVICES LTD

CUSTOMER RHODAR LIMITED

CODE R30161*1*27

ADDRESS ASDA

LITTLEHAMPTON ROAD, FERRING
WORTHING

POSTCODE BN12 6PN

SIG 43.12

HAULER GJ BOWMER (WASTE DISPOSAL) LIM

CARRIER REG. No.

REGISTRATION AUTHORITY DU98031

NATIONAL

VEHICLE H76JB

BULK CARRIER

CONTAINER 155 15.3 CU.M OPEN BC

C.U.M 15.30

CUSTOMER

TRANSFER NOTE No.

LOAD REF

ORDER REF

SOURCE

HAZ ASBESTOS CONT SOIL

WS70

Worthing

DB00092

WASTE DESCRIPTION

(HAZ SOIL) Haz Asbestos Cont Soil

CODE

170503

DESTINATION

DIS

DISPOSAL

CONTRACT

142795*2/1

EWC CODE

170503

PRE-TREATED

NO

CONSIGNMENT CODE

RHODAR/10209

LANDFILL TAX EXEMPTION REF. No.

Standard rate

DEPOSIT THIS LOAD AT ASBESTOS CELL

PHASE NO

LIFT 23

CELL 6

	WEIGHT	DATE	TIME	TALLY No.
GROSS	29550 Kg	24/10/2018	11:32	0053176
TARE	15780 Kg	24/10/2018	11:59	0014028
NET	13740 Kg			
QTY. CHARGED	** 13.74 TONNE **			

THIS IS NOT A VAT INVOICE

	NET COST
VAT @	***** 5% *****
TOTAL COST	*****

BY SIGNING THIS WASTE TRANSFER NOTE THE HOLDER / CUSTOMER IS CONFIRMING THAT THEY HAVE FULFILLED THEIR DUTY TO
APPLY THE W.F.D. WASTE HIERARCHY.

FOR BIFFA WASTE SERVICE

CHRIS. SLTNEY

NAME

By signing above

DRIVERS SIGNATURE
FOR

JAMES FOX

NAME

I, the holder confirm
fulfilled my duty to apply the W.F.D. Waste Hierarchy

THIS DOCUMENT IS A WASTE TRANSFER NOTE AS PROVIDED FOR BY ENVIRONMENTAL PROTECTION (DUTY OF CARE) REGULATIONS 1991. A TALLY RECORD OF THIS TRANSACTION IS AVAILABLE FOR 6 MONTHS.
WHERE WASTE MATERIALS ARE FOUND ON DISCHARGE TO BE INCONSISTENT WITH THE DESCRIPTION, BIFFA WASTE SERVICES RESERVE THE RIGHT TO RECOVER THE APPROPRIATE CHARGE AND ASSOCIATED
TAX FROM THE CUSTOMER. BIFFA WASTE SERVICES AS OPERATORS OF THE SITE ARE AUTHORISED BY THE HOLDER OF THE APPROPRIATE PERMIT TO ACCEPT WASTE FOR DISPOSAL.

The Hazardous Waste Regulations 2005:
Consignment Note

3492-2

28/08/18

142795

Rhodan

PART A Notification details							
1. Consignment note code: RHODAN 09650		3. The waste will be taken to (name, address and postcode): Bliffa Redhill site Cormongers Lane, Redhill, RH1 4ER					
2. The waste described below is to be removed from (name, address, postcode, telephone, e-mail, facsimile): Academy Store, Littlehampton Road, Ferring (Pond Street) BN12 6PN		4. The waste producer was (if different from 2) (name, address, postcode, telephone, e-mail, facsimile):					
PART B Description of the waste							
1. The process giving rise to waste(s) was: Construction 2. SIC for the process giving rise to the waste: 43.99/19							
3. WASTE DETAIL (where more than one waste type is collected all of the information given below must be completed for each EWC identified)							
Description of waste	List of wastes (EWC code) (6 digits)	Quantity (kg)	The chemical/biological components of the waste and their concentrations are:		Physical form (gas, liquid, solid, powder, sludge or mixed)	Hazard code(s)	Container type, number and size
			Component	Concentration (% or mg/kg)			
Soil Contaminated with Asbestos	170503	10t	Asbestos	>1%	solid	Xn	200
The information given below is to be completed for each EWC identified							
EWC code	UN identification number	Proper shipping name(s)	UN class(es)	Packing group(s)	Special handling requirements		
170503	2510	Asbestos	9	III			
PART C Carrier's certificate				PART D Consignor's certificate			
(If more than one carrier is used, please attach schedule of subsequent carriers. If schedule of carriers is attached tick here: ☐) I certify that I today collected the consignment and that the details in A2, A3 and B2 are correct and I have been advised of any specific handling requirements. 				I certify that the information in A, B and C is correct, that the carrier is registered or exempt and was advised of the appropriate precautionary measures. All of the waste is packaged and labelled correctly and the carrier has been advised of any special handling requirements. I confirm that I have fulfilled my duty to apply the waste hierarchy as required by Regulation 12 of the Waste (England and Wales) Regulations 2007. 1. Consignor name: Rhodan On behalf of (name, address, postcode, telephone, e-mail, facsimile): 			
1. Carrier name: On behalf of (name, address, postcode, telephone, e-mail, facsimile): Rhodan				Signature:			
2. Carrier registration no./reason for exemption:				Date:			
3. Vehicle registration no. (or mode of transport, if not road):				Time:			
Signature:				Date:			
PART E Consignee's certificate (where more than one waste type is collected all of the information given below must be completed for each EWC)							
Individual EWC code(s) received	Quantity of each EWC code received (kg)	EWC code accepted/rejected	Waste management operation (R or D code)				
170503	15260	Accepted	DOS				
1. I received this waste at the address given in A3 on: Date: 28/08/18 Time: 14:15							
2. Vehicle registration no. (or mode of transport if not road): ED 05							
3. Where waste is rejected please provide details: None							
4. I certify that waste management licence/permit/authorised exemption no(s): 15260							
authorises the management of the waste described in B at the address given in A3.							
Where the consignment forms part of a multiple collection, as identified in Part C, I certify that the total number of consignments forming the collection are:							

BLIFFA WASTE SERVICES
CORMONGERS LANE
REDHILL
142795

BiffaBIFFA WASTE SERVICES LIMITED
CORONATION ROAD, CRESSEX
HIGH WYCOMBE
BUCKS. HP12 3TJ

SITE 833 REDHILL LANDFILL SITE

TICKET No. 831541

DATE 29/10/2018

LIC. No. BU8126

LICENSING AUTHORITY - South East

LICENCE HOLDER

BIFFA WASTE SERVICES LTD

CUSTOMER

TRANSFER NOTE No.

LOAD REF.

ORDER REF.

SOURCE H92 ASBESTOS CONT SOIL DB00092

HS70

Worthing

CUSTOMER RHODAR LIMITED

CODE R30161*1*27

ADDRESS ASDA

LITTLEHAMPTON ROAD, FERRING
WORTHING

POSTCODE BN12 6PN

SIC 43.12

HAULIER GJ BOWMER (WASTE DISPOSAL) LIM

CARRIER REG. No.

REGISTRATION AUTHORITY DU98021

NATIONAL

VEHICLE EUB6XAK BULK CARRIER

CONTAINER 159 15.3 CUM OPEN EC

CUM 15.30

WASTE DESCRIPTION

(HAZ SOIL) Haz Asbestos Cont Soil

CODE

170303

DESTINATION DIS

DISPOSAL

CONTRACT 142795*2/1

EWC CODE

170303

PRE-TREATED NO

CONSIGNMENT CODE

RHODAR/03650

LANDFILL TAX EXEMPTION REF. No.

Standard rate

DEPOSIT THIS LOAD ASBESTOS CELL

PHASE NO

LIFT 23

CELL 6

	WEIGHT	DATE	TIME	TALLY No.
GROSS	31880 Kg	29/10/2018	09:17	0053481
TARE	16620 Kg	29/10/2018	09:44	0014193
NET	15260 Kg			
QTY. CHARGED	** 15.26 TONNE **			

THIS IS NOT A VAT INVOICE
NET COST *****
VAT @ ***** %
TOTAL COST *****

BY SIGNING THIS WASTE TRANSFER NOTE THE HOLDER / CUSTOMER IS CONFIRMING THAT THEY HAVE FULFILLED THEIR DUTY TO
APPLY THE W.F.D. WASTE HIERARCHY

FOR BIFFA WASTE SERVICES

HOLDERS SIGNATURE (W)

CHRIS. SLINNEY

NAME

CHRIS POWER

Fulfilled my duty to apply the WFD Waste Hierarchy

THIS DOCUMENT IS A WASTE TRANSFER NOTE AS PROVIDED FOR BY ENVIRONMENTAL PROTECTION (DUTY OF CARE) REGULATIONS 1991. A TALLY RECORD OF THIS TRANSACTION IS AVAILABLE FOR 6 MONTHS.
WHERE WASTE MATERIALS ARE FOUND ON DISCHARGE TO BE INCONSISTENT WITH THE DESCRIPTION, BIFFA WASTE SERVICES RESERVE THE RIGHT TO RECOVER THE APPROPRIATE CHARGE AND ASSOCIATED
TAX FROM THE CUSTOMER. BIFFA WASTE SERVICES AS OPERATORS OF THE SITE ARE AUTHORISED BY THE HOLDER OF THE APPROPRIATE PERMIT TO ACCEPT WASTE FOR DISPOSAL.

The Hazardous Waste Regulations 2005:
Consignment Note

24/10/18

142795

Rhodar

PART A Notification details

1 Consignment note code: **RHODAR 10278**

2 The waste described below is to be removed from (name, address, postcode, telephone, e-mail, facsimile): **POCA (Retail Stationery) Littlehampton Road FERNING BN12 6PN**

3 The waste will be taken to (name, address and postcode): **Biffa Redhill site Cummongers Lane, Redhill, RH1 4ER**

4 The waste producer was (if different from 2) (name, address, postcode, telephone, e-mail, facsimile):

PART B Description of the waste

1 The process giving rise to waste(s) was: **Construction**

2 SIC for the process giving rise to the waste: **43 99 19**

3 WASTE DETAIL (where more than one waste type is collected all of the information given below must be completed for each EWC identified)

Description of waste	List of wastes (EWC code) (5 digits)	Quantity (kg)	The chemical/biological components of the waste and their concentrations are:		Physical form (gas, liquid, solid, powder, sludge or mixed)	Hazard code(s)	Container type, number and size
			Component	Concentration (% or mg/kg)			
Soil Contaminated WITH Asbestos	170503	1500	Asbestos	> 0.1%	solid	H410	2000

The information given below is to be completed for each EWC identified

EWC code	UN identification number	Proper shipping name(s)	UN class(es)	Packing group(s)	Special handling requirements
170503	2590	Asbestos Contaminated	9	III	

PART C Carrier's certificate

If more than one carrier is used, please attach schedule of subsequent carriers. If schedule of carriers is attached tick here: ☐

I certify that I today collected the consignment and that the details in 3.1, A3 and B4 are correct and I have been advised of any specific handling requirements

1 Carrier name: **LOU WISE**
On behalf of (name, address, postcode, telephone, e-mail, facsimile): **Exxon**

2 Carrier registration number (for exemption):

3 Vehicle registration number (for exemption): **740B**

Signature: **[Signature]**

Date: **12/11/2018** Time: **0930**

PART D Consignor's certificate

I certify that the information in A, B and C is correct, that the carrier is registered or exempt and was advised of the appropriate precautionary measures. All of the waste is packaged and labelled correctly and the carrier has been advised of any special handling requirements.

I confirm that I have fulfilled my duty to apply the waste hierarchy as required by Regulation 12 of the Waste (England and Wales) Regulations 2011.

1 Consignor name: **[Redacted]**
On behalf of (name, address, postcode, telephone, e-mail, facsimile): **[Redacted]**

Signature: **[Signature]**

Date: **12/11/2018** Time: **0930**

PART E Consignee's certificate (where more than one waste type is collected all of the information given below must be completed for each EWC)

Individual EWC code(s) received	Quantity of each EWC code received (kg)	EWC code as on receipt	Waste management operation (W or D code)
170503	14860	ACL	D05

1 I received this waste at the address given in A3 on: **Date 13/11/2018 Time 1425**

2 Vehicle registration no. (or mode of transport if not road): **E0 667AK**

3 Where waste is rejected or we provide details:

I certify that waste management is licensed/periodically checked/licensed/valid

Authorizes the management of the waste described in 3 at the address given in A3: **[Signature]**

Where the consignment forms part of a multiple collection, as identified in Part C, I certify that the total number of consignments forming the collection are: **[Signature]**

Date: **13/11/2018** Time: **1425**

Biffa Waste Services
Cummongers Lane
Redhill
SN19 4RT

BiWa

BIFFA WASTE SERVICES LIMITED
LOCOMOTION ROAD, CRESSEX
HIGH WYCOMBE
BUCKS. HP12 3TZ

SITE

LIC. No.
LICENSING AUTHORITY

LICENCE HOLDER

CUSTOMER
CODE
ADDRESS

POSTCODE
HAULIER
CARRIER REG. No.
REGISTRATION AUTHORITY

VEHICLE
CONTAINER
CUM

SIC

CUSTOMER
TRANSFER NOTE No.
LOAD REF.
ORDER REF.
SOURCE

WASTE DESCRIPTION

CODE
DESTINATION
CONTRACT
EWC CODE
PRE-TREATED
CONSIGNMENT CODE
LANDFILL TAX EXEMPTION REF. No.

DEPOSIT THIS LOAD AT
PHASE ☐ LIFT ☐ CELL ☐

GROSS WEIGHT DATE TIME TALLY No.
ARE
NET
ITY CHARGED

NET COST
VAT @ %
TOTAL COST

BY SIGNING THIS WASTE TRANSFER NOTE THE HOLDER / CUSTOMER IS CONFIRMING THAT THEY HAVE FULFILLED THEIR DUTY TO
APPLY THE W.F.D. WASTE HIERARCHY

OR BIFFA WASTE SERVICES

DRIVERS SIGNATURE
FOR

AME

NAME

THIS DOCUMENT IS A WASTE TRANSFER NOTE AS PROVIDED FOR BY ENVIRONMENTAL PROTECTION DUTY OF CARRIERS REGULATION 1991. IT IS THE DUTY OF THE CARRIER TO SIGNIFY THIS DOCUMENT TO THE RECIPIENT AS A FORM MONITORING
WHERE WASTE MATERIALS ARE MOVED ON DISCHARGING TO BE IN ACCORDANCE WITH THE WASTE HIERARCHY. BIFFA WASTE SERVICES RESERVE THE RIGHT TO REJECT THE WASTE IF THE WASTE IS NOT AS DESCRIBED
FROM THE CUSTOMER. BIFFA WASTE SERVICES AS OPERATORS OF THE SITE ARE AUTHORIZED BY THE HOLDER OF THE SITE LICENSE TO REJECT WASTE FOR UNLAWFUL

EW5134D10215

The Hazardous Waste Regulations 2005:
Consignment Note

142795

Rhodar

PART A Notification details

- 1 Consignment note code: **RWSEAN 10281**
- 2 The waste described below is to be removed from (name, address, postcode, telephone, e-mail, facsimile): **Rhodar Ltd
AERA (Fenal Station)
LITTLEHAMPTON ROAD
FARNING EN12 6AN**
- 3 The waste will be taken to (name, address and postcode): **Biffa Redhill site
Cormongers Lane, Redhill, RH1 4ER**
- 4 The waste producer was (if different from 2) (name, address, postcode, telephone, e-mail, facsimile):

PART B Description of the waste

- 1 The process giving rise to waste(s) was: **CONSTRUCTION**
- 2 SIC for the process giving rise to the waste: **43.99/19**
- 3 WASTE DETAIL (where more than one waste type is collected all of the information given below must be completed for each EWC identified)
- | Description of waste | EWC code (6 digits) | Quantity (kg) | The chemical/biological components of the waste and their concentrations are: | Physical form (gas, liquid, solid, powder, sludge or mixed) | Hazard code(s) | Container type, number and size |
|--|---------------------|---------------|---|---|----------------|---------------------------------|
| Soil Contaminated with Asbestos | 170503 | 10940 | Asbestos 2011 | SAID 400 | 2010 | |

The information given below is to be completed for each EWC identified

EWC code	UN identification number	Proper shipping name(s)	UN class(es)	Packing group(s)	Special handling requirements
170503	2570	Asbestos - Bulk	9	III	

PART C Carrier's certificate

If more than one carrier is used, please attach a schedule of subsequent carriers. If schedule of carriers is attached tick here ☐

I certify that I today collected the consignment and that the details in A2, A3 and B3 are correct and I have been advised of any specific handling requirements.

1 Carrier name: **LOU WISE**
On behalf of (name, address, postcode, telephone, e-mail, facsimile): **BAWENT WOOD, FITZ CH13 3DT**
2 Vehicle registration number: **5176JB**
Signature: **[Signature]**
Date: **13/11/2018** Time: **09.00**

PART D Consignor's certificate

I certify that the information in A, B and C is correct, that the carrier is registered or exempt and was advised of the appropriate procedures for the waste. All of the waste is packaged and labeled correctly and the carrier has been advised of any special handling requirements.

I confirm that I have fulfilled my duty to apply the waste hierarchy as required by Regulation 12 of the Waste (England and Wales) Regulations 2011.

1 Consignor name: **[Redacted]**
On behalf of (name, address, postcode, telephone, e-mail, facsimile): **[Redacted]**
Signature: **[Signature]**
Date: **13/11/2018** Time: **09.00**

PART E Consignee's certificate (where more than one waste type is collected all of the information given below must be completed for each EWC)

Individual EWC code(s) received	Quantity of each EWC code received (kg)	EWC code accepted/rejected	Waste management operation (R or D code)
170503	10940	ACC	DOS

1 Received this waste at the address given in A1 on: Date **13/11/2018** Time **10.42**

2 Vehicle registration no. for mode of transport if not road: **SA7JB**

3 Where waste is rejected please provide details:

Identify that waste management licence no. (if any) and examination no. (if any): **64812617**

Signature: **[Signature]**
Date: **13/11/2018** Time: **10.42**

BiffaBIFFA WASTE SERVICES LIMITED
CORONATION ROAD, CRESSEX
HIGH WYCOMBE
BUCKS, HP12 3TZ

TELEPHONE

SITE 833 REDHILL LANDFILL SITE

LIC. No. BUB125
LICENSING AUTHORITYs - South EastLICENCE HOLDER
BIFFA WASTE SERVICES LTD

TICKET No. LA33217

DATE 12/11/2018

CUSTOMER
TRANSFER NOTE No.
LOAD REF.ORDER REF DB00092
SOURCE HAZ ASBESTOS CONT SOIL
WSGO Mid SussexCUSTOMER RHODAR LIMITED
CODE R30161*1*27
ADDRESS ASDA
LITTLEHAMPTON ROAD, FERRING
WORTHINGPOSTCODE BN12 6PH SIC 43.12
HAULIER G J BOWMER (WASTE DISPOSAL) L
CARRIER REG. No.
REGISTRATION AUTHORITY CBDU98031NATIONAL
VEHICLE S176JJB BULK CARRIER
CONTAINER 159 15.3 CU.M OPEN BC
C.U.M 15.30

WASTE DESCRIPTION

(HAZ SOIL) Haz Asbestos Cont Soil

CODE
DESTINATION 170503
CONTRACT DIS DISPOSAL
EWC CODE 142799*2/1
PRE-TREATED 170503
CONSIGNMENT CODE
LANDFILL TAX EXEMPTION REF NO. RHODAR/10281

Standard rate

DEPOSIT THIS LOAD AT ASBESTOS CELL
PHASE NEG LIFT 23 CELL 6

	WEIGHT	DATE	TIME	TALLY No.
GROSS	27100 Kg	12/11/2018	10:42	0010450
TARE	16180 Kg	12/11/2018	11:22	0004312
NET	10940 Kg			
QTY. CHARGED	** 10.94 TONNE **			

NET COST IS NOT A VAT INVOICE
VAT @ %*****
TOTAL COST *****BY SIGNING THIS WASTE TRANSFER NOTE THE HOLDER / CUSTOMER IS CONFIRMING THAT THEY HAVE FULFILLED THEIR DUTY TO
APPLY THE W.F.D. WASTE HIERARCHY

FOR BIFFA WASTE SERVICES

NAME RORY MCCANN

DRIVERS SIGNATURE

NAME LOU WISE

fulfilled by duty to apply the WFD Waste Hierarchy

THIS DOCUMENT IS A WASTE TRANSFER NOTE AS PROVIDED FOR BY ENVIRONMENTAL PROTECTION (DUTY OF CARE) REGULATIONS 1991. A TALLY RECORD OF THIS TRANSACTION IS AVAILABLE FOR 6 MONTHS
WHERE WASTE MATERIALS ARE FOUND ON DISCHARGE TO BE INCONSISTENT WITH THE DESCRIPTION. BIFFA WASTE SERVICES RESERVE THE RIGHT TO RECOVER THE APPROPRIATE CHARGE AND ASSOCIATED
TAX FROM THE CUSTOMER. BIFFA WASTE SERVICES AS OPERATORS OF THE SITE ARE AUTHORISED BY THE HOLDER OF THE APPROPRIATE PERMIT TO ACCEPT WASTE FOR DISPOSAL.

The Hazardous Waste Regulations 2005:
Consignment Note

SAN 003492

12/11/18 142795

Rhodar

PART A Notification details

1 Consignment note code: **RHODAR 10280**

2 The waste described below is to be removed from (name, address, postcode, telephone, e-mail, facsimile): **Rhodar Ltd (Fenol Station) Littlehampton Road FERNING BN12 6PN**

3 The waste will be taken to (name, address and postcode): **Biffa Redhill site Cormongers Lane, Redhill, RH1 4ER**

4 The waste producer was (if different from 2) (name, address, postcode, telephone, e-mail, facsimile):

PART B Description of the waste

If continuation sheet used, tick here ☐

1 The process giving rise to waste(s) was: **Consignment** 2 SIC for the process giving rise to the waste: **43-99/19**

3 WASTE DETAIL (where more than one waste type is collected all of the information given below must be completed for each EWC identified)

Description of waste	UN identification number (EWC code) (6 digits)	Quantity (kg)	The chemical/biological components of the waste and their concentrations are:		Physical form (gas, liquid, solid, powder, sludge or mixed)	Hazard code(s)	Container type, number and size
			Component	Concentration (% or mg/kg)			
Waste		1000	Ammonia	> 1%	Solid	H37	2000

The information given below is to be completed for each EWC identified

EWC code	UN identification number	Proper shipping name(s)	UN class(es)	Packing group(s)	Special handling requirements
170503	2590	Ammonia	9	III	

PART C Carrier's certificate

If more than one carrier is used, please attach schedule of subsequent carriers. If schedule of carriers is attached tick here ☐

I certify that I today collected the consignment and that the details in A2, A3 and B3 are correct and I have been advised of any specific handling requirements.

1 Carrier name: **Carroll**

On behalf of (name, address, postcode, telephone, e-mail, facsimile): **Carroll**

2 Carrier registration no (reason for exemption): **08/00 78031**

3 Vehicle: **517**

Signature: **[Signature]**

Date: **13/11/2018** Time: **14:00**

PART D Consignor's certificate

I certify that the information in A, B and C is correct, that the carrier is registered or exempt and was advised of the appropriate precautionary measures. All of the waste is packaged and labelled correctly and the carrier has been advised of any special handling requirements.

I confirm that I have fulfilled my duty to apply the waste hierarchy as required by Regulation 12 of the Waste (England and Wales) Regulations 2011.

1 Consignor name: **Rhodar**

On behalf of (name, address, postcode, telephone, e-mail, facsimile): **151 532**

Signature: **[Signature]**

Date: **13/11/2018** Time: **14:00**

PART E Consignee's certificate (where more than one waste type is collected all of the information given below must be completed for each EWC)

Individual EWC code(s) received	Quantity of each EWC code received (kg)	EWC code accepted/rejected	Waste management operation (A, B or D code)
170503	1000	A	5050

1 I received this waste at the address given in A3 on: Date **13/11/2018** Time **15:07**

2 Vehicle registration no. for mode of transport (if not road):

3 Where waste is rejected please provide details:

I certify that waste management licence/permit/other exemption holds:

e-mail/tes the management of the waste described in B at the address given in A3

Where the consignment forms part of a multiple collection, as identified in Part C, I certify that the total quantity of consignments forming the collection are:

Date **13/11/2018** Time **15:07**

BIFFA WASTE SERVICES
CORMONGERS LANE
REDHILL

BiffaBIFFA WASTE SERVICES LIMITED
CORONATION ROAD, CHESSEX
HIGH WYCOMBE
BUCKS. HP12 5TZ

VAT No. 537 9115 27 Company Reg. No. 016107

Landfill Tax no. XFLF00000100123 (Eng. & N.I.) and Landfill Deposal Tax no. 379501 (Wales)

SITE

LIC. No.

LICENSING AUTHORITY

LICENCE HOLDER

TICKET No.

DATE

CUSTOMER

TRANSFER NOTE No.

LOAD REF.

ORDER REF.

SOURCE

CUSTOMER

CODE

ADDRESS

POSTCODE

HAULIER

SIC

CARRIER REG. No.

REGISTRATION AUTHORITY

VEHICLE

CONTAINER

C.U.M.

WASTE DESCRIPTION

CODE

DESTINATION

CONTRACT

EWC CODE

PRE-TREATED

CONSIGNMENT CODE

LANDFILL TAX EXEMPTION REF. No.

DEPOSIT THIS LOAD AT

PHASE

LIFT

CELL

GROSS

WEIGHT

DATE

TIME

TALLY No.

TARE

NET

QTY. CHARGED

NET COST

VAT @

%

TOTAL COST

BY SIGNING THIS WASTE TRANSFER NOTE THE HOLDER / CUSTOMER IS CONFIRMING THAT THEY HAVE FULFILLED THEIR DUTY TO
APPLY THE W.F.D. WASTE HIERARCHY

FOR BIFFA WASTE

DRIVERS SIGNATURE

OR

NAME

NAME

THIS DOCUMENT IS A WASTE TRANSFER NOTE AS REQUIRED FOR BY ENVIRONMENTAL PROTECTION ACT 1990 & LANDFILL REGULATIONS 2002. A DUTY OF CARE IN THE TRANSPORT OF WASTE IS IMPOSED FOR 12 MONTHS.
WHEREBY THE MATERIALS ARE PLACED ON DISCHARGE TO BE INCORPORATED WITH THE DESCRIPTION BIFFA WASTE SERVICES. RESERVE THE RIGHT TO ENFORCE THE APPROPRIATE TARIFFS AND ASSOCIATED
TAXES FROM THE CUSTOMER. BIFFA WASTE SERVICES & OPERATIONS OF THE SITE ARE AUTHORIZED BY THE LOCALITY AND APPROPRIATE PERMIT TO ACCEPT WASTE FOR DISPOSAL.

The Hazardous Waste Regulations 2005:
Consignment Note

3492-4

14/11/18

142795

Rhodar

PART A Notification details

1. Consignment note code: **RHEDAR 10287**

2. The waste described below is to be removed from (name, address, postcode, telephone, e-mail, facsimile): **Rhodar Ltd
Aspa Green Station
Litchampten Rd
Farnham BN2 6PN**

3. The waste will be taken to (name, address and postcode): **Biffa Redhill site
Cormongers Lane, Redhill, RH1 4ER**

4. The waste producer (if different from 2) (name, address, postcode, telephone, e-mail, facsimile): **Rhodar Ltd**

PART B Description of the waste

1. The process giving rise to waste(s) was: **Construction**

2. SIC for the process giving rise to the waste: **439919**

3. WASTE DETAIL (where more than one waste type is collected all of the information given below must be completed for each EWC identified)

Description of waste	EWC code	Quantity (kg)	The chemical/biological components of the waste and their concentrations are:	Physical form (gas, liquid, solid, powder, sludge or mixed)	Hazard (details)	Container type, number and size
Soil Gravel with Aggregate	170503	1000	Gravel	20/1%	Solid	1000

The information given below is to be completed for each EWC identified

EWC code	UN identification number	Proper shipping name(s)	UN class(es)	Packing group(s)	Special handling requirements
170503	2580	Gravel	9	III	

PART C Carrier's certificate

(If more than one carrier is used, please attach as many of subsequent carriers. If schedule of carriers is attached tick here ☐)

I certify that I (today) collected the consignment and that the details in A2, A3 and B1 are correct and I have taken advice of any special handling requirements.

1. Carrier name: **Rhodar**

2. On behalf of (name, address, postcode, telephone, e-mail, facsimile): **Rhodar Ltd**

3. Vehicle registration no. (or mode of transport, if not road): **36JH**

Date: **15/11/2018** Time: **10:00**

PART D Consignor's certificate

I certify that the information in A, B and C is correct, that the carrier is registered or exempt and was advised of the appropriate precautionary measures. All of the waste is packaged and labelled correctly and the carrier has been advised of any special handling requirements.

I confirm that I have fulfilled my duty to apply the waste label(s) as required by Regulation 12 of the Waste (England and Wales) Regulations 2011.

1. Consignor name: **Rhodar**

2. On behalf of (name, address, postcode, telephone, e-mail, facsimile): **Rhodar Ltd**

Signature: **[Signature]**

Date: **15/11/2018** Time: **10:00**

PART E Consignee's certificate

(where more than one waste type is collected all of the information given below must be completed for each EWC)

Individual EWC code(s) received	Quantity of each EWC code received (kg)	EWC code accepted/rejected	Waste management operation (B or D code)
170503	1000	Accepted	D05

1. Received this waste at the address given in A3 on: Date: **15/11/2018** Time: **10:00**

2. Vehicle registration no. for mode of transport if not road: **P30563**

3. Where waste is received please provide details: **[Signature]**

I certify that waste management (preparation for reuse or recycling, recovery or other operation) is carried out in accordance with the provisions of the Waste (England and Wales) Regulations 2011.

Authorises the management of the waste as stated in the details given in A3: **[Signature]**

Where the consignment forms part of a regular collection, as identified in Part C, I certify that the label number of the consignment form is the collection no. **[Signature]**

Date: **15/11/2018** Time: **10:00**



BIFFA WASTE SERVICES LIMITED
CORONATION ROAD, CHESSES
HIGH WYCOMBE
BUCKS. HP12 3TJ

TELEPHONE: 01494 521221
FACSIMILE: 01494 463368

VAT No. 537 9116 27 Company Reg. No. 948107
Landfill Tax no. XFLF00000100123 (Eng. & N.I.) and Landfill Disposal Tax no. 379001 (Wales)

SITE		TICKET No		DATE	
LIC. No.		CUSTOMER		TRANSFER NOTE No.	
LICENSING AUTHORITY		LOAD REF.		ORDER REF.	
LICENCE HOLDER		SOURCE			
CUSTOMER CODE		WASTE DESCRIPTION			
ADDRESS					
POSTCODE		CODE			
HAULIER		DESTINATION			
CARRIER REG. No		CONTRACT			
REGISTRATION AUTHORITY		EWC CODE			
VEHICLE		PRE-TREATED			
CONTAINER		CONSIGNMENT CODE			
C.U.M.		LANDFILL TAX EXEMPTION REF. No.			
		DEPOSIT THIS LOAD AT			
		PHASE			
		LIFT			
		CELL			
GROSS WEIGHT		DATE		TIME	
TARE		TALLY No.			
NET					
QTY. CHARGED					
		NET COST		VAT @	
		TOTAL COST			

BY SIGNING THIS WASTE TRANSFER NOTE THE HOLDER / CUSTOMER IS CONFIRMING THAT THEY HAVE FULFILLED THEIR DUTY TO APPLY THE W.F.D. WASTE HIERARCHY

FOR BIFFA WASTE SERVICES

[Redacted Signature]

NAME

NAME

THIS DOCUMENT IS A WASTE TRANSFER NOTE AS PROVIDED FOR BY ENVIRONMENTAL PROTECTION ACT 1990. A FULL RECORD OF THIS TRANSFER IS AVAILABLE FOR 6 MONTHS. THE WASTE MATERIALS ARE FOUND ON DISCHARGE TO BE IN ACCORDANCE WITH THE REQUIREMENTS OF BIFFA WASTE SERVICES. BY SIGNING THE RIGHT TO PROVIDE THE APPROPRIATE CHARGE AND ASSOCIATED TAX FROM THE CUSTOMER BIFFA WASTE SERVICES, AS OPERATOR OF THE SITE AND AUTHORIZED BY THE HOLDER OF THE APPROPRIATE PERMIT TO ACCEPT WASTE FOR DISPOSAL.

The Hazardous Waste Regulations 2005:
Consignment Note



Rhodar

15th July 142795

PART A Notification details

1. Consignment note code: **RHODAR 10288**

2. The waste described below is to be removed from (name, address, postcode, telephone, e-mail, fax/mobile):
**Recon Co
AEC (Road Station)
Littlehampton Road
Farnham BN12 6PN**

3. The waste will be taken to (name, address and postcode):
**Biffa Redhill site
Cormongers Lane, Redhill, RH1 4ER**

4. The waste producer says (if different from 2) (name, address, postcode, telephone, e-mail, fax/mobile):

PART B Description of the waste

1. The process giving rise to waste(s) was: **Construction**

2. Waste DETAIL (where more than one waste type is collected all of the information given below must be completed for each EWC identifying):

Description of waste	List of wastes (EWC codes to digits)	Quantity (kg)	The chemical/physical components of the waste and their concentrations are:	Physical form (gas, liquid, solid, powder, sludge or mixed)	Hazard codes	Container type, number and size
Soil Contam	170503	3 RT	Asbestos	2nd / 1	3000 kg	200

The information given below is to be completed for each EWC identified

EWC code	UN identification number	Proper shipping name	UN (danger)	Packing group	Special handling requirements
170503	2510	Asbestos	9	III	

PART C Carrier's certificate

If more than one carrier is used, please attach schedule of subsequent carriers. If schedule of carriers is attached tick here ☐

I certify that I today collected the consignment and that the details in A2, A3 and B3 are correct and I have been advised of any specific handling requirements.

1. Carrier name: **LOW WISE**

On behalf of (name, address, postcode, telephone, e-mail, fax/mobile):
Recon Co

2. Carrier registration no./reason for exemption: **CE/BU 92031**

3. Vehicle registration no. (or mode of transport, if not road): **DS67 ROL**

Signature: **[Signature]**

Date: **16/11/2018**

PART D Consignor's certificate

I certify that the information in A, B and C is correct, that the carrier is registered or exempt and was advised of the appropriate precautionary measures. All of the waste is packaged and labelled correctly and the carrier has been advised of any special handling requirements.

I confirm that I have fulfilled my duty to apply the waste licence as required by Regulation 12 of the Waste (England and Wales) Regulations 2011

1. Consignor: **[Redacted]**

On behalf of: **[Redacted]**

Signature: **[Signature]**

Date: **16/11/2018**

PART E Consignee's certificate

Where more than one waste type is collected all of the information given below must be completed for each EWC

Individual EWC code(s) received	Quantity of each EWC code received (kg)	EWC code	Waste management operation (R or D code)
170503	7260	ACU	205

1. I received this waste at the address given in A2 on: **16/11/2018**

2. Vehicle registration no. (or mode of transport, if not road): **DS67 ROL**

3. Where waste is received please provide details:


Identify that waste management licence reference number (if available): **BU 812617**

authorises the management of the waste in accordance with the terms given in A3

Where the consignment forms part of a multiple collection, as identified in Part C, I certify that the total number of consignments forming the consignment are: **1**

Signature: **[Signature]**

Date: **16/11/2018**


[illegible]

The Hazardous Waste Regulations 2005:

Consignment Note

22/10/18

33061



G. J. BOWMER
(WASTE DISPOSAL)
LIMITED

"FAIRVIEW", MAGPIE LANE, BRENTWOOD, ESSEX CM13 3DT

TEL: 01277 226428

FAX: 01277 206682

EMAIL: enquiries@bowmerwaste.co.uk

WEB: www.bowmerwaste.co.uk

PRODUCER'S / HOLDER'S / CONSIGNOR'S COPY (Delete as appropriate)

PART A: INFORMATION GIVEN

1. Consignment note code: **RHODAR / 33061**

2. The waste described below is to be removed from (name, address, postcode, telephone, e-mail, facsimile):

ASDA STORE LITTLE HAMPTON ROAD, FERRING, SUSSEX, BN12 8PN, UK

3. Premises code (where applicable): **RHODAR**

4. The waste will be taken to (name, address and postcode):

**BIFFA LANDFILL SITE
COREMANCORS LANE
BESANTON, SURREY**

5. The waste producer was (if different from 2) (name, address, postcode, telephone, e-mail, facsimile):

**RHODAR LTD (WASTE DEPARTMENT), ASTRA PARK
PARKSIDE LANE, LEEDS, LS11 5SZ**

PART B: DESCRIPTION OF WASTE

1. The process giving rise to the waste(s) was: **ASBESTOS REMOVAL WORK**

2. SIC for the process giving rise to the waste: **38.38.1**

3. Where the details below more than one waste type is identified all of the information given below must be completed for each EWC identification

Description of waste	Unit of waste (EWC code is digit)	Quantity (kg)	The chemical/physical components of the waste and their concentrations are:	Physical form (gas, liquid, solid, powder, sludge or mixed)	Hazard (code)	Container type, number and size
FIBROUS ASBESTOS	17060	2000	AMOSITE	L 20%	SOLID	HPS 1-P7 35 YARS CLOSED

The information given below is to be completed for each EWC identified

EWC code	UN classification number	Proper shipping name	Packing group	Local handling instructions
17060	UN 2212	ASBESTOS AMPHIBOLE (AMOSITE)	S	PG II (S)
				MANUAL ONLY

PART C: CARRIER'S CERTIFICATE

If more than one carrier is used, please attach schedule for subsequent carriers. If schedule of carriers is attached tick here: ☒

I certify that I have completed the consignment and that the details in A2, A4 and B1 are correct and I have been advised of any special handling requirements.

Where this note comprises part of a multiple collection the route number and collection number are:

1. Carrier name: **LOW WISE**

On behalf of (name, address, postcode, telephone, e-mail, facsimile):

G. J. Bowmer (Waste Disposal) Ltd, Fairview, Magpie Lane, Essex, CM13 3DT

2. Carrier: **[REDACTED] 098031**

3. Vehicle: **DS67 ROL**

Signature:

Date:

PART D: CONSIGNOR'S CERTIFICATE

I certify that the information in A, B and C has been completed and is correct, that the carrier is registered or exempt and was advised of the appropriate precautionary measures. All of the waste is packaged and labelled correctly and the carrier has been advised of any special handling requirements.

I confirm that I have fulfilled my duty to apply the waste hierarchy as required by Regulation 12 of the Waste (England and Wales) Regulations 2011.

1. Consignor name:

On behalf of (name, address, postcode, telephone, e-mail, facsimile):

**RHODAR LTD (WASTE DEPARTMENT), ASTRA PARK
PARKSIDE LANE, LEEDS, LS11 5SZ**

Signature:

Date:

PART E: CONTAINER INFORMATION

Individual EWC code(s) referred	Quantity of each EWC code referred (kg)	EWC code (interim designation)	Waste management operation (P or D code)
17060	6040	ALL	DS

1. I received this waste at the address given in A4 on:

Date: **10/11/2018** Time:

2. Vehicle registration no. or mode of transport (if not road):

3. Where waste is in a road vehicle provide the vehicle registration number:

I certify that waste complies with the following number:

308126TY

Where the management of the waste described in B & C, the address given in A4

Where the consignment forms part of a multiple collection as identified in Part C, I certify that the total number of consignments forming the collection are:

Signature:

Date: **10/11/2018** Time: **14:00**



BIFFA WASTE SERVICES LIMITED
CORONATION ROAD, CRESSEX
HIGH WYCOMBE
BUCKS. HP12 3TZ
VAT No. 637 9115 27 Company Reg. No. 041002

SITE		TICKET No.	DATE
LIC. No.		CUSTOMER	
LICENSING AUTHORITY		TRANSFER NOTE No.	
LICENCE HOLDER		LOAD REF.	
		ORDER REF.	
		SOURCE	
CUSTOMER CODE		WASTE DESCRIPTION	
ADDRESS			
POSTCODE		CODE	
HAULIER		DESTINATION	
CARRIER REG. No.		CONTRACT	
REGISTRATION AUTHORITY		EWG CODE	
		PRE-TREATED	
VEHICLE		CONSIGNMENT CODE	
CONTAINER		LANDFILL TAX EXEMPTION REF. No.	
C.U.M.		DEPOSIT THIS LOAD AT	
		PHASE	LIFT CELL
WEIGHT	DATE	TIME	TALLY No.
GROSS			
TARE			
NET			
QTY. CHARGED			
			NET COST
			VAT @
			TOTAL COST

BY SIGNING THIS WASTE TRANSFER NOTE THE HOLDER / CUSTOMER IS CONFIRMING THAT
APPLY THE W.F.D. WASTE HIERARCHY.

FOR BIFFA WASTE SERVICES

SIGNATURE

NAME

THIS DOCUMENT IS A WASTE TRANSFER NOTE AS PROVIDED FOR
WHERE WASTE MATERIALS ARE COULDED ON LOADS AND TO BE
BY THE CUSTOMER. BIFFA WASTE SERVICES AS OPERATING OF THE SITE ARE AUTHORIZED BY THE HOLDER OF THE APPROPRIATE PERMIT TO ACCEPT WASTE OF ANY TYPE.

The Hazardous Waste Regulations 2005:
Consignment Note

14/11/18

142795



Rhodan

PART A Notification details

1. Consignment note code: **RHODAN 1Q281**

2. The waste described below is to be removed from (delete, address, postcode, telephone, e-mail, fax number): **Rhodan de Acon (Genex Station) LITTLEHAMPTON ROAD FERRIS EN12 6AN**

3. The waste will be taken to (delete, address and postcode): **Biffa Redhill site Cormongers Lane, Redhill, RH1 4ER**

4. The waste producer (delete, address, postcode, telephone, e-mail, fax number):

PART B Description of the waste

1. The person giving details is/are: **Construction**

2. SE for the person giving rise to the waste: **98-99/9**

3. Waste description (delete, address, postcode, telephone, e-mail, fax number):

Consignment note	UN number	Proper shipping name	Quantity	The dangerous properties of the waste and their concentrations (delete, address, postcode, telephone, e-mail, fax number)	Physical form (delete, address, postcode, telephone, e-mail, fax number)	Other	Quantity
Asbestos	170503	KT	General	>0.1%	solid	107	2cm

4. The information given below is to be completed for each UN number:

UN number	UN description	Proper shipping name	Quantity	Packing group	Other
170503	2590	Asbestos	9	III	

PART C Carrier's certificate

I hereby certify that the carrier is a firm which is duly licensed to carry dangerous goods and that the carrier is a firm which is duly licensed to carry dangerous goods and that the carrier is a firm which is duly licensed to carry dangerous goods.

Signature: **[Redacted]**

Date: **[Redacted]**

PART D Consignor's certificate

I hereby certify that the consignor is a firm which is duly licensed to carry dangerous goods and that the consignor is a firm which is duly licensed to carry dangerous goods and that the consignor is a firm which is duly licensed to carry dangerous goods.

Signature: **[Redacted]**

Date: **[Redacted]**

PART E Consignee's certificate

I hereby certify that the consignee is a firm which is duly licensed to carry dangerous goods and that the consignee is a firm which is duly licensed to carry dangerous goods and that the consignee is a firm which is duly licensed to carry dangerous goods.

Signature: **[Redacted]**

Date: **[Redacted]**

Biffa

Biffa Waste Services Limited
CORNHAY ROAD, LUDLOW
SHROPSHIRE
SY8 1JH
01542 833333

SITE

TICKET No.

DATE

U.C. No.

LICENSING AUTHORITY

LICENCE HOLDER

CUSTOMER

TRANSFER NOTE No.

LOAD REF.

ORDER REF.

SOURCE

CUSTOMER

CODE

ADDRESS

WASTE DESCRIPTION

CODE

DESTINATION

CONTRACT

EWC CODE

PRE-TREATED

CONSIGNMENT CODE

LANDFILL TAX EXEMPTION REF. No.

POSTCODE

SIC

HADLIER

CARRIER REG. No.

REGISTRATION AUTHORITY

VEHICLE

CONTAINER

C.U.M.

DEPOSIT THIS LOAD AT

PHASE

LIFT

CELL

GROSS

WEIGHT

DATE

TIME

TALLY No.

TARE

NET

QTY CHARGED

NET COST

VAT @

%

TOTAL COST

BY SIGNING THIS WAS
APPLY THE W.F.D. WAS

IS CONFIRMING THAT THEY HAVE FULFILLED THEIR DUTY TO

FOR BIFFA WASTE SER

DRIVERS SIGNATURE

OR

NAME

NAME

THIS DOCUMENT IS A WASTE TRANSFER NOTE. IT IS A LEGAL DOCUMENT. IT MUST BE COMPLETED BY THE CARRIER AND THE WASTE MANAGEMENT OPERATOR. IT MUST BE SIGNED BY THE CARRIER AND THE WASTE MANAGEMENT OPERATOR. IT MUST BE KEPT FOR A MINIMUM OF 5 YEARS. IT MUST BE SUBMITTED TO THE ENVIRONMENTAL AGENCY. IT MUST BE SUBMITTED TO THE ENVIRONMENTAL AGENCY. IT MUST BE SUBMITTED TO THE ENVIRONMENTAL AGENCY.

The Hazardous Waste Regulations 2005:
Consignment Note

14/11/18

142795

Rhodar

PART A Notification details

1. Consignment note code: **RHODAR 140280**
2. The waste described below is to be removed from (name, address, postcode, telephone, e mail, fax/mobile):
Rhodar Ltd
Adra (Pond Station)
Littlegumman Road
Ferris EN12 6PN
3. The waste will be taken to (name, address and postcode):
Biffa Redhill site
Commoners Lane, Redhill, RH1 4ER
4. The waste producer must (if different from 2) (name, address, postcode, telephone, e mail, fax/mobile):

PART B Description of the waste

1. The priority giving rise to a consignment note is: **Consignment**
2. It is the priority giving rise to the waste: **4.3 99/19**
3. WASTE DETAIL (where more than one waste type is not spread out of the table below, please enter the appropriate code in each EWC box below)
- | Description of waste | Quantity | Physical state | Chemical composition | Physical state | Chemical composition | Physical state | Chemical composition | Physical state | Chemical composition |
|----------------------|---------------|----------------|----------------------|----------------|----------------------|----------------|----------------------|----------------|----------------------|
| SALE GRASS | 170503 | 5000 | for Grass | 2017 | same | no 7 | 2017 | | |

The information given below is to be used for the waste code

EWC code	UN number	Proper shipping name	Quantity	Quantity	Quantity
170503	2510	Grass	9	III	

PART C Carrier's certificate

1. I hereby certify that the waste described in the consignment note is as described in the consignment note and that it is not a dangerous substance.
2. I hereby certify that the waste described in the consignment note is as described in the consignment note and that it is not a dangerous substance.

PART D Consignor's certificate


1. I hereby certify that the waste described in the consignment note is as described in the consignment note and that it is not a dangerous substance.
2. I hereby certify that the waste described in the consignment note is as described in the consignment note and that it is not a dangerous substance.

Signature: **P. G. 56**

Date: **14/11/2018**

PART E Consignee's certificate

1. I hereby certify that the waste described in the consignment note is as described in the consignment note and that it is not a dangerous substance.
2. I hereby certify that the waste described in the consignment note is as described in the consignment note and that it is not a dangerous substance.
3. I hereby certify that the waste described in the consignment note is as described in the consignment note and that it is not a dangerous substance.
4. I hereby certify that the waste described in the consignment note is as described in the consignment note and that it is not a dangerous substance.
5. I hereby certify that the waste described in the consignment note is as described in the consignment note and that it is not a dangerous substance.
6. I hereby certify that the waste described in the consignment note is as described in the consignment note and that it is not a dangerous substance.
7. I hereby certify that the waste described in the consignment note is as described in the consignment note and that it is not a dangerous substance.
8. I hereby certify that the waste described in the consignment note is as described in the consignment note and that it is not a dangerous substance.
9. I hereby certify that the waste described in the consignment note is as described in the consignment note and that it is not a dangerous substance.
10. I hereby certify that the waste described in the consignment note is as described in the consignment note and that it is not a dangerous substance.



WEIGHT	DATE	TIME	BALLY NO	NET COST	
GROSS				NET COST	
TARE				VAT @	%
NET				TOTAL COST	
QTY. CHARGED					

THESE RESULTS ARE IN ACCORD WITH THE FINDINGS OF OTHER STUDIES THAT HAVE SHOWN THAT THE EFFECTS OF A SINGLE EXPOSURE TO A HIGH DOSE OF A CARCINOGEN ARE NOT NEARLY AS SEVERE AS THE EFFECTS OF A CHRONIC EXPOSURE TO A LOWER DOSE. THIS IS BECAUSE THE BODY CAN REPAIR AND REGENERATE ITSELF AFTER A SINGLE EXPOSURE, BUT IT CANNOT DO SO AFTER A CHRONIC EXPOSURE. THE RESULTS OF THIS STUDY ALSO SHOW THAT THE EFFECTS OF A SINGLE EXPOSURE TO A HIGH DOSE OF A CARCINOGEN ARE NOT NEARLY AS SEVERE AS THE EFFECTS OF A CHRONIC EXPOSURE TO A LOWER DOSE. THIS IS BECAUSE THE BODY CAN REPAIR AND REGENERATE ITSELF AFTER A SINGLE EXPOSURE, BUT IT CANNOT DO SO AFTER A CHRONIC EXPOSURE.

**The Hazardous Waste Regulations 2005:
Consignment Note**



Rhodan

14/11/12 142795

PART A Notification details

1 Consignment note code: **RH02A010286**

2 The waste described below is to be removed from (name, address, postcode, telephone, e-mail, facsimile): **Biffa Redhill site
Cormongers Lane, Redhill, RH1 4ER**

3 The waste will be taken to (name, address and postcode): **Biffa Redhill site
Cormongers Lane, Redhill, RH1 4ER**

4 The waste producer was (if different from 2) (name, address, postcode, telephone, e-mail, facsimile):

14/11/12 142795

PART B Description of the waste *If continuation sheet used, tick here*

1 The process giving rise to material was: **Construction**

2 WASTE DETAIL (where more than one waste type is collected all of the information given below must be completed for each EWC identified)

Description of waste	List of waste EWC code (4 digits)	Quantity (kg)	The chemical/biological components of the waste and their concentrations are:	Physical form (gas, liquid, solid, powder, sludge or mixed)	Hazard codes	Container type, number and size
Soil Contaminated with Asbestos	170503	170503	Asbestos	2017	S01	2017

The information given below is to be completed for each EWC identified

EWC code	UN identification number	Proper shipping name(s)	UN classified	Packing group(s)	Special handling requirements
170503	2580	Asbestos	9	III	

PART C Carrier's certificate

(if more than one carrier is used, please attach schedule of subsequent carriers. If schedule of carriers is attached tick here ☐)

I certify that I today collected the consignment and that the details in A2, A3 and B3 are correct and I have been advised of any specific handling requirements.

PART D Consignor's certificate

I certify that the information in A, B and C is correct, that the carrier is registered or exempt and was advised of the appropriate procedural measures. All of the waste is packaged and labelled correctly and the carrier has been advised of any special handling requirements.

I confirm that I have fulfilled my duty to apply the waste hierarchy as required by Regulation 12 of the Waste (England and Wales) Regulations 2011.

1 Consignor name: **Rhodan**

On behalf of: **142795**

Signature: **[Signature]**

Date: **15/11/2012**

PART E Consignee's certificate (where more than one waste type is collected all of the information given below must be completed for each EWC)

Individual EWC code(s) received	Quantity of each EWC code received (kg)	EWC code unclassified	Waste management operation (P or D code)
170503	14480	AU	D05

1 I received this waste at the address given in A3 on: **15/11/2012**

2 Vehicle registration no. (or mode of transport if not road): **P36JB**

3 Where waste is rejected please provide details: **[Signature]**

I certify that waste management licence/permit/registered exemption code:

authorises the management of the waste described in the consignment given in A3.

Where the consignment forms part of a multiple collection, as identified in Part A, I certify that the total number of consignments forming the collection are: **[Signature]**

Date: **15/11/2012**

1 Rhodan Consignor 2 Rhodan Consignor 3 Rhodan Consignor 4 Rhodan Consignor



BIFFA WASTE SERVICES LIMITED
CORONATION ROAD, CRESSEX
HIGH WYCOMBE
BUCKS. HP12 3TZ



SITE 833 REDHILL LANDFILL SITE		TICKET No. 1837865	DATE 13/11/2018
LIC. No. BU8126 LICENSING AUTHORITY Wiltshire - South East		CUSTOMER TRANSFER NOTE No. LOAD REF ORDER REF. 0800092 SOURCE HAZ ASBESTOS CONT SOIL W570 WORTHING	
LICENCE HOLDER BIFFA WASTE SERVICES LTD		WASTE DESCRIPTION (HAZ SOIL) HAZ Asbestos Cont Soil	
CUSTOMER PHODAR LIMITED CODE R301611127 ADDRESS 63DA LITTLEHAMPTON ROAD, FERRING WORTHING		CODE 170503 DESTINATION DISPOSAL CONTRACT DIS EWC CODE 140795*2/1 PRE-TREATED 170503 CONSIGNMENT CODE LANDFILL TAX EXEMPTION REF NO 1088/00286 Standard rate	
POSTCODE BN12 6PN SIC 43.12 HAULIER GJ BOWMER (WASTE DISPOSAL) LTD CARRIER REG. No. REGISTRATION AUTHORITY C80098031 NATIONAL VEHICLE P38TR BULK CARRIER CONTAINER 159 15.3 CUB OPEN BO C.U.M 13.30		DEPOSIT THIS LOAD AT ASBESTOS CELL PHASE NEG LIFT 23 CELL 6	
GROSS 30340 Kg 13/11/2018 11:39 00108337 TARE 15850 Kg 13/11/2018 12:50 0004350 NET 14490 Kg QTY. CHARGED ** 14.48 TONNE **		NET COST IS NOT A VAT INVOICE VAT @ %***** TOTAL COST *** *****	

BY SIGNING THIS WASTE TRANSFER NOTE THE HOLDER / CUSTOMER IS CONFIRMING THAT THEY HAVE FULFILLED THEIR DUTY TO APPLY THE W.F.D. WASTE HIERARCHY.

FOR BIFFA WASTE SERVICES	RIVERS SIGNATURE OR GJ BOWMER (WASTE DISPOSAL) LTD
NAME CHRIS. S. INEY	NAME EDDIE SHAW
By signing above I have fulfilled my duty to apply the Waste Hierarchy	
THIS DOCUMENT IS A WASTE TRANSFER NOTE AS PROVIDED FOR BY ENVIRONMENTAL PROTECTION DUTY OF CARE REGULATIONS 1991. A TALLY RECORD OF THIS TRANSACTION IS AVAILABLE FOR 6 MONTHS. WHERE WASTE MATERIALS ARE FOUND ON DISCHARGE TO BE INCONSISTENT WITH THE DESCRIPTION, BIFFA WASTE SERVICES RESERVE THE RIGHT TO RECOVER THE APPROPRIATE CHARGE AND ASSOCIATED TAX FROM THE CUSTOMER. BIFFA WASTE SERVICES AS OPERATORS OF THE SITE ARE AUTHORISED BY THE HOLDER OF THE APPROPRIATE PERMIT TO ACCEPT WASTE FOR DISPOSAL.	

175 waiting
Time wa 142795

The Hazardous Waste Regulations 2005: Consignment Note.

RHODAR LIMITED

PRODUCER'S/IMPORTER'S/EXPORTER'S COPY (delete as appropriate)

Part A: Consignment details		Part B: Description of the waste	
1 Consignment note code: RHODAR B00001		3 The waste will be taken to (name, address and postcode): 815a Redhill, Carmongers Lane, Redhill, RH1 4BR	
2 The waste described below is to be removed from (name, address, postcode, telephone, e-mail, facsimile): Rhodar Ltd, O/o, Asda Store (petrol station) Littlehampton Road, Poying, BN12 5PN R2S 4/1/19 BWR 838224		4 The waste producer was (if different from 2) (name, address, postcode, telephone, e-mail, facsimile): Rhodar Ltd, Leeds, LS11 5BZ	
Part C: Description of the waste		Part D: Details of the waste	
1 The process giving rise to the waste(s) was: Construction		2 SIC for the process giving rise to the waste: 439910	
3 WASTE DETAILS (where more than one waste type is collected all of the information given below must be completed for each EWC identified)			
DESCRIPTION OF WASTE	List of wastes (EWC code) (5 digits)	The chemical/biological components of the waste and their concentrations are	Physical form (gas, liquid, solid, powder, sludge or mixed)
Contaminated Soil with asbestos	1 7 0 0 0 3	Chrysotile	solid
The information given below is to be completed for each EWC identified			
EWC code	Packing group	UN identification number	Proper shipping name
1 7 0 0 0 3	III	2590	Asbestos/Chrysotile
Part E: Carrier details		Part F: Consignor's declaration	
If more than one carrier is used, please attach schedule for subsequent carriers. If a schedule of carriers is attached tick here ☐		I certify that the information in A, B and C above is correct, that the carrier is registered or exempt and was advised of the appropriate precautionary measures. All of the waste is packaged and labelled correctly and the carrier has been advised of any special handling requirements.	
1 Certify that I today collected the consignment and that the details in A2, A4 and B3 are correct and I have been advised of any specific handling requirements.		I confirm that I have fulfilled my duty to apply the waste hierarchy as required by Part 2 of the Waste (England and Wales) Regulations 2011.	
When this note comprises part of a multiple collection, the mound number and collection number are:		1 Consignor name: Ian Goldborough	
1 Carrier name: On behalf of (name, address, postcode, telephone, e-mail, facsimile): Norman Road Haulage, CR1 3LB		On behalf of (name, address, postcode, telephone, e-mail, facsimile): Rhodar Ltd, Asda Park, Leeds, LS11 5BZ	
2 Carrier name: On behalf of (name, address, postcode, telephone, e-mail, facsimile):		Signature: [Redacted]	
3 Vehicle registration no. (or mode of transport if not road):		Date: 04/01/2019	
Signature: [Redacted]		Time: 07:35	
Part G: Consignor's declaration			
Individual EWC	Quantity of each EWC code received (kg)	EWC code	Waste management operation (R or D CODE)
170003	3370	ACC	DOS
1 I received this waste at the address given in A4 on: Date: 04/01/2019			
2 Vehicle registration no. (or mode of transport if not road): AN124 Name: [Redacted]			
3 Vehicle waste is rejected please provide details: [Redacted]			
I certify that waste management is by a permitted exemption no(s): BWR 838224			
authorises the management of the waste described in B at the above address given in A4. Signature: [Redacted]			
Date: 04/01/2019 Time: 07:35			

Waste Transfer Note

142795

The Hazardous Waste Regulations 2005: Consignment Note.

RHODAR LIMITED

PRODUCER/SHEDDER/CONSIGNOR'S COPY (Delete as appropriate)

SECTION A: Consignment details 1 Consignment note code: R H O D A R 5 5 5 0 3 2 The waste described below is to be removed from (name, address, postcode, telephone, e-mail, facsimile): Rhodar Ltd, Astra Store (joint station), Littlehampton Road, Parnip, BN12 6PN 225 411/19. BWR 838262. 3 The waste will be taken to (name, address and postcode): Bills Redhill, Cammengers Lane, Redhill, RH1 4ER 4 The waste producer was (if different from 2) (name, address, postcode, telephone, e-mail, facsimile): Rhodar Ltd, Lewis, LS11 5SZ													
SECTION B: Description of the waste 1 The process giving rise to the waste(s) was: Construction 2 SIC for the process giving rise to the waste: 43.99/10 3 WASTE DETAILS (where more than one waste type is collected all of the information given below must be completed for each EWC identified)													
DESCRIPTION OF WASTE Contaminated Soil with asbestos	List of waste(s) EWC code(s) (5-digit) 170503 The characteristic(s) of the waste and their concentrations are: Component: Chrysotile Concentration (% or weight): <0.1% Physical form (gas, liquid, solid, powder, sludge or slurry): solid Hazard: H372 Container type, number and size: 200L												
The information given below is to be completed for each EWC identified: <table border="1"> <tr> <th>EWC code</th> <th>Packing group(s)</th> <th>UN identification number</th> <th>Proper shipping name(s)</th> <th>UN hazard(s)</th> <th>Special handling requirements</th> </tr> <tr> <td>170503</td> <td>III</td> <td>2500</td> <td>Asbestos/Chrysotile</td> <td>8</td> <td></td> </tr> </table>		EWC code	Packing group(s)	UN identification number	Proper shipping name(s)	UN hazard(s)	Special handling requirements	170503	III	2500	Asbestos/Chrysotile	8	
EWC code	Packing group(s)	UN identification number	Proper shipping name(s)	UN hazard(s)	Special handling requirements								
170503	III	2500	Asbestos/Chrysotile	8									
SECTION C: Consignor's certificate (If more than one carrier is used, please attach schedule for subsequent carriers. If a schedule of carriers is attached tick here: ☐) I certify that I today collected the consignment and that the details in A3, A4 and B3 are correct and I have been advised of any specific handling requirements. Where this note comprises part of a multiple collection the round number and collection number are: 1 Carrier name: J. Penney On behalf of (name, address, postcode, telephone, e-mail, facsimile): Norman Road Haulage, GR4 3LB 122/136 LONDON RD, MITCHEM, S WEAVER. 2 Carrier:  3 Vehicle: 32 NCT Signature:  Date: 04/01/2019													
SECTION D: Consignee's certificate I certify that the information in A, B and C above is correct, that the carrier is registered or exempt and was advised of the appropriate precautionary measures. All of the waste is packaged and labelled correctly and the carrier has been advised of any special handling requirements. I confirm that I have fulfilled my duty to notify the waste hierarchy as required by Regulation 12 of the Hazardous Waste Regulations 2011. 1 Consignor name: Ian Giddings On behalf of (name, address, postcode, telephone, e-mail, facsimile): Rhodar Ltd, Astra Park, Leeds, LS11 5SZ Signature:  Date: 04/01/2019													
SECTION E: Consignment verification <table border="1"> <tr> <th>Individual EWC</th> <th>Quantity of each EWC code received (kg)</th> <th>EWC code Accepted/rejected</th> <th>Waste management operation (R or D CODE)</th> </tr> <tr> <td>170503</td> <td>16820</td> <td>ACC</td> <td>DOS</td> </tr> </table>		Individual EWC	Quantity of each EWC code received (kg)	EWC code Accepted/rejected	Waste management operation (R or D CODE)	170503	16820	ACC	DOS				
Individual EWC	Quantity of each EWC code received (kg)	EWC code Accepted/rejected	Waste management operation (R or D CODE)										
170503	16820	ACC	DOS										
1 I received this waste at the address given in A4 on: Date 04/01/2019 Time 12:02 2 Vehicle registration no. (or mode of transport if not road): S23NCT 3 Vehicle waste is rejected please provide details: (I certify that waste management is acceptable (if not exempted not to)) BWR 838262 authorises the management of the waste described in B at the above address given in A4 Signature:  Date: 04/01/2019													

0.25 waiting Time

142795

The Hazardous Waste Regulations 2005: Consignment Note.




RHODAR LIMITED

PRODUCER/SHOLDER/RECEIVER/OTHER COPY (Delete as appropriate)

1 Consignment note code: R H O D A R 8 0 0 0 0 3		3 The waste will be taken to (name, address and postcode): 615a Ruffell, Comingers Lane, Rotherham, R41 4ER	
2 The waste described below is to be removed from (name, address, postcode, telephone, e-mail, facsimile): Rhodar Ltd, C/o, Astra Store (petrol station) Lifford Road, Parnley, BN12 6PH RES. 9/1/19 BWL 838260		4 The waste producer was (if different from 2) (name, address, postcode, telephone, e-mail, facsimile): RH1 4ER Rhodar Ltd, Leeds, LS11 5SZ	
PART B Description of EWC waste		4 Consignment number (8 digit)	
1 The process giving rise to the waste(s) was Construction		2 SIC for the process giving rise to the waste 43.99.19	
3 WASTE DETAILS (where more than one waste type is collected all of the information given below must be completed for each EWC identified)			
DESCRIPTION OF WASTE	UN identification number	Proper shipping name(s)	UN class(es)
Contaminated Soil with asbestos	1 7 0 0 0 3	Chrysotile	3
1 7 0 0 0 3	15 ton	Chrysotile	>0.1%
The information given below is to be completed for each EWC identified			
UN identification number	Packing group(s)	UN identification number	Proper shipping name(s)
1 7 0 0 0 3	III	2590	Asbestos/Chrysotile
PART C Consignor certificate		PART D Consignee certificate	
If more than one carrier is used, please attach schedule for subsequent carriers. If a schedule of carriers is attached tick here ☐		I certify that the information in A, B and C above is correct, that the carrier is registered or exempt and was advised of the appropriate precautionary measures. All of the waste is packaged and labelled correctly and the carrier has been advised of any special handling requirements.	
I certify that I today collected this consignment and that the details in A2, A4 and B3 are correct and I have been advised of any specific handling requirements.		I confirm that I have fulfilled my duty to ensure the waste hierarchy as required by Regulation 12 of the Waste (England and Wales) Regulations 2011.	
Where this note comprises part of a multiple collection the record number and collection number are:		I confirm that I have fulfilled my duty to ensure the waste hierarchy as required by Regulation 12 of the Waste (England and Wales) Regulations 2011.	
1 Carrier name: On behalf of (name, address, postcode, telephone, e-mail, facsimile): Norman Road Haulage, CR4 3LB		1 Consignor name Jon Gubbins On behalf of (name, address, postcode, telephone, e-mail, facsimile): Rhodar Ltd, Astra Park, Leeds, LS11 5SZ	
2 Carrier registration no (reason for exemption)			
3 Vehicle registration no (or mode of transport if not road): K77 NRH			
Signature [Signature] Date 01/01/19		Signature [Signature] Date 01/01/19	
PART E Consignment Receipt and Receipt for the waste management operation (A or B CODE)			
Initial EWC	Quantity of each EWC code received (kg)	EWC code	Waste management operation (A or B CODE)
120503	15140	ACC	DOS
120503			
120503			
1 I received this waste at the address given in A4 on: Date 10/01/19			
2 Vehicle registration no. (or mode of transport if not road): K77 NRH		Name [Signature] On behalf of (name, address, postcode, telephone, e-mail, facsimile):	
3 Vehicle waste or rejected please provide details:			
I certify that waste management licence number 608126 24		Signature [Signature] Date 10/01/19	
authorises the management of the waste described in B at the above address given in A4			

APPENDIX 1

**Record of excavation for proposed interceptor
(1 page)**

DTS RAEURN DISCREET TECHNICAL & ENVIRONMENTAL ENGINEERING					Moor Lane, Witton, Birmingham, B6 7HG +44 (0) 121 3445885 enquiries@dts-raeurn.co.uk www.dts-raeurn.co.uk		Trial Pit No. EX A1 Sheet 1 of 1		
Project Name:		ASDA Worthing Ferring		Project No. E13043/3		Co-ords: -		Date:	
Location:		ASDA Littlehampton Road, Ferring, Worthing, BN12 6PN				Level:		09/01/2019	
Client:		ASDA Stores Limited				Dimensions (m):		Scale:	
						Final Depth: 2m		1:25	
								Logged by: SEJ	
Water Strikes	Samples and In Situ Testing			Depth (m bgl)	Level (m AOD)	Legend	Stratum Description		
	Depth (m bgl)	Type	Results						
	0.40	ES		0.80 1.30 2.00			MADE GROUND: brown sandy gravelly clay. Gravel is angular to subangular fine to coarse of brick, slate, concrete and flint with rare cobbles of concrete.	1	
	0.90	ES							MADE GROUND: soft dark brown-black slightly gravelly clay. Gravel is subangular fine to medium of concrete, brick and mortar.
	1.50	ES							Soft mottled light brown and light grey gravelly CLAY. Gravel is subangular to subrounded fine to coarse and rare cobbles of quartz and flint.
							End of trial pit at 2.00m bgl	2	
								3	
								4	
								5	
Remarks	Excavation for proposed interceptor. Perched groundwater entry from western side of excavation at 1.8m.							Final	

APPENDIX 2

Contamination laboratory test results (tank farm excavation) (9 pages)

DTS Raeburn Limited

Moor Lane
Witton
Birmingham
B6 7HG

For the attention of James Brown

Report No: B22145
Issue No 01

LABORATORY TEST REPORT

Project Name		ASDA WORTHING	
Project Number		B22145	Date samples received
Your Ref		E13043/3	Date written instructions received
Purchase Order		29858/E13043/3	Date testing commenced
			05/12/2018
			05/12/2018
			05/12/2018
Please find enclosed the results as summarised below			
Figure / Table	Test Quantity	Description	ISO 17025 Accredited
1	2	PAHs (speciated) - Soil	Yes
2	2	TPHCWG - Soil	Yes
3	2	VPHCWG/BTEX - Soil	Yes
4	2	Asbestos Screen - Soil	S/C
App S1	~	Sample Descriptions - Soil	N/A
App S2	~	Deviating Samples - Soil	N/A
App S3	~	Summary of In-House Analytical Test Methods - Soil	N/A
Remarks :			
Issued by : Stephen Langman		Date of Issue : 07/12/2018	
Approved Signatories :		Key to symbols used in this report	
G Wilson (JMD/Laboratories Director), S Langman (Laboratory Coordinator)		S/C : Testing was sub-contracted	
Unless we are notified to the contrary, samples will be disposed after a period of one month from this date. The results reported relate to samples received in the laboratory only. All results contained in this report are provisional unless signed by an approved signatory This report should not be reproduced except in full without the written approval of the laboratory. Under multisite accreditation the testing contained in this report may have been performed at another Terra Tek laboratory. The enclosed results remain the property of Terra Tek Limited and we reserve the right to withdraw our report if we have not received cleared funds in accordance with our standard terms and conditions Only those results indicated in this report are UKAS accredited and any opinions or interpretations expressed are outside the scope of UKAS accreditation. Feedback on the this report may be left via our website www.terratek.co.uk/contact-us			



Moor Lane, Witton, Birmingham, B6 7HG
Tel: +44 (0)121 344 4838 Fax: +44 (0)121 358 3596
birmingham@terratek.co.uk
www.terratek.co.uk
Terra Tek Ltd is registered in England No. 121584
Offices in Bristol, Birmingham, Bolton and Chesham

TERRA TEK SITE INVESTIGATION AND LABORATORY SERVICES				Site ASDA WORTHING																		Contract No E13043/3			
				Client																					
				Engineer																					
Sample Identification				Lab Sample ID	Naphthalene	Acenaphthylene	Acenaphthene	Fluorene	Phenanthrene	Anthracene	Fluoranthene	Pyrene	Benzo (a) anthracene	Chrysene	Benzo (b) fluoranthene	Benzo (k) fluoranthene	Benzo (a) pyrene	Indeno (1,2,3 - cd) pyrene	Dibenzo (ah) anthracene	Benzo (ghi) perylene	Total PAHs (USEPA 16)				
Hole	Depth m	Sample Ref	Sample Type																						mg/kg
BASE 01	0.00-0.00		ET	463497	<0.05	<0.05	<0.10	<0.05	0.15	0.11	0.46	0.46	0.25	0.25	0.34	0.28	0.25	0.21	<0.10	0.21	3.0				
BASE 02	0.00-0.00		ET	463500	<0.05	<0.05	<0.10	<0.05	0.19	0.11	0.87	0.89	0.69	0.50	0.68	0.45	0.49	0.37	<0.10	0.35	5.6				
Limits of Detection Terra Tek Analysis Method Accreditation M=Mcerts U=UKAS N=No accreditation					0.05 TP045 M	0.05 TP045 M	0.10 TP045 M	0.05 TP045 M	0.10 TP045 M	0.10 TP045 M	0.10 TP045 M	0.10 TP045 M	0.10 TP045 M	0.10 TP045 M	0.05 TP045 M	0.05 TP045 M	0.05 TP045 M	0.10 TP045 M	0.10 TP045 M	0.10 TP045 M	1.3 TP045 M				
Originator	Checked & Approved	POLYAROMATIC HYDROCARBONS (USEPA 16) - SOIL											KEY * - deviating result (refer to Appendix S2 for details) ^ - result expressed on as-received basis								Tk Figure 1 Sheet 1 of 1				
DAB																									

TERRA TEK SITE INVESTIGATION AND LABORATORY SERVICES				Site ASDA WORTHING																Contract No E13043/3				
				Client																				
				Engineer																				
Sample Identification				Lab Sample ID	TPH (Aliphatics C8-C10)	TPH (Aliphatics >C10-C12)	TPH (Aliphatics >C12-C16)	TPH (Aliphatics >C16-C21)	TPH (Aliphatics >C21-C35)	TPH (Aliphatics >C35-C40)	TPH (Aromatics >C10-C12)	TPH (Aromatics >C12-C16)	TPH (Aromatics >C16-C21)	TPH (Aromatics >C21-C35)	TPH (Aromatics >C35-C40)									Sample received in appropriate container
Hole	Depth m	Sample Ref	Sample Type		mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg								
BASE 01	0.00-0.00		V		463498	<1	<1	<1	<1	10	<1	<1	<1	<1	<1	<1								
BASE 02	0.00-0.00		V	463501	<1	<1	<1	<1	21	<1	<1	<1	<1	<1	<1								Yes	
Limits of Detection					1	1	1	1	1	1	1	1	1	1	1									
Terra Tek Analysis Method					TP126	TP126	TP126	TP126	TP126	TP126	TP126	TP126	TP126	TP126	TP126									
Accreditation U=UKAS N=No accreditation					U	U	U	U	U	U	U	U	U	U	U									
Originator	Checked & Approved	TPHCWG - SOIL										KEY										Tk Figure 2		
DAB	07/12/2018											* - deviating result (refer to Appendix S2 for details) ^ - result expressed on as-received basis												
																						Sheet 1 of 1		

TERRA TEK SITE INVESTIGATION AND LABORATORY SERVICES				Site ASDA WORTHING																Contract No E13043/3					
				Client																					
				Engineer																					
Sample Identification				Lab Sample ID	TPH (Aliphatics C5-C6)	TPH (Aliphatics C6-C8)	TPH (Aromatics C6-C7)	TPH (Aromatics C7-C8)	TPH (Aromatics C8-C10)	Benzene	Ethylbenzene	m & p - Xylene	o - Xylene	Toluene	MTBE									Sample received in appropriate container	
Hole	Depth m	Sample Ref	Sample Type		µg/kg	µg/kg	µg/kg	µg/kg	µg/kg	µg/kg	µg/kg	µg/kg	µg/kg	µg/kg	µg/kg										
BASE 01	0.00-0.00		V		463498	<10	<10	<10	<10	<10	<5	<5	<10	<5	<5	<5									Yes
BASE 02	0.00-0.00		V	463501	<10	<10	<10	<10	<10	<5	<5	<10	<5	<5	<5								Yes		
Limits of Detection Terra Tek Analysis Method Accreditation U=UKAS N=No accreditation					10 TP154 M	10 TP154 M	10 TP154 M	10 TP154 M	10 TP154 M	5 TP154 M	5 TP154 M	10 TP154 M	5 TP154 M	5 TP154 M	5 TP154 M										
Originator	Checked & Approved	VPHCWG - SOIL										KEY										Tk Figure 3			
DAB												* - deviating result (refer to Appendix S2 for details) ^ - result expressed on as-received basis													
Sheet 1 of 1																									

TERRA TEK SITE INVESTIGATION AND LABORATORY SERVICES				Site ASDA WORTHING					Contract No E13043/3	
				Client						
				Engineer						
Sample Identification				Lab Sample ID	Asbestos Screen	Comments	Quantification by Phase Contrast Optical Microscopy	%		
Hole	Depth m	Sample Ref	Sample Type							
BASE 01	0.00-0.00		ET							
BASE 02	0.00-0.00		ET	463497	ND	None		~		
				463500	ND	None		~		
Limits of Detection Terra Tek Analysis Method Accreditation M=Moerts U=UKAS N=No accreditation				~	S/C	U	~	S/C	U	0.001 S/C U
Originator	Checked & Approved	ASBESTOS SCREEN/IDENTIFICATION				KEY * - deviating result (refer to Appendix S2 for details) ND - no asbestos detected D - asbestos detected			Tk Figure 4 Sheet 1 of 1	
TH										

TERRA TEK SITE INVESTIGATION AND LABORATORY SERVICES				Site ASDA WORTHING				Contract No E13009/1			
				Client							
				Engineer							
Sample Identification				Lab Sample ID	Date Sampled	Temperature on receipt °C	PRIMARY MATRIX	Secondary Matrix	Additional matrix	% Loss at 30C	% Retained 2mm
Exploratory Hole	Depth m	Sample Ref	Sample Type								
BASE 01	0.00-0.00		ET	463497	29/11/18	4.2	Gravel with Sandy Clay Slurry	Fine to medium gravel		17.4	42.1
BASE 02	0.00-0.00		ET	463500	29/11/18	4.2	Sandy CLAY	Fine to medium gravel		15.7	25.4
Notes Terra Tek are accredited for clay, sand and loam matrix types only, where they constitute the major component of the sample. Other coarse granular materials such as gravel, are not accredited where they comprise the major component of the sample. Results are expressed on a dry-weight basis (samples dried at 30°C ± 5°C) except where stated. The laboratory removes any material > 2mm prior to analysis. The quantity and nature of the material is shown as the secondary and additional matrix types in the above table. Where a parameter cannot be determined in house it is our policy to use a UKAS/MCERTS accredited laboratory wherever possible. Terra Tek will assume responsibility for the quality of subcontracted tests and the performance of the subcontractor chosen. Where there is no known UKAS/MCERTS laboratory for a particular parameter, a laboratory listed within the Terra Tek Approved Subcontractors List, which is subject to performance assessment, will be selected.											
Originator	Checked & Approved	SAMPLE DESCRIPTIONS							Appendix S1 Sheet 1 of 1		
TGH											

TERRA TEK SITE INVESTIGATION AND LABORATORY SERVICES				Site ASDA WORTHING				Contract No E13043/3					
				Client									
				Engineer									
Sample Identification				Lab Sample ID	Date Sampled	Deviating conditions						Preservatives used	
Exploratory Hole	Depth m	Sample Ref	Sample Type			Sampling date has not been provided	Exceeded maximum holding time for selected test(s)	Presence of headspace in sample vial	Poorly fitting cap or lid	Damaged container			
BASE 01	0.00-0.00		ET	463497	29/11/18								
BASE 01	0.00-0.00		V	463498	29/11/18								
BASE 02	0.00-0.00		ET	463500	29/11/18								
BASE 02	0.00-0.00		V	463501	29/11/18								
NOTES 1 Results reported for samples classified as deviating may be compromised. Deviation types are shown as "X" or "Yes" in the table above. 2 The absence of "X" or "Yes" in the table above indicates no reported deviations. 3 Deviations due to use of incorrect sample container are shown on result tables. 4 Deviating results are indicated within result tables.													
Originator		Checked & Approved		DEVIATING SAMPLES - SOIL								 Appendix S2 Sheet 1 of 1	
TGH		07/12/2018											

TERRA TEK SITE INVESTIGATION AND LABORATORY SERVICES		Site ASDA WORTHING		Contract No E13043/3	
		Client			
		Engineer			
Method Code	Reference	Description of Method	ISO17025 Accredited	MCERTS Accredited	Wet/Dry Sample Tested
GP001	BS1377, Part 3, 1990: Soils for Civil Engineering Purposes.	Preparation of soil samples for chemical analysis	Yes	Yes	N/A
GP012	BS EN 12457-3: Characterisation of Waste - Compliance test for leaching of granular waste materials and sludges (two-stage batch test)	Preparation of soil samples for two-stage leachate test			Dry
TP019	BS1377, Part 3, 1990: Soils for Civil Engineering Purposes.	Determination of pH in 2.5:1 water/soil extract using pH meter.	Yes	Yes	Dry
TP029	BS1377, Part 3, 1990: Soils for Civil Engineering Purposes.	Determination of acid soluble sulfate by gravimetry.	Yes	Yes	Dry
TP032	MAFF Book 427: The Analysis of Agricultural Materials: Method 8	Determination of water soluble boron by colorimetry	Yes		Dry
TP033	APHA/AWWA, 19th edition: Method 5520E	Determination of Toluene Extractable Matter by soxhlet extraction.	Yes		Dry
TP040	APHA/AWWA, 19th edition: Method 3500Cr-D	Determination of hexavalent chromium by colorimetry.	Yes		Dry
TP041	BS1377, Part 3, 1990: Soils for Civil Engineering Purposes.	Determination of organic matter by titrimetry.	Yes		Dry
TP042	BS1377, Part 3, 1990: Soils for Civil Engineering Purposes.	Determination of loss on ignition at 50-440°C by gravimetry	Yes	Yes	Dry
TP043	BS1377, Part 3, 1990: Soils for Civil Engineering Purposes.	Determination of water soluble sulfate in 2:1 water/soil extract	Yes	Yes	Dry
TP045	GACHAMJA A.M. Chromatography and Analysis: 1992 9-11 (modified)	Determination of polyaromatic hydrocarbons extractable in dichloromethane, by GC/MS	Yes	Yes	Dry
TP046	MEWAM method: Phenols in water and Effluents: 4-aminoantipyrine method	Determination of monohydric phenols by steam distillation/colorimetry	Yes	Yes	Dry
TP047	MEWAM method: Cyanide in Waters etc	Determination of Free Cyanide by steam distillation/colorimetry	Yes		Dry
TP048	MEWAM method: Cyanide in Waters etc	Determination of total cyanide by steam distillation/colorimetry.	Yes	Yes	Wet
TP049	MEWAM method: Cyanide in Waters etc	Determination of complex cyanide by calculation	Yes		Dry
TP050	MEWAM method: Determination of Thiocyanate ,1985	Determination of thiocyanate by colorimetry	Yes	Yes	Dry
TP051	USEPA Method 9030B	Determination of acid soluble sulfides by steam distillation/colorimetry.	Yes	Yes	Dry
TP052	BS1881: Part 324, 1988: Testing Concrete	Determination of elemental sulfur by soxhlet extraction and titrimetry.	Yes		Dry
TP067	TNRCC Method 1005: 2001 (modified)	Determination of pentane/acetone extractable petroleum hydrocarbons (C8 - C40) by GC/FID	Yes	Yes	Wet
TP072	In-house documented method	Determination of ammoniacal nitrogen by colorimetry.			Dry
Notes 1. Terra Tek (Birmingham) are MCERTS accredited for clay, sand & loam matrix types only, where they constitute the major component of the sample. Other coarse granular materials, ie gravel, are not accredited where they comprise the major component of the sample. 2. Results are expressed on a dry-weight basis (samples dried at 30°C ± 5°C) except where stated. 3. The laboratory removes any material >2mm prior to analysis. The quantity and nature of any material removed from samples is recorded and the information is available on request. 4. The laboratory records the date of analysis of each parameter. This information is available on request. 5. Where a parameter cannot be determined in house it is our policy to use a UKAS/MCERTS accredited laboratory wherever possible. Terra Tek will assume responsibility for the quality of subcontracted tests and the performance of the subcontractor chosen. Where there is no known UKAS/MCERTS laboratory for a particular parameter, a laboratory listed within the Terra Tek Approved Subcontractors list, which is subject to performance assessment, will be selected.					
Originator	Checked & Approved	SUMMARY OF IN-HOUSE ANALYTICAL TEST METHODS (SOIL)			Tk Appendix S3
N/A	N/A				
Sheet 1 of 2					

TERRA TEK SITE INVESTIGATION AND LABORATORY SERVICES		Site ASDA WORTHING		Contract No E13043/3	
		Client			
		Engineer			
Method Code	Reference	Description of Method	ISO17025 Accredited	MCERTS Accredited	Wet/Dry Sample Tested
TP073	In-house documented method	Determination of anionic detergent (MBAS) by colorimetry			Dry
TP074	In-house documented method	Determination of water soluble fluoride by ion selective electrode			Dry
TP098	BS1377, Part 3, 1990: Soils for Civil Engineering Purposes.	Determination of acid soluble chloride by titrimetry			Dry
TP099	BS1377, Part 3, 1990: Soils for Civil Engineering Purposes.	Determination of water soluble chloride by titrimetry	Yes	Yes	Dry
TP100	Wisconsin DNR Modified GRO method, Method for Determining Gasoline Range Organics	Determination of Volatile Petroleum Hydrocarbons/GRO.	Yes	Yes	Wet
TP110	USEPA Methods 8082A & 3665A	Determination of Total & Speciated 7 PCB Congeners by GC/MS SIM	Yes	Yes	Wet
TP114	BS1377, Part 3, 1990: Soils for Civil Engineering Purposes.	Determination of carbonate in soil (rapid titration method)			Dry
TP126	TNRCC Method 1006 (modified)	Extracted petroleum hydrocarbons from TP067 split into aromatic and aliphatic fractions. Analysed by GC/FID.	Yes		Wet
TP134	In-house documented method	Determination of water soluble chloride by titrimetry	Yes	Yes	Dry
TP135	USEPA Methods 8100 & 8270D. In-house method TP045	Determination of polyaromatic hydrocarbons extractable in dichloromethane, by GC/MS (with concentration stage)			Dry
TP137	BS7755: Section 3.9: 1995/ISO 11466:1995	Determination of acid extractable metals in soil by ICP-OES	Selected	Selected	Dry
TP145	USEPA Methods 3550C & 8270D	Determination of Semi-Volatile Organic Compounds by GC/MS	Yes	Yes	Wet
TP147	USEPA Methods 8082A & 3665A	Determination of total & speciated WHO 12 PCB Congeners by GC/MS SIM.			Wet
TP150	USEPA Methods 8081B & 8141B	Determination of pesticides and herbicides in soil by GC/MS SIM			Wet
TP152	USEPA Method 556	Determination of carbonyls by GC/MS.			Wet
TP154	USEPA Method 5021. Wisconsin DNR modified GRO method	Determination of volatiles in by GC/MS headspace	Yes	Selected	Wet
TP158	USEPA Method 1671	Determination of glycols by GC/FID DI			Wet
Notes 1. Terra Tek (Birmingham) are MCERTS accredited for clay, sand & loam matrix types only, where they constitute the major component of the sample. Other coarse granular materials, ie gravel, are not accredited where they comprise the major component of the sample. 2. Results are expressed on a dry-weight basis (samples dried at 30°C ± 5°C) except where stated. 3. The laboratory removes any material >2mm prior to analysis. The quantity and nature of any material removed from samples is recorded and the information is available on request. 4. The laboratory records the date of analysis of each parameter. This information is available on request. 5. Where a parameter cannot be determined in house it is our policy to use a UKAS/MCERTS accredited laboratory wherever possible. Terra Tek will assume responsibility for the quality of subcontracted tests and the performance of the subcontractor chosen. Where there is no known UKAS/MCERTS laboratory for a particular parameter, a laboratory listed within the Terra Tek Approved Subcontractors list, which is subject to performance assessment, will be selected.					
Originator	Checked & Approved	SUMMARY OF IN-HOUSE ANALYTICAL TEST METHODS (SOIL)		Tk Appendix S3	
N/A	N/A				
Sheet 2 of 2					

APPENDIX 3

**Contamination laboratory test results (interceptor excavation)
(10 pages)**

DTS Raeburn Limited

Moor Lane
Witton
Birmingham
B6 7HG


For the attention of Sam Johnson

Report No: B22221

Issue No 01

LABORATORY TEST REPORT

Project Name		ASDA WORTHING FERRING	
Project Number	B22221	Date samples received	09/01/2019
Your Ref	E13043/3	Date written instructions received	09/01/2019
Purchase Order	29919/E13043/3	Date testing commenced	09/01/2019
Please find enclosed the results as summarised below			
Figure / Table	Test Quantity	Description	ISO 17025 Accredited
1	3	Client Specified Suite - Soil	Yes
2	3	PAHs (speciated) - Soil	Yes
3	3	TPHCWG - Soil	Yes
4	3	VPHCWG/BTEX - Soil	Yes
5	2	Asbestos Screen - Soil	S/C
App S1	~	Sample Descriptions - Soil	N/A
App S2	~	Deviating Samples - Soil	N/A
App S3	~	Summary of In-House Analytical Test Methods - Soil	N/A
Remarks :			
Issued by : Stephen Langman		Date : 17/01/2019	Key to symbols used in this report S/C : Testing was sub-contracted
Approved Signatories : G Wilson (JMD/Laboratories Director), S Langman (Laboratory Coordinator)			
Unless we are notified to the contrary, samples will be disposed after a period of one month from this date. The results reported relate to samples received in the laboratory only. All results contained in this report are provisional unless signed by an approved signatory This report should not be reproduced except in full without the written approval of the laboratory. Under multisite accreditation the testing contained in this report may have been performed at another Terra Tek laboratory. The enclosed results remain the property of Terra Tek Limited and we reserve the right to withdraw our report if we have not received cleared funds in accordance with our standard terms and conditions Only those results indicated in this report are UKAS accredited and any opinions or interpretations expressed are outside the scope of UKAS accreditation. Feedback on the this report may be left via our website www.terratek.co.uk/contact-us			



Moor Lane, Witton, Birmingham, B6 7HG
Tel: +44 (0)121 344 4838 Fax: +44 (0)121 358 3596
birmingham@terratek.co.uk
www.terratek.co.uk
Terra Tek Ltd is registered in England No. 121584
Offices in Bristol, Birmingham, Bolton and Chesham

TERRA TEK SITE INVESTIGATION AND LABORATORY SERVICES				Site ASDA WORTHING FERRING																	Contract No E13043/3			
				Client																				
				Engineer																				
Sample Identification				Lab Sample ID	Arsenic	Cadmium	Chromium	Lead	Mercury	Selenium	Copper	Nickel	Zinc	Boron (water soluble)	Phenol	Total Cyanide	Free Cyanide	Sulphate (acid soluble as SO4)	Sulphide	Total Sulphur	pH			
Hole	Depth m	Sample Ref	Sample Type																					
INTERCEPTOR	0.40	1	ET	467798	9.3	0.54	18	121	0.37	1.6	27	14	136	1.9	1.8	0.4	<1.0	0.23	65	0.13	8.3			
INTERCEPTOR	0.90	2	ET	467801	8.5	0.64	10	137	0.18	1.3	38	22	119	2.3	0.7	<0.1	<1.0	0.16	16	0.18	8.0			
INTERCEPTOR	1.50	3	ET	467804	3.2	0.33	8	6	0.40	0.6	4	8	23	<1.0	0.9	<0.1	<1.0	0.03	<4	0.02	8.7			
Limits of Detection Terra Tek Analysis Method Accreditation M=Mcerts U=UKAS N=No accreditation					0.5 TP137 M	0.10 TP137 M	1 TP137 M	1 TP137 M	0.10 TP137 M	0.5 TP137 M	1 TP137 M	1 TP137 M	0.5 TP137 M	1.0 TP032 U	0.7 TP046 M	0.1 TP048 M	1.0 TP047 U	0.01 TP171 M	4 TP051 M	0.01 TP129 M	~ TP019 M			
Originator	Checked &	RESULTS OF CHEMICAL CONTAMINATION TESTS - SOIL											KEY * - deviating result (refer to Appendix S2 for details) ^ - result expressed on as-received basis							Tk Figure 1 Sheet 1 of 1				
TH																								

TERRA TEK SITE INVESTIGATION AND LABORATORY SERVICES				Site ASDA WORTHING FERRING																	Contract No E13043/3			
				Client																				
				Engineer																				
Sample Identification				Lab Sample ID	Naphthalene	Acenaphthylene	Acenaphthene	Fluorene	Phenanthrene	Anthracene	Fluoranthene	Pyrene	Benzo (a) anthracene	Chrysene	Benzo (b) fluoranthene	Benzo (k) fluoranthene	Benzo (a) pyrene	Indeno (1,2,3 - cd) pyrene	Dibenzo (ah) anthracene	Benzo (ghi) perylene	Total PAHs (USEPA 16)			
Hole	Depth m	Sample Ref	Sample Type		mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg		
INTERCEPTOR	0.40	1	ET	467798	0.73	2.74	1.60	1.14	20.19	9.16	73.75	76.35	58.96	50.40	74.13	48.03	61.19	41.08	10.62	46.13	576.2			
INTERCEPTOR	0.90	2	ET	467801	0.75	0.20	0.98	0.52	9.11	3.37	24.64	22.70	13.04	12.41	16.38	10.04	14.36	10.22	2.39	11.03	152.1			
INTERCEPTOR	1.50	3	ET	467804	<0.05	<0.05	<0.10	<0.05	0.11	<0.10	0.69	0.66	0.50	0.34	0.53	0.27	0.37	0.28	<0.10	0.31	4.1			
Limits of Detection Terra Tek Analysis Method Accreditation M=Mcerts U=UKAS N=No accreditation					0.05 TP045 M	0.05 TP045 M	0.10 TP045 M	0.05 TP045 M	0.10 TP045 M	0.10 TP045 M	0.10 TP045 M	0.10 TP045 M	0.10 TP045 M	0.10 TP045 M	0.05 TP045 M	0.05 TP045 M	0.05 TP045 M	0.10 TP045 M	0.10 TP045 M	0.10 TP045 M	1.3 TP045 M			
Originator	Checked & Approved	POLYAROMATIC HYDROCARBONS (USEPA 16) - SOIL											KEY * - deviating result (refer to Appendix S2 for details) ^ - result expressed on as-received basis								Tk Figure 2 Sheet 1 of 1			
DAB																								

TERRA TEK SITE INVESTIGATION AND LABORATORY SERVICES				Site ASDA WORTHING FERRING																Contract No E13043/3				
				Client																				
				Engineer																				
Sample Identification				Lab Sample ID	TPH (Aliphatics C8-C10)	TPH (Aliphatics >C10-C12)	TPH (Aliphatics >C12-C16)	TPH (Aliphatics >C16-C21)	TPH (Aliphatics >C21-C35)	TPH (Aliphatics >C35-C40)	TPH (Aromatics >C10-C12)	TPH (Aromatics >C12-C16)	TPH (Aromatics >C16-C21)	TPH (Aromatics >C21-C35)	TPH (Aromatics >C35-C40)									Sample received in appropriate container
Hole	Depth m	Sample Ref	Sample Type		mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg								
INTERCEPTOR	0.40	1	V	467799	<1	<1	<1	7	31	<1	<1	17	180	840	5									Yes
INTERCEPTOR	0.90	2	V	467802	<1	<1	<1	<1	24	<1	<1	<1	41	179	<1									Yes
INTERCEPTOR	1.50	3	V	467805	<1	<1	<1	<1	9	<1	<1	<1	<1	<1	<1									Yes
Limits of Detection Terra Tek Analysis Method Accreditation U=UKAS N=No accreditation					1 TP126 U	1 TP126 U	1 TP126 U	1 TP126 U	1 TP126 U	1 TP126 U	1 TP126 U	1 TP126 U	1 TP126 U	1 TP126 U	1 TP126 U									
Originator	Checked & Approved	TPHCWG - SOIL										KEY * - deviating result (refer to Appendix S2 for details) ^ - result expressed on as-received basis					Tk Figure 3 Sheet 1 of 1							
DAB																								

TERRA TEK SITE INVESTIGATION AND LABORATORY SERVICES				Site ASDA WORTHING FERRING																Contract No E13043/3				
				Client																				
				Engineer																				
Sample Identification				Lab Sample ID	TPH (Aliphatics C5-C6) µg/kg	TPH (Aliphatics C6-C8) µg/kg	TPH (Aromatics C6-C7) µg/kg	TPH (Aromatics C7-C8) µg/kg	TPH (Aromatics C8-C10) µg/kg	Benzene µg/kg	Ethylbenzene µg/kg	m & p - Xylene µg/kg	o - Xylene µg/kg	Toluene µg/kg	MTBE µg/kg								Sample received in appropriate container	
Hole	Depth m	Sample Ref	Sample Type																					
INTERCEPTOR	0.40	1	V	467799	<10	<10	<10	<10	<10	<5	<5	<10	<5	<5	<5									Yes
INTERCEPTOR	0.90	2	V	467802	<10	<10	<10	<10	<10	<5	<5	<10	<5	<5	<5									Yes
INTERCEPTOR	1.50	3	V	467805	<10	<10	<10	<10	<10	<5	<5	<10	<5	<5	<5									Yes
Limits of Detection Terra Tek Analysis Method Accreditation U=UKAS N=No accreditation					10 TP154 M	10 TP154 M	10 TP154 M	10 TP154 M	10 TP154 M	5 TP154 M	5 TP154 M	10 TP154 M	5 TP154 M	5 TP154 M	5 TP154 M									
Originator	Checked & Approved	VPHCWG - SOIL										KEY * - deviating result (refer to Appendix S2 for details) ^ - result expressed on as-received basis										Tk Figure 4 Sheet 1 of 1		
DAB																								

TERRA TEK SITE INVESTIGATION AND LABORATORY SERVICES				Site ASDA WORTHING FERRING			Contract No E13043/3	
				Client				
				Engineer				
Sample Identification								Quantification by Phase Contrast Optical Microscopy
Hole	Depth m	Sample Ref	Sample Type	Lab Sample ID	Asbestos Screen	Comments	%	
INTERCEPTOR	0.40	1	ET	467798	ND	None		~
INTERCEPTOR	0.90	2	ET	467801	ND	None		~
Limits of Detection Terra Tek Analysis Method Accreditation M=Moerts U=UKAS N=No accreditation					~ S/C U	~ S/C U		0.001 S/C U
Originator	Checked & Approved	ASBESTOS SCREEN/IDENTIFICATION				KEY * - deviating result (refer to Appendix S2 for details) ND - no asbestos detected D - asbestos detected		 Figure 5 Sheet 1 of 1
TH								

TERRA TEK SITE INVESTIGATION AND LABORATORY SERVICES				Site ASDA WORTHING FERRING				Contract No E13009/1			
				Client							
				Engineer							
Sample Identification				Lab Sample ID	Date Sampled	Temperature on receipt °C	PRIMARY MATRIX	Secondary Matrix	Additional matrix	% Loss at 30C	% Retained 2mm
Exploratory Hole	Depth m	Sample Ref	Sample Type								
INTERCEPTOR	0.40	1	ET	467798	09/01/19	5.8	SAND	Gravel with SAND		5.7	67.0
INTERCEPTOR	0.90	2	ET	467801	09/01/19	5.8	Clayey SAND	Fine to medium gravel		25.3	44.8
INTERCEPTOR	1.50	3	ET	467804	09/01/19	5.8	Sandy CLAY	Fine to medium gravel		10.8	37.9
Notes Terra Tek are accredited for clay, sand and loam matrix types only, where they constitute the major component of the sample. Other coarse granular materials such as gravel, are not accredited where they comprise the major component of the sample. Results are expressed on a dry-weight basis (samples dried at 30°C ± 5°C) except where stated. The laboratory removes any material > 2mm prior to analysis. The quantity and nature of the material is shown as the secondary and additional matrix types in the above table. Where a parameter cannot be determined in house it is our policy to use a UKAS/MCERTS accredited laboratory wherever possible. Terra Tek will assume responsibility for the quality of subcontracted tests and the performance of the subcontractor chosen. Where there is no known UKAS/MCERTS laboratory for a particular parameter, a laboratory listed within the Terra Tek Approved Subcontractors List, which is subject to performance assessment, will be selected.											
Originator	Checked &								Appendix S1		
TGH		SAMPLE DESCRIPTIONS							Sheet 1 of 1		

TERRA TEK SITE INVESTIGATION AND LABORATORY SERVICES				Site ASDA WORTHING FERRING		Contract No E13043/3						
				Client								
				Engineer								
Sample Identification				Lab Sample ID	Date Sampled	Deviating conditions						Preservatives used
Exploratory Hole	Depth m	Sample Ref	Sample Type			Sampling date has not been provided	Exceeded maximum holding time for selected test(s)	Presence of headspace in sample vial	Poorly fitting cap or lid	Damaged container		
INTERCEPTOR	0.40	1	ET	467798	09/01/19							
INTERCEPTOR	0.40	1	V	467799	09/01/19							
INTERCEPTOR	0.90	2	ET	467801	09/01/19							
INTERCEPTOR	0.90	2	V	467802	09/01/19							
INTERCEPTOR	1.50	3	ET	467804	09/01/19							
INTERCEPTOR	1.50	3	V	467805	09/01/19							
NOTES 1 Results reported for samples classified as deviating may be compromised. Deviation types are shown as "X" or "Yes" in the table above. 2 The absence of "X" or "Yes" in the table above indicates no reported deviations. 3 Deviations due to use of incorrect sample container are shown on result tables. 4 Deviating results are indicated within result tables.												
Originator	Checked & Approved											
TGH		DEVIATING SAMPLES - SOIL										
		 Appendix S2 Sheet 1 of 1										

TERRA TEK SITE INVESTIGATION AND LABORATORY SERVICES		Site ASDA WORTHING FERRING		Contract No E13043/3	
		Client			
		Engineer			
Method Code	Reference	Description of Method	ISO17025 Accredited	MCERTS Accredited	Wet/Dry Sample Tested
GP001	BS1377, Part 3, 1990: Soils for Civil Engineering Purposes.	Preparation of soil samples for chemical analysis	Yes	Yes	N/A
GP012	BS EN 12457-3: Characterisation of Waste - Compliance test for leaching of granular waste materials and sludges (two-stage batch test)	Preparation of soil samples for two-stage leachate test			Dry
TP019	BS1377, Part 3, 1990: Soils for Civil Engineering Purposes.	Determination of pH in 2.5:1 water/soil extract using pH meter.	Yes	Yes	Dry
TP029	BS1377, Part 3, 1990: Soils for Civil Engineering Purposes.	Determination of acid soluble sulfate by gravimetry.	Yes	Yes	Dry
TP032	MAFF Book 427: The Analysis of Agricultural Materials: Method 8	Determination of water soluble boron by colorimetry	Yes		Dry
TP033	APHA/AWWA, 19th edition: Method 5520E	Determination of Toluene Extractable Matter by soxhlet extraction.	Yes		Dry
TP040	APHA/AWWA, 19th edition: Method 3500Cr-D	Determination of hexavalent chromium by colorimetry.	Yes		Dry
TP041	BS1377, Part 3, 1990: Soils for Civil Engineering Purposes.	Determination of organic matter by titrimetry.	Yes		Dry
TP042	BS1377, Part 3, 1990: Soils for Civil Engineering Purposes.	Determination of loss on ignition at 50-440°C by gravimetry	Yes	Yes	Dry
TP043	BS1377, Part 3, 1990: Soils for Civil Engineering Purposes.	Determination of water soluble sulfate in 2:1 water/soil extract	Yes	Yes	Dry
TP045	GACHAMJA A.M. Chromatography and Analysis: 1992 9-11 (modified)	Determination of polyaromatic hydrocarbons extractable in dichloromethane, by GC/MS	Yes	Yes	Dry
TP046	MEWAM method: Phenols in water and Effluents: 4-aminoantipyrine method	Determination of monohydric phenols by steam distillation/colorimetry	Yes	Yes	Dry
TP047	MEWAM method: Cyanide in Waters etc	Determination of Free Cyanide by steam distillation/colorimetry	Yes		Dry
TP048	MEWAM method: Cyanide in Waters etc	Determination of total cyanide by steam distillation/colorimetry.	Yes	Yes	Wet
TP049	MEWAM method: Cyanide in Waters etc	Determination of complex cyanide by calculation	Yes		Dry
TP050	MEWAM method: Determination of Thiocyanate ,1985	Determination of thiocyanate by colorimetry	Yes	Yes	Dry
TP051	USEPA Method 9030B	Determination of acid soluble sulfides by steam distillation/colorimetry.	Yes	Yes	Dry
TP052	BS1881: Part 324, 1988: Testing Concrete	Determination of elemental sulfur by soxhlet extraction and titrimetry.	Yes		Dry
TP067	TNRCC Method 1005: 2001 (modified)	Determination of pentane/acetone extractable petroleum hydrocarbons (C8 - C40) by GC/FID	Yes	Yes	Wet
TP072	In-house documented method	Determination of ammoniacal nitrogen by colorimetry.			Dry
Notes 1. Terra Tek (Birmingham) are MCERTS accredited for clay, sand & loam matrix types only, where they constitute the major component of the sample. Other coarse granular materials, ie gravel, are not accredited where they comprise the major component of the sample. 2. Results are expressed on a dry-weight basis (samples dried at 30°C ± 5°C) except where stated. 3. The laboratory removes any material >2mm prior to analysis. The quantity and nature of any material removed from samples is recorded and the information is available on request. 4. The laboratory records the date of analysis of each parameter. This information is available on request. 5. Where a parameter cannot be determined in house it is our policy to use a UKAS/MCERTS accredited laboratory wherever possible. Terra Tek will assume responsibility for the quality of subcontracted tests and the performance of the subcontractor chosen. Where there is no known UKAS/MCERTS laboratory for a particular parameter, a laboratory listed within the Terra Tek Approved Subcontractors list, which is subject to performance assessment, will be selected.					
Originator	Checked & Approved	SUMMARY OF IN-HOUSE ANALYTICAL TEST METHODS (SOIL)		Tk	Appendix S3
N/A	N/A				
Sheet 1 of 2					

TERRA TEK SITE INVESTIGATION AND LABORATORY SERVICES		Site ASDA WORTHING FERRING		Contract No E13043/3	
		Client			
		Engineer			
Method Code	Reference	Description of Method	ISO17025 Accredited	MCERTS Accredited	Wet/Dry Sample Tested
TP073	In-house documented method	Determination of anionic detergent (MBAS) by colorimetry			Dry
TP074	In-house documented method	Determination of water soluble fluoride by ion selective electrode			Dry
TP098	BS1377, Part 3, 1990: Soils for Civil Engineering Purposes.	Determination of acid soluble chloride by titrimetry			Dry
TP099	BS1377, Part 3, 1990: Soils for Civil Engineering Purposes.	Determination of water soluble chloride by titrimetry	Yes	Yes	Dry
TP100	Wisconsin DNR Modified GRO method, Method for Determining Gasoline Range Organics	Determination of Volatile Petroleum Hydrocarbons/GRO.	Yes	Yes	Wet
TP110	USEPA Methods 8082A & 3665A	Determination of Total & Speciated 7 PCB Congeners by GC/MS SIM	Yes	Yes	Wet
TP114	BS1377, Part 3, 1990: Soils for Civil Engineering Purposes.	Determination of carbonate in soil (rapid titration method)			Dry
TP126	TNRCC Method 1006 (modified)	Extracted petroleum hydrocarbons from TP067 split into aromatic and aliphatic fractions. Analysed by GC/FID.	Yes		Wet
TP134	In-house documented method	Determination of water soluble chloride by titrimetry	Yes	Yes	Dry
TP135	USEPA Methods 8100 & 8270D. In-house method TP045	Determination of polyaromatic hydrocarbons extractable in dichloromethane, by GC/MS (with concentration stage)			Dry
TP137	BS7755: Section 3.9: 1995/ISO 11466:1995	Determination of acid extractable metals in soil by ICP-OES	Selected	Selected	Dry
TP145	USEPA Methods 3550C & 8270D	Determination of Semi-Volatile Organic Compounds by GC/MS	Yes	Yes	Wet
TP147	USEPA Methods 8082A & 3665A	Determination of total & speciated WHO 12 PCB Congeners by GC/MS SIM.			Wet
TP150	USEPA Methods 8081B & 8141B	Determination of pesticides and herbicides in soil by GC/MS SIM			Wet
TP152	USEPA Method 556	Determination of carbonyls by GC/MS.			Wet
TP154	USEPA Method 5021. Wisconsin DNR modified GRO method	Determination of volatiles in by GC/MS headspace	Yes	Selected	Wet
TP158	USEPA Method 1671	Determination of glycols by GC/FID DI			Wet
Notes 1. Terra Tek (Birmingham) are MCERTS accredited for clay, sand & loam matrix types only, where they constitute the major component of the sample. Other coarse granular materials, ie gravel, are not accredited where they comprise the major component of the sample. 2. Results are expressed on a dry-weight basis (samples dried at 30°C ± 5°C) except where stated. 3. The laboratory removes any material >2mm prior to analysis. The quantity and nature of any material removed from samples is recorded and the information is available on request. 4. The laboratory records the date of analysis of each parameter. This information is available on request. 5. Where a parameter cannot be determined in house it is our policy to use a UKAS/MCERTS accredited laboratory wherever possible. Terra Tek will assume responsibility for the quality of subcontracted tests and the performance of the subcontractor chosen. Where there is no known UKAS/MCERTS laboratory for a particular parameter, a laboratory listed within the Terra Tek Approved Subcontractors list, which is subject to performance assessment, will be selected.					
Originator	Checked & Approved	SUMMARY OF IN-HOUSE ANALYTICAL TEST METHODS (SOIL)		Tk Appendix S3	
N/A	N/A				
Sheet 2 of 2					