
Fg2

OCTOBER 2004

BLOCKLEYS

210 x 105 x 50mm

CHAMFERED CLAY PAVIORS



COLOUR, CHARACTER, TEXTURE, FLEXIBILITY, AVAILABILITY, INNOVATION, INDIVIDUALITY. BUT ABOVE ALL QUALITY.

DISTRICT COUNCIL FP/154/09/DOC


BS EN 1344

210 x 105 x 50mm


CHAMFERED CLAY PAVIORS

(210x105x50)mm Nibbed Chamfered Clay Paviors are suitable for a wide range of applications, including patios, driveways, public footpaths, and lightly trafficked areas.






Castleyard




Charcoal Mixture




Hadley Red Brindle



Hadley Red Mixture




Harvest Buff Brindle



Ipswich Mixture

Paviour Accessories



Technical Data	
Work Size	207 x 102 x 50mm
Co-ordinating Size (including nibs)	210 x 105 x 50mm
Dimensional Tolerance	Meet tolerance requirements
Range	R1
Transverse Breaking Load	T3
Slip Resistance	U3
Abrasion Resistance	A3
Liability to Efflorescence	Nil
Quantity per pack	520
Coverage per pack	11.56 sq m

Where appropriate technical properties are assessed in accordance with the requirement of BS EN 1344:2002

Advantages:

- Naturally attractive.
- Permanent non fade colours
- Easy to maintain
- Simple to install.
- Resistant to staining (petrol, oil, acids etc.)
- Improves "kerb appeal"
- No efflorescence
- Good slipping, skidding and abrasion resistance
- Totally durable
- Can be readily uplifted and re-laid to provide access to underground services
- Full range of pavior accessories available
- Competitively priced
- Local stockist network

LIFETIME PERMANENT Non-Fade COLOUR GUARANTEE

The representation of colours and textures illustrated can be accurate only as far as printing techniques will allow. Actual samples are available on request.

BLOCKLEYS

[redacted]