

Polypipe Civils			Page 1																																																																																																																																																																																																																			
Charnwood Business Park		44977																																																																																																																																																																																																																				
Loughborough		Middleton Road, Felpham																																																																																																																																																																																																																				
Leicestershire LE11 1LE		4m x 3m x 0.4m																																																																																																																																																																																																																				
Date 01/12/20		Designed by TR																																																																																																																																																																																																																				
File T-MD-44977_TR_MD9 (67m²...		Checked by																																																																																																																																																																																																																				
Micro Drainage		Source Control 2016.1																																																																																																																																																																																																																				
Summary of Results for 100 year Return Period (+40%) Half Drain Time : 521 minutes. <table><thead><tr><th>Storm Event</th><th>Max Level (m)</th><th>Max Depth (m)</th><th>Max Infiltration (l/s)</th><th>Max Volume (m³)</th><th>Status</th></tr></thead><tbody><tr><td>15 min Summer</td><td>98.740</td><td>0.140</td><td>0.1</td><td>1.6</td><td>O K</td></tr><tr><td>30 min Summer</td><td>98.786</td><td>0.186</td><td>0.1</td><td>2.1</td><td>O K</td></tr><tr><td>60 min Summer</td><td>98.833</td><td>0.233</td><td>0.1</td><td>2.7</td><td>O K</td></tr><tr><td>120 min Summer</td><td>98.876</td><td>0.276</td><td>0.1</td><td>3.1</td><td>O K</td></tr><tr><td>180 min Summer</td><td>98.896</td><td>0.296</td><td>0.1</td><td>3.4</td><td>O K</td></tr><tr><td>240 min Summer</td><td>98.905</td><td>0.305</td><td>0.1</td><td>3.5</td><td>O K</td></tr><tr><td>360 min Summer</td><td>98.910</td><td>0.310</td><td>0.1</td><td>3.5</td><td>O K</td></tr><tr><td>480 min Summer</td><td>98.909</td><td>0.309</td><td>0.1</td><td>3.5</td><td>O K</td></tr><tr><td>600 min Summer</td><td>98.907</td><td>0.307</td><td>0.1</td><td>3.5</td><td>O K</td></tr><tr><td>720 min Summer</td><td>98.904</td><td>0.304</td><td>0.1</td><td>3.5</td><td>O K</td></tr><tr><td>960 min Summer</td><td>98.895</td><td>0.295</td><td>0.1</td><td>3.4</td><td>O K</td></tr><tr><td>1440 min Summer</td><td>98.875</td><td>0.275</td><td>0.1</td><td>3.1</td><td>O K</td></tr><tr><td>2160 min Summer</td><td>98.845</td><td>0.245</td><td>0.1</td><td>2.8</td><td>O K</td></tr><tr><td>2880 min Summer</td><td>98.817</td><td>0.217</td><td>0.1</td><td>2.5</td><td>O K</td></tr><tr><td>4320 min Summer</td><td>98.767</td><td>0.167</td><td>0.1</td><td>1.9</td><td>O K</td></tr><tr><td>5760 min Summer</td><td>98.728</td><td>0.128</td><td>0.1</td><td>1.5</td><td>O K</td></tr><tr><td>7200 min Summer</td><td>98.697</td><td>0.097</td><td>0.1</td><td>1.1</td><td>O K</td></tr><tr><td>8640 min Summer</td><td>98.674</td><td>0.074</td><td>0.1</td><td>0.8</td><td>O K</td></tr><tr><td>10080 min Summer</td><td>98.659</td><td>0.059</td><td>0.1</td><td>0.7</td><td>O K</td></tr><tr><td>15 min Winter</td><td>98.757</td><td>0.157</td><td>0.1</td><td>1.8</td><td>O K</td></tr></tbody></table> <table><thead><tr><th>Storm Event</th><th>Rain (mm/hr)</th><th>Flooded Volume (m³)</th><th>Time-Peak (mins)</th></tr></thead><tbody><tr><td>15 min Summer</td><td>124.633</td><td>0.0</td><td>19</td></tr><tr><td>30 min Summer</td><td>83.789</td><td>0.0</td><td>33</td></tr><tr><td>60 min Summer</td><td>53.779</td><td>0.0</td><td>62</td></tr><tr><td>120 min Summer</td><td>33.337</td><td>0.0</td><td>122</td></tr><tr><td>180 min Summer</td><td>24.832</td><td>0.0</td><td>182</td></tr><tr><td>240 min Summer</td><td>20.006</td><td>0.0</td><td>242</td></tr><tr><td>360 min Summer</td><td>14.706</td><td>0.0</td><td>360</td></tr><tr><td>480 min Summer</td><td>11.818</td><td>0.0</td><td>412</td></tr><tr><td>600 min Summer</td><td>9.966</td><td>0.0</td><td>476</td></tr><tr><td>720 min Summer</td><td>8.665</td><td>0.0</td><td>536</td></tr><tr><td>960 min Summer</td><td>6.943</td><td>0.0</td><td>672</td></tr><tr><td>1440 min Summer</td><td>5.071</td><td>0.0</td><td>950</td></tr><tr><td>2160 min Summer</td><td>3.696</td><td>0.0</td><td>1360</td></tr><tr><td>2880 min Summer</td><td>2.949</td><td>0.0</td><td>1756</td></tr><tr><td>4320 min Summer</td><td>2.142</td><td>0.0</td><td>2508</td></tr><tr><td>5760 min Summer</td><td>1.705</td><td>0.0</td><td>3232</td></tr><tr><td>7200 min Summer</td><td>1.427</td><td>0.0</td><td>3960</td></tr><tr><td>8640 min Summer</td><td>1.235</td><td>0.0</td><td>4584</td></tr><tr><td>10080 min Summer</td><td>1.093</td><td>0.0</td><td>5248</td></tr><tr><td>15 min Winter</td><td>124.633</td><td>0.0</td><td>19</td></tr></tbody></table>					Storm Event	Max Level (m)	Max Depth (m)	Max Infiltration (l/s)	Max Volume (m³)	Status	15 min Summer	98.740	0.140	0.1	1.6	O K	30 min Summer	98.786	0.186	0.1	2.1	O K	60 min Summer	98.833	0.233	0.1	2.7	O K	120 min Summer	98.876	0.276	0.1	3.1	O K	180 min Summer	98.896	0.296	0.1	3.4	O K	240 min Summer	98.905	0.305	0.1	3.5	O K	360 min Summer	98.910	0.310	0.1	3.5	O K	480 min Summer	98.909	0.309	0.1	3.5	O K	600 min Summer	98.907	0.307	0.1	3.5	O K	720 min Summer	98.904	0.304	0.1	3.5	O K	960 min Summer	98.895	0.295	0.1	3.4	O K	1440 min Summer	98.875	0.275	0.1	3.1	O K	2160 min Summer	98.845	0.245	0.1	2.8	O K	2880 min Summer	98.817	0.217	0.1	2.5	O K	4320 min Summer	98.767	0.167	0.1	1.9	O K	5760 min Summer	98.728	0.128	0.1	1.5	O K	7200 min Summer	98.697	0.097	0.1	1.1	O K	8640 min Summer	98.674	0.074	0.1	0.8	O K	10080 min Summer	98.659	0.059	0.1	0.7	O K	15 min Winter	98.757	0.157	0.1	1.8	O K	Storm Event	Rain (mm/hr)	Flooded Volume (m³)	Time-Peak (mins)	15 min Summer	124.633	0.0	19	30 min Summer	83.789	0.0	33	60 min Summer	53.779	0.0	62	120 min Summer	33.337	0.0	122	180 min Summer	24.832	0.0	182	240 min Summer	20.006	0.0	242	360 min Summer	14.706	0.0	360	480 min Summer	11.818	0.0	412	600 min Summer	9.966	0.0	476	720 min Summer	8.665	0.0	536	960 min Summer	6.943	0.0	672	1440 min Summer	5.071	0.0	950	2160 min Summer	3.696	0.0	1360	2880 min Summer	2.949	0.0	1756	4320 min Summer	2.142	0.0	2508	5760 min Summer	1.705	0.0	3232	7200 min Summer	1.427	0.0	3960	8640 min Summer	1.235	0.0	4584	10080 min Summer	1.093	0.0	5248	15 min Winter	124.633	0.0	19
Storm Event	Max Level (m)	Max Depth (m)	Max Infiltration (l/s)	Max Volume (m³)	Status																																																																																																																																																																																																																	
15 min Summer	98.740	0.140	0.1	1.6	O K																																																																																																																																																																																																																	
30 min Summer	98.786	0.186	0.1	2.1	O K																																																																																																																																																																																																																	
60 min Summer	98.833	0.233	0.1	2.7	O K																																																																																																																																																																																																																	
120 min Summer	98.876	0.276	0.1	3.1	O K																																																																																																																																																																																																																	
180 min Summer	98.896	0.296	0.1	3.4	O K																																																																																																																																																																																																																	
240 min Summer	98.905	0.305	0.1	3.5	O K																																																																																																																																																																																																																	
360 min Summer	98.910	0.310	0.1	3.5	O K																																																																																																																																																																																																																	
480 min Summer	98.909	0.309	0.1	3.5	O K																																																																																																																																																																																																																	
600 min Summer	98.907	0.307	0.1	3.5	O K																																																																																																																																																																																																																	
720 min Summer	98.904	0.304	0.1	3.5	O K																																																																																																																																																																																																																	
960 min Summer	98.895	0.295	0.1	3.4	O K																																																																																																																																																																																																																	
1440 min Summer	98.875	0.275	0.1	3.1	O K																																																																																																																																																																																																																	
2160 min Summer	98.845	0.245	0.1	2.8	O K																																																																																																																																																																																																																	
2880 min Summer	98.817	0.217	0.1	2.5	O K																																																																																																																																																																																																																	
4320 min Summer	98.767	0.167	0.1	1.9	O K																																																																																																																																																																																																																	
5760 min Summer	98.728	0.128	0.1	1.5	O K																																																																																																																																																																																																																	
7200 min Summer	98.697	0.097	0.1	1.1	O K																																																																																																																																																																																																																	
8640 min Summer	98.674	0.074	0.1	0.8	O K																																																																																																																																																																																																																	
10080 min Summer	98.659	0.059	0.1	0.7	O K																																																																																																																																																																																																																	
15 min Winter	98.757	0.157	0.1	1.8	O K																																																																																																																																																																																																																	
Storm Event	Rain (mm/hr)	Flooded Volume (m³)	Time-Peak (mins)																																																																																																																																																																																																																			
15 min Summer	124.633	0.0	19																																																																																																																																																																																																																			
30 min Summer	83.789	0.0	33																																																																																																																																																																																																																			
60 min Summer	53.779	0.0	62																																																																																																																																																																																																																			
120 min Summer	33.337	0.0	122																																																																																																																																																																																																																			
180 min Summer	24.832	0.0	182																																																																																																																																																																																																																			
240 min Summer	20.006	0.0	242																																																																																																																																																																																																																			
360 min Summer	14.706	0.0	360																																																																																																																																																																																																																			
480 min Summer	11.818	0.0	412																																																																																																																																																																																																																			
600 min Summer	9.966	0.0	476																																																																																																																																																																																																																			
720 min Summer	8.665	0.0	536																																																																																																																																																																																																																			
960 min Summer	6.943	0.0	672																																																																																																																																																																																																																			
1440 min Summer	5.071	0.0	950																																																																																																																																																																																																																			
2160 min Summer	3.696	0.0	1360																																																																																																																																																																																																																			
2880 min Summer	2.949	0.0	1756																																																																																																																																																																																																																			
4320 min Summer	2.142	0.0	2508																																																																																																																																																																																																																			
5760 min Summer	1.705	0.0	3232																																																																																																																																																																																																																			
7200 min Summer	1.427	0.0	3960																																																																																																																																																																																																																			
8640 min Summer	1.235	0.0	4584																																																																																																																																																																																																																			
10080 min Summer	1.093	0.0	5248																																																																																																																																																																																																																			
15 min Winter	124.633	0.0	19																																																																																																																																																																																																																			
©1982-2016 XP Solutions																																																																																																																																																																																																																						

Polypipe Civils				Page 2	
Charnwood Business Park		44977			
Loughborough		Middleton Road, Felpham			
Leicestershire LE11 1LE		4m x 3m x 0.4m			
Date 01/12/20		Designed by TR			
File T-MD-44977_TR_MD9 (67m²...		Checked by			
Micro Drainage		Source Control 2016.1			
<u>Summary of Results for 100 year Return Period (+40%)</u>					
Storm Event	Max Level (m)	Max Depth (m)	Max Infiltration (l/s)	Max Volume (m³)	Status
30 min Winter	98.809	0.209	0.1	2.4	O K
60 min Winter	98.862	0.262	0.1	3.0	O K
120 min Winter	98.912	0.312	0.1	3.6	O K
180 min Winter	98.936	0.336	0.1	3.8	O K
240 min Winter	98.948	0.348	0.1	4.0	O K
360 min Winter	98.957	0.357	0.1	4.1	O K
480 min Winter	98.957	0.357	0.1	4.1	O K
600 min Winter	98.953	0.353	0.1	4.0	O K
720 min Winter	98.948	0.348	0.1	4.0	O K
960 min Winter	98.937	0.337	0.1	3.8	O K
1440 min Winter	98.908	0.308	0.1	3.5	O K
2160 min Winter	98.863	0.263	0.1	3.0	O K
2880 min Winter	98.820	0.220	0.1	2.5	O K
4320 min Winter	98.749	0.149	0.1	1.7	O K
5760 min Winter	98.695	0.095	0.1	1.1	O K
7200 min Winter	98.659	0.059	0.1	0.7	O K
8640 min Winter	98.647	0.047	0.1	0.5	O K
10080 min Winter	98.642	0.042	0.0	0.5	O K
Storm Event	Rain (mm/hr)	Flooded Volume (m³)	Time-Peak (mins)		
30 min Winter	83.789	0.0	33		
60 min Winter	53.779	0.0	62		
120 min Winter	33.337	0.0	120		
180 min Winter	24.832	0.0	178		
240 min Winter	20.006	0.0	236		
360 min Winter	14.706	0.0	348		
480 min Winter	11.818	0.0	454		
600 min Winter	9.966	0.0	544		
720 min Winter	8.665	0.0	570		
960 min Winter	6.943	0.0	722		
1440 min Winter	5.071	0.0	1026		
2160 min Winter	3.696	0.0	1468		
2880 min Winter	2.949	0.0	1876		
4320 min Winter	2.142	0.0	2640		
5760 min Winter	1.705	0.0	3344		
7200 min Winter	1.427	0.0	3896		
8640 min Winter	1.235	0.0	4488		
10080 min Winter	1.093	0.0	5144		
©1982-2016 XP Solutions					

Polypipe Civils		Page 3
Charnwood Business Park Loughborough Leicestershire LE11 1LE	44977 Middleton Road, Felpham 4m x 3m x 0.4m	
Date 01/12/20 File T-MD-44977_TR_MD9 (67m²...	Designed by TR Checked by	
Micro Drainage Source Control 2016.1		

Rainfall Details

Rainfall Model	FSR	Winter Storms	Yes
Return Period (years)	100	Cv (Summer)	0.750
Region	England and Wales	Cv (Winter)	0.840
M5-60 (mm)	19.000	Shortest Storm (mins)	15
Ratio R	0.350	Longest Storm (mins)	10080
Summer Storms	Yes	Climate Change %	+40

Time Area Diagram

Total Area (ha) 0.007

Time (mins)	Area
From:	To: (ha)
0	4 0.007

©1982-2016 XP Solutions

Polypipe Civils		Page 4
Charnwood Business Park Loughborough Leicestershire LE11 1LE	44977 Middleton Road, Felpham 4m x 3m x 0.4m	
Date 01/12/20 File T-MD-44977_TR_MD9 (67m²...	Designed by TR Checked by	
Micro Drainage Source Control 2016.1		

Model Details

Storage is Online Cover Level (m) 100.000

Cellular Storage Structure

Invert Level (m) 98.600 Safety Factor 3.0
Infiltration Coefficient Base (m/hr) 0.04561 Porosity 0.95
Infiltration Coefficient Side (m/hr) 0.04561

Depth (m)	Area (m²)	Inf. Area (m²)	Depth (m)	Area (m²)	Inf. Area (m²)
0.000	12.0	12.0	0.500	0.0	17.6
0.400	12.0	17.6			

©1982-2016 XP Solutions