



Town & Country Planning Act 1990 (as amended)
Town and Country Planning (Development Management
Procedure) (England) Order 2015
Application for Planning Permission
DECISION NOTICE

Application Ref: FP/203/17/PL

1 To Addressee

Stephen Jupp MRTPI
 348 Chichester Road
 Bognor Regis
 West Sussex
 PO21 5BX

2 Site Address

7 Middleton Road
 Felpham
 PO22 6BL

3 Description of Development

Demolition of outbuildings & erection of 1 No. dwelling to rear (resubmission following FP/137/17/PL).

In pursuance of their powers under this Act and related Orders and Regulations the Council **PERMIT** this development to be carried out in accordance with the application and plans and subject to the following conditions

- 1 The development hereby permitted shall be begun before the expiration of 3 years from the date of this permission.

Reason: To comply with Section 91 of the Town and Country Planning Act 1990 (as amended).

- 2 The development hereby approved shall be carried out in accordance with the following approved plans:

Drawing 1 "Location Plan";
 Drawing 2 "Block Plan";
 Drawing 3C "Proposed Site Plan";
 Drawing 05C "Proposed Elevations and Floor Plans";
 Drawing 6C "Site Section"; and
 Drawing 7D "Tree Protection Plan".

Reason: For the avoidance of doubt and in the interests of amenity and the environment in accordance with policy GEN7 of the Arun District Local Plan.

- 3 All demolition & construction works are to be carried out in strict accordance with the submitted Arboricultural Impact Assessment Report by Stephen Jupp dated 29/09/17 and the submitted Tree Protection Plan ref: Drawing 7D-1:200 @ A3.
- Reason: To comply with BS5837 and the National Planning Policy Framework to ensure that retained trees are afforded due respect and appropriate levels of protection such that their ongoing health and vitality is not compromised and they can continue to enhance the landscape and amenity of the area.
- 4 Development shall not commence until full details of the proposed surface water drainage scheme have been submitted to and approved in writing by the Local Planning Authority.
- The design should follow the hierarchy of preference for different types of surface water drainage disposal systems as set out in Approved Document H of the Building Regulations, the recommendations of the SUDS Manual produced by CIRIA.
- Winter groundwater monitoring to establish highest annual ground water levels and Percolation testing to BRE 365, or similar approved, will be required to support the design of any Infiltration drainage.
- No building shall be occupied until the complete surface water drainage system serving the property has been implemented in accordance with the agreed details and the details so agreed shall be maintained in good working order in perpetuity.
- Reason: To ensure that the proposed development is satisfactorily drained in accordance with policies GEN7 and GEN9 of the Arun District Council Local Plan. This is required to be a pre-commencement condition because it is necessary to implement the surface water drainage system prior to commencing any building works.
- 5 No development above damp proof course (DPC) level shall take place unless and until a schedule of materials and finishes to be used for external walls and roof of the proposed building have been submitted to and approved by the Local Planning Authority and the materials so approved shall be used in the construction of the building.
- Reason: To enable the Local Planning Authority to control the development in detail in the interests of amenity by endeavouring to achieve a building of visual quality in accordance with policy GEN7 of the Arun District Local Plan.
- 6 No part of the development shall be first occupied until the vehicle parking and turning spaces have been constructed in accordance with the approved plan. These spaces shall thereafter be retained for their designated use.
- Reason: To provide adequate on-site car parking and turning space for the development and in accordance with the National Planning Policy Framework.

- 7 Details for the secure storage of at least 2 bicycles within the application site curtilage shall be submitted to and approved in writing by the Local Planning Authority prior to the occupation of the new dwelling. The secure cycle storage so approved shall be implemented in accordance with the approved details and retained in perpetuity unless otherwise agreed in writing with the local planning authority.
- Reason: To ensure that adequate and satisfactory provision is made for the parking of bicycles in accordance with policies GEN7 and GEN12 of the Arun District Local Plan.
- 8 The proposed first floor landing and en-suite bathroom windows on the western elevation of the building shall at all times be glazed with obscured glass and fixed to be permanently shut as per the submitted drawing 05C.
- Reason: To protect the amenities and privacy of the adjoining properties in accordance with policy GEN7 of the Arun District Local Plan.
- 9 The proposed first floor bathroom and en-suite bathroom windows on the eastern and southern elevations shall all be permanently glazed with obscured glass.
- Reason: To protect the amenities and privacy of the adjoining properties in accordance with policy GEN7 of the Arun District Local Plan.
- 10 Notwithstanding the provisions of the Town and Country Planning (General Permitted Development) (England) Order 2015, (or any order revoking or re-enacting that Order) the building shall not be extended or altered in any way unless permission is granted by the Local Planning Authority on an application in that behalf.
- Reason: To enable the Local Planning Authority to control the development in detail in the interests of the amenities of adjoining residential occupiers and the locality in general in accordance with policy GEN7 of the Arun District Local Plan.

INFORMATIVE: Statement pursuant to Article 35 of the Town and Country Planning (Development Management Procedure)(England) Order 2015. The Local Planning Authority has acted positively and proactively in determining this application by identifying matters of concern within the application (as originally submitted) and negotiating, with the Applicant, acceptable amendments to the proposal to address those concerns. As a result, the Local Planning Authority has been able to grant planning permission for an acceptable proposal, in accordance with the presumption in favour of sustainable development, as set out within the National Planning Policy Framework.

INFORMATIVE: Drainage Engineers advise that Infiltration rates for soakage structures are to be based on percolation tests undertaken in the winter period and at the location and depth of the proposed structures. The percolation tests must be carried out in accordance with BRE 365, CIRIA R156 or a similar approved method and cater for the 1 in 10 year storm between the invert of the entry pipe to the soakaway, and the base of the structure. It must also have provision to ensure that there is capacity in the system to contain below ground level the 1 in 100 year event plus 30% on stored volumes, as an allowance for climate change. Adequate freeboard must be provided between the base of the soakaway structure and the highest recorded annual groundwater level identified in that location. Any SuDS or soakaway design must include adequate groundwater monitoring data to determine the highest winter groundwater table in support of the design. The applicant is advised to discuss the extent of

groundwater monitoring with the Council's Engineers. Supplementary guidance notes are also available on request.

A formal application for connection to the public sewerage system may be required in order to service this development. To initiate a sewer capacity check to identify the appropriate connection point for the development, please contact Southern Water, Southern House, Sparrowgrove, Otterbourne, Hampshire, SO21 2SW (Tel 033 0303 0119) or www.southernwater.co.uk.



Neil Crowther
Group Head of Planning

Case Officer: Mr S Davis

Date of Decision:

13 December 2017

Arun District Council
The Arun Civic Centre
Maltravers Road
Littlehampton
West Sussex BN17 5LF

IT IS IMPORTANT THAT YOU READ THE NOTES ATTACHED TO THIS DOCUMENT

APPEALS TO THE SECRETARY OF STATE

If you are aggrieved by the decision of your local planning authority to refuse permission for the proposed development or to grant it subject to conditions, then you can appeal to the Secretary of State under section 78 of the Town and Country Planning Act 1990.

If this is a decision on a planning application relating to the same or substantially the same land and development as is already the subject of an enforcement notice, and you want to appeal against this planning application decision, then you must do so within 28 days of the date of this notice.

If an enforcement notice is served relating to the same or substantially the same land and development as in your application and you want to appeal against this planning application decision, then you must do so within 28 days of the date of service of the enforcement notice, or within 12 weeks of the date of this notice, whichever period expires earlier.

Otherwise, if you want to appeal against this decision then you must do so within 6 months of the date of this notice.

Appeals must be using a form which you can get from the Secretary of State at Temple Quay House, 2 The Square, Temple Quay, Bristol BS1 6PN (Tel: 0303 444 5000) or online at <http://acp.planninginspectorate.gov.uk>

The Secretary of State can allow a longer period for giving notice of an appeal but will not normally be prepared to use this power unless there are special circumstances which excuse the delay in giving notice of appeal.

The Secretary of State need not consider an appeal if it seems to the Secretary of State that the local planning authority could not have granted planning permission for the proposed development or could not have granted it without the conditions they imposed, having regard to the statutory requirements, to the provisions of any development order and to any directions given under a development order.

PURCHASE NOTICES

If either the local planning authority or the Secretary of State refused permission to develop land or grants it subject to conditions, the owner may claim that he can neither put the land to a reasonably beneficial use in its existing state nor render the land capable of a reasonably beneficial use by the carrying out of any development which has been or would be permitted.

In these circumstances, the owner may serve a purchase notice on the Council (that is, where the land is situated in a National Park, the National Park authority for the Park, or in any other case the district council in whose area the land is situated). This notice will require the Council to purchase the owner's interest in the land in accordance with the provisions of Chapter 1 of Part VI of the Town & Country Planning Act 1990.

Please note that this decision notice only relates to matters under the Planning Acts and does not give consent under any other legislation that may apply to the development. You will need to carry out your own checks to determine whether any other consents or permissions are required. For example, the Building Regulations are likely to apply to most developments, and a Highways Licence may be required from West Sussex County Council for any development within the