


49 Roundle Avenue. Felpham. West Sussex PO22 8LJ

Sketch Plan for Proposed Tree Works.



Key: T1 – Ash Tree with TPO. Proposal to remove leaning section which is extremely close to Telegraph Pole, with Crown Reduction to Break Points maintaining a round shape. Radial spread reduced to 6.5m, with height reduced to 9m, which were distances previously permitted under FP/225/15/T in 2015.

All side branches to be retained should be at least 1/3rd in diameter of the removed branch. Pruning Cuts to be flat and smooth, kept as small as possible by cutting at an optimum angle and should not exceed 100mm in diameter.

Reason: Mature Tree spanning the entire road has not has work undertaken since 2015. The reduction will contain tree from covering other trees and improve structural integrity and reduce excessive shading to surrounding area. The removed leaning branch will protect the integrity of the Telegraph Pole.

Arboroculturalist advice has been undertaken for these necessary works, in an attempt to prevent Ash Dieback disease, which is common in West Sussex.

49 Roundle Avenue. Felpham. West Sussex PO22 8LJ

Photograph for Proposed Tree Works.



Proposal to remove the leaning branch adjacent to the Telegraph Pole, with suggested cutting position, to be agreed with Arun District Council Tree Officer.

Relevant British Standards in relation to this work are attached in Appendix A