

Hannah Riddle

From: William Rutledge [REDACTED]
Sent: 11 May 2022 10:51
To: Hannah Riddle
Subject: Re: Request for further information FP/72/22/T
Attachments: IMG_0556.jpg

CAUTION: This email originated from outside of the organisation. You should take extra care when clicking links or opening attachments - if you are unsure the content is safe contact the IT Helpdesk before clicking or opening.

Hello Hannah,

I've attached the sketch plan.

The Arboriculture advice advise is that there's no visual signs of why it's dying. But the tree is overhanging the owner of the property's house. I advise that the tree should be felled to ground level.

Hope this helps with the application.

Kind Regards Will

Get [Outlook for iOS](#)

From: Hannah Riddle <hannah.riddle@arun.gov.uk>
Sent: Tuesday, May 10, 2022 4:45:39 PM
To: [REDACTED]
Subject: RE: Request for further information FP/72/22/T

Dear Mr Rutledge,

Thank you for the additional information however I cannot validate the application until the following has been completed:

- The sketch plan must be submitted as a PDF.
- Your statement is not sufficient. As indicated on the application form you are required to provide written arboricultural advice or other diagnostic information to support the proposed works.

I look forward to hearing from you.

Kind regards,

Hannah

Hannah Riddle
Planning Apprentice
Planning Services



To register to receive notification of planning applications in your area please go to
<https://www1.arun.gov.uk/planning-application-finder>



Sign up to our newsletter [here](#)

From: William Rutledge [REDACTED]
Sent: 04 May 2022 15:53
To: Planning.Responses [REDACTED]
Subject: Re: Request for further information FP/72/22/T

CAUTION: This email originated from outside of the organisation. You should take extra care when clicking links or opening attachments - if you are unsure the content is safe contact the IT Helpdesk before clicking or opening.

Hello, this is my sketch plan showing the tree at the front of the property T1, I strongly advise that tree should be felled to ground level due to the tree being

dead/dying.



16 Kingsmead
T1

