

Noise Assessment

Burndell Road, Yapton

May 2026

www.phlorum.com

Burndell Road, Yapton

Noise Assessment

May 2026

Mr Jeremy Naphthine

Project Number	Name	Date
13174	Noise Assessment: Burndell Road, Yapton	V6 Final

	Name	Date
Written By	James Stead	18/05/2026
Checked By	David Nicholls	18/05/2026
Authorised By	James Ferguson-Moore	18/05/2026

This report has been prepared for the exclusive use of the commissioning party and may not be reproduced without prior written permission from Phlorum Limited.

All work has been carried out within the terms of the brief using all reasonable skill, care and diligence.

No liability is accepted by Phlorum for the accuracy of data or opinions provided by others in the preparation of this report, or for any use of this report other than for the purpose for which it was produced.

Contents

1. Introduction1

2. Noise and Vibration Parameters.....2

3. Planning Policy and Guidance4

4. Site, Proposed Development & Planning History19

5. Noise Monitoring23

6. Noise Modelling.....26

7. Noise Assessment29

8. Conclusion32

9. References.....34

Figures

Appendix A – Calibration Certificates

Appendix B – Unattended Noise Monitoring Results

Appendix C – Attended Noise Monitoring Results

1. Introduction

- 1.1 Phlorum Limited has been commissioned by Mr Jeremy Napthine to undertake a noise assessment for a proposed residential development at Burndell Road, Yapton.
- 1.2 A previous application on the site (F/22/21/PL) was refused on noise grounds due to comments by the EHO officer at Arun District Council (the Local Planning Authority) particularly in relation to CM/69/21/PL - Flexible generator plant and associated infrastructure, CM/6/18/PL - concrete batching plant, and CM/29/21/PL - grain store to the south of the site. Insufficient noise assessment data was provided with that Application. This current noise report includes a quantitative assessment of noise from each of these sources.
- 1.3 Noise levels over the proposed development site are relatively low, as would be expected from a rural location. However, the residential development will be potentially exposed to industrial noise from the above mentioned noise sources, which are located at Northwood Farm, to the southeast of the development site. In particular, it is requested that an overall cumulative impact be considered for all industrial sources and consideration given to future development at Northwood Farm.
- 1.4 A proposed site layout plan is provided in Figure 1.
- 1.5 This report has been prepared in order to inform pre-application engagement and to identify any noise mitigation measures, or development restrictions, that may apply.
- 1.6 Background sound levels have been established through unattended noise monitoring at three locations. The noise impacts of the industrial noise sources have been established through noise modelling based on the noise assessments that accompanied the planning applications for the industrial developments.
- 1.7 This report presents the results of the assessment. The report concludes that there are no reasons, on noise grounds, why planning permission for the development should not be granted.

2. Noise and Vibration Parameters

Noise

- 2.1 Noise is defined as unwanted sound. The range of audible sound is from 0dB to 140dB. The frequency response of the ear is usually taken to be about 18 Hz (number of oscillations per second) to 18000Hz. The ear does not respond equally to different frequencies at the same level. It is more sensitive in the mid-frequency range than the lower and higher frequencies and because of this, the low and high frequency components of a sound are reduced in importance by applying a weighting (filtering) circuit to the noise measuring instrument. The weighting which is most widely used and which correlates best with subjective response to noise is the dB(A) weighting. This is an internationally accepted standard for noise measurements.
- 2.2 For variable noise sources such as traffic, a difference of 3dB(A) is just distinguishable. For road traffic or railway noise, a doubling of traffic flow will increase the overall noise by 3dB(A). The "loudness" of a noise is a purely subjective parameter, but it is generally accepted that an increase/decrease of 10dB(A) corresponds to a doubling/halving in perceived loudness.
- 2.3 External noise levels are rarely steady, but rise and fall according to activities within an area. In an attempt to produce a figure that relates this variable noise level to subjective response, a number of noise indices have been developed. These include:
- The L_{Amax} noise level - This is the maximum noise level recorded over the measurement period.
 - The L_{Aeq} noise level - This is the "equivalent continuous A-weighted sound pressure level, in decibels", and is defined in British Standard BS 7445 [1] as the "value of the A-weighted sound pressure level of a continuous, steady sound that, within a specified time interval, T, has the same mean square sound pressure as a sound under consideration whose level varies with time".

It is a unit commonly used to describe construction noise and noise from industrial premises and is the most suitable unit for the description of

other forms of environmental noise. In more straight forward terms, it is a measure of energy within the varying noise.

- The L_{A10} noise level - This is the noise level that is exceeded for 10% of the measurement period and gives an indication of the noisier levels. It is a unit that has been used over many years for the measurement and assessment of road traffic noise.
- The L_{A90} noise level - This is the noise level that is exceeded for 90% of the measurement period and gives an indication of the noise level during quieter periods. It is often referred to as the background sound level and is used in the assessment of disturbance from industrial noise.

3. Planning Policy and Guidance

National Planning Policy Framework (2024)

- 3.1 The National Planning Policy Framework (NPPF) [2] sets out the Government's policy on development and Paragraph 11 sets out the core of the policy:

"11. Plans and decisions should apply a presumption in favour of sustainable development..

For plan-making this means that:

a) all plans should promote a sustainable pattern of development that seeks to: meet the development needs of their area; align growth and infrastructure; improve the environment; mitigate climate change (including by making effective use of land in urban areas) and adapt to its effects;

b) strategic policies should, as a minimum, provide for objectively assessed needs for housing and other uses, as well as any needs that cannot be met within neighbouring areas, unless:

- i. the application of policies in this Framework that protect areas or assets of particular importance provides a strong reason for restricting the overall scale, type or distribution of development in the plan area; or*
- ii. any adverse impacts of doing so would significantly and demonstrably outweigh the benefits, when assessed against the policies in this Framework taken as a whole.*

For decision-taking this means:

c) approving development proposals that accord with an up-to-date development plan without delay; or

d) where there are no relevant development plan policies, or the policies which are most important for determining the application are out-of-date, granting permission unless:

- i. the application of policies in this Framework that protect areas or assets of particular importance provides a clear reason for refusing the development proposed; or*
- ii. any adverse impacts of doing so would significantly and demonstrably outweigh the benefits, when assessed against the policies in this Framework taken as a whole, having particular regard to key policies for directing development to sustainable locations, making effective use of land, securing well-designed places and providing affordable homes, individually or in combination. "*

3.2 Core planning principles are set out in Paragraph 8, and the relevant sections are:

"8. Achieving sustainable development means that the planning system has three overarching objectives, which are interdependent and need to be pursued in mutually supportive ways (so that opportunities can be taken to secure net gains across each of the different objectives):

*a) **an economic objective** – to help build a strong, responsive and competitive economy, by ensuring that sufficient land of the right types is available in the right places and at the right time to support growth, innovation and improved productivity; and by identifying and coordinating the provision of infrastructure;*

*b) **a social objective** – to support strong, vibrant and healthy communities, by ensuring that a sufficient number and range of homes can be provided to meet the needs of present and future generations; and by fostering well-designed, beautiful and safe places, with accessible services and open spaces that reflect current and future needs and support communities' health, social and cultural well-being; and*

*c) **an environmental objective** – to protect and enhance our natural, built and historic environment; including making effective use of land, improving biodiversity, using natural resources prudently, minimising waste and pollution, and mitigating and adapting to climate change, including moving to a low carbon economy."*

3.3 Specific mention to noise is given in paragraph 198 of the NPPF:

"198. Planning policies and decisions should also ensure that new development is appropriate for its location taking into account the likely effects (including cumulative

effects) of pollution on health, living conditions and the natural environment, as well as the potential sensitivity of the site or the wider area to impacts that could arise from the development. In doing so they should:

- a) *mitigate and reduce to a minimum potential adverse impacts resulting from noise from new development – and avoid noise giving rise to significant adverse impacts on health and the quality of life⁶⁹*
- b) *identify and protect tranquil areas which have remained relatively undisturbed by noise and are prized for their recreational and amenity value for this reason; and*
- c) *limit the impact of light pollution from artificial light on local amenity, intrinsically dark landscapes and nature conservation.*

⁶⁹ See Explanatory Note to the Noise Policy Statement for England (Department for the Environment, Food and Rural Affairs, 2010s).

Noise Policy Statement For England (2010)

- 3.4 In March 2010, the Government published its Noise Policy Statement for England (NPSE) [3]. This sets out the vision and aims of the policy”

“1.6 This Noise Policy Statement for England (NPSE) sets out the long term vision of Government noise policy:

Noise Policy Vision

Promote good health and a good quality of life through the effective management of noise within the context of Government policy on sustainable development.

1.7 This long term vision is supported by the following aims:

Noise Policy Aims

Through the effective management and control of environmental, neighbour and neighbourhood noise within the context of Government policy on sustainable development:

- *avoid significant adverse impacts on health and quality of life;*
- *mitigate and minimize adverse impacts on health and quality of life; and*
- *where possible, contribute to the improvement of health and quality of life.*

1.8 The vision and aims of NPSE should be interpreted by having regard to the set of shared UK principles that underpin the Government's sustainable development strategy.

Guiding principles of sustainable development

Ensuring a Strong Healthy and Just Society – Meeting the diverse needs of all people in existing and future communities, promoting personal wellbeing, social cohesion and inclusion, and creating equal opportunity for all.

Using Sound Science Responsibly – Ensuring policy is developed and implemented on the basis of strong scientific evidence, whilst taking into account scientific uncertainty (through the precautionary principle) as well as public attitudes and values.

Living Within Environmental Limits – Respecting the limits of the planet's environment, resources and biodiversity – to improve our environment and ensure that the natural resources needed for life are unimpaired and remain so for future generations.

Achieving a Sustainable Economy – Building a strong, stable and sustainable economy which provides prosperity and opportunities for all, and in which environmental and social costs fall on those who impose them (polluter pays), and efficient resource use is incentivised.

Promoting Good Governance – Actively promoting effective, participative systems of governance in all levels of society – engaging people's creativity, energy and diversity."

3.5 The document then sets out why the policy is necessary and what it means:

"Why do we need a Noise Policy Statement for England (NPSE)?

2.1 Noise is an inevitable consequence of a mature and vibrant society. For some the noise of city life provides a desirable sense of excitement and exhilaration, but for others noise is an unwanted intrusion that adversely impacts on their quality of life, affecting their health and wellbeing.

2.2 The management of noise has developed over many years as the types and character of noise sources have altered and as people's attitude to noise has changed. The Noise Abatement Act came into law in 1960 and the Report from the Committee on the Problem of Noise was published in 1963 (the Wilson report). Since then, examples of noise management can be found in many areas including reducing noise at source;

the use of the land use and transport planning systems, compensation measures, the statutory nuisance and licensing regimes and other related legislation.

2.3 Furthermore, the broad aim of noise management has been to separate noise sources from sensitive noise receivers and to “minimise noise. Of course, taken in isolation and to a literal extreme, noise minimisation would mean no noise at all. In reality, although it has not always been stated, the aim has tended to be to minimise noise “as far as reasonably practical. This concept can be found in the Environmental Protection Act 1990, where, in some circumstances, there is a defence of “best practicable means in summary statutory nuisance proceedings.

2.4 By describing clear policy vision and aims the NPSE provides the necessary clarity and direction to enable decisions to be made regarding what is an acceptable noise burden to place on society.

What does the vision of the Noise Policy Statement for England mean?

2.11 There are several key phrases within the NPSE vision and these are discussed below.

‘Health and quality of life’

2.12 The World Health Organisation defines health as a state of complete physical, mental and social well-being and not merely the absence of disease or infirmity, and recognises the enjoyment of the highest attainable standard of health as one of the fundamental rights of every human being.

2.13 It can be argued that quality of life contributes to our standard of health. However, in the NPSE it has been decided to make a distinction between ‘quality of life which is a subjective measure that refers to people’s emotional, social and physical wellbeing’ and ‘health which refers to physical and mental wellbeing’.

2.14 It is recognised that noise exposure can cause annoyance and sleep disturbance both of which impact on quality of life. It is also agreed by many experts that annoyance and sleep disturbance can give rise to adverse health effects. The distinction that has been made between ‘quality of life’ effects and ‘health effects’ recognises that there is emerging evidence that long term exposure to some types of transport noise can additionally cause an increased risk of direct health effects. The Government intends to keep research on the health effects of long term exposure to noise under review in accordance with the principles of the NPSE.

'Promote good health and good quality of life'

2.15 This statement expresses the long term desired policy outcome, but in the use of 'promote' and 'good' recognises that it is not possible to have a single objective noise-based measure that is mandatory and applicable to all sources of noise in all situations.

'Effective management of noise'

2.16 This concept confirms that the policy applies to all types of 'noise' (environmental, neighbour and neighbourhood) and that the solution could be more than simply minimising the noise.

'Within the context of Government policy on sustainable development'

2.17 Sustainable development is a core principle underpinning all government policy. For the UK Government the goal of sustainable development is being pursued in an integrated way through a sustainable, innovative and productive economy that delivers high levels of employment and a just society that promotes social inclusion, sustainable communities and personal wellbeing. The goal is pursued in ways that protect and enhance the physical and natural environment, and that use resources and energy as efficiently as possible.

2.18 There is a need to integrate consideration of the economic and social benefit of the activity or policy under examination with proper consideration of the adverse environmental effects, including the impact of noise on health and quality of life. This should avoid noise being treated in isolation in any particular situation, i.e. not focussing solely on the noise impact without taking into account other related factors."

- 3.6 The document then gives a description of the meaning of the aims of the policy, indicating that the policy does not mean that there should not be any noise impact, rather that there should not be significant impact. It gives the meaning of these terms, and then also reiterates that noise should not be looked at in isolation, but should be taken in the context of other issues within the Government policy on sustainable development.

"What do the aims of the Noise Policy Statement for England mean?"

2.19 There are several key phrases within the NPSE aims and these are discussed below.

'Significant adverse' and 'adverse'

2.20 There are two established concepts from toxicology that are currently being applied to noise impacts, for example, by the World Health Organisation. They are:

NOEL – No Observed Effect Level

This is the level below which no effect can be detected. In simple terms, below this level, there is no detectable effect on health and quality of life due to the noise.

LOAEL – Lowest Observed Adverse Effect Level

This is the level above which adverse effects on health and quality of life can be detected.

2.21 Extending these concepts for the purpose of this NPSE leads to the concept of a significant observed adverse effect level.

SOAEL – Significant Observed Adverse Effect Level

This is the level above which significant adverse effects on health and quality of life occur.

2.22 It is not possible to have a single objective noise-based measure that defines SOAEL that is applicable to all sources of noise in all situations. Consequently, the SOAEL is likely to be different for different noise sources, for different receptors and at different times. It is acknowledged that further research is required to increase our understanding of what may constitute a significant adverse impact on health and quality of life from noise. However, not having specific SOAEL values in the NPSE provides the necessary policy flexibility until further evidence and suitable guidance is available

The first aim of the Noise Policy Statement for England

Avoid significant adverse impacts on health and quality of life from environmental, neighbour and neighbourhood noise within the context of Government policy on sustainable development.

2.23 The first aim of the NPSE states that significant adverse effects on health and quality of life should be avoided while also taking into account the guiding principles of sustainable development (paragraph 1.8).

The second aim of the Noise Policy Statement for England

Mitigate and minimise adverse impacts on health and quality of life from environmental, neighbour and neighbourhood noise within the context of Government policy on sustainable development.

2.24 The second aim of the NPSE refers to the situation where the impact lies somewhere between LOAEL and SOAEL. It requires that all reasonable steps should be taken to mitigate and minimise adverse effects on health and quality of life while also taking into account the guiding principles of sustainable development (paragraph 1.8). This does not mean that such adverse effects cannot occur.

The third aim of the Noise Policy Statement for England

Where possible, contribute to the improvement of health and quality of life through the effective management and control of environmental, neighbour and neighbourhood noise within the context of Government policy on sustainable development.

2.25 This aim seeks, where possible, positively to improve health and quality of life through the pro-active management of noise while also taking into account the guiding principles of sustainable development (paragraph 1.8), recognising that there will be opportunities for such measures to be taken and that they will deliver potential benefits to society. The protection of quiet places and quiet times as well as the enhancement of the acoustic environment will assist with delivering this aim."

National Planning Practice Guidance (2014, updated 2019)

- 3.7 In March 2014, the Government released Planning Practice Guidance (PPG) on noise, titled Noise: ID 30 and this was updated in 2019[4]. This document sets out a number of principles in the form of questions and answers, and reinforces the guidance set out in the NPPF and the NPSE.
- 3.8 The noise PPG notes that:
- "Noise needs to be considered when new development may create additional noise and when new developments would be sensitive to the prevailing acoustic environment."*
- 3.9 It goes on to note that:
- "Local planning authorities' plan-making and decision taking should take account of the acoustic environment and in doing so consider:*
- whether or not a significant adverse effect is occurring or likely to occur;*

- *whether or not an adverse effect is occurring or likely to occur; and*
- *whether or not a good standard of amenity can be achieved."*

3.10 The noise PPG broadly repeats the NPSE definitions of the NOEL, LOAEL and SOAEL and it provides a summary table to explain how the terms relate to each other and to typical human reactions to sound. This is replicated as Table 3.1 below.

Table 3.1: Human Reactions to Sound

Perception	Examples of Outcomes	Increasing Effect Level	Action
Not noticeable	No Effect	No Observed Effect	No specific measures required
Noticeable and not intrusive	Noise can be heard, but does not cause any change in behaviour or attitude. Can slightly affect the acoustic character of the area but not such that there is a perceived change in the quality of life.	No Observed Adverse Effect	No specific measures required
Lowest Observed Adverse Effect Level			
Noticeable and intrusive	Noise can be heard and causes small changes in behaviour and/or attitude, e.g. turning up volume of television; speaking more loudly; where there is no alternative ventilation, having to close windows for some of the time because of the noise. Potential for some reported sleep disturbance. Affects the acoustic character of the area such that there is a perceived change in the quality of life.	Observed Adverse Effect	Mitigate and reduce to a minimum
Significant Observed Adverse Effect Level			
Noticeable and disruptive	The noise causes a material change in behaviour and/or attitude, e.g. avoiding certain activities during periods of intrusion; where there is no alternative ventilation, having to keep windows closed most of the time because of the noise. Potential for sleep disturbance resulting in difficulty in getting to sleep, premature awakening and difficulty in getting back to sleep. Quality of life diminished due to change in acoustic character of the area.	Significant Observed Adverse Effect	Avoid
Noticeable and very disruptive	Extensive and regular changes in behaviour and/or an inability to mitigate effect of noise leading to psychological stress or physiological effects, e.g. regular sleep deprivation/awakening; loss of appetite, significant, medically definable harm, e.g. auditory and non-auditory	Unacceptable Adverse Effect	Prevent

- 3.11 This guidance therefore accepts that an Observed Adverse Effect is permissible, provided that it is mitigated and reduced to a minimum. Importantly, there is no requirement to mitigate to the point where it is no longer an adverse effect.
- 3.12 The noise PPG provides advice on how to mitigate the effects of noise, noting that there are options to reduce noise at source, to optimise site layouts, to use planning conditions, and providing insulation within affected properties.
- 3.13 The noise PPG also notes that:
- “The noise impact may be partially offset if the residents of those dwellings have access to:
- a relatively quiet façade (containing windows to habitable rooms) as part of their dwelling, and/or
 - a relatively quiet external amenity space for their sole use, (e.g. a garden or balcony). Although the existence of a garden or balcony is generally desirable, the intended benefits will be reduced with increasing noise exposure and could be such that significant adverse effects occur, and/or
 - a relatively quiet, protected, nearby external amenity space for sole use by a limited group of residents as part of the amenity of their dwellings, and/or
 - a relatively quiet, protected, external publicly accessible amenity space (e.g. a public park or a local green space designated because of its tranquillity) that is nearby (e.g. within a 5 minutes walking distance).”

British Standard (BS) 8233: 2014 - Guidance on Sound Insulation and Noise Reduction for Buildings

- 3.14 BS 8233:2014[5] provides guidance for the control of noise in and around buildings, and suggests appropriate criteria and limits for different situations. The Standard states that “It (BS 8233) is applicable to the design of new buildings, or refurbished buildings undergoing a change of use, but does not provide guidance on assessing the effects of changes in the external noise levels to occupants of an existing building.”
- 3.15 BS 8233 recommends desirable internal ambient noise levels for indoor spaces within dwellings in Table 4, as reproduced in the Table 3.2 below:

Table 3.2: Indoor Ambient Noise Level

Activity	Location	07:00 to 23:00	23:00 to 07:00
Resting	Living room	35dB LAeq,16hour	-
Dining	Dining room / area	40dB LAeq,16hour	-
Sleeping (daytime resting)	Bedroom	35dB LAeq,16hour	30dB LAeq,8hour

- 3.16 Note 1: Table 3.2 provides recommended levels for overall noise in the design of a building. These are the sum total of structure-borne and airborne noise sources. Groundborne noise is assessed separately and is not included as part of these targets, as human response to groundborne noise varies with many factors such as level, character, timing, occupant expectation and sensitivity.
- 3.17 Note 2: The levels shown in Table 3.2 are based on the existing guidelines issued by the WHO and assume normal diurnal pattern, for example on a road serving a port with high levels of traffic at certain time of the night, an appropriate alternative period, e.g. 1 hour, may be used, but the level should be selected to ensure consistency with the levels recommended in Table 3.2.
- 3.18 Note 3: These levels are based on annual average data and do not have to be achieved in all circumstances. For example, it is normal to exclude occasional events, such as fireworks night or New Year's Eve.
- 3.19 Note 4: Regular interval noise events (for example scheduled aircraft or passing trains) can cause sleep disturbance. A Guideline value may be set in terms of SEL or LA_{max,F} depending on the character and number of events per night. Sporadic noise events could require separate values.
- 3.20 Note 5: If relying on closed windows to meet the guide values, there needs to be an appropriate alternative ventilation that does not compromise the façade insulation or the resulting noise level. If applicable, any room should have adequate ventilation (e.g. trickle ventilators should be open) during assessment.
- 3.21 Note 6: Attention is drawn to the England and Wales Building Regulation 2010 (England and Wales), as amended. London: The Stationery Office.
- 3.22 Note 7: Where development is considered necessary or desirable, despite external noise levels above WHO guidelines, the internal target levels may be relaxed by up to 5dB and reasonable internal conditions still achieved.

Professional Practice Guidance on Planning and Noise (ProPG)

- 3.23 The Professional Practice Guidance on Planning and Noise [6] (ProPG) was developed for use in the design of new residential dwellings to promote good design. It was developed for new developments that would be exposed predominantly to airborne noise. Overall the guidance strives to provide advice for local planning authorities, developers and their advisors and should be taken into account at the earliest possible stage of design. There are five key objectives set out which are:
- advocate full consideration of the acoustic environment from the earliest possible stage of the development control process;
 - encourage the process of good acoustic design in and around new residential developments;
 - outline what should be taken into account in deciding planning applications for new noise-sensitive developments;
 - improve understanding of how to determine the extent of potential noise impact and effect; and
 - assist the delivery of sustainable development.
- 3.24 The ProPG Guidance also gives further advice on using L_{Amax} levels to assess night-time noise and states *"In most circumstances in noise sensitive rooms at night (e.g. bedrooms) good acoustic design can be used so that individual noise events do not normally exceed 45dB $L_{Amax,F}$ more than 10 times a night. However, where it is not reasonably practicable to achieve this guideline then the judgement of acceptability will depend not only on the maximum noise levels but also on factors such as the source, number, distribution, predictability and regularity of noise events"*.
- 3.25 In line with this guidance, this assessment has used a guideline value of 45 dB $L_{Amax,F}$ at night to prevent sleep disturbance.

World Health Organisation (WHO) 'Environmental Noise Guidelines for the European Region' (2018)

- 3.26 This guidance document [7] was introduced in 2018 in order to address noise concerns and their effects on health and wellbeing. It looks at individual scenarios including road traffic noise, railway noise, aircraft noise, leisure noise and noise from wind turbines.

- 3.27 The main purpose of the guidelines is to provide recommendations for protecting human health from exposure to environmental noise from the aforementioned scenarios.
- 3.28 The guideline noise levels for consideration are presented in Table 3.3 below.

Table 3.3 Guideline Noise Exposure Level (WHO Guidelines)

Noise Source	Lden	Lnight
Road Traffic Noise	53	45
Railway Noise	54	44
Aircraft Noise	45	40
Wind Turbine Noise	45	*
Leisure Noise	70 ¹	-
*No recommendation is made for average night noise exposure Lnight of wind turbines. The quality of evidence of night-time exposure to wind turbine noise is too low to allow a recommendation.		
¹ LAeq, 24 hour		

BS4142:2014+A1:2019 Methods for rating and assessing industrial and commercial sound

- 3.29 This standard (BS 4142) [8] was published in 2014 with amendments added in 2019 and is the primary standard for the assessment of plant and operational noise from industrial and commercial sources. The standard can be used for assessing sound from:
- industrial and manufacturing processing;
 - fixed installations which comprise mechanical and electrical plant;
 - sound from loading and unloading of goods and materials at industrial and/or commercial premises; and
 - Sound from mobile plant and vehicles which are an intrinsic part of the overall process such as forklift trucks, train or ship movements on or around an industrial and/or commercial site.
- 3.30 The Standard indicates that certain features can increase the significance of impact over that expected from a basic comparison between the specific sound level and the background sound level. Where such features are present at the assessment location, the standard requires that a character correction be added to the specific sound level to obtain the rating level. The standard describes various methods for determining the character correction including a subjective approach which is summarised in Table 3.4.

Table 3.4 Subjective Corrections to be applied to specific sound levels if these features exist at the receptor location

Tonality	Impulsivity	Other Sound Characteristics	Intermittency
+2 dB just perceptible	+3 dB just perceptible	Where specific sound features characteristics that are neither tonal nor impulsive, though otherwise are readily distinctive against the residual environment, a penalty of 3 dB can be applied.	Where specific sound has identifiable on off conditions which are readily distinctive against the residual acoustic environment, a penalty of 3 dB can be applied.
+4 dB clearly perceptible	+6 dB clearly perceptible		
+6 dB highly perceptible	+9 dB highly perceptible		

- 3.31 The Standard indicates that where tonal and impulsive characteristics are present within the same reference period these two corrections can both be taken into account. If one feature is dominant, then it might be appropriate to apply a single correction. Where both features are likely to affect perception and response, the corrections are normally added in a linear fashion.
- 3.32 Once the specific sound level is corrected to the rating level, the representative background sound level is subtracted from the rating level to provide an initial estimate of the impact - the greater the difference, the greater the magnitude of the impact. The Standard states that:
- A difference of around +10 dB or more is likely to be an indication of a significant adverse impact, depending on the context;
 - A difference of around +5 dB is likely to be an indication of an adverse impact, depending on the context;
 - Where the rating level does not exceed the background sound level, this is an indication of the specific sound source having a low impact, depending on the context; and
 - The lower the rating level is relative to the measured background sound level, the less likely it is that the specific sound source will have an adverse impact.
- 3.33 The Standard indicates that consideration of the context includes taking account of, as appropriate, the absolute level of the sound, the character and level of the specific sound compared to that of the residual sound and the sensitivity of the receptor including the existence or otherwise of any façade insulation treatment.

Local Authority Noise Criteria

- 3.34 The Recommendation Report for Planning Permission for the previous Planning Application (F/22/21/PL) [9] did not include any objections from Environmental Health (they withdrew objections relating to a previous Application), but did request Conditions relating to Noise Verification. However, objections on noise grounds were received from Climping Parish Council, West Sussex Minerals and Waste.

4. Site, Proposed Development & Planning History

- 4.1 The site is located on the western side of Burndell Road. To the east of the site are two existing residential properties (Paynters Croft and Meadow Cottage). To the north are residential properties on Abbots Field and Northwood View. To the west and immediate south of the site is open farmland and to the south/southeast is Northwood Farm.
- 4.2 The proposed development is for residential properties. The number of properties and layout will be influenced by any restrictions and mitigation measures identified in this report. A proposed layout of the site has been provided and utilised in the assessment.
- 4.3 A 2.5m close-boarded fence on top of a 1m bund has been proposed to be installed along the Southeast boundary of the site, and this mitigation measure is included in the assessment for the site.
- 4.4 There are a number of planning consents in place for Northwood Farm and these are discussed below.

Flexible Generator Plant (Planning Ref. CM/69/21/PL)

- 4.5 This Application was for a Flexible Power Generation Plant and was approved on 22 April 2022. It comprised four gas engine-driven electricity-generating sets, housed within purpose-built containers, as supplied by the manufacturer.
- 4.6 Flexible or Peaking Power Generation Plants are designed to cover potential energy shortages, supplying electricity to the National Grid when necessary. As such, they have short-term operational nature and are more likely to operate during peak load hours only, when the demand for electricity is higher.
- 4.7 Condition 4 of the Approval required that: *"The development shall proceed in accordance with the document entitled 'Bilsham Power Plant STOR, Burndell Noise Assessment for Planning Application' (dated 20th October 2021) produced by 'in Acoustic' with night-time operations shall limited to emergency scenarios only. The 4m high acoustic fence detailed in section 5.1.2 of the document shall be provided before the use of the site commences and shall be retained in perpetuity."*

- 4.8 The noise report undertaken by inacousitc[10] is summarised as follows:
- 4.9 The noise data for the proposed equipment is reproduced in Table 4.1, below.

Table 4.1 Sound Source Data

Plant	Quantity	Sound Pressure Level, L _{pA} (dB)	Sound Pressure Level Distance (m)
Genset Container	4	55	10
Exhaust	4	55	10
Air Cooler	4	61	10

- 4.10 A 4-metre high closed boarded fence with a minimum mass of 10kgm⁻² around the perimeter of the noise generating elements will be installed.
- 4.11 The location of the Plant and fence are shown on Figure 2.
- 4.12 The noise assessment indicated that tonality might just be perceptible at source and a +2dB correction for tonality was applied. This was the only correction for acoustic features that was considered to be applicable.
- 4.13 The noise assessment concluded that plant would not affect the amenity of the closest residential receptors during the daytime. It also indicated that the plant would only operate at night under an emergency "lights out" condition.
- 4.14 For the purposes of the current assessment, it is assumed that the plant could operate over the daytime hours defined in BS 4142, which are 07:00 to 23:00 hours.

Concrete Batching Plant (Planning Ref. CM/6/18/PL)

- 4.15 This Application was for a change of use to develop a concrete batching plant, associated infrastructure, site office and parking and was approved on 12 July 2018.
- 4.16 Hours of operation were restricted by Condition 5 so that *"No machinery shall be operated, no process shall be carried out and no deliveries shall be taken at or dispatched from the site outside the hours of 0700 - 1800 Monday to Friday, 0800 - 1300 Saturday nor at any time on Sundays and Public Holidays."*
- 4.17 A noise report for the development was undertaken by Sharps Redmore[11]. The report noted that *"It is Sharps Redmore's experience that the sound emanating from batching plants is characterised by the concrete mixer lorry engine - it operating under light load at high idle speed to power the drum. This primary source would be intermittent and lasting between 5 and 10 minutes per production batch."*

- 4.18 The noise assessment was based on the mixer truck having a sound power level of 102 dB(A) and operating for 30 minutes in the hour, and also a loading shovel with a sound power level of 103 dB(A) operating for 30 minutes in the hour. Noise from lorries on the access road was also assessed, assuming lorries had a sound power level of 105 dB(A), with 12 movements per hour.
- 4.19 The batching plant is configured to enable the lorry to be orientated to the south-east (i.e. away from the current development site).
- 4.20 The noise assessment indicated that no correction for acoustic features was considered to be applicable.
- 4.21 The location of the batching plant is shown on Figure 2.

Grain Store (Planning Ref. CM/29/21/AG)

- 4.22 This Application was for a grainstore incorporating a conditioning floor and was approved on 28 June 2021.
- 4.23 The Application did not include for the provision of any mechanical plant and there was no reference to potential noise impacts.
- 4.24 This development is not therefore considered in the cumulative noise assessment. However, the assessment has ensured that there is some "headroom" to allow for future development at Northwood Farm. Any plant that may be associated with the grain store is likely to be ventilation and noise from this type of plant is relatively straightforward to mitigate, and should be easily achievable within the allowed headroom.

TJ Waste Materials Recovery Facility (Planning Ref. WSCC/037/19)

- 4.25 This Application was for an Inert Waste Recycling Facility with new building, hardstanding, car parking, boundary treatment and re-aligned access to the agricultural unit and was approved on 06 August 2020. It represented an expansion to the existing operations which had received and processed commercial and construction materials since 2012.
- 4.26 Hours of operation were restricted by Condition 13 to the following:
- 08:00 to 18:00 hours, Monday to Friday (with the exception that vehicles may leave site from 07:00 hours)
 - 08:00 to 13:00 hours, Saturdays
 - not at any time on Sundays, Bank or Public Holidays, unless otherwise agreed in advance and in writing by the County Planning Authority.

- 4.27 The location of the Facility is shown on Figure 2 and it will operate during the daytime only.
- 4.28 A noise assessment for the development was undertaken by Sharps Redmore[12]. The process would be housed in a building, adjacent to an existing similar building. The noise assessment indicated that the key source of sound within the MRF hall would be the crusher, and indicated a typical sound power level of 112 to 115 dB(A) for this type of plant and the higher level of 115 dB(A) was used in the assessment.
- 4.29 The noise assessment indicated that no correction for acoustic features was considered to be applicable.
- 4.30 The current noise assessment is based on the noise data provided in Annex 1 of the Sharps Redmore Report.

TJ Waste Materials Recovery Facility (Planning Ref. WSCC/006/25)

- 4.31 A further Application has been made to modify the type of waste that is processed so that it could either be inert waste (as already consented) or mixed municipal waste, but not both simultaneously.
- 4.32 A Technical Note on noise was produced by Sharps Redmore[15], to cover this option.
- 4.33 For inert waste, a concrete crusher is used, with a sound power level of up to 115 dB(A). For mixed municipal waste, a shredder will be used with a sound power level up to 112 dB(A) and a bailer which is quiet.
- 4.34 The Technical Note concluded that noise impact for the mixed municipal waste option would be no worse than the inert waste option.

Previous Planning Application (Planning Ref. F/22/21/PL)

- 4.35 A previous Planning Application for the development was refused at appeal. A noise assessment was undertaken as part of the Application by Clarke Saunders[13].
- 4.36 The noise assessment concentrated on the existing and future materials recycling facilities only and did not include the grain store, concrete batching plant or fixed generator plant. Neither did it include the potential impacts of expansion to these industrial facilities.
- 4.37 As such, the Inspector concluded that it had not been demonstrated that the proposal would be compatible with existing businesses.

Reference is made to this report, where appropriate.

5. Noise Monitoring

General

- 5.1 The following noise surveys have been undertaken:
- Unattended noise survey over a period of one week to establish baseline noise levels at three separate locations
 - Attended noise survey over two periods of 5 minutes to determine industrial noise levels

Unattended Noise Monitoring

- 5.2 Unattended noise monitoring was carried out over the period 25th June to 2nd July 2024 (inclusive).
- 5.3 The following instrumentation was used for the noise survey:
- Rion NL-32 Sound Level Meter (S/N 00640762)
 - Rion UC-53A Microphone (S/N 315082)
 - Rion NH-21 Preamplifier (S/N 11822)
 - Rion NL-32 Sound Level Meter (S/N 00103151)
 - Rion UC-53A Microphone (S/N 316504)
 - Rion NH-21 Preamplifier (S/N 31888)
 - Rion NL-32 Sound Level Meter (S/N 00613600)
 - Rion UC-53A Microphone (S/N 318543)
 - Rion NH-21 Preamplifier (S/N 37284)
 - Rion NC-74 Acoustic Calibrator (S/N 34883981)
- 5.4 All equipment is within current manufacturer's periods of calibration and calibration certificates are attached in Appendix A. Before and after the survey period, the calibration of the instrumentation was checked using the acoustic calibrator and no significant drift was noted.
- 5.5 The microphones were located at the northern, southern and western boundaries of the site. The measurement locations are shown in Figure 3.

- 5.6 Measurements were undertaken under free-field conditions with the microphone located approximately 1.8m above ground. A windshield was fitted to the microphone.
- 5.7 The meter was set to record the following metrics automatically over 5-minute periods, as overall A-weighted values:
- L_{Amax}
 - L_{Aeq}
 - L_{A10}
 - L_{A90}
 - L_{Amin}
- 5.8 The time response of the meter was set to “fast”.
- 5.9 During the survey period weather conditions were generally dry with wind speeds varying from low to moderate. There was some light rain on 29th June and 2nd July 2024.
- 5.10 The noise environment at the measurement locations were considered to be dominated by wildlife. However, there was some occasional industrial/commercial noise from the Northwood Farm area to the south of the site during the survey, this included bird scare shots and noise assumed to be sourced from vehicle loading.
- 5.11 Full survey results are presented graphically in Figures 4 to 27 and in tabular form in Appendix B.
- 5.12 The 5-minute noise data has been processed to provide daytime and night-time values for comparison with the criteria outlined in BS 8233.
- 5.13 The analysis of the unattended noise monitoring results is provided in Table 5.1.

Table 5.1: Analysis of Unattended Monitoring

Date	NM01		NM02		NM03	
	Daytime ¹ dB LAeq	Night-time ¹ dB LAeq	Daytime ¹ dB LAeq	Night-time ¹ dB LAeq	Daytime ¹ dB LAeq	Night-time ¹ dB LAeq
25/06/24 ²	52.3	41.7	39.8	43.6	41.5	46.1
26/06/24	45.0	39.6	47.2	42.6	46.0	43.4
27/06/24	50.5	44.1	49.8	42.1	55.4	44.6
28/06/24	48.2	38.7	47.9	40.7	50.3	42.8
29/06/24	44.2	46.8	45.0	39.5	46.2	40.8
30/06/24	45.4	43.1	42.9	37.7	45.0	38.6
01/07/24	46.2	40.9	44.1	38.4	48.5	40.9
02/07/24 ²	40.0		41.5		43.3	

Notes: 1. Daytime period is 07:00 to 23:00 hours and Night-time period is 23:00 to 07:00 hours
2. Period noise levels for daytime period on 24/6/24 and 02/07/24 are incomplete

Attended Noise Monitoring

- 5.14 The following instrumentation was used for the attended noise survey:
- Rion NA-28 Sound Level Meter (S/N 01001568)
 - Rion UC-59 Microphone (S/N 02186)
 - Rion NH-23 Preamplifier (S/N 01613)
 - Rion Acoustic Calibrator (S/N 34851847)
 - Windshield
- 5.15 All equipment is within current manufacturer's periods of calibration and calibration certificates are attached in Appendix A. Before and after the survey period, the calibration of the instrumentation was checked using the acoustic calibrator and no significant drift was noted.
- 5.16 The microphone was located at the southern boundary of the site. The measurement location is shown in Figure 3.
- 5.17 Measurements were undertaken under free-field conditions with the microphone located approximately 1.5m above ground.
- 5.18 The meter was set to record the following metrics automatically over 5-minute periods, as unweighted octave band levels and also overall A-weighted values:
- L_{Amax}
 - L_{Aeq}
 - L_{A90}
- 5.19 The time response of the meter was set to "fast".
- 5.20 Full survey results are presented in tabular form in Appendix C.
- 5.21 During a site visit on 2nd July 2024 to collect the noise monitors, it was noted that no audible noise was emanating from the Northwood Farm site and no further attended noise monitoring was therefore undertaken.

6. Noise Modelling

Introduction

- 6.1 A 3-dimensional noise model has been generated for the site and the surrounding industrial noise sources. The inputs for the noise modelling are based on the noise data presented in the various third-party noise assessments undertaken for the adjacent premises.
- 6.2 A summary of the noise input data is provided below.

Flexible Generator Plant (Planning Ref. CM/69/21/PL)

- 6.3 Sound Power Levels for the equipment have been derived from the noise data provided in the inacoustic report[10] and reproduced in Table 4.1. The acoustic data provided was in terms of sound pressure levels at 10 metres. This has been converted to sound power levels based on the physical size of the equipment packages. Octave band levels have been derived based on spectrums of measurements of similar equipment.
- 6.4 The sound power levels used are summarised in Table 6.1.

Table 6.1 Sound Power Levels for Flexible Generator Plant

Equipment	Unweighted Octave Band Sound Power Level [dB]								Overall [dB(A)]
	63Hz	125Hz	250Hz	500Hz	1kHz	2kHz	4kHz	8kHz	
Genset Container	93.6	100.3	81.4	77.9	77.8	74.3	66.3	60.6	86.2
Exhaust	78.6	90.7	84.3	81.8	83.9	78.4	71.2	54.5	86.9
Air Cooler	85.5	87.5	82.2	78.8	78.6	82.5	77.4	64.4	86.6

- 6.5 The modelling has assumed that all four generators (and associated equipment) operate continuously from 07:00 to 23:00, each day. This therefore represents a worst-case assessment.
- 6.6 The 4m high acoustic fence include in the Planning application and Condition is included in the modelling.

Concrete Batching Plant (Planning Ref. CM/6/18/PL)

- 6.7 In accordance with the Sharps Redmore noise report[11]. The noise model is based on the mixer truck having a sound power level of 102 dB(A) and operating for 30 minutes in the hour, and also a loading shovel with a sound power level of 103 dB(A) operating for 30 minutes in the hour.

- 6.8 Noise from lorries on the access road has been assessed, assuming lorries have a sound power level of 105 dB(A), with 12 movements per hour and speeds of 30 kmh⁻¹ on straight sections and 20 kmh⁻¹ on curves, in line with the Sharps Redmore assessment.
- 6.9 Octave band sound power levels have been derived from similar equipment detailed in BS 5228-1:2009[14].
- 6.10 The sound power levels used are summarised in Table 6.2.

Table 6.2 Sound Power Levels for Concrete Batching Plant

Equipment	Unweighted Octave Band Sound Power Level [dB]								Overall [dB(A)]
	63Hz	125Hz	250Hz	500Hz	1kHz	2kHz	4kHz	8kHz	
Mixer Lorry	107	96	93	97	98	96	91	85	102
Loading Shovel	101	97	100	101	99	94	88	82	103
HGV	102	106	98	97	101	96	95	88	105

TJ Waste Materials Recovery Facility (Planning Ref. WSCC/037/19)

- 6.11 In accordance with the Sharps Redmore Report[12], the internal reverberant sound pressure level within the building is assumed to be 90 dB(A). Octave band levels have been derived based on the spectrum for a concrete crusher from BS 5228-1:2009. The internal reverberant sound pressures used are detailed in Table 6.3.

Table 6.3 Internal reverberant sound pressure levels within MRF

Location	Unweighted Octave Band Sound Pressure Level [dB]								Overall [dB(A)]
	63Hz	125Hz	250Hz	500Hz	1kHz	2kHz	4kHz	8kHz	
Reverberant sound pressure level within MRF	83	82	85	88	86	82	75	69	90

- 6.12 In accordance with the Sharps Redmore Report, the following parameters have been used in the modelling:
- Roof Cladding has sound reduction index of 32dB
 - South pitch of roof has rooflights for 20% of area with sound reduction index of 15dB
 - Wall Cladding has sound reduction index of 38dB
 - Door in Southwest elevation has an area of 15% of the façade and is open for 15 minutes each hour.

Noise from existing MRF premises

- 6.13 Noise from existing premises has been calculated based on the attended noise monitoring undertaken on 25 June 2024. A sound pressure level of 41.6 dB L_{Aeq} was measured when industrial noise was present and this has been taken as the ambient sound level in accordance with BS 4142. A sound pressure level of 38.9 dB L_{Aeq} was measured when industrial noise was not present and this has been taken as the residual sound level in accordance with BS 4142. The contribution from the existing MRF facilities has therefore been calculated to be 38.3 dB L_{Aeq} .
- 6.14 This has been calculated back to a source sound power level for the existing MRF and this is detailed in Table 6.4.

Table 6.4 Sound Power Levels for Existing MRF Facilities

Equipment	Unweighted Octave Band Sound Power Level [dB]								Overall [dB(A)]
	63Hz	125Hz	250Hz	500Hz	1kHz	2kHz	4kHz	8kHz	
Existing MRF Facilities	97.0	93.2	83.9	82.5	79.8	77.5	77.5	76.2	86.6

7. Noise Assessment

Assessment Criteria

- 7.1 The industrial noise sources that may affect the site will only operate during the daytime. The noise monitoring results show that night-time noise levels are low and the internal noise limits specified in BS 8233 will be achievable most of the time, even with windows open. Night-time noise levels are therefore not considered further in this assessment.
- 7.2 The assessment of industrial noise impacts has been undertaken in accordance with both BS 4142 and BS 8233.

BS 8233 Assessment

- 7.3 In accordance with BS 8233, the $L_{Aeq,16hr(daytime)}$ metric has been calculated over the Application Area for the contribution from the industrial noise sources to the south and this is presented as noise contours in Figure 31. The proposed residential properties according to the site layout have been included in the noise model. The highest predicted noise level is 41 dB $L_{Aeq,16hr(daytime)}$.
- 7.4 The unattended noise survey results (see Table 5.1) indicate that the contribution from other noise sources are generally less than 50 dB $L_{Aeq,16hr(daytime)}$ across the site. It will generally be possible to meet the internal daytime noise limit specified in BS 8233, even with windows open.

BS 4142 Assessment

- 7.5 In order to undertake the BS 4142 assessment, it is necessary to consider which combinations of industrial noise sources might occur simultaneously. A specific sound level and background sound level have been determined for each of these scenarios. The scenarios are detailed in Table 7.1, below.
- 7.6 The locations used for the BS 4142 assessment are the locations predicted to receive the highest noise level, in a free-field position and represents the worst-case property location with respect to industrial noise for each assessment period.

- 7.7 For each of the periods, a statistical analysis of background sound levels has been undertaken in order to determine a representative background sound level. The statistical analyses are based on unattended monitoring location NM01, since that is closest to the BS 4142 assessment location. The statistical analyses are shown in Figures 28 to 30 and the representative background sound levels are shown in Table 7.1.

Table 7.1: Assessment Scenarios and Representative Background Sound Levels

Period	Plant Operating?				Representative Background Sound Level [dB L _{A90,1hour}]
	Flexible Generator Plant	Concrete Batching Plant	Proposed Materials Recovery Facility	Existing Materials Recovery Facility	
08:00 to 18:00 (Mon to Fri) 08:00 to 13:00 (Sat)	✓	✓	✓	✓	39
07:00 to 08:00 (Mon to Fri)	✓	✓			38
18:00 to 23:00 (Mon to Fri) 13:00 to 23:00 (Sat) 07:00 to 23:00 (Sun)	✓				36

- 7.8 The BS 4142 assessment requires that corrections be applied if acoustic features exist at the receptor location. In accordance with the third party noise assessments undertaken, the following corrections are appropriate:
- Flexible Generator Plant: +2dB for tonality, where this is the dominant source
 - Concrete Batching Plant: None
 - New MRF Facilities: None
- 7.9 For the existing MRF Facilities, a correction of +6dB would apply for clearly perceptible impulse, where this is the dominant source. However, the contribution from the existing facility is around 8 dB below the overall level and the correction is not therefore applicable.
- 7.10 The BS 4142 Assessment is summarised in Table 7.2.

Table 7.2: BS 4142 Assessment (with 2.5m barrier on 1m bund)

Period	Period		
	08:00 to 18:00 (Mon to Fri) 08:00 to 13:00 (Sat)	07:00 to 08:00 (Mon to Fri)	18:00 to 23:00 (Mon to Fri) 13:00 to 23:00 (Sat) 07:00 to 23:00 (Sun)
Specific Sound Level [dB L_{Aeq,1hr}]			
Flexible Generator Plant	27.6	35.5	35.5
Concrete Batching Plant	34.2	38.1	-
Proposed Materials Recovery Facility	41.1	-	-
Existing Materials Recovery Facility	34.8	-	-
Total	42.8	40.0	35.5
Acoustic Character Corrections	None	None	+2dB for tonality
Rating Level	42.8	40.0	37.5
Representative Background Sound Level [dB L _{A90,5mins}]	39.0	38.0	36.0
Rating Level minus background level	3.8	2.0	1.5

- 7.11 During the daytime hours, when all industrial noise sources are operating, the Rating Level is 3.8 dB above the background sound level. BS 4142 states that a difference of around +5dB is likely to be an indication of an adverse impact, depending on context. In addition, it is acknowledged that the assessment is based on fairly short-term source measurements for the existing MRF, although this is because so little noise was generated by the facilities.
- 7.12 The second aim of the NPSE refers to the situation where the impact lies somewhere between LOAEL and SOAEL. It requires that all reasonable steps should be taken to mitigate and minimise adverse effects on health and quality of life while also taking into account the guiding principles of sustainable development (paragraph 1.8). This does not mean that such adverse effects cannot occur.
- 7.13 The provision of the 2.5m high barrier on a 1m bund is considered to represent “all reasonable steps”. A further 6dB of headroom is available for future intensification of the industrial uses before a significant adverse effect is reached. For context, a doubling in intensification of the industrial uses would result in a 3dB increase and this headroom is therefore considered to be sufficient.

8. Conclusion

- 8.1 A noise assessment has been undertaken for the proposed development, especially with respect to the industrial noise sources to the south of the site.
- 8.2 The assessment has included the existing Materials Recovery Facility and also the proposed additional Materials Recovery Facility, Concrete Batching Plant and Flexible Generator Plant.
- 8.3 Noise levels at the site have been established through a combination of the noise monitoring (both attended and unattended) and noise modelling, using the noise information contained in the noise assessments undertaken for each proposed industrial development.
- 8.4 The industrial noise sources that may affect the site will only operate during the daytime. The noise monitoring results show that nighttime noise levels are low and the internal noise limits specified in BS 8233 will be achievable most of the time, even with windows open. Night-time noise levels are therefore not considered further in this assessment.
- 8.5 The assessment of industrial noise impacts has been undertaken in accordance with both BS 4142 and BS 8233.
- 8.6 The assessment has concluded that it will generally be possible to meet the internal daytime noise limit specified in BS 8233, even with windows open.
- 8.7 The BS 4142 assessment has concluded that during the daytime hours, when the noise impacts are highest, the Rating Level is 3.8 dB above the background sound level. BS 4142 states that a difference of around +5dB is likely to be an indication of an adverse impact, depending on context. In addition, it is acknowledged that the assessment is based on fairly short-term source measurements for the existing MRF, although this is because so little noise was generated by the facilities.
- 8.8 The second aim of the NPSE refers to the situation where the impact lies somewhere between LOAEL and SOAEL. It requires that all reasonable steps should be taken to mitigate and minimise adverse effects on health and quality of life while also taking into account the guiding principles of sustainable development (paragraph 1.8). This does not mean that such adverse effects cannot occur.

- 8.9 The provision of the 2.5m high barrier on a 1m bund is considered to represent “all reasonable steps”. A further 6dB of headroom is available for future intensification of the industrial uses before a significant adverse effect is reached. For context, a doubling in intensification of the industrial uses would result in a 3dB increase and this headroom is therefore considered to be sufficient.


9. References


1. British Standards Institution. British Standard 7445: Description and Measurement of Environmental Noise, Part 2. Guide to the acquisition of data pertinent to land use. 1991.
2. National Planning Policy Framework. Ministry of Housing, Communities & Local Government. December 2024.
3. Noise Policy Statement for England (NPSE). DEFRA. March 2010.
4. Planning Practice Guidance. Noise.ID:30. Updated 22 July 2019.
5. British Standards Institution. British Standard 8233: 2014: Sound Insulation and Noise Reduction for Buildings – Code of Practice.
6. ProPG: Planning & Noise, Professional Practice Guidance on Planning & Noise. 2017
7. World Health Organisation, Environmental Noise Guidelines for the European Region. 2018. ISBN 978 92 890 5356-3
8. British Standards Institution. British Standard 4142: Methods for rating and assessing industrial and commercial sound. 2014.
9. Recommendation Report for Planning Permission for the previous Planning Application (F/22/21/PL)
10. Bilsham Power Plant STOR, Burndell. Noise Assessment for Planning Application. 20th October 2021.
11. For Airfield, Climping. Kendall Group. Proposed Concrete Batching Plant. Sound Level Assessment. Project No. 1717351. 23rd February 2018.
12. TJWaste, Yapton. Proposed Additional Materials Recovery Facility. Sound Level Assessment. Project No. 1818324. 3rd April 2019.

13. ProPG Stage 1 Risk Assessment & BS4142 Assessment; Burndell Road, Yapton. Ref. AS12213.210910.RA.1. 15 February 2022.
14. British Standards Institution. British Standard 5228-1:2009+A1:2014 Code of practice for noise and vibration control on construction and open sites, Part 1: Noise. 2014.
15. Technical Note (TN1). T J Waste, Yapton. Reference: TN1-18.07.24-TJ Waste, Yapton-2422423-SM.

Figures








Unattended and Attended noise monitoring
locations

Job No. 13174

Figure No.3

NM01: Burndell Road - 25 Jun 2024




Noise Monitoring Results – NM01: 25 June 2024

Job No. 13174

Figure No.4

NM01: Burndell Road - 26 Jun 2024




Noise Monitoring Results – NM01: 26 June 2024

Job No. 13174

Figure No.5

NM01: Burndell Road - 27 Jun 2024




Noise Monitoring Results – NM01: 27 June 2024

Job No. 13174

Figure No.6

NM01: Burndell Road - 28 Jun 2024




Noise Monitoring Results – NM01: 28 June 2024

Job No. 13174

Figure No.7

NM01: Burndell Road - 29 Jun 2024




Noise Monitoring Results – NM01: 29 June 2024

Job No. 13174

Figure No.8

NM01: Burndell Road - 30 Jun 2024




Noise Monitoring Results – NM01: 30 June 2024

Job No. 13174

Figure No.9

NM01: Burndell Road - 01 Jul 2024




Noise Monitoring Results – NM01: 01 July 2024

Job No. 13174

Figure No.10

NM01: Burndell Road - 02 Jul 2024




Noise Monitoring Results – NM01: 02 July 2024


Job No. 13174

Figure No.11

NM02: Burndell Road - 25 Jun 2024



NM02: Burndell Road - 26 Jun 2024




Noise Monitoring Results – NM02: 26 June 2024

Job No. 13174

Figure No.13

NM02: Burndell Road - 27 Jun 2024




Noise Monitoring Results – NM02: 27 June 2024

Job No. 13174

Figure No.14

NM02: Burndell Road - 28 Jun 2024




Noise Monitoring Results – NM02: 28 June 2024


Job No. 13174

Figure No.15

NM02: Burndell Road - 29 Jun 2024



NM02: Burndell Road - 30 Jun 2024




Noise Monitoring Results – NM02: 30 June 2024

Job No. 13174

Figure No.17

NM02: Burndell Road - 01 Jul 2024




Noise Monitoring Results – NM02: 01 July 2024

Job No. 13174

Figure No.18

NM02: Burndell Road - 02 Jul 2024




Noise Monitoring Results – NM02: 02 July 2024


Job No. 13174

Figure No.19

NM03: Burndell Road - 25 Jun 2024



NM03: Burndell Road - 26 Jun 2024




Noise Monitoring Results – NM03: 26 June 2024

Job No. 13174

Figure No.21

NM03: Burndell Road - 27 Jun 2024




Noise Monitoring Results – NM03: 27 June 2024

Job No. 13174

Figure No.22

NM03: Burndell Road - 28 Jun 2024




Noise Monitoring Results – NM03: 28 June 2024

Job No. 13174

Figure No.23

NM03: Burndell Road - 29 Jun 2024




Noise Monitoring Results – NM03: 29 June 2024

Job No. 13174

Figure No.24

NM03: Burndell Road - 30 Jun 2024




Noise Monitoring Results – NM03: 30 June 2024

Job No. 13174

Figure No.25

NM03: Burndell Road - 01 Jul 2024





Noise Monitoring Results – NM03: 01 July 2024


Job No. 13174


Figure No.26

NM03: Burndell Road - 02 Jul 2024











Appendix A – Calibration Certificates



CERTIFICATE OF CALIBRATION

Date of Issue: 24 March 2023

Certificate Number: TCRT23/1258

Issued by:

ANV Measurement Systems

Beaufort Court

17 Roebuck Way

Milton Keynes MK5 8HL

Page 1 of 3 Pages

Approved Signatory

Web: www.noise-and-vibration.co.uk

K. Mistry

Acoustics Noise and Vibration Ltd trading as ANV Measurement Systems

Customer Addiscombe Environmental Consultants Ltd
Melrose House
42 Dingwall Road
Croydon
CR0 2NE

Order No. 1000

Description Sound Level Meter / Pre-amp / Microphone / Associated Calibrator

Identification	Manufacturer	Instrument	Type	Serial No. / Version
	Rion	Sound Level Meter	NL-32	00640762
	Rion	Firmware		1009AN1002
	Rion	Pre Amplifier	NH-21	11822
	Rion	Microphone	UC-53A	315082
	Rion	Calibrator	NC-74	34883981
		Calibrator adaptor type if applicable		NC-74-002

Performance Class 1

Test Procedure TP 2.SLM 61672-3 TPS-49

Procedures from IEC 61672-3:2006 were used to perform the periodic test.

Type Approved to IEC 61672-1:2002 No **Approval Number**

If YES above there is public evidence that the SLM has successfully completed the applicable pattern evaluation tests of IEC 61672-2:2003

Date Received

23 March 2023

ANV Job No.

TRAC23/03151

Date Calibrated

24 March 2023

The sound level meter submitted for testing has successfully completed the class 1 periodic tests of IEC 61672-3:2006, for the environmental conditions under which the tests were performed. However, no general statement or conclusion can be made about conformance of the sound level meter to the full requirements of IEC 61672-1:2002 because evidence was not publicly available, from an independent testing organisation responsible for pattern approvals, to demonstrate that the model of sound level meter fully conformed to the requirements in IEC 61672-1:2002 and because the periodic tests of IEC 61672-3:2006 cover only a limited subset of the specifications in IEC 61672-1:2002.

Previous Certificate

Dated

15 March 2021

Certificate No.

TCRT21/1180

Laboratory

ANV Measurement Systems

This certificate provides traceability of measurement to recognised national standards, and to units of measurement realised at the National Physical Laboratory or other recognised national standards laboratories. This certificate may not be reproduced other than in full, except with the prior written approval of the issuing laboratory.



CERTIFICATE OF CALIBRATION

Date of Issue: 24 March 2023

Certificate Number: TCRT23/1259

Issued by:

ANV Measurement Systems

Beaufort Court

17 Roebuck Way

Milton Keynes, MK5 8HJ

Page 1 of 4 Pages

Approved Signatory

Web: www.noise-and-vibration.co.uk

Acoustics Noise and Vibration Ltd trading as ANV Measurement Systems

K. Mistry

CUSTOMER

Addiscombe Environmental Consultants Ltd

Melrose House

42 Dingwall Road

Croydon

CR0 2NE

ORDER No

1000

Job No

TRAC23/03151

DATE OF RECEIPT 23 March 2023

PROCEDURE

Calibration Engineer's Handbook section 3

IDENTIFICATION

Sound level meter Rion type NL-32 serial No 00103151 connected via extension lead type EC-04 and preamplifier type NH-21 serial No 31888 to a half-inch microphone type UC-53A serial No 316504 fitted with a foam windshield type WS-03. Associated calibrator Rion type NC-74 serial No 34883981 with a one-inch housing and adapter type NC-74-002 for half-inch microphone.

CALIBRATED ON

24 March 2023

PREVIOUS CALIBRATION

Calibrated on 18 February 2021, Certificate No. TCRT21/1117 issued by this laboratory.

This certificate provides traceability of measurement to recognised national standards, and to units of measurement realised at the National Physical Laboratory or other recognised national standards laboratories. This certificate may not be reproduced other than in full, except with the prior written approval of the issuing laboratory.



CERTIFICATE OF CALIBRATION

Date of Issue: 09 January 2023

Certificate Number: TCRT23/1021

Issued by:

ANV Measurement Systems

Beaufort Court

17 Roebuck Way

Milton Keynes, MK5 8HL

Page 1 of 3 Pages

Approved Signatory

Web: www.noise-and-vibration.co.uk

K. Mistry

Acoustics Noise and Vibration Ltd trading as ANV Measurement Systems

Customer Addiscombe Environmental Consultants Limited
Melrose House
42 Dingwall Road
Croydon
CR0 2NE

Order No. 1000

Description Sound Level Meter / Pre-amp / Microphone / Associated Calibrator

Identification	Manufacturer	Instrument	Type	Serial No. / Version
	Rion	Sound Level Meter	NL-32	00613600
	Rion	Firmware		1.400AN1003
	Rion	Pre Amplifier	NH-21	37284
	Rion	Microphone	UC-53A	318543
	Rion	Calibrator	NC-74	34536109
		Calibrator adaptor type if applicable		NC-74-002

Performance Class 1

Test Procedure TP 2.SLM 61672-3 TPS-49

Procedures from IEC 61672-3:2006 were used to perform the periodic test.

Type Approved to IEC 61672-1:2002 No Approval Number

If YES above there is public evidence that the SLM has successfully completed the applicable pattern evaluation tests of IEC 61672-2:2003

Date Received

06 January 2023

ANV Job No.

TRAC23/01011

Date Calibrated

09 January 2023

The sound level meter submitted for testing has successfully completed the class 1 periodic tests of IEC 61672-3:2006, for the environmental conditions under which the tests were performed. However, no general statement or conclusion can be made about conformance of the sound level meter to the full requirements of IEC 61672-1:2002 because evidence was not publicly available, from an independent testing organisation responsible for pattern approvals, to demonstrate that the model of sound level meter fully conformed to the requirements in IEC 61672-1:2002 and because the periodic tests of IEC 61672-3:2006 cover only a limited subset of the specifications in IEC 61672-1:2002.

Previous Certificate

Dated

09 April 2020

Certificate No.

TCRT20/1204

Laboratory

ANV Measurement Systems

This certificate provides traceability of measurement to recognised national standards, and to units of measurement realised at the National Physical Laboratory or other recognised national standards laboratories. This certificate may not be reproduced other than in full, except with the prior written approval of the issuing laboratory.



CERTIFICATE OF CALIBRATION

Date of Issue: 29 April 2024

Certificate Number: TCRT24/1336

Issued by:
ANV Measurement Systems
Beaufort Court
17 Roebuck Way
Milton Keynes, MK5 8HL

Page 1 of 2 Pages
Approved Signatory

Web: www.noise-and-vibration.co.uk
Acoustics Noise and Vibration Ltd trading as ANV Measurement Systems

K. Mistry

Customer Addiscombe Environmental Consultants
Melrose House
42 Dingwall Road
Croydon
CR0 2NE

Order No. 1000

Test Procedure Procedure TP 1 Calibration of Sound Calibrators

Description Acoustic Calibrator

Identification	Manufacturer	Instrument	Model	Serial No.
	Rion	Calibrator	NC-74	34883981

The calibrator has been tested as specified in Annex B of IEC 60942:2003. As public evidence was available from a testing organisation (PTB) responsible for approving the results of pattern evaluation tests, to demonstrate that the model of sound calibrator fully conformed to the requirements for pattern evaluation described in Annex A of IEC 60942:2003, the sound calibrator tested is considered to conform to all the class 1 requirements of IEC 60942:2003.

ANV Job No. TRAC24/04176

Date Received 26 April 2024

Date Calibrated 29 April 2024

Previous Certificate	<i>Dated</i>	24 March 2023
	<i>Certificate No.</i>	TCRT23/1257
	<i>Laboratory</i>	ANV Measurement Systems

This certificate provides traceability of measurement to recognised national standards, and to units of measurement realised at the National Physical Laboratory or other recognised national standards laboratories. This certificate may not be reproduced other than in full, except with the prior written approval of the issuing laboratory.



CERTIFICATE OF CALIBRATION

Date of Issue: 15 May 2023

Certificate Number: TCRT23/1362

Issued by:
ANV Measurement Systems
Beaufort Court
17 Roebuck Way
Milton Keynes MK5 8HL

Page 1 of 2 Pages
Approved Signatory

Web: www.noise-and-vibration.co.uk
Acoustics Noise and Vibration Ltd trading as ANV Measurement Systems

K. Mistry

Customer Addiscombe Environmental Consultants Limited
Melrose House
42 Dingwall Road
Croydon
CR0 2NE

Order No. 1000
Description Sound Level Meter / Pre-amp / Microphone / Associated Calibrator
Identification

Manufacturer	Instrument	Type	Serial No. / Version
Rion	Sound Level Meter	NA-28	01001568
Rion	Firmware		1.9
Rion	Pre Amplifier	NH-23	01613
Rion	Microphone	UC-59	02186
Rion	Calibrator	NC-74	34851847
	Calibrator adaptor type if applicable		NC-74-002

Performance Class 1
Test Procedure TP 2.SLM 61672-3 TPS-49
Procedures from IEC 61672-3:2006 were used to perform the periodic tests.
Type Approved to IEC 61672-1:2002 Yes **Approval Number** 21.21/07.01
If YES above there is public evidence that the SLM has successfully completed the applicable pattern evaluation tests of IEC 61672-2:2003
Date Received 12 May 2023 **ANV Job No.** TRAC23/05222
Date Calibrated 15 May 2023

The sound level meter submitted for testing has successfully completed the class 1 periodic tests of IEC 61672-3:2006, for the environmental conditions under which the tests were performed. As public evidence was available, from an independent testing organisation responsible for approving the results of pattern evaluation tests performed in accordance with IEC 61672-2:2003, to demonstrate that the model of sound level meter fully conformed to the requirements in IEC 61672-1:2002, the sound level meter submitted for testing conforms to the class 1 requirements of IEC 61672-1:2002.

Previous Certificate	Dated	Certificate No.	Laboratory
	28 October 2020	TCRT20/1638	ANV Measurement Systems

This certificate provides traceability of measurement to recognised national standards, and to units of measurement realised at the National Physical Laboratory or other recognised national standards laboratories. This certificate may not be reproduced other than in full, except with the prior written approval of the issuing laboratory.

CERTIFICATE OF CALIBRATION



Certificate Number

TCRT23/1362

Page 2 of 2 Pages

Sound Level Meter Instruction manual and data used to adjust the sound levels indicated.

SLM instruction manual title	Sound Level Meter	NA-28
SLM instruction manual ref / issue		06-11
SLM instruction manual source	Manufacturer	
Internet download date if applicable	N/A	
Case corrections available	Yes	
Uncertainties of case corrections	Yes	
Source of case data	Manufacturer	
Wind screen corrections available	Yes	
Uncertainties of wind screen corrections	Yes	
Source of wind screen data	Manufacturer	
Mic pressure to free field corrections	Yes	
Uncertainties of Mic to F.F. corrections	Yes	
Source of Mic to F.F. corrections	Manufacturer	
Total expanded uncertainties within the requirements of IEC 61672-1:2002	Yes	
Specified or equivalent Calibrator	Specified	
Customer or Lab Calibrator	Customers Calibrator	
Calibrator adaptor type if applicable	NC-74-002	
Calibrator cal. date	12 May 2023	
Calibrator cert. number	TCRT23/1355	
Calibrator cal cert issued by Lab	ANV Measurement Systems	
Calibrator SPL @ STP	94.03	dB Calibration reference sound pressure level
Calibrator frequency	1001.73	Hz Calibration check frequency
Reference level range	20 - 120	dB

Accessories used or corrected for during calibration - Wind Shield

Note - if a pre-amp extension cable is listed then it was used between the SLM and the pre-amp.

Environmental conditions during tests	Start	End	
Temperature	21.94	22.58	± 0.30 °C
Humidity	49.4	49.0	± 3.00 %RH
Ambient Pressure	101.02	101.02	± 0.03 kPa

Response to associated Calibrator at the environmental conditions above.

Initial indicated level	93.9	dB	Adjusted indicated level	94.0	dB
The uncertainty of the associated calibrator supplied with the sound level meter ±				0.10	dB

Self Generated Noise This test is currently not performed by this Lab.

Microphone installed (if requested by customer) = Less Than	N/A	dB A Weighting
Uncertainty of the microphone installed self generated noise ±	N/A	dB

Microphone replaced with electrical input device - UR = Under Range indicated

Weighting	A	C	Z
	10.2	14.9	19.5
	dB	dB	dB
	UR	UR	UR

Uncertainty of the electrical self generated noise ± 0.12 dB

The reported expanded uncertainty is based on a standard uncertainty multiplied by a coverage factor k=2, providing a coverage probability of approximately 95%. The uncertainty evaluation has been carried out in accordance with the Guide to the Expression of Uncertainty in Measurement published by ISO.

For the test of the frequency weightings as per paragraph 12. of IEC 61672-3:2006 the actual microphone free field response was used.

The acoustical frequency tests of a frequency weighting as per paragraph 11 of IEC 61672-3:2006 were carried out using an electrostatic actuator.

END

Calibrated by: B. Bogdan

Additional Comments

None

R 2



CERTIFICATE OF CALIBRATION

Date of Issue: 12 May 2023

Certificate Number: TCRT23/1355

Issued by:
ANV Measurement Systems
Beaufort Court
17 Roebuck Way
Milton Keynes MK5 8HL

Page 1 of 2 Pages
Approved Signatory

Web: www.noise-and-vibration.co.uk
Acoustics Noise and Vibration Ltd trading as ANV Measurement Systems

K. Mistry

Customer Addiscombe Environmental Consultants Limited
Melrose House
42 Dingwall Road
Croydon
CR0 2NE

Order No. 1000

Test Procedure Procedure TP 1 Calibration of Sound Calibrators

Description Acoustic Calibrator

Identification	Manufacturer	Instrument	Model	Serial No.
	Rion	Calibrator	NC-74	34851847

The calibrator has been tested as specified in Annex B of IEC 60942:2003. As public evidence was available from a testing organisation (PTB) responsible for approving the results of pattern evaluation tests, to demonstrate that the model of sound calibrator fully conformed to the requirements for pattern evaluation described in Annex A of IEC 60942:2003, the sound calibrator tested is considered to conform to all the class 1 requirements of IEC 60942:2003.

ANV Job No. TRAC23/05222

Date Received 12 May 2023

Date Calibrated 12 May 2023

Previous Certificate	<i>Dated</i>	24 March 2022
	<i>Certificate No.</i>	TCRT22/1203
	<i>Laboratory</i>	ANV Measurement Systems

This certificate provides traceability of measurement to recognised national standards, and to units of measurement realised at the National Physical Laboratory or other recognised national standards laboratories. This certificate may not be reproduced other than in full, except with the prior written approval of the issuing laboratory.

CERTIFICATE OF CALIBRATION



Certificate Number

TCRT23/1355

Page 2 of 2 Pages

Measurements

The sound pressure level generated by the calibrator in its WS2 configuration was measured five times by the Insert Voltage Method using a microphone as detailed below. The mean of the results obtained is shown below. It is corrected to the standard atmospheric pressure of 101.3 kPa (1013 mBar) using original manufacturers information.

Test Microphone	Manufacturer	Type
	Brüel & Kjær	4134

Results

The level of the calibrator output under the conditions outlined above was

94.03 ± 0.10 dB rel 20 µPa

Functional Tests and Observations

The frequency of the sound produced was	1001.73 ± 0.12 Hz
The total distortion was	1.17 ± 0.08 % Distortion

During the measurements environmental conditions were

Temperature	22 to 23 °C
Relative Humidity	48 to 55 %
Barometric Pressure	101.3 to 101.4 kPa

The reported expanded uncertainty is based on a standard uncertainty multiplied by a coverage factor k=2, providing a coverage probability of approximately 95%. The uncertainty evaluation has been carried out in accordance with the Guide to the Expression of Uncertainty in Measurement published by the International Organisation for Standards (ISO).

The uncertainties refer to the measured values only with no account being taken of the ability of the instrument to maintain its calibration.

A small correction factor may need to be applied to the sound pressure level quoted above if the device is used to calibrate a sound level meter which is fitted with a free-field response microphone. See manufacturers handbook for details.

..... END

Note:

Calibrator adjusted prior to calibration?	No
Initial Level	N/A dB
Initial Frequency	N/A Hz

Additional Comments

None

Calibrated by: K. Zablocki

R 1

Appendix B – Unattended Noise Monitoring Results

Location: NM01: Burndell Road
Survey Position: On southern boundary. 1.8m above ground
Start: 25/06/2024
End: 02/07/2024
Engineer: Jason Corr

Instrumentation

Type	Item	Serial No.	Last External Calibration
Rion NL-32	Sound Level Meter	00640762	24/03/2023
Rion UC-53A	Microphone	315082	24/03/2023
Rion NH-21	Pre-amplifier	11822	24/03/2023
Rion NC-74	Acoustic Calibrator	34883981	29/04/2024

On-site Calibration

Before survey:	94.0 dB (re 94.0)
After survey:	93.9 dB (re 94.0)

Address	Start Time	Measured Sound Pressure Level [dB(A)]				
		L _{Aeq,5 mins}	L _{Amax,F,5mins}	L _{Amin,5mins}	L _{A10,5mins}	L _{A90,5mins}
1	25/06/2024 15:22	72.8	98.0	36.1	67.4	40.1
2	25/06/2024 15:27	70.1	100.8	37.3	55.1	39.4
3	25/06/2024 15:32	56.6	84.4	36.4	55.6	38.5
4	25/06/2024 15:37	48.7	76.6	35.8	45.7	37.8
5	25/06/2024 15:42	44.7	57.5	36.5	48.1	38.6
6	25/06/2024 15:47	44.7	56.2	37.2	48.2	39.1
7	25/06/2024 15:52	45.4	60.4	37.3	48.5	39.8
8	25/06/2024 15:57	46.1	63.1	37.7	48.6	40.2
9	25/06/2024 16:02	43.3	59.1	36.0	46.1	38.2
10	25/06/2024 16:07	44.3	53.0	37.5	47.6	39.9
11	25/06/2024 16:12	44.8	61.0	37.3	47.6	39.3
12	25/06/2024 16:17	44.2	60.4	36.7	46.7	39.1
13	25/06/2024 16:22	44.0	61.2	35.6	47.8	38.1
14	25/06/2024 16:27	42.9	62.0	35.7	44.7	38.3
15	25/06/2024 16:32	49.6	74.7	34.6	46.3	37.4
16	25/06/2024 16:37	41.8	55.0	34.1	44.8	37.1
17	25/06/2024 16:42	40.0	53.2	34.5	42.6	36.0
18	25/06/2024 16:47	39.2	55.0	32.1	40.9	35.9
19	25/06/2024 16:52	46.6	60.0	35.1	50.1	37.5
20	25/06/2024 16:57	43.1	58.0	32.8	47.9	35.3

Address	Start Time	Measured Sound Pressure Level [dB(A)]				
		L _{Aeq,5 mins}	L _{Amax,F,5mins}	L _{Amin,5mins}	L _{A10,5mins}	L _{A90,5mins}
21	25/06/2024 17:02	39.4	53.9	32.8	41.3	34.6
22	25/06/2024 17:07	41.2	56.3	34.4	44.7	36.4
23	25/06/2024 17:12	44.3	54.1	33.2	48.8	36.0
24	25/06/2024 17:17	39.6	57.5	33.6	40.7	35.4
25	25/06/2024 17:22	48.9	62.7	34.4	49.4	36.1
26	25/06/2024 17:27	45.1	58.9	35.5	48.0	38.5
27	25/06/2024 17:32	45.9	56.8	34.2	50.8	37.0
28	25/06/2024 17:37	42.6	56.2	33.9	45.4	36.1
29	25/06/2024 17:42	42.1	54.6	32.3	46.7	34.8
30	25/06/2024 17:47	37.2	48.3	32.7	39.3	34.4
31	25/06/2024 17:52	41.3	57.1	33.0	42.7	35.5
32	25/06/2024 17:57	43.5	58.8	35.1	45.1	36.9
33	25/06/2024 18:02	44.2	61.1	34.0	47.7	35.9
34	25/06/2024 18:07	37.1	59.7	30.7	37.9	34.0
35	25/06/2024 18:12	38.4	48.1	33.1	41.2	35.0
36	25/06/2024 18:17	37.9	47.5	33.4	40.5	35.3
37	25/06/2024 18:22	36.5	43.0	32.6	38.3	34.7
38	25/06/2024 18:27	38.3	55.7	33.6	41.1	34.9
39	25/06/2024 18:32	39.1	57.7	33.4	41.4	35.8
40	25/06/2024 18:37	42.1	53.4	32.6	46.6	36.0
41	25/06/2024 18:42	39.3	56.2	32.6	42.1	35.6
42	25/06/2024 18:47	40.3	50.1	33.3	43.2	35.7
43	25/06/2024 18:52	40.2	56.0	33.8	42.4	35.8
44	25/06/2024 18:57	40.0	54.1	32.2	43.5	35.4
45	25/06/2024 19:02	38.3	57.4	31.9	39.4	34.5
46	25/06/2024 19:07	37.0	48.7	31.8	38.9	34.4
47	25/06/2024 19:12	36.6	48.4	30.3	39.4	33.0
48	25/06/2024 19:17	39.9	58.9	30.9	40.2	33.0
49	25/06/2024 19:22	41.1	55.6	32.9	43.6	35.2
50	25/06/2024 19:27	39.5	56.8	31.6	42.1	34.8
51	25/06/2024 19:32	41.4	62.3	31.0	44.1	33.4
52	25/06/2024 19:37	40.2	53.6	29.7	44.1	32.7
53	25/06/2024 19:42	43.1	56.2	30.3	48.8	32.0
54	25/06/2024 19:47	42.6	54.8	31.9	47.4	34.2
55	25/06/2024 19:52	43.3	61.2	30.8	43.4	33.0
56	25/06/2024 19:57	49.4	62.5	29.5	52.9	35.0
57	25/06/2024 20:02	44.7	62.3	31.7	43.8	34.8
58	25/06/2024 20:07	40.0	53.7	30.5	42.0	34.5
59	25/06/2024 20:12	37.4	53.4	29.9	39.5	31.6
60	25/06/2024 20:17	39.1	55.9	29.6	41.9	31.7
61	25/06/2024 20:22	41.0	60.4	31.0	43.4	35.1
62	25/06/2024 20:27	39.2	58.0	33.9	40.7	36.1
63	25/06/2024 20:32	43.5	63.6	32.5	47.1	35.4
64	25/06/2024 20:37	51.8	72.8	34.1	54.0	38.1

Address	Start Time	Measured Sound Pressure Level [dB(A)]				
		L _{Aeq,5 mins}	L _{Amax,F,5mins}	L _{Amin,5mins}	L _{A10,5mins}	L _{A90,5mins}
65	25/06/2024 20:42	46.8	64.7	36.6	47.6	39.5
66	25/06/2024 20:47	53.7	77.0	34.7	53.0	37.4
67	25/06/2024 20:52	39.4	54.9	33.2	40.9	36.0
68	25/06/2024 20:57	41.1	60.4	35.4	42.6	37.7
69	25/06/2024 21:02	41.2	63.9	33.3	40.6	35.9
70	25/06/2024 21:07	39.6	61.3	34.2	40.1	36.1
71	25/06/2024 21:12	39.2	49.8	32.6	41.3	36.3
72	25/06/2024 21:17	39.7	52.6	32.1	42.1	35.5
73	25/06/2024 21:22	51.0	62.3	32.2	56.6	35.6
74	25/06/2024 21:27	51.8	63.2	29.8	56.4	34.2
75	25/06/2024 21:32	53.8	73.0	28.5	56.6	32.3
76	25/06/2024 21:37	47.7	69.1	28.3	41.1	32.1
77	25/06/2024 21:42	51.3	72.9	27.8	51.6	30.1
78	25/06/2024 21:47	35.3	59.3	26.3	34.8	28.6
79	25/06/2024 21:52	34.7	59.5	27.6	36.5	30.0
80	25/06/2024 21:57	36.6	47.4	29.5	39.0	32.8
81	25/06/2024 22:02	36.7	46.2	31.0	39.1	33.2
82	25/06/2024 22:07	37.3	42.9	30.6	39.5	33.7
83	25/06/2024 22:12	37.0	46.0	31.0	39.7	33.4
84	25/06/2024 22:17	34.9	41.2	28.1	37.4	30.5
85	25/06/2024 22:22	36.8	45.6	29.1	39.6	31.8
86	25/06/2024 22:27	35.8	44.3	30.3	38.3	32.6
87	25/06/2024 22:32	35.1	47.6	29.7	36.8	32.6
88	25/06/2024 22:37	34.0	41.6	29.9	35.8	31.6
89	25/06/2024 22:42	34.3	46.3	26.3	36.5	29.3
90	25/06/2024 22:47	41.2	61.9	28.4	42.0	31.9
91	25/06/2024 22:52	34.4	46.3	28.6	36.7	30.6
92	25/06/2024 22:57	35.1	41.1	27.0	37.6	30.8
93	25/06/2024 23:02	34.8	41.4	27.9	37.4	30.3
94	25/06/2024 23:07	34.1	47.7	27.6	36.5	30.0
95	25/06/2024 23:12	33.5	39.7	27.1	36.0	29.6
96	25/06/2024 23:17	35.9	49.1	25.1	38.8	28.4
97	25/06/2024 23:22	33.9	41.4	28.2	36.4	30.5
98	25/06/2024 23:27	32.5	41.0	24.5	34.9	28.8
99	25/06/2024 23:32	33.2	45.9	24.9	35.7	27.6
100	25/06/2024 23:37	34.6	41.8	28.0	37.0	31.5
101	25/06/2024 23:42	31.6	39.7	25.8	34.6	28.2
102	25/06/2024 23:47	32.1	43.2	25.5	34.5	28.7
103	25/06/2024 23:52	32.7	39.5	27.6	35.0	29.7
104	25/06/2024 23:57	33.1	40.2	25.1	37.0	27.7
105	26/06/2024 00:02	32.3	40.6	26.4	34.7	28.7
106	26/06/2024 00:07	32.3	42.3	26.0	34.5	28.7
107	26/06/2024 00:12	33.5	42.8	28.3	35.9	30.0
108	26/06/2024 00:17	32.0	38.5	27.2	34.0	29.4

Address	Start Time	Measured Sound Pressure Level [dB(A)]				
		L _{Aeq,5 mins}	L _{Amax,F,5mins}	L _{Amin,5mins}	L _{A10,5mins}	L _{A90,5mins}
109	26/06/2024 00:22	33.8	41.7	27.9	36.9	29.4
110	26/06/2024 00:27	32.3	40.8	24.7	35.5	26.7
111	26/06/2024 00:32	34.5	42.5	26.7	37.7	29.6
112	26/06/2024 00:37	30.9	39.3	24.9	33.8	27.0
113	26/06/2024 00:42	32.2	40.7	22.9	35.1	27.0
114	26/06/2024 00:47	33.1	40.4	24.4	36.4	27.8
115	26/06/2024 00:52	34.3	43.0	24.3	37.7	27.1
116	26/06/2024 00:57	31.3	39.4	23.9	34.5	26.3
117	26/06/2024 01:02	31.3	44.0	25.1	33.6	26.9
118	26/06/2024 01:07	30.9	44.6	23.1	33.5	25.0
119	26/06/2024 01:12	33.3	47.4	24.6	36.6	26.3
120	26/06/2024 01:17	30.4	43.7	24.0	32.6	25.9
121	26/06/2024 01:22	31.3	40.9	25.6	34.6	27.1
122	26/06/2024 01:27	28.0	35.0	24.4	29.1	26.2
123	26/06/2024 01:32	30.3	41.9	23.9	33.5	25.2
124	26/06/2024 01:37	28.7	37.0	24.5	31.6	25.8
125	26/06/2024 01:42	30.3	37.5	25.2	33.4	26.7
126	26/06/2024 01:47	29.9	42.1	24.5	32.5	25.9
127	26/06/2024 01:52	30.5	39.9	25.1	32.5	27.2
128	26/06/2024 01:57	27.3	49.6	24.4	28.6	25.2
129	26/06/2024 02:02	31.8	42.4	24.4	35.1	26.9
130	26/06/2024 02:07	29.5	37.3	25.5	31.1	27.3
131	26/06/2024 02:12	32.0	40.4	25.1	35.2	27.0
132	26/06/2024 02:17	29.0	37.2	24.5	31.5	26.0
133	26/06/2024 02:22	30.9	42.4	25.6	34.0	26.9
134	26/06/2024 02:27	30.0	38.7	25.9	32.3	27.1
135	26/06/2024 02:32	28.8	36.6	25.8	30.3	27.0
136	26/06/2024 02:37	30.7	42.2	24.1	34.7	25.8
137	26/06/2024 02:42	30.1	39.2	24.9	32.3	26.8
138	26/06/2024 02:47	28.7	34.6	24.6	31.0	25.8
139	26/06/2024 02:52	29.2	41.7	24.6	31.4	25.9
140	26/06/2024 02:57	30.7	42.4	26.5	32.8	27.9
141	26/06/2024 03:02	30.9	36.8	26.7	32.8	28.3
142	26/06/2024 03:07	29.5	35.4	26.3	31.9	27.4
143	26/06/2024 03:12	30.9	36.3	25.5	33.1	27.9
144	26/06/2024 03:17	33.3	45.8	24.6	36.9	26.3
145	26/06/2024 03:22	36.1	49.6	27.8	39.0	30.2
146	26/06/2024 03:27	32.4	45.9	26.5	35.1	28.4
147	26/06/2024 03:32	30.4	38.7	26.7	32.6	28.0
148	26/06/2024 03:37	37.8	58.4	27.0	33.9	28.2
149	26/06/2024 03:42	33.0	46.9	27.2	35.1	28.8
150	26/06/2024 03:47	40.1	59.3	30.2	43.0	33.3
151	26/06/2024 03:52	41.1	58.1	30.7	42.6	33.3
152	26/06/2024 03:57	40.1	59.3	30.2	43.2	34.1

Address	Start Time	Measured Sound Pressure Level [dB(A)]				
		L _{Aeq,5 mins}	L _{Amax,F,5mins}	L _{Amin,5mins}	L _{A10,5mins}	L _{A90,5mins}
153	26/06/2024 04:02	39.7	51.8	30.8	42.7	34.5
154	26/06/2024 04:07	39.5	47.8	32.3	42.2	35.1
155	26/06/2024 04:12	54.3	75.8	32.9	51.5	36.5
156	26/06/2024 04:17	44.7	69.0	31.9	43.3	35.6
157	26/06/2024 04:22	40.3	59.8	31.0	42.4	33.6
158	26/06/2024 04:27	50.4	75.0	30.5	44.0	33.8
159	26/06/2024 04:32	51.0	74.3	31.6	43.8	34.7
160	26/06/2024 04:37	47.8	58.4	33.6	52.1	38.3
161	26/06/2024 04:42	48.9	62.4	34.1	53.5	37.8
162	26/06/2024 04:47	47.4	68.0	34.5	49.6	38.1
163	26/06/2024 04:52	45.0	55.6	34.1	48.8	38.5
164	26/06/2024 04:57	45.6	61.3	34.3	48.2	37.8
165	26/06/2024 05:02	42.0	54.9	33.6	44.4	37.6
166	26/06/2024 05:07	43.1	58.4	33.8	45.6	36.4
167	26/06/2024 05:12	47.3	70.4	32.9	44.1	36.7
168	26/06/2024 05:17	41.3	58.1	33.0	42.7	35.6
169	26/06/2024 05:22	42.3	57.4	33.0	42.4	35.4
170	26/06/2024 05:27	40.8	54.5	32.1	42.6	36.3
171	26/06/2024 05:32	43.0	58.1	32.1	44.1	36.0
172	26/06/2024 05:37	43.7	64.6	33.5	44.6	36.5
173	26/06/2024 05:42	40.7	51.4	34.3	43.5	36.6
174	26/06/2024 05:47	41.1	59.8	34.4	43.4	36.5
175	26/06/2024 05:52	39.9	57.5	34.0	41.5	35.6
176	26/06/2024 05:57	44.7	65.0	33.8	46.5	36.2
177	26/06/2024 06:02	43.1	58.9	34.8	47.0	37.2
178	26/06/2024 06:07	40.6	58.1	33.7	42.0	35.8
179	26/06/2024 06:12	39.0	56.4	34.2	40.3	36.5
180	26/06/2024 06:17	40.6	61.6	34.1	42.4	36.5
181	26/06/2024 06:22	41.5	53.3	35.0	43.7	37.2
182	26/06/2024 06:27	41.1	54.9	34.4	43.4	37.0
183	26/06/2024 06:32	40.7	54.1	34.7	43.4	36.8
184	26/06/2024 06:37	44.3	54.9	34.8	48.1	38.3
185	26/06/2024 06:42	44.7	55.3	34.5	48.1	38.4
186	26/06/2024 06:47	44.5	71.6	35.3	44.5	37.7
187	26/06/2024 06:52	41.5	55.0	34.7	44.0	37.0
188	26/06/2024 06:57	44.9	62.8	35.1	47.8	38.0
189	26/06/2024 07:02	43.6	60.5	35.0	46.2	37.2
190	26/06/2024 07:07	47.2	65.3	33.9	51.2	37.1
191	26/06/2024 07:12	43.7	58.8	36.0	46.2	38.4
192	26/06/2024 07:17	42.9	62.1	36.3	43.9	38.3
193	26/06/2024 07:22	42.8	54.4	35.9	45.3	38.3
194	26/06/2024 07:27	42.8	59.6	37.1	44.3	39.8
195	26/06/2024 07:32	42.4	57.8	37.1	43.6	38.6
196	26/06/2024 07:37	45.4	53.5	35.6	49.5	38.7

Address	Start Time	Measured Sound Pressure Level [dB(A)]				
		L _{Aeq,5 mins}	L _{Amax,F,5mins}	L _{Amin,5mins}	L _{A10,5mins}	L _{A90,5mins}
197	26/06/2024 07:42	43.1	57.0	36.1	46.2	38.4
198	26/06/2024 07:47	42.7	52.8	37.2	45.6	38.8
199	26/06/2024 07:52	42.2	55.2	36.1	44.0	38.1
200	26/06/2024 07:57	42.0	51.5	36.6	44.1	38.5
201	26/06/2024 08:02	43.7	53.6	36.0	47.0	38.5
202	26/06/2024 08:07	49.4	63.9	36.0	50.6	38.3
203	26/06/2024 08:12	44.0	62.1	37.6	45.6	39.9
204	26/06/2024 08:17	57.0	86.5	37.1	50.4	39.0
205	26/06/2024 08:22	46.0	61.7	34.9	47.6	37.4
206	26/06/2024 08:27	42.2	60.3	35.5	44.3	37.9
207	26/06/2024 08:32	42.2	59.8	35.8	44.3	37.8
208	26/06/2024 08:37	45.2	56.9	36.0	48.2	39.1
209	26/06/2024 08:42	42.3	57.1	34.9	45.1	37.7
210	26/06/2024 08:47	45.1	58.8	36.4	48.2	39.1
211	26/06/2024 08:52	46.0	64.8	35.5	50.2	37.6
212	26/06/2024 08:57	41.5	64.6	34.8	43.1	36.9
213	26/06/2024 09:02	42.3	55.6	35.1	44.1	37.5
214	26/06/2024 09:07	44.6	65.1	35.1	45.4	37.8
215	26/06/2024 09:12	45.3	55.9	35.8	49.0	38.8
216	26/06/2024 09:17	46.5	69.6	36.5	47.1	40.4
217	26/06/2024 09:22	50.4	64.0	36.4	54.5	40.6
218	26/06/2024 09:27	46.1	65.6	36.7	48.0	39.7
219	26/06/2024 09:32	42.9	55.7	35.3	45.5	37.6
220	26/06/2024 09:37	40.5	51.4	34.8	43.5	36.9
221	26/06/2024 09:42	39.8	50.4	35.0	42.6	37.0
222	26/06/2024 09:47	45.6	68.2	34.6	46.8	37.6
223	26/06/2024 09:52	44.2	60.3	32.8	47.5	35.5
224	26/06/2024 09:57	39.1	50.2	30.7	42.4	33.9
225	26/06/2024 10:02	42.9	58.1	33.4	46.2	36.7
226	26/06/2024 10:07	46.4	56.1	34.8	50.6	37.3
227	26/06/2024 10:12	40.3	52.3	31.8	43.0	35.9
228	26/06/2024 10:17	42.1	57.0	33.0	43.9	36.6
229	26/06/2024 10:22	42.4	57.4	33.8	44.5	36.1
230	26/06/2024 10:27	43.8	65.2	33.1	45.2	35.8
231	26/06/2024 10:32	50.6	74.2	32.1	51.1	36.8
232	26/06/2024 10:37	45.0	65.0	30.7	46.0	34.4
233	26/06/2024 10:42	47.1	67.9	31.2	50.6	35.4
234	26/06/2024 10:47	46.9	66.1	32.7	48.7	36.1
235	26/06/2024 10:52	43.6	59.1	33.4	47.1	35.8
236	26/06/2024 10:57	39.6	55.2	30.8	42.2	32.7
237	26/06/2024 11:02	42.8	61.6	34.2	44.8	37.0
238	26/06/2024 11:07	41.9	55.4	34.3	44.7	37.0
239	26/06/2024 11:12	46.1	59.8	33.9	49.2	37.7
240	26/06/2024 11:17	48.5	65.0	37.1	51.9	40.3

Address	Start Time	Measured Sound Pressure Level [dB(A)]				
		L _{Aeq,5 mins}	L _{Amax,F,5mins}	L _{Amin,5mins}	L _{A10,5mins}	L _{A90,5mins}
241	26/06/2024 11:22	47.1	62.0	34.3	50.5	36.6
242	26/06/2024 11:27	45.4	59.0	35.4	47.5	37.5
243	26/06/2024 11:32	43.4	58.1	36.0	44.9	38.3
244	26/06/2024 11:37	45.3	64.2	35.4	48.9	37.2
245	26/06/2024 11:42	43.0	55.0	35.5	46.2	37.8
246	26/06/2024 11:47	44.5	56.2	35.7	47.9	38.0
247	26/06/2024 11:52	42.6	62.3	34.9	44.6	37.5
248	26/06/2024 11:57	45.4	63.9	35.9	47.9	38.9
249	26/06/2024 12:02	46.1	66.9	36.2	48.3	39.1
250	26/06/2024 12:07	48.8	66.0	35.3	52.0	39.1
251	26/06/2024 12:12	43.8	60.5	34.6	46.9	36.9
252	26/06/2024 12:17	50.1	62.8	35.5	55.3	39.0
253	26/06/2024 12:22	52.7	62.7	37.1	57.6	39.3
254	26/06/2024 12:27	50.6	62.4	37.0	54.8	39.3
255	26/06/2024 12:32	46.4	55.7	35.2	51.5	38.5
256	26/06/2024 12:37	47.7	55.3	35.3	52.5	38.7
257	26/06/2024 12:42	43.4	56.1	36.2	46.9	38.6
258	26/06/2024 12:47	47.2	62.2	36.9	49.4	39.1
259	26/06/2024 12:52	46.3	61.5	39.7	50.1	41.6
260	26/06/2024 12:57	46.0	66.4	39.9	47.7	41.4
261	26/06/2024 13:02	43.5	58.2	35.5	46.4	38.0
262	26/06/2024 13:07	50.3	66.2	39.4	52.9	42.2
263	26/06/2024 13:12	44.9	63.4	38.1	46.9	39.6
264	26/06/2024 13:17	43.6	55.6	38.9	45.6	41.0
265	26/06/2024 13:22	48.0	64.3	41.1	51.2	42.8
266	26/06/2024 13:27	48.3	63.7	38.6	51.3	40.5
267	26/06/2024 13:32	45.4	60.4	37.1	48.9	39.4
268	26/06/2024 13:37	47.4	57.9	37.6	51.5	39.7
269	26/06/2024 13:42	47.8	63.5	38.6	51.3	40.4
270	26/06/2024 13:47	48.4	64.8	37.9	52.6	40.0
271	26/06/2024 13:52	43.0	61.3	37.4	44.5	38.9
272	26/06/2024 13:57	46.8	64.1	36.8	47.9	39.4
273	26/06/2024 14:02	44.2	59.8	36.7	46.9	38.7
274	26/06/2024 14:07	43.0	55.6	37.1	46.2	39.3
275	26/06/2024 14:12	44.2	55.4	37.1	47.4	39.1
276	26/06/2024 14:17	45.2	61.7	37.3	46.0	38.8
277	26/06/2024 14:22	45.1	67.7	37.1	45.5	39.0
278	26/06/2024 14:27	44.7	63.5	36.2	47.0	39.1
279	26/06/2024 14:32	46.2	62.1	36.0	49.6	38.8
280	26/06/2024 14:37	43.2	59.0	38.0	45.2	39.6
281	26/06/2024 14:42	43.2	55.8	36.7	45.8	38.6
282	26/06/2024 14:47	45.5	59.1	38.5	48.3	41.0
283	26/06/2024 14:52	45.8	58.5	37.5	49.0	41.1
284	26/06/2024 14:57	47.2	61.2	39.1	50.8	41.5

Address	Start Time	Measured Sound Pressure Level [dB(A)]				
		L _{Aeq,5 mins}	L _{Amax,F,5mins}	L _{Amin,5mins}	L _{A10,5mins}	L _{A90,5mins}
285	26/06/2024 15:02	45.7	57.3	37.7	48.5	40.9
286	26/06/2024 15:07	46.3	64.2	37.8	48.5	40.5
287	26/06/2024 15:12	43.6	56.5	37.6	46.1	39.9
288	26/06/2024 15:17	47.4	59.3	35.5	52.2	38.7
289	26/06/2024 15:22	42.8	59.4	36.1	45.1	38.5
290	26/06/2024 15:27	40.1	52.0	35.1	42.3	37.0
291	26/06/2024 15:32	41.7	51.1	35.7	44.7	37.7
292	26/06/2024 15:37	47.4	62.3	36.2	50.3	38.8
293	26/06/2024 15:42	45.0	60.8	36.5	48.5	38.3
294	26/06/2024 15:47	43.0	62.2	35.6	44.0	37.4
295	26/06/2024 15:52	41.6	58.7	35.6	44.0	37.9
296	26/06/2024 15:57	40.3	56.3	35.1	42.3	37.0
297	26/06/2024 16:02	40.9	49.8	35.6	43.2	37.3
298	26/06/2024 16:07	43.0	64.1	37.2	44.7	38.8
299	26/06/2024 16:12	41.0	68.5	35.1	40.7	36.4
300	26/06/2024 16:17	45.2	58.0	36.5	48.4	38.3
301	26/06/2024 16:22	50.9	80.4	34.9	52.4	37.3
302	26/06/2024 16:27	43.6	54.1	34.3	48.6	36.3
303	26/06/2024 16:32	42.4	60.1	35.7	44.8	38.0
304	26/06/2024 16:37	41.1	59.9	34.8	43.5	36.8
305	26/06/2024 16:42	45.3	60.9	34.0	49.3	36.0
306	26/06/2024 16:47	41.0	55.6	33.5	42.8	36.4
307	26/06/2024 16:52	42.6	66.1	35.4	44.0	37.2
308	26/06/2024 16:57	44.4	67.6	34.8	45.9	37.6
309	26/06/2024 17:02	39.7	54.9	35.0	42.0	36.5
310	26/06/2024 17:07	39.0	56.9	34.7	40.0	36.4
311	26/06/2024 17:12	44.1	60.8	35.1	47.1	38.0
312	26/06/2024 17:17	50.7	66.4	35.0	52.9	37.9
313	26/06/2024 17:22	49.4	64.4	35.3	53.6	37.2
314	26/06/2024 17:27	44.2	59.5	35.2	48.3	37.1
315	26/06/2024 17:32	45.6	58.0	34.9	48.2	37.2
316	26/06/2024 17:37	41.8	57.4	34.0	44.7	36.0
317	26/06/2024 17:42	44.3	57.6	36.4	48.2	37.9
318	26/06/2024 17:47	39.3	54.1	35.3	41.0	36.9
319	26/06/2024 17:52	41.6	56.8	36.1	44.1	38.2
320	26/06/2024 17:57	42.1	56.8	35.8	45.0	37.5
321	26/06/2024 18:02	42.1	56.5	36.2	44.9	37.7
322	26/06/2024 18:07	43.7	56.9	35.3	47.7	37.7
323	26/06/2024 18:12	44.4	61.1	36.8	48.2	38.7
324	26/06/2024 18:17	40.7	57.6	35.8	42.5	37.8
325	26/06/2024 18:22	43.0	57.5	35.8	45.5	37.2
326	26/06/2024 18:27	40.7	52.8	36.4	42.6	38.3
327	26/06/2024 18:32	40.0	49.3	35.3	42.0	37.5
328	26/06/2024 18:37	44.6	62.5	37.8	46.6	40.2

Address	Start Time	Measured Sound Pressure Level [dB(A)]				
		L _{Aeq,5 mins}	L _{Amax,F,5mins}	L _{Amin,5mins}	L _{A10,5mins}	L _{A90,5mins}
329	26/06/2024 18:42	45.1	58.1	37.8	48.3	39.7
330	26/06/2024 18:47	42.3	53.1	36.9	45.0	38.8
331	26/06/2024 18:52	43.1	53.8	36.9	45.7	39.5
332	26/06/2024 18:57	42.3	53.6	36.5	44.3	38.5
333	26/06/2024 19:02	43.4	56.9	36.4	45.2	38.0
334	26/06/2024 19:07	41.3	59.8	35.9	43.3	38.2
335	26/06/2024 19:12	42.5	57.0	37.6	44.3	39.3
336	26/06/2024 19:17	44.6	55.6	37.0	48.2	39.1
337	26/06/2024 19:22	41.8	55.2	37.1	43.1	39.1
338	26/06/2024 19:27	42.0	58.2	35.6	44.2	38.6
339	26/06/2024 19:32	41.2	59.1	35.9	43.2	37.6
340	26/06/2024 19:37	39.8	52.4	36.7	41.0	38.0
341	26/06/2024 19:42	39.9	49.7	36.1	41.5	37.8
342	26/06/2024 19:47	41.1	57.4	36.1	42.5	38.0
343	26/06/2024 19:52	39.9	53.3	35.8	41.1	37.6
344	26/06/2024 19:57	39.7	53.3	35.5	41.4	37.5
345	26/06/2024 20:02	41.5	65.1	34.8	43.3	37.9
346	26/06/2024 20:07	40.1	60.6	34.0	40.0	36.4
347	26/06/2024 20:12	42.1	52.8	35.2	44.9	38.1
348	26/06/2024 20:17	41.3	52.5	35.3	43.8	37.7
349	26/06/2024 20:22	38.9	47.5	35.0	40.9	36.9
350	26/06/2024 20:27	40.3	57.1	34.9	41.9	37.6
351	26/06/2024 20:32	40.6	55.7	35.4	42.4	37.2
352	26/06/2024 20:37	39.3	54.2	35.1	40.9	36.6
353	26/06/2024 20:42	46.3	66.3	34.8	46.6	37.1
354	26/06/2024 20:47	47.7	71.0	35.6	45.5	37.3
355	26/06/2024 20:52	41.7	62.4	35.6	43.1	37.8
356	26/06/2024 20:57	40.0	53.6	36.3	41.5	38.0
357	26/06/2024 21:02	40.0	51.1	35.1	41.8	37.8
358	26/06/2024 21:07	41.2	63.3	35.6	43.4	37.4
359	26/06/2024 21:12	40.5	53.0	35.6	42.4	37.9
360	26/06/2024 21:17	40.5	59.8	35.5	42.4	37.3
361	26/06/2024 21:22	39.9	57.3	36.3	41.4	37.9
362	26/06/2024 21:27	42.6	59.7	36.8	44.4	39.1
363	26/06/2024 21:32	41.0	52.1	34.1	43.7	37.1
364	26/06/2024 21:37	39.2	48.9	34.3	41.4	36.3
365	26/06/2024 21:42	43.7	66.9	34.8	46.8	37.4
366	26/06/2024 21:47	39.8	49.9	34.3	42.6	36.3
367	26/06/2024 21:52	38.7	61.2	33.1	40.3	35.4
368	26/06/2024 21:57	41.1	60.5	34.6	43.5	36.8
369	26/06/2024 22:02	41.2	49.8	34.6	43.6	37.0
370	26/06/2024 22:07	38.6	55.6	34.2	39.7	35.3
371	26/06/2024 22:12	40.6	49.4	34.8	44.5	36.4
372	26/06/2024 22:17	38.6	45.5	33.7	40.7	35.6

Address	Start Time	Measured Sound Pressure Level [dB(A)]				
		L _{Aeq,5 mins}	L _{Amax,F,5mins}	L _{Amin,5mins}	L _{A10,5mins}	L _{A90,5mins}
373	26/06/2024 22:22	36.7	45.4	33.2	38.1	34.9
374	26/06/2024 22:27	36.0	42.8	31.6	38.0	33.6
375	26/06/2024 22:32	36.9	44.2	32.9	39.1	34.6
376	26/06/2024 22:37	41.3	51.7	32.0	45.7	34.6
377	26/06/2024 22:42	36.5	43.2	31.0	39.6	33.4
378	26/06/2024 22:47	39.6	54.9	31.1	38.8	33.2
379	26/06/2024 22:52	38.0	44.6	31.3	40.9	34.0
380	26/06/2024 22:57	37.8	49.5	31.6	39.9	33.6
381	26/06/2024 23:02	36.8	43.6	29.3	38.9	33.6
382	26/06/2024 23:07	35.7	42.6	28.8	37.6	32.5
383	26/06/2024 23:12	37.1	45.3	32.5	39.1	34.5
384	26/06/2024 23:17	35.8	40.2	31.3	37.6	33.3
385	26/06/2024 23:22	35.4	49.1	28.8	36.8	31.5
386	26/06/2024 23:27	34.4	41.2	28.1	36.9	30.5
387	26/06/2024 23:32	33.6	44.3	28.5	35.6	31.0
388	26/06/2024 23:37	34.1	39.9	29.7	36.1	31.3
389	26/06/2024 23:42	35.4	44.7	27.7	39.2	30.2
390	26/06/2024 23:47	32.2	47.0	24.5	34.3	27.1
391	26/06/2024 23:52	31.3	43.1	24.2	33.5	26.7
392	26/06/2024 23:57	31.5	36.6	23.4	33.8	26.6
393	27/06/2024 00:02	34.1	45.3	28.0	36.2	31.0
394	27/06/2024 00:07	31.5	37.0	26.1	33.5	28.3
395	27/06/2024 00:12	31.5	38.2	25.2	33.9	28.4
396	27/06/2024 00:17	31.7	40.5	24.5	34.0	27.4
397	27/06/2024 00:22	31.5	37.8	26.7	33.6	29.0
398	27/06/2024 00:27	33.1	41.0	27.0	35.7	29.4
399	27/06/2024 00:32	30.8	36.5	25.5	32.9	27.4
400	27/06/2024 00:37	30.3	40.1	25.0	33.0	27.0
401	27/06/2024 00:42	30.9	36.9	26.2	33.2	28.1
402	27/06/2024 00:47	30.9	39.7	26.0	33.1	28.2
403	27/06/2024 00:52	28.9	39.3	24.1	30.9	26.2
404	27/06/2024 00:57	31.6	40.6	24.4	34.4	27.3
405	27/06/2024 01:02	31.6	38.3	26.1	34.3	28.4
406	27/06/2024 01:07	31.3	39.1	24.3	34.0	27.0
407	27/06/2024 01:12	32.4	42.4	23.0	36.9	25.8
408	27/06/2024 01:17	34.2	41.2	26.4	36.7	29.2
409	27/06/2024 01:22	34.3	47.2	25.6	36.9	29.3
410	27/06/2024 01:27	34.8	44.3	24.9	38.1	28.5
411	27/06/2024 01:32	32.4	42.0	22.9	36.7	24.1
412	27/06/2024 01:37	27.4	41.2	22.5	30.3	23.6
413	27/06/2024 01:42	33.9	43.8	23.9	37.3	26.9
414	27/06/2024 01:47	31.9	40.3	22.3	35.6	23.6
415	27/06/2024 01:52	32.8	40.4	25.6	35.6	27.8
416	27/06/2024 01:57	25.8	33.6	22.7	27.3	24.1

Address	Start Time	Measured Sound Pressure Level [dB(A)]				
		L _{Aeq,5 mins}	L _{Amax,F,5mins}	L _{Amin,5mins}	L _{A10,5mins}	L _{A90,5mins}
417	27/06/2024 02:02	29.7	41.0	21.9	33.1	23.1
418	27/06/2024 02:07	33.2	42.8	22.5	36.6	26.3
419	27/06/2024 02:12	31.9	41.3	23.1	35.8	25.0
420	27/06/2024 02:17	31.8	42.6	22.9	34.7	25.1
421	27/06/2024 02:22	32.7	41.9	24.0	36.6	26.4
422	27/06/2024 02:27	30.4	44.8	22.9	34.5	24.5
423	27/06/2024 02:32	31.1	44.4	22.4	34.4	24.2
424	27/06/2024 02:37	32.5	41.7	24.4	37.2	25.8
425	27/06/2024 02:42	34.0	41.3	26.5	37.1	29.3
426	27/06/2024 02:47	32.7	41.0	23.0	36.0	27.0
427	27/06/2024 02:52	33.0	43.7	24.7	36.2	27.1
428	27/06/2024 02:57	33.3	43.4	23.0	37.1	25.5
429	27/06/2024 03:02	34.5	43.4	24.9	37.9	28.0
430	27/06/2024 03:07	35.5	45.0	26.7	39.4	29.2
431	27/06/2024 03:12	33.7	45.7	24.7	37.0	27.1
432	27/06/2024 03:17	34.4	45.3	24.1	38.7	27.3
433	27/06/2024 03:22	36.3	44.6	26.7	40.1	28.9
434	27/06/2024 03:27	33.0	43.9	27.1	35.5	28.8
435	27/06/2024 03:32	32.0	46.3	26.9	33.9	29.3
436	27/06/2024 03:37	31.7	38.9	26.9	33.9	28.7
437	27/06/2024 03:42	34.3	45.4	26.8	36.9	30.1
438	27/06/2024 03:47	34.8	42.5	28.8	37.5	31.1
439	27/06/2024 03:52	36.6	51.9	30.5	38.6	32.8
440	27/06/2024 03:57	37.8	51.8	30.6	40.1	33.9
441	27/06/2024 04:02	41.8	66.8	33.1	42.4	35.6
442	27/06/2024 04:07	38.2	50.8	32.7	40.3	35.3
443	27/06/2024 04:12	37.4	46.3	30.9	40.0	33.5
444	27/06/2024 04:17	38.3	62.7	28.8	40.5	32.1
445	27/06/2024 04:22	40.7	56.5	32.0	43.0	35.4
446	27/06/2024 04:27	40.8	61.4	30.7	42.8	33.9
447	27/06/2024 04:32	41.0	64.1	33.6	42.8	36.3
448	27/06/2024 04:37	39.7	46.8	34.0	42.2	35.9
449	27/06/2024 04:42	41.5	54.1	34.2	44.8	37.0
450	27/06/2024 04:47	42.8	55.6	34.5	46.2	37.8
451	27/06/2024 04:52	40.9	52.6	33.8	42.8	37.1
452	27/06/2024 04:57	42.7	61.8	32.6	42.5	35.6
453	27/06/2024 05:02	40.5	59.8	32.3	42.9	35.7
454	27/06/2024 05:07	40.9	53.1	32.9	44.1	35.4
455	27/06/2024 05:12	42.3	52.8	32.9	45.0	37.4
456	27/06/2024 05:17	43.1	54.8	37.2	45.5	39.6
457	27/06/2024 05:22	42.0	51.8	35.4	45.3	37.8
458	27/06/2024 05:27	41.5	61.0	36.3	43.2	38.7
459	27/06/2024 05:32	42.9	61.7	36.7	44.9	38.9
460	27/06/2024 05:37	44.5	49.9	39.5	46.3	42.1

Address	Start Time	Measured Sound Pressure Level [dB(A)]				
		L _{Aeq,5 mins}	L _{Amax,F,5mins}	L _{Amin,5mins}	L _{A10,5mins}	L _{A90,5mins}
461	27/06/2024 05:42	46.0	53.1	39.9	48.3	43.1
462	27/06/2024 05:47	46.8	51.9	41.5	48.6	44.5
463	27/06/2024 05:52	47.2	52.8	42.9	48.9	45.3
464	27/06/2024 05:57	46.9	71.9	38.9	48.3	41.8
465	27/06/2024 06:02	44.4	59.9	39.4	46.3	41.4
466	27/06/2024 06:07	42.8	50.0	39.3	44.3	40.9
467	27/06/2024 06:12	44.2	62.5	38.2	45.7	41.5
468	27/06/2024 06:17	45.0	59.9	39.8	46.9	42.0
469	27/06/2024 06:22	44.2	57.0	38.2	46.1	40.4
470	27/06/2024 06:27	42.4	51.1	38.3	44.2	40.2
471	27/06/2024 06:32	42.2	60.2	37.7	43.1	39.4
472	27/06/2024 06:37	42.7	51.2	39.0	44.6	40.4
473	27/06/2024 06:42	43.9	64.2	39.6	45.6	41.2
474	27/06/2024 06:47	42.5	47.9	39.4	43.9	41.2
475	27/06/2024 06:52	44.6	66.0	38.6	44.6	41.0
476	27/06/2024 06:57	43.4	62.2	37.5	45.6	40.0
477	27/06/2024 07:02	46.3	65.9	36.5	47.2	38.6
478	27/06/2024 07:07	43.3	53.4	37.1	45.9	39.3
479	27/06/2024 07:12	44.1	58.4	38.2	45.7	40.4
480	27/06/2024 07:17	46.9	60.3	38.7	49.6	42.2
481	27/06/2024 07:22	48.0	64.0	38.4	50.6	42.6
482	27/06/2024 07:27	46.8	62.4	39.0	49.4	41.2
483	27/06/2024 07:32	43.3	60.1	38.4	45.3	40.5
484	27/06/2024 07:37	45.3	65.1	39.6	47.3	41.6
485	27/06/2024 07:42	48.6	70.8	39.4	47.2	40.9
486	27/06/2024 07:47	48.6	68.3	37.3	50.1	39.2
487	27/06/2024 07:52	43.2	58.2	37.4	45.5	39.6
488	27/06/2024 07:57	42.2	56.1	36.1	44.8	39.3
489	27/06/2024 08:02	42.8	63.6	37.6	43.6	39.3
490	27/06/2024 08:07	45.6	69.2	35.8	43.9	38.1
491	27/06/2024 08:12	41.3	60.0	36.2	42.6	38.2
492	27/06/2024 08:17	45.1	59.1	37.4	48.3	39.6
493	27/06/2024 08:22	47.0	62.0	39.9	49.1	42.4
494	27/06/2024 08:27	44.8	57.4	39.5	46.9	41.7
495	27/06/2024 08:32	44.0	59.3	37.7	46.3	39.8
496	27/06/2024 08:37	42.8	52.0	38.4	44.6	40.4
497	27/06/2024 08:42	43.4	54.4	36.8	46.3	39.3
498	27/06/2024 08:47	40.9	55.6	35.4	43.4	37.4
499	27/06/2024 08:52	46.8	64.5	34.7	47.1	37.6
500	27/06/2024 08:57	43.6	66.5	35.6	45.6	37.3
501	27/06/2024 09:02	41.8	57.6	35.8	44.0	38.1
502	27/06/2024 09:07	43.9	55.8	36.6	46.4	39.4
503	27/06/2024 09:12	43.4	60.4	37.0	45.8	39.5
504	27/06/2024 09:17	45.7	61.2	38.6	47.8	41.4

Address	Start Time	Measured Sound Pressure Level [dB(A)]				
		L _{Aeq,5 mins}	L _{Amax,F,5mins}	L _{Amin,5mins}	L _{A10,5mins}	L _{A90,5mins}
505	27/06/2024 09:22	44.7	58.2	38.1	47.3	40.9
506	27/06/2024 09:27	46.2	72.3	36.7	47.3	39.8
507	27/06/2024 09:32	45.9	64.4	38.3	47.8	41.0
508	27/06/2024 09:37	46.1	57.4	38.8	49.0	41.7
509	27/06/2024 09:42	46.2	66.7	37.4	49.0	39.8
510	27/06/2024 09:47	44.6	62.8	36.9	47.2	39.4
511	27/06/2024 09:52	43.2	53.4	38.0	45.7	40.0
512	27/06/2024 09:57	46.4	59.5	37.9	49.9	40.5
513	27/06/2024 10:02	43.6	53.2	38.0	45.9	40.3
514	27/06/2024 10:07	47.0	65.4	39.8	48.8	42.2
515	27/06/2024 10:12	46.1	60.5	39.0	49.0	41.4
516	27/06/2024 10:17	46.7	56.4	39.3	49.8	41.4
517	27/06/2024 10:22	47.5	58.0	40.6	50.1	43.3
518	27/06/2024 10:27	47.6	62.4	38.7	50.5	41.3
519	27/06/2024 10:32	48.7	58.4	41.6	51.8	44.0
520	27/06/2024 10:37	50.4	65.3	41.8	53.8	44.3
521	27/06/2024 10:42	49.0	63.1	40.3	52.5	42.6
522	27/06/2024 10:47	50.1	61.8	40.3	53.2	44.3
523	27/06/2024 10:52	52.2	64.0	43.1	55.0	46.4
524	27/06/2024 10:57	51.8	65.4	39.7	55.6	44.3
525	27/06/2024 11:02	50.3	65.0	40.5	53.4	44.5
526	27/06/2024 11:07	49.9	59.9	40.8	53.6	42.7
527	27/06/2024 11:12	50.5	64.0	40.0	54.0	44.8
528	27/06/2024 11:17	47.7	59.9	39.0	50.8	42.5
529	27/06/2024 11:22	52.7	66.1	40.7	56.3	44.8
530	27/06/2024 11:27	48.9	62.9	41.3	51.8	43.6
531	27/06/2024 11:32	50.8	62.4	41.5	54.8	43.9
532	27/06/2024 11:37	49.7	62.3	43.0	52.5	45.0
533	27/06/2024 11:42	50.2	63.3	41.0	53.8	43.8
534	27/06/2024 11:47	48.6	59.2	41.5	51.5	43.6
535	27/06/2024 11:52	47.3	61.5	39.2	50.2	41.9
536	27/06/2024 11:57	48.3	60.2	40.1	51.6	42.9
537	27/06/2024 12:02	47.7	61.1	39.6	50.8	42.4
538	27/06/2024 12:07	48.5	64.1	41.0	51.4	43.5
539	27/06/2024 12:12	50.8	62.4	43.0	54.2	45.3
540	27/06/2024 12:17	50.5	61.0	40.8	53.6	44.3
541	27/06/2024 12:22	48.3	58.6	41.0	51.0	43.7
542	27/06/2024 12:27	49.3	62.1	42.1	52.6	44.3
543	27/06/2024 12:32	55.6	70.0	42.8	58.8	45.3
544	27/06/2024 12:37	50.9	63.2	41.4	54.0	45.1
545	27/06/2024 12:42	50.4	63.9	40.6	53.6	44.5
546	27/06/2024 12:47	48.0	58.0	41.2	51.3	42.8
547	27/06/2024 12:52	48.0	59.4	40.7	51.1	43.2
548	27/06/2024 12:57	48.6	63.4	40.1	51.8	42.6

Address	Start Time	Measured Sound Pressure Level [dB(A)]				
		L _{Aeq,5 mins}	L _{Amax,F,5mins}	L _{Amin,5mins}	L _{A10,5mins}	L _{A90,5mins}
549	27/06/2024 13:02	47.7	62.2	39.5	50.6	42.3
550	27/06/2024 13:07	47.3	62.6	40.1	50.0	42.1
551	27/06/2024 13:12	50.7	66.5	40.6	54.1	42.7
552	27/06/2024 13:17	49.9	71.0	41.4	52.8	43.1
553	27/06/2024 13:22	51.8	67.0	44.5	55.1	46.6
554	27/06/2024 13:27	52.9	74.7	44.2	55.4	46.5
555	27/06/2024 13:32	51.0	63.8	44.0	53.9	46.4
556	27/06/2024 13:37	51.9	61.9	43.0	54.9	47.2
557	27/06/2024 13:42	51.4	64.7	43.8	54.1	47.2
558	27/06/2024 13:47	49.7	65.8	43.5	51.7	46.1
559	27/06/2024 13:52	50.7	62.4	44.6	53.4	46.7
560	27/06/2024 13:57	49.8	60.8	43.7	52.3	46.6
561	27/06/2024 14:02	46.9	58.4	41.4	49.6	43.4
562	27/06/2024 14:07	49.5	59.7	42.9	52.6	45.0
563	27/06/2024 14:12	50.5	62.6	43.5	53.7	45.6
564	27/06/2024 14:17	52.1	65.2	43.3	55.7	45.4
565	27/06/2024 14:22	54.8	72.1	45.4	57.6	48.3
566	27/06/2024 14:27	51.8	65.0	43.9	54.7	47.3
567	27/06/2024 14:32	52.6	64.5	45.2	55.5	47.6
568	27/06/2024 14:37	53.3	65.2	45.6	56.5	48.2
569	27/06/2024 14:42	53.3	69.1	44.3	56.8	47.4
570	27/06/2024 14:47	51.6	66.2	44.1	53.8	46.4
571	27/06/2024 14:52	50.8	66.4	41.7	54.1	45.4
572	27/06/2024 14:57	52.8	66.2	43.8	55.5	46.3
573	27/06/2024 15:02	53.2	66.9	45.1	56.4	47.7
574	27/06/2024 15:07	51.4	65.5	43.8	54.4	45.8
575	27/06/2024 15:12	55.6	67.2	46.1	58.6	50.0
576	27/06/2024 15:17	52.5	65.1	45.7	55.0	48.2
577	27/06/2024 15:22	53.6	65.0	46.2	56.4	48.8
578	27/06/2024 15:27	52.3	63.2	43.6	56.2	46.5
579	27/06/2024 15:32	51.4	66.1	45.0	54.1	47.6
580	27/06/2024 15:37	52.1	64.2	46.1	54.9	47.9
581	27/06/2024 15:42	55.0	68.0	46.0	58.2	48.8
582	27/06/2024 15:47	54.4	65.1	47.0	57.5	49.5
583	27/06/2024 15:52	54.7	65.5	46.3	57.9	49.8
584	27/06/2024 15:57	53.6	66.0	46.1	56.8	48.7
585	27/06/2024 16:02	54.3	63.1	45.4	57.0	48.1
586	27/06/2024 16:07	54.7	65.1	46.5	58.1	49.2
587	27/06/2024 16:12	52.5	62.4	43.8	55.8	46.8
588	27/06/2024 16:17	52.5	70.4	44.7	55.5	46.6
589	27/06/2024 16:22	50.1	60.7	43.6	52.5	45.8
590	27/06/2024 16:27	52.6	63.4	44.3	55.9	46.5
591	27/06/2024 16:32	52.2	65.0	43.0	55.5	46.7
592	27/06/2024 16:37	51.9	62.7	42.9	55.8	46.1

Address	Start Time	Measured Sound Pressure Level [dB(A)]				
		L _{Aeq,5 mins}	L _{Amax,F,5mins}	L _{Amin,5mins}	L _{A10,5mins}	L _{A90,5mins}
593	27/06/2024 16:42	52.3	63.4	44.2	55.3	47.0
594	27/06/2024 16:47	50.6	59.0	44.9	53.0	46.8
595	27/06/2024 16:52	53.6	64.3	45.2	56.8	47.8
596	27/06/2024 16:57	54.4	67.5	44.5	57.4	47.0
597	27/06/2024 17:02	54.4	66.4	46.5	57.7	48.3
598	27/06/2024 17:07	53.0	67.7	45.0	56.3	46.6
599	27/06/2024 17:12	53.9	64.8	44.5	57.4	47.5
600	27/06/2024 17:17	54.0	66.5	45.9	57.0	48.9
601	27/06/2024 17:22	51.9	64.6	42.7	55.1	45.7
602	27/06/2024 17:27	52.4	63.4	44.0	56.1	45.8
603	27/06/2024 17:32	49.8	61.6	42.2	53.3	44.5
604	27/06/2024 17:37	52.2	65.9	42.9	55.9	45.7
605	27/06/2024 17:42	51.2	62.0	43.1	54.5	46.0
606	27/06/2024 17:47	52.8	65.8	43.9	56.6	46.2
607	27/06/2024 17:52	51.5	62.0	43.9	55.2	45.8
608	27/06/2024 17:57	50.9	62.4	43.1	54.4	45.5
609	27/06/2024 18:02	50.2	68.0	43.5	52.1	45.5
610	27/06/2024 18:07	53.8	64.6	44.6	57.3	47.3
611	27/06/2024 18:12	54.5	67.6	44.0	57.7	47.4
612	27/06/2024 18:17	50.9	61.5	42.1	54.8	44.2
613	27/06/2024 18:22	50.0	61.1	42.2	53.2	44.6
614	27/06/2024 18:27	51.6	65.3	43.0	55.2	44.7
615	27/06/2024 18:32	53.8	63.0	44.7	56.8	48.3
616	27/06/2024 18:37	54.5	67.0	42.3	57.7	47.4
617	27/06/2024 18:42	51.1	63.6	42.2	53.9	45.1
618	27/06/2024 18:47	52.1	65.8	41.6	55.1	44.4
619	27/06/2024 18:52	55.9	65.1	46.7	58.8	50.3
620	27/06/2024 18:57	49.9	63.8	40.4	53.2	43.1
621	27/06/2024 19:02	50.3	58.7	42.2	53.3	45.0
622	27/06/2024 19:07	53.8	67.3	43.6	56.9	47.7
623	27/06/2024 19:12	54.2	67.9	43.6	57.7	46.6
624	27/06/2024 19:17	53.6	64.3	43.8	56.9	47.4
625	27/06/2024 19:22	56.9	76.5	43.3	59.6	47.4
626	27/06/2024 19:27	53.4	71.0	42.2	57.1	45.8
627	27/06/2024 19:32	50.4	63.5	40.0	53.8	43.6
628	27/06/2024 19:37	51.4	64.6	42.2	54.2	44.6
629	27/06/2024 19:42	48.8	61.5	41.8	52.2	43.5
630	27/06/2024 19:47	48.7	60.9	40.2	51.9	43.2
631	27/06/2024 19:52	51.1	63.5	41.3	54.7	44.3
632	27/06/2024 19:57	50.6	63.5	41.6	54.0	44.0
633	27/06/2024 20:02	48.8	62.6	41.1	51.4	44.7
634	27/06/2024 20:07	50.9	64.4	42.2	54.2	44.5
635	27/06/2024 20:12	49.4	61.5	39.3	53.1	41.8
636	27/06/2024 20:17	46.5	56.0	38.1	49.4	41.8

Address	Start Time	Measured Sound Pressure Level [dB(A)]				
		L _{Aeq,5 mins}	L _{Amax,F,5mins}	L _{Amin,5mins}	L _{A10,5mins}	L _{A90,5mins}
637	27/06/2024 20:22	48.2	66.6	38.7	50.8	42.3
638	27/06/2024 20:27	50.2	69.7	39.3	51.6	42.3
639	27/06/2024 20:32	51.1	62.6	41.6	54.5	45.0
640	27/06/2024 20:37	47.7	57.8	38.6	51.0	41.8
641	27/06/2024 20:42	46.9	57.7	38.4	50.4	41.3
642	27/06/2024 20:47	48.9	63.9	41.3	52.3	43.4
643	27/06/2024 20:52	46.3	61.5	40.4	49.0	42.3
644	27/06/2024 20:57	45.1	59.4	37.2	48.2	40.0
645	27/06/2024 21:02	43.8	56.1	36.5	47.0	39.1
646	27/06/2024 21:07	45.2	61.5	37.4	48.2	40.0
647	27/06/2024 21:12	47.7	60.4	39.1	51.3	41.9
648	27/06/2024 21:17	47.4	68.5	37.1	49.6	40.3
649	27/06/2024 21:22	44.9	62.3	35.4	47.8	38.3
650	27/06/2024 21:27	40.9	49.8	36.1	43.2	37.9
651	27/06/2024 21:32	41.2	55.3	34.1	43.5	37.2
652	27/06/2024 21:37	37.5	46.8	32.1	39.6	35.0
653	27/06/2024 21:42	55.2	71.7	32.1	55.9	34.6
654	27/06/2024 21:47	38.3	57.3	32.7	39.1	34.8
655	27/06/2024 21:52	38.0	46.6	33.7	39.8	35.6
656	27/06/2024 21:57	42.1	53.1	35.1	44.7	37.2
657	27/06/2024 22:02	41.6	52.6	35.3	44.1	37.5
658	27/06/2024 22:07	41.8	54.8	34.1	44.9	36.5
659	27/06/2024 22:12	40.6	52.1	34.7	43.2	36.7
660	27/06/2024 22:17	41.4	57.7	33.8	43.9	36.1
661	27/06/2024 22:22	39.0	57.2	32.7	41.6	35.4
662	27/06/2024 22:27	38.9	50.8	31.4	41.7	34.8
663	27/06/2024 22:32	43.4	62.3	33.8	45.8	36.8
664	27/06/2024 22:37	46.6	64.6	35.2	50.0	39.3
665	27/06/2024 22:42	47.8	62.9	37.2	50.6	40.2
666	27/06/2024 22:47	49.1	62.8	37.5	52.3	41.1
667	27/06/2024 22:52	49.5	61.4	37.8	53.9	41.0
668	27/06/2024 22:57	49.0	63.2	37.4	52.9	41.6
669	27/06/2024 23:02	43.7	62.1	32.9	47.1	36.5
670	27/06/2024 23:07	48.7	64.1	36.6	52.6	39.4
671	27/06/2024 23:12	50.6	64.9	35.8	54.7	38.5
672	27/06/2024 23:17	46.6	63.0	35.1	50.5	37.7
673	27/06/2024 23:22	43.9	56.7	35.4	47.4	38.0
674	27/06/2024 23:27	46.1	65.6	34.5	50.2	37.5
675	27/06/2024 23:32	41.0	63.1	31.6	43.2	34.1
676	27/06/2024 23:37	39.6	54.0	29.1	43.1	32.6
677	27/06/2024 23:42	36.5	48.9	30.4	38.6	32.3
678	27/06/2024 23:47	37.4	47.0	28.8	40.4	32.5
679	27/06/2024 23:52	34.5	42.6	27.0	37.0	30.7
680	27/06/2024 23:57	34.1	42.1	28.8	36.3	31.4

Address	Start Time	Measured Sound Pressure Level [dB(A)]				
		L _{Aeq,5 mins}	L _{Amax,F,5mins}	L _{Amin,5mins}	L _{A10,5mins}	L _{A90,5mins}
681	28/06/2024 00:02	33.8	42.0	28.2	35.9	30.7
682	28/06/2024 00:07	33.7	43.0	26.9	36.5	29.4
683	28/06/2024 00:12	29.7	36.8	24.1	31.8	26.3
684	28/06/2024 00:17	34.2	40.5	29.3	36.5	30.8
685	28/06/2024 00:22	31.8	41.1	26.8	34.8	28.7
686	28/06/2024 00:27	29.5	43.3	24.3	32.0	26.2
687	28/06/2024 00:32	35.4	46.2	28.5	37.9	31.7
688	28/06/2024 00:37	33.1	44.0	26.8	36.4	29.2
689	28/06/2024 00:42	34.5	46.5	27.0	37.6	29.4
690	28/06/2024 00:47	34.4	45.1	27.0	37.4	29.2
691	28/06/2024 00:52	32.1	43.1	25.5	35.1	27.4
692	28/06/2024 00:57	35.2	47.0	27.7	37.9	30.2
693	28/06/2024 01:02	33.7	41.3	27.0	37.1	29.1
694	28/06/2024 01:07	34.2	44.2	28.1	36.3	30.0
695	28/06/2024 01:12	36.3	47.5	28.8	39.3	31.7
696	28/06/2024 01:17	34.0	47.5	26.0	36.3	28.8
697	28/06/2024 01:22	30.9	41.5	25.2	33.5	27.0
698	28/06/2024 01:27	34.4	42.7	26.7	37.1	29.4
699	28/06/2024 01:32	34.1	42.4	26.1	37.3	29.5
700	28/06/2024 01:37	32.6	41.3	25.9	35.6	28.3
701	28/06/2024 01:42	32.6	40.0	25.1	35.5	28.0
702	28/06/2024 01:47	29.2	38.9	23.7	31.5	25.7
703	28/06/2024 01:52	33.2	41.4	25.8	36.4	28.4
704	28/06/2024 01:57	29.8	37.0	24.5	31.8	27.0
705	28/06/2024 02:02	26.7	35.7	23.2	28.5	24.4
706	28/06/2024 02:07	29.3	40.3	23.4	31.4	25.5
707	28/06/2024 02:12	31.2	41.7	24.2	34.3	26.5
708	28/06/2024 02:17	30.1	39.6	23.6	33.2	25.9
709	28/06/2024 02:22	31.3	39.2	24.7	34.1	26.8
710	28/06/2024 02:27	28.5	35.5	23.7	30.6	25.6
711	28/06/2024 02:32	29.5	36.3	24.1	31.6	26.3
712	28/06/2024 02:37	28.2	37.7	22.9	30.3	25.1
713	28/06/2024 02:42	30.3	35.9	25.8	32.5	27.8
714	28/06/2024 02:47	30.5	43.1	24.7	33.1	26.8
715	28/06/2024 02:52	30.5	41.0	24.7	32.6	27.4
716	28/06/2024 02:57	30.7	43.0	24.4	33.1	26.3
717	28/06/2024 03:02	34.0	42.6	25.6	36.8	29.2
718	28/06/2024 03:07	30.4	40.7	22.7	33.6	24.6
719	28/06/2024 03:12	31.1	42.7	22.7	34.6	25.0
720	28/06/2024 03:17	33.6	46.7	25.8	36.7	27.4
721	28/06/2024 03:22	35.2	50.7	27.0	37.9	29.2
722	28/06/2024 03:27	40.2	59.7	29.1	42.9	31.4
723	28/06/2024 03:32	42.6	57.2	30.3	47.0	33.5
724	28/06/2024 03:37	41.5	55.6	31.4	44.7	34.7

Address	Start Time	Measured Sound Pressure Level [dB(A)]				
		L _{Aeq,5 mins}	L _{Amax,F,5mins}	L _{Amin,5mins}	L _{A10,5mins}	L _{A90,5mins}
725	28/06/2024 03:42	39.2	58.6	30.1	42.5	32.9
726	28/06/2024 03:47	43.2	60.3	29.3	46.4	34.2
727	28/06/2024 03:52	35.5	49.7	28.2	37.5	31.4
728	28/06/2024 03:57	38.2	54.8	28.7	41.1	31.3
729	28/06/2024 04:02	44.2	66.7	28.8	45.1	33.6
730	28/06/2024 04:07	55.5	79.1	31.6	53.0	34.5
731	28/06/2024 04:12	39.9	63.8	28.2	41.0	32.0
732	28/06/2024 04:17	40.5	53.1	30.6	44.0	34.2
733	28/06/2024 04:22	48.4	70.2	31.3	47.9	35.9
734	28/06/2024 04:27	47.2	67.5	31.2	46.1	34.8
735	28/06/2024 04:32	49.1	69.1	29.9	51.2	33.9
736	28/06/2024 04:37	38.9	50.9	30.6	42.1	33.9
737	28/06/2024 04:42	43.8	70.1	31.5	44.9	35.4
738	28/06/2024 04:47	39.8	52.6	32.0	41.6	34.8
739	28/06/2024 04:52	39.4	53.0	32.3	41.2	35.4
740	28/06/2024 04:57	40.6	57.4	33.1	42.8	35.9
741	28/06/2024 05:02	42.1	65.1	34.5	43.7	37.2
742	28/06/2024 05:07	51.7	70.9	31.1	50.3	35.4
743	28/06/2024 05:12	41.8	55.6	31.0	44.5	36.4
744	28/06/2024 05:17	41.1	64.5	32.7	41.6	36.3
745	28/06/2024 05:22	49.0	74.5	34.0	43.3	36.7
746	28/06/2024 05:27	41.5	56.4	35.0	43.3	37.7
747	28/06/2024 05:32	56.2	74.5	34.0	52.4	37.7
748	28/06/2024 05:37	44.5	64.1	34.7	43.8	37.5
749	28/06/2024 05:42	47.7	68.8	35.5	50.5	37.8
750	28/06/2024 05:47	42.8	66.3	34.5	42.3	36.8
751	28/06/2024 05:52	42.0	56.0	34.2	44.5	37.2
752	28/06/2024 05:57	41.0	57.0	33.5	44.0	36.2
753	28/06/2024 06:02	40.5	50.2	32.7	43.3	36.2
754	28/06/2024 06:07	43.0	58.7	35.7	45.6	38.4
755	28/06/2024 06:12	42.6	51.8	36.4	44.9	39.4
756	28/06/2024 06:17	44.6	62.0	36.9	47.7	40.0
757	28/06/2024 06:22	50.9	69.2	35.3	54.1	39.0
758	28/06/2024 06:27	44.5	58.5	38.8	47.2	40.9
759	28/06/2024 06:32	46.6	61.5	37.2	49.2	40.5
760	28/06/2024 06:37	44.8	57.3	37.3	48.2	39.9
761	28/06/2024 06:42	45.5	60.6	38.1	48.3	40.9
762	28/06/2024 06:47	45.6	68.3	38.4	47.8	40.3
763	28/06/2024 06:52	45.0	58.0	38.1	47.9	40.4
764	28/06/2024 06:57	44.7	56.1	38.5	47.6	40.5
765	28/06/2024 07:02	45.0	57.8	37.3	47.3	40.5
766	28/06/2024 07:07	46.0	58.2	38.3	49.1	41.1
767	28/06/2024 07:12	46.6	70.5	38.8	48.6	41.1
768	28/06/2024 07:17	44.7	55.1	38.6	47.0	41.2

Address	Start Time	Measured Sound Pressure Level [dB(A)]				
		L _{Aeq,5 mins}	L _{Amax,F,5mins}	L _{Amin,5mins}	L _{A10,5mins}	L _{A90,5mins}
769	28/06/2024 07:22	48.4	62.9	39.8	51.6	42.5
770	28/06/2024 07:27	48.8	63.2	41.3	51.7	43.5
771	28/06/2024 07:32	45.9	59.6	39.9	48.4	42.0
772	28/06/2024 07:37	47.9	63.0	40.6	50.8	42.9
773	28/06/2024 07:42	46.3	60.0	39.7	49.0	42.2
774	28/06/2024 07:47	48.2	59.5	39.5	51.7	42.1
775	28/06/2024 07:52	48.0	59.3	39.8	51.4	42.4
776	28/06/2024 07:57	45.5	62.2	39.0	47.9	40.9
777	28/06/2024 08:02	45.6	60.6	39.8	47.9	41.3
778	28/06/2024 08:07	46.7	62.3	39.2	49.7	41.0
779	28/06/2024 08:12	46.9	61.2	39.6	50.1	41.4
780	28/06/2024 08:17	47.1	60.9	39.1	50.2	41.8
781	28/06/2024 08:22	50.0	66.4	40.9	52.6	43.3
782	28/06/2024 08:27	47.0	56.6	41.1	49.6	43.5
783	28/06/2024 08:32	49.0	61.7	41.1	52.1	43.4
784	28/06/2024 08:37	46.0	60.4	39.6	49.2	41.2
785	28/06/2024 08:42	47.5	58.7	39.8	51.0	42.0
786	28/06/2024 08:47	46.8	60.0	39.4	49.9	41.9
787	28/06/2024 08:52	47.2	63.1	39.6	49.6	41.9
788	28/06/2024 08:57	45.3	59.8	38.8	48.2	40.9
789	28/06/2024 09:02	44.2	56.1	38.6	46.4	40.8
790	28/06/2024 09:07	47.1	61.8	37.9	50.0	40.9
791	28/06/2024 09:12	48.7	61.4	39.9	52.3	42.3
792	28/06/2024 09:17	48.9	63.8	39.2	52.0	42.9
793	28/06/2024 09:22	46.9	59.9	38.8	50.0	41.0
794	28/06/2024 09:27	46.0	58.3	38.5	48.5	41.5
795	28/06/2024 09:32	49.8	62.6	39.0	53.8	42.3
796	28/06/2024 09:37	48.0	63.7	39.8	51.8	41.8
797	28/06/2024 09:42	44.3	57.3	38.8	46.6	40.4
798	28/06/2024 09:47	56.3	73.2	39.1	59.4	41.5
799	28/06/2024 09:52	48.4	65.0	40.1	51.9	42.5
800	28/06/2024 09:57	43.2	58.1	37.9	45.7	39.9
801	28/06/2024 10:02	44.3	57.5	39.7	46.2	41.1
802	28/06/2024 10:07	47.1	64.8	39.2	49.7	41.7
803	28/06/2024 10:12	48.3	61.5	38.2	52.2	39.9
804	28/06/2024 10:17	55.2	67.8	42.2	59.8	46.5
805	28/06/2024 10:22	56.1	69.0	39.6	60.4	43.9
806	28/06/2024 10:27	48.2	57.4	39.5	51.2	42.3
807	28/06/2024 10:32	47.3	65.4	39.2	50.2	41.7
808	28/06/2024 10:37	48.9	61.8	41.2	51.9	43.2
809	28/06/2024 10:42	49.1	62.1	40.8	52.3	43.6
810	28/06/2024 10:47	48.2	63.5	40.0	51.3	42.5
811	28/06/2024 10:52	49.1	60.0	41.7	52.4	43.7
812	28/06/2024 10:57	50.3	61.2	41.1	54.1	43.5

Address	Start Time	Measured Sound Pressure Level [dB(A)]				
		L _{Aeq,5 mins}	L _{Amax,F,5mins}	L _{Amin,5mins}	L _{A10,5mins}	L _{A90,5mins}
813	28/06/2024 11:02	47.9	58.3	40.4	51.4	42.7
814	28/06/2024 11:07	49.7	62.0	40.9	53.8	42.9
815	28/06/2024 11:12	50.6	62.3	41.2	54.2	43.5
816	28/06/2024 11:17	47.8	65.1	40.0	49.8	43.2
817	28/06/2024 11:22	52.0	62.2	41.3	57.0	43.9
818	28/06/2024 11:27	49.6	63.3	41.0	52.9	43.8
819	28/06/2024 11:32	52.1	68.2	41.3	53.8	44.6
820	28/06/2024 11:37	50.8	72.9	40.2	52.7	42.1
821	28/06/2024 11:42	47.3	58.9	39.6	50.4	42.5
822	28/06/2024 11:47	48.7	62.6	40.1	52.0	42.7
823	28/06/2024 11:52	49.2	66.5	42.1	51.9	44.6
824	28/06/2024 11:57	48.1	64.6	41.4	50.7	42.9
825	28/06/2024 12:02	47.1	59.1	40.5	49.4	43.0
826	28/06/2024 12:07	48.4	61.3	42.1	51.4	44.4
827	28/06/2024 12:12	46.6	61.6	40.7	48.9	42.7
828	28/06/2024 12:17	48.5	67.0	41.9	51.4	43.7
829	28/06/2024 12:22	48.4	66.3	41.0	51.1	43.0
830	28/06/2024 12:27	50.1	61.3	42.0	53.8	44.1
831	28/06/2024 12:32	49.0	65.9	41.9	52.3	43.7
832	28/06/2024 12:37	56.2	72.5	41.5	59.3	44.3
833	28/06/2024 12:42	53.4	69.4	40.7	55.9	43.9
834	28/06/2024 12:47	51.3	61.7	41.9	54.8	44.7
835	28/06/2024 12:52	48.9	61.0	41.7	51.3	44.5
836	28/06/2024 12:57	51.6	64.4	43.5	54.4	45.8
837	28/06/2024 13:02	55.1	77.4	41.7	55.2	44.3
838	28/06/2024 13:07	49.4	65.0	40.7	52.8	43.6
839	28/06/2024 13:12	51.7	61.0	40.3	55.5	44.5
840	28/06/2024 13:17	51.5	60.8	42.8	54.7	45.6
841	28/06/2024 13:22	51.8	63.7	42.5	54.6	45.8
842	28/06/2024 13:27	53.9	64.3	43.4	57.3	46.5
843	28/06/2024 13:32	53.6	63.4	43.2	57.4	47.2
844	28/06/2024 13:37	52.9	64.9	45.7	56.0	48.1
845	28/06/2024 13:42	49.0	57.2	41.9	52.2	44.6
846	28/06/2024 13:47	50.9	65.8	41.6	54.0	45.5
847	28/06/2024 13:52	48.6	56.9	41.6	51.7	43.9
848	28/06/2024 13:57	49.1	62.2	41.4	52.4	43.9
849	28/06/2024 14:02	46.0	61.1	39.5	49.1	41.5
850	28/06/2024 14:07	45.1	54.8	39.3	48.2	41.1
851	28/06/2024 14:12	47.3	59.1	39.4	49.3	41.8
852	28/06/2024 14:17	46.6	62.1	39.8	49.1	42.1
853	28/06/2024 14:22	45.9	58.1	38.3	49.0	40.4
854	28/06/2024 14:27	47.2	60.3	37.7	50.3	42.0
855	28/06/2024 14:32	47.3	58.1	40.0	50.1	42.9
856	28/06/2024 14:37	49.2	59.6	39.4	53.7	42.5

Address	Start Time	Measured Sound Pressure Level [dB(A)]				
		L _{Aeq,5 mins}	L _{Amax,F,5mins}	L _{Amin,5mins}	L _{A10,5mins}	L _{A90,5mins}
857	28/06/2024 14:42	46.6	61.0	40.0	48.9	42.1
858	28/06/2024 14:47	46.0	58.4	41.1	48.3	42.9
859	28/06/2024 14:52	44.2	59.1	39.3	46.2	41.1
860	28/06/2024 14:57	46.8	59.9	39.6	49.7	41.8
861	28/06/2024 15:02	44.2	61.5	40.2	45.8	41.6
862	28/06/2024 15:07	47.7	59.3	41.2	50.7	43.2
863	28/06/2024 15:12	48.7	68.9	39.8	50.2	42.1
864	28/06/2024 15:17	47.7	61.9	41.5	50.5	43.5
865	28/06/2024 15:22	46.4	62.2	41.2	48.2	42.7
866	28/06/2024 15:27	49.1	63.3	41.2	52.0	43.9
867	28/06/2024 15:32	46.9	62.2	40.1	49.5	42.4
868	28/06/2024 15:37	49.2	63.8	39.9	52.6	42.8
869	28/06/2024 15:42	51.3	73.2	40.0	54.2	42.3
870	28/06/2024 15:47	48.0	57.9	40.9	51.2	43.2
871	28/06/2024 15:52	46.6	60.9	39.1	49.7	41.4
872	28/06/2024 15:57	47.8	68.0	39.7	50.4	42.1
873	28/06/2024 16:02	47.7	60.4	39.9	50.1	42.4
874	28/06/2024 16:07	49.0	60.5	40.2	52.7	42.6
875	28/06/2024 16:12	49.6	61.9	40.0	53.1	42.4
876	28/06/2024 16:17	51.5	63.4	39.7	55.2	44.2
877	28/06/2024 16:22	50.2	61.1	39.0	53.6	42.6
878	28/06/2024 16:27	49.4	59.8	38.6	53.1	42.2
879	28/06/2024 16:32	48.0	58.2	39.0	51.3	43.2
880	28/06/2024 16:37	49.3	60.5	37.6	53.2	40.6
881	28/06/2024 16:42	46.6	59.9	39.5	49.2	42.0
882	28/06/2024 16:47	53.4	68.0	39.5	56.8	41.1
883	28/06/2024 16:52	46.9	65.0	39.2	48.8	41.1
884	28/06/2024 16:57	48.3	60.2	38.7	51.8	42.6
885	28/06/2024 17:02	47.6	68.2	39.6	51.0	41.5
886	28/06/2024 17:07	49.2	60.1	40.3	52.3	43.0
887	28/06/2024 17:12	48.3	67.1	38.9	51.0	41.4
888	28/06/2024 17:17	48.5	61.6	38.1	52.4	40.4
889	28/06/2024 17:22	47.4	64.4	37.9	50.0	41.4
890	28/06/2024 17:27	45.3	61.6	38.7	48.4	40.4
891	28/06/2024 17:32	45.8	57.5	37.3	49.1	39.9
892	28/06/2024 17:37	44.1	52.2	38.9	46.7	40.9
893	28/06/2024 17:42	45.6	59.6	38.5	48.6	40.6
894	28/06/2024 17:47	45.7	56.8	38.8	48.6	40.8
895	28/06/2024 17:52	45.3	58.1	39.0	48.2	40.9
896	28/06/2024 17:57	45.2	62.2	37.7	47.4	41.2
897	28/06/2024 18:02	44.0	54.6	39.6	46.0	41.3
898	28/06/2024 18:07	48.0	61.0	41.7	51.0	43.5
899	28/06/2024 18:12	46.4	71.7	39.5	46.4	40.9
900	28/06/2024 18:17	46.2	66.7	39.8	48.2	42.5

Address	Start Time	Measured Sound Pressure Level [dB(A)]				
		L _{Aeq,5 mins}	L _{Amax,F,5mins}	L _{Amin,5mins}	L _{A10,5mins}	L _{A90,5mins}
901	28/06/2024 18:22	46.8	63.3	40.1	49.0	42.6
902	28/06/2024 18:27	46.3	59.4	39.7	49.2	41.7
903	28/06/2024 18:32	46.2	60.7	39.4	48.6	42.0
904	28/06/2024 18:37	43.9	59.3	37.9	46.3	39.7
905	28/06/2024 18:42	45.2	58.9	37.4	48.6	39.9
906	28/06/2024 18:47	43.1	57.6	37.4	44.9	39.1
907	28/06/2024 18:52	44.5	55.2	37.6	47.8	39.6
908	28/06/2024 18:57	47.1	60.9	38.1	50.9	40.5
909	28/06/2024 19:02	46.7	59.2	37.2	50.5	39.6
910	28/06/2024 19:07	47.2	70.0	37.2	48.2	39.0
911	28/06/2024 19:12	43.2	57.5	35.5	46.3	37.7
912	28/06/2024 19:17	48.5	70.0	35.9	50.5	38.2
913	28/06/2024 19:22	45.3	60.5	37.5	47.2	41.0
914	28/06/2024 19:27	43.4	59.9	35.0	45.9	38.2
915	28/06/2024 19:32	42.3	61.0	35.3	44.9	37.8
916	28/06/2024 19:37	40.9	55.3	34.4	42.8	37.7
917	28/06/2024 19:42	41.4	57.1	36.0	42.9	38.2
918	28/06/2024 19:47	43.7	55.0	36.5	47.2	38.6
919	28/06/2024 19:52	44.7	59.7	35.7	48.2	39.1
920	28/06/2024 19:57	44.8	58.0	36.1	48.3	38.4
921	28/06/2024 20:02	47.4	61.5	35.9	51.4	38.3
922	28/06/2024 20:07	45.4	57.0	36.8	48.6	39.7
923	28/06/2024 20:12	44.4	56.8	35.7	47.9	38.0
924	28/06/2024 20:17	45.0	65.2	35.5	45.4	38.6
925	28/06/2024 20:22	44.7	70.8	35.9	44.8	38.3
926	28/06/2024 20:27	41.9	61.2	35.2	44.2	37.8
927	28/06/2024 20:32	44.7	57.4	35.6	48.2	38.2
928	28/06/2024 20:37	43.0	65.6	35.2	43.5	37.6
929	28/06/2024 20:42	47.8	67.0	35.7	44.6	38.0
930	28/06/2024 20:47	40.6	52.8	33.6	43.2	36.4
931	28/06/2024 20:52	42.1	62.1	34.7	43.8	37.1
932	28/06/2024 20:57	38.9	48.5	33.0	41.5	35.5
933	28/06/2024 21:02	40.5	51.9	35.3	42.7	37.5
934	28/06/2024 21:07	39.2	51.0	35.0	41.1	36.5
935	28/06/2024 21:12	37.5	48.7	32.0	39.1	34.7
936	28/06/2024 21:17	40.0	59.6	34.3	42.4	36.3
937	28/06/2024 21:22	38.5	49.5	33.7	40.5	36.2
938	28/06/2024 21:27	39.2	45.9	33.8	41.7	35.7
939	28/06/2024 21:32	39.0	52.2	33.6	40.7	35.8
940	28/06/2024 21:37	37.5	44.6	33.4	39.1	35.5
941	28/06/2024 21:42	45.4	64.4	33.4	45.1	35.9
942	28/06/2024 21:47	36.5	43.2	31.4	38.6	33.7
943	28/06/2024 21:52	43.8	62.5	31.2	38.6	34.2
944	28/06/2024 21:57	37.1	59.1	32.2	38.3	34.6

Address	Start Time	Measured Sound Pressure Level [dB(A)]				
		L _{Aeq,5 mins}	L _{Amax,F,5mins}	L _{Amin,5mins}	L _{A10,5mins}	L _{A90,5mins}
945	28/06/2024 22:02	37.4	49.5	30.4	39.9	33.1
946	28/06/2024 22:07	37.8	43.5	33.5	39.7	35.4
947	28/06/2024 22:12	37.4	43.9	32.5	39.5	34.6
948	28/06/2024 22:17	39.2	52.3	34.4	41.1	36.5
949	28/06/2024 22:22	37.8	46.7	32.8	40.0	34.9
950	28/06/2024 22:27	37.2	44.0	32.8	38.9	35.3
951	28/06/2024 22:32	37.0	44.9	31.5	39.6	33.8
952	28/06/2024 22:37	36.6	42.8	31.5	38.5	33.9
953	28/06/2024 22:42	36.6	42.7	30.6	38.7	33.7
954	28/06/2024 22:47	36.8	42.4	30.6	39.0	33.6
955	28/06/2024 22:52	35.4	42.5	30.9	37.3	33.4
956	28/06/2024 22:57	35.5	45.6	30.5	38.1	32.8
957	28/06/2024 23:02	36.2	43.1	31.6	38.0	33.9
958	28/06/2024 23:07	34.1	39.5	29.1	36.4	31.4
959	28/06/2024 23:12	36.7	41.7	32.8	38.6	34.7
960	28/06/2024 23:17	34.7	43.2	28.9	36.5	31.9
961	28/06/2024 23:22	38.9	48.0	30.1	41.9	34.2
962	28/06/2024 23:27	34.9	43.7	30.0	36.8	32.2
963	28/06/2024 23:32	39.5	49.7	30.3	43.4	33.7
964	28/06/2024 23:37	34.6	40.3	27.8	36.6	31.3
965	28/06/2024 23:42	35.2	46.5	28.9	37.3	31.5
966	28/06/2024 23:47	36.1	44.5	29.2	38.7	31.9
967	28/06/2024 23:52	33.5	41.9	24.5	36.2	29.1
968	28/06/2024 23:57	37.6	46.7	29.7	40.0	34.7
969	29/06/2024 00:02	34.3	40.9	27.3	36.6	30.8
970	29/06/2024 00:07	34.4	42.6	25.5	37.3	29.4
971	29/06/2024 00:12	34.6	46.9	26.4	37.3	29.8
972	29/06/2024 00:17	33.7	45.0	24.5	36.9	28.3
973	29/06/2024 00:22	35.2	42.6	28.2	37.5	31.6
974	29/06/2024 00:27	35.1	44.2	26.9	38.2	28.7
975	29/06/2024 00:32	35.0	45.0	25.0	37.7	28.6
976	29/06/2024 00:37	37.9	46.0	27.9	40.5	33.7
977	29/06/2024 00:42	35.0	45.8	22.4	38.8	28.0
978	29/06/2024 00:47	36.0	46.2	25.7	38.9	29.5
979	29/06/2024 00:52	36.2	44.6	24.7	39.1	27.7
980	29/06/2024 00:57	30.1	39.4	21.5	34.3	24.0
981	29/06/2024 01:02	30.9	41.9	19.8	35.1	22.2
982	29/06/2024 01:07	36.2	45.6	22.5	40.6	26.3
983	29/06/2024 01:12	36.7	48.0	27.1	40.4	30.0
984	29/06/2024 01:17	35.4	42.2	24.0	38.7	27.2
985	29/06/2024 01:22	32.7	41.4	21.8	35.7	26.4
986	29/06/2024 01:27	35.7	47.7	23.2	40.4	26.0
987	29/06/2024 01:32	35.8	48.3	22.9	39.6	26.7
988	29/06/2024 01:37	31.9	43.0	22.5	35.4	25.2

Address	Start Time	Measured Sound Pressure Level [dB(A)]				
		L _{Aeq,5 mins}	L _{Amax,F,5mins}	L _{Amin,5mins}	L _{A10,5mins}	L _{A90,5mins}
989	29/06/2024 01:42	34.7	46.7	21.2	39.6	23.0
990	29/06/2024 01:47	35.7	46.5	24.2	39.9	27.4
991	29/06/2024 01:52	30.0	44.0	22.8	33.5	24.9
992	29/06/2024 01:57	33.7	47.9	24.4	37.6	26.5
993	29/06/2024 02:02	31.7	44.7	22.5	34.7	25.4
994	29/06/2024 02:07	30.1	43.0	20.5	33.5	22.1
995	29/06/2024 02:12	31.8	52.6	20.5	32.8	22.5
996	29/06/2024 02:17	33.2	44.6	24.7	36.4	27.0
997	29/06/2024 02:22	34.7	51.1	22.7	36.8	27.6
998	29/06/2024 02:27	33.0	43.6	20.7	36.9	22.1
999	29/06/2024 02:32	30.7	43.7	22.1	33.5	24.4
1000	29/06/2024 02:37	30.7	39.9	24.2	33.2	26.4
1001	29/06/2024 02:42	31.2	44.3	22.8	34.0	25.1
1002	29/06/2024 02:47	31.5	42.4	23.6	35.1	26.0
1003	29/06/2024 02:52	32.5	45.1	21.6	35.5	23.5
1004	29/06/2024 02:57	27.8	38.9	20.7	31.3	22.4
1005	29/06/2024 03:02	28.6	37.4	20.6	33.2	21.6
1006	29/06/2024 03:07	28.4	39.7	19.6	31.7	21.5
1007	29/06/2024 03:12	26.2	41.1	19.9	28.9	21.2
1008	29/06/2024 03:17	26.7	37.6	21.2	29.4	22.3
1009	29/06/2024 03:22	29.2	42.4	20.5	32.3	22.8
1010	29/06/2024 03:27	28.2	37.1	21.2	31.6	22.9
1011	29/06/2024 03:32	32.0	41.7	24.2	35.3	27.0
1012	29/06/2024 03:37	32.6	44.0	24.5	35.1	26.4
1013	29/06/2024 03:42	35.9	50.5	25.7	39.8	28.2
1014	29/06/2024 03:47	37.3	49.5	26.5	40.7	30.5
1015	29/06/2024 03:52	36.5	47.0	26.7	40.0	31.0
1016	29/06/2024 03:57	37.3	50.2	28.1	40.0	32.7
1017	29/06/2024 04:02	39.1	52.0	29.4	42.2	33.8
1018	29/06/2024 04:07	36.4	60.3	28.2	36.9	31.8
1019	29/06/2024 04:12	45.4	65.0	26.5	46.7	31.6
1020	29/06/2024 04:17	44.8	68.5	26.8	40.6	30.4
1021	29/06/2024 04:22	39.4	57.8	27.9	41.9	32.8
1022	29/06/2024 04:27	37.3	49.5	27.9	40.6	32.0
1023	29/06/2024 04:32	44.0	69.0	27.2	43.1	30.6
1024	29/06/2024 04:37	39.1	49.8	28.6	43.1	32.9
1025	29/06/2024 04:42	34.6	50.2	27.7	36.8	30.3
1026	29/06/2024 04:47	37.6	50.6	28.9	40.4	32.5
1027	29/06/2024 04:52	37.5	52.6	29.9	39.8	33.4
1028	29/06/2024 04:57	46.1	64.8	31.5	46.9	35.2
1029	29/06/2024 05:02	38.3	51.3	29.9	41.2	33.5
1030	29/06/2024 05:07	45.2	69.1	28.4	46.1	32.8
1031	29/06/2024 05:12	39.6	52.2	28.1	43.2	31.1
1032	29/06/2024 05:17	40.8	55.0	28.2	45.3	32.1

Address	Start Time	Measured Sound Pressure Level [dB(A)]				
		L _{Aeq,5 mins}	L _{Amax,F,5mins}	L _{Amin,5mins}	L _{A10,5mins}	L _{A90,5mins}
1033	29/06/2024 05:22	38.7	53.8	29.1	41.4	31.6
1034	29/06/2024 05:27	41.0	58.6	30.0	44.1	34.4
1035	29/06/2024 05:32	45.8	63.5	29.0	50.1	32.2
1036	29/06/2024 05:37	43.6	62.2	29.1	45.5	32.5
1037	29/06/2024 05:42	36.9	59.0	28.7	38.9	30.9
1038	29/06/2024 05:47	37.0	48.3	28.9	40.8	31.7
1039	29/06/2024 05:52	43.2	67.5	29.3	44.5	32.7
1040	29/06/2024 05:57	43.2	54.1	30.6	47.2	34.7
1041	29/06/2024 06:02	41.3	57.6	29.1	43.5	33.7
1042	29/06/2024 06:07	42.0	59.9	30.9	45.2	34.4
1043	29/06/2024 06:12	41.0	55.3	30.1	44.0	34.9
1044	29/06/2024 06:17	42.6	69.2	31.0	43.7	34.3
1045	29/06/2024 06:22	40.9	55.7	32.3	43.0	34.9
1046	29/06/2024 06:27	41.4	64.7	31.4	41.8	33.4
1047	29/06/2024 06:32	39.0	53.6	32.0	40.7	34.3
1048	29/06/2024 06:37	42.1	64.1	32.9	42.9	34.6
1049	29/06/2024 06:42	40.2	65.0	30.9	42.2	33.6
1050	29/06/2024 06:47	43.1	59.8	31.8	46.8	35.2
1051	29/06/2024 06:52	38.7	61.1	30.8	38.5	32.8
1052	29/06/2024 06:57	40.4	56.2	31.1	44.2	33.6
1053	29/06/2024 07:02	43.8	58.3	31.4	47.4	34.2
1054	29/06/2024 07:07	41.9	60.5	30.9	44.4	34.1
1055	29/06/2024 07:12	39.4	58.5	29.6	41.5	33.1
1056	29/06/2024 07:17	52.8	82.3	31.3	41.6	33.4
1057	29/06/2024 07:22	39.0	53.0	29.9	41.2	32.3
1058	29/06/2024 07:27	43.0	57.5	30.0	46.5	34.2
1059	29/06/2024 07:32	39.7	57.5	31.2	42.3	34.0
1060	29/06/2024 07:37	38.8	60.9	30.9	40.2	33.0
1061	29/06/2024 07:42	41.2	53.4	32.1	45.6	34.7
1062	29/06/2024 07:47	40.1	59.5	31.4	41.4	34.2
1063	29/06/2024 07:52	42.9	55.4	32.7	46.0	37.7
1064	29/06/2024 07:57	43.8	56.4	31.6	46.4	34.9
1065	29/06/2024 08:02	50.0	65.4	30.3	52.6	35.9
1066	29/06/2024 08:07	44.3	56.9	32.6	47.0	36.2
1067	29/06/2024 08:12	43.1	54.5	32.7	47.0	35.9
1068	29/06/2024 08:17	45.1	62.9	35.0	47.9	38.5
1069	29/06/2024 08:22	43.0	58.4	33.2	45.8	36.8
1070	29/06/2024 08:27	44.5	70.6	31.9	44.7	37.0
1071	29/06/2024 08:32	42.0	61.0	31.8	44.4	35.6
1072	29/06/2024 08:37	40.0	61.1	30.5	41.8	33.8
1073	29/06/2024 08:42	42.1	51.9	32.6	46.5	34.9
1074	29/06/2024 08:47	39.5	54.2	31.0	42.6	34.1
1075	29/06/2024 08:52	39.8	58.1	30.5	42.7	34.9
1076	29/06/2024 08:57	45.4	68.9	30.2	43.8	33.3

Address	Start Time	Measured Sound Pressure Level [dB(A)]				
		L _{Aeq,5 mins}	L _{Amax,F,5mins}	L _{Amin,5mins}	L _{A10,5mins}	L _{A90,5mins}
1077	29/06/2024 09:02	45.4	64.4	30.5	45.7	34.5
1078	29/06/2024 09:07	42.4	58.8	29.6	45.3	32.6
1079	29/06/2024 09:12	49.2	69.3	33.3	50.2	38.1
1080	29/06/2024 09:17	48.8	65.5	32.5	52.8	35.9
1081	29/06/2024 09:22	46.4	59.8	32.8	50.5	37.2
1082	29/06/2024 09:27	42.5	58.7	31.2	46.3	34.8
1083	29/06/2024 09:32	42.0	67.3	30.4	41.2	33.1
1084	29/06/2024 09:37	47.9	62.1	32.7	50.8	36.4
1085	29/06/2024 09:42	44.7	60.3	32.6	46.1	35.9
1086	29/06/2024 09:47	44.2	66.0	33.1	45.4	35.6
1087	29/06/2024 09:52	41.8	53.9	35.3	45.3	37.5
1088	29/06/2024 09:57	46.4	66.2	35.3	48.8	38.0
1089	29/06/2024 10:02	43.9	53.1	37.8	46.4	40.7
1090	29/06/2024 10:07	44.7	65.8	36.1	45.9	38.8
1091	29/06/2024 10:12	48.3	62.2	38.2	51.8	40.6
1092	29/06/2024 10:17	45.7	65.3	37.7	44.8	39.2
1093	29/06/2024 10:22	44.4	63.9	38.3	45.6	40.4
1094	29/06/2024 10:27	45.1	58.8	38.1	48.2	39.9
1095	29/06/2024 10:32	50.5	66.0	36.8	53.1	39.0
1096	29/06/2024 10:37	41.4	56.1	36.9	43.2	38.5
1097	29/06/2024 10:42	43.8	56.3	35.1	47.1	37.9
1098	29/06/2024 10:47	42.9	57.0	36.1	44.3	38.2
1099	29/06/2024 10:52	46.8	64.8	36.5	50.9	38.7
1100	29/06/2024 10:57	50.3	69.1	37.6	54.6	40.1
1101	29/06/2024 11:02	44.6	61.0	39.2	46.4	41.0
1102	29/06/2024 11:07	48.2	65.0	38.2	51.3	40.6
1103	29/06/2024 11:12	42.1	54.0	38.1	43.8	40.0
1104	29/06/2024 11:17	43.6	54.3	37.3	45.9	40.2
1105	29/06/2024 11:22	45.5	60.2	38.2	47.9	40.8
1106	29/06/2024 11:27	42.6	61.6	37.5	43.3	39.6
1107	29/06/2024 11:32	44.0	64.3	38.6	45.5	40.3
1108	29/06/2024 11:37	45.9	59.9	39.1	49.0	41.6
1109	29/06/2024 11:42	45.8	59.4	36.1	49.1	38.5
1110	29/06/2024 11:47	45.6	59.7	36.8	48.1	39.4
1111	29/06/2024 11:52	49.8	68.9	36.2	50.2	38.7
1112	29/06/2024 11:57	44.2	55.8	37.0	47.1	38.8
1113	29/06/2024 12:02	42.8	58.5	34.6	46.7	36.5
1114	29/06/2024 12:07	42.3	58.5	35.6	44.9	37.1
1115	29/06/2024 12:12	46.1	71.7	34.9	46.5	37.3
1116	29/06/2024 12:17	40.2	51.6	35.4	42.3	37.6
1117	29/06/2024 12:22	41.9	62.7	35.5	44.4	37.8
1118	29/06/2024 12:27	44.6	57.1	35.8	48.1	38.3
1119	29/06/2024 12:32	38.6	48.9	34.3	40.4	36.4
1120	29/06/2024 12:37	41.7	68.3	34.5	41.3	36.3

Address	Start Time	Measured Sound Pressure Level [dB(A)]				
		L _{Aeq,5 mins}	L _{Amax,F,5mins}	L _{Amin,5mins}	L _{A10,5mins}	L _{A90,5mins}
1121	29/06/2024 12:42	41.6	56.6	34.8	43.4	36.5
1122	29/06/2024 12:47	40.8	54.6	35.6	42.8	37.5
1123	29/06/2024 12:52	40.0	50.2	36.4	41.8	37.9
1124	29/06/2024 12:57	41.6	58.2	36.3	43.7	37.5
1125	29/06/2024 13:02	40.9	53.2	36.9	42.8	38.7
1126	29/06/2024 13:07	47.4	64.7	37.6	46.0	40.4
1127	29/06/2024 13:12	45.1	68.0	37.9	46.8	40.3
1128	29/06/2024 13:17	47.1	67.9	37.3	47.5	40.2
1129	29/06/2024 13:22	52.2	68.2	37.1	53.3	39.7
1130	29/06/2024 13:27	43.1	53.9	37.7	46.3	39.8
1131	29/06/2024 13:32	43.6	57.7	38.0	46.2	40.1
1132	29/06/2024 13:37	45.2	59.1	38.8	48.9	40.2
1133	29/06/2024 13:42	41.6	54.1	37.3	43.0	39.0
1134	29/06/2024 13:47	43.7	61.2	35.9	45.6	37.8
1135	29/06/2024 13:52	42.7	58.0	36.8	44.8	39.3
1136	29/06/2024 13:57	41.3	59.0	35.0	42.9	37.1
1137	29/06/2024 14:02	41.7	58.5	35.8	42.7	37.7
1138	29/06/2024 14:07	40.3	52.5	35.3	42.2	37.7
1139	29/06/2024 14:12	40.5	58.3	35.7	42.3	37.4
1140	29/06/2024 14:17	42.0	62.3	35.7	43.0	38.1
1141	29/06/2024 14:22	49.9	62.9	36.7	54.7	39.0
1142	29/06/2024 14:27	45.9	60.2	35.9	48.6	38.4
1143	29/06/2024 14:32	43.9	66.3	36.6	44.1	38.6
1144	29/06/2024 14:37	41.0	48.6	36.2	43.9	37.7
1145	29/06/2024 14:42	43.3	65.3	36.0	41.6	37.8
1146	29/06/2024 14:47	40.4	59.4	35.2	41.7	37.3
1147	29/06/2024 14:52	40.4	60.2	35.5	40.3	36.8
1148	29/06/2024 14:57	50.5	72.0	33.8	40.5	35.3
1149	29/06/2024 15:02	39.8	52.3	33.5	43.2	35.7
1150	29/06/2024 15:07	38.6	53.7	33.4	39.6	35.4
1151	29/06/2024 15:12	44.3	58.9	33.3	48.6	35.4
1152	29/06/2024 15:17	37.6	46.0	33.9	39.4	35.7
1153	29/06/2024 15:22	40.5	49.8	33.1	43.6	35.5
1154	29/06/2024 15:27	38.4	53.6	32.0	38.5	33.9
1155	29/06/2024 15:32	42.8	55.3	33.6	45.9	35.8
1156	29/06/2024 15:37	40.9	56.1	30.7	43.0	33.7
1157	29/06/2024 15:42	40.0	58.9	31.7	43.2	34.2
1158	29/06/2024 15:47	43.8	54.5	31.4	47.9	33.8
1159	29/06/2024 15:52	38.3	62.4	30.9	41.0	33.0
1160	29/06/2024 15:57	46.9	66.7	33.2	49.0	36.5
1161	29/06/2024 16:02	47.0	66.7	31.6	51.4	33.8
1162	29/06/2024 16:07	44.3	57.6	32.5	48.7	34.3
1163	29/06/2024 16:12	52.0	67.1	33.5	56.2	35.6
1164	29/06/2024 16:17	49.4	63.7	34.4	51.4	37.3

Address	Start Time	Measured Sound Pressure Level [dB(A)]				
		L _{Aeq,5 mins}	L _{Amax,F,5mins}	L _{Amin,5mins}	L _{A10,5mins}	L _{A90,5mins}
1165	29/06/2024 16:22	38.2	53.7	32.9	39.7	35.2
1166	29/06/2024 16:27	37.7	48.6	33.5	39.4	35.7
1167	29/06/2024 16:32	39.2	61.5	33.6	39.9	35.9
1168	29/06/2024 16:37	38.9	55.1	33.3	40.2	35.8
1169	29/06/2024 16:42	39.8	53.3	34.3	41.8	36.6
1170	29/06/2024 16:47	37.3	48.1	33.3	38.9	35.2
1171	29/06/2024 16:52	41.1	54.3	33.8	44.4	35.9
1172	29/06/2024 16:57	45.7	66.7	35.5	44.7	37.2
1173	29/06/2024 17:02	45.3	67.5	34.3	41.3	37.0
1174	29/06/2024 17:07	42.5	59.2	33.9	43.1	36.4
1175	29/06/2024 17:12	40.7	59.6	34.8	41.8	36.3
1176	29/06/2024 17:17	39.7	55.4	34.4	41.0	36.3
1177	29/06/2024 17:22	38.6	56.2	33.2	40.6	35.0
1178	29/06/2024 17:27	39.9	50.2	34.8	42.2	37.0
1179	29/06/2024 17:32	39.4	48.7	34.4	41.3	36.8
1180	29/06/2024 17:37	39.3	47.4	33.8	41.5	36.1
1181	29/06/2024 17:42	39.8	48.0	33.5	42.4	35.9
1182	29/06/2024 17:47	38.7	58.1	33.6	40.8	35.8
1183	29/06/2024 17:52	38.5	49.4	33.4	40.3	36.1
1184	29/06/2024 17:57	39.0	48.2	34.0	41.4	35.7
1185	29/06/2024 18:02	50.3	68.7	34.0	44.8	35.7
1186	29/06/2024 18:07	37.6	47.0	33.0	39.6	35.1
1187	29/06/2024 18:12	39.3	59.0	33.2	42.0	35.4
1188	29/06/2024 18:17	39.1	49.8	33.5	41.2	36.1
1189	29/06/2024 18:22	39.1	48.9	33.6	41.7	35.6
1190	29/06/2024 18:27	38.7	51.4	31.3	41.4	34.6
1191	29/06/2024 18:32	40.2	57.5	33.2	43.6	35.3
1192	29/06/2024 18:37	41.1	59.1	32.3	41.7	34.8
1193	29/06/2024 18:42	37.6	49.1	32.8	39.8	34.8
1194	29/06/2024 18:47	38.9	52.5	33.0	42.0	34.9
1195	29/06/2024 18:52	39.6	51.9	32.2	41.9	35.1
1196	29/06/2024 18:57	40.6	60.6	33.5	41.6	35.8
1197	29/06/2024 19:02	42.6	61.0	33.8	44.7	36.1
1198	29/06/2024 19:07	40.9	59.6	32.7	43.7	36.1
1199	29/06/2024 19:12	37.8	51.2	33.3	39.3	35.3
1200	29/06/2024 19:17	49.2	76.4	34.9	42.9	37.2
1201	29/06/2024 19:22	54.7	79.0	34.8	52.7	38.3
1202	29/06/2024 19:27	42.3	59.2	36.9	44.3	39.2
1203	29/06/2024 19:32	40.8	60.9	35.8	42.9	37.6
1204	29/06/2024 19:37	41.8	65.1	34.8	42.2	37.6
1205	29/06/2024 19:42	41.9	61.5	34.2	44.1	36.6
1206	29/06/2024 19:47	43.2	63.6	34.2	41.4	36.5
1207	29/06/2024 19:52	38.9	54.0	32.0	40.9	35.0
1208	29/06/2024 19:57	46.8	71.5	34.4	42.3	37.0

Address	Start Time	Measured Sound Pressure Level [dB(A)]				
		L _{Aeq,5 mins}	L _{Amax,F,5mins}	L _{Amin,5mins}	L _{A10,5mins}	L _{A90,5mins}
1209	29/06/2024 20:02	39.4	62.7	32.2	40.3	34.6
1210	29/06/2024 20:07	39.9	54.5	31.4	42.6	34.6
1211	29/06/2024 20:12	45.6	64.5	33.3	44.5	35.6
1212	29/06/2024 20:17	43.1	69.0	32.9	43.4	35.3
1213	29/06/2024 20:22	40.6	60.4	31.7	42.3	35.2
1214	29/06/2024 20:27	40.1	55.5	33.6	42.1	36.2
1215	29/06/2024 20:32	39.4	50.9	33.6	42.1	35.9
1216	29/06/2024 20:37	43.4	53.4	33.8	47.4	37.1
1217	29/06/2024 20:42	37.9	49.6	32.6	39.9	34.8
1218	29/06/2024 20:47	43.0	58.9	33.3	45.8	37.2
1219	29/06/2024 20:52	46.8	64.5	33.3	51.3	34.8
1220	29/06/2024 20:57	39.8	59.5	33.3	41.4	35.4
1221	29/06/2024 21:02	39.2	53.3	33.8	41.0	36.4
1222	29/06/2024 21:07	40.8	60.5	33.4	42.8	37.0
1223	29/06/2024 21:12	40.6	52.2	35.3	42.7	37.5
1224	29/06/2024 21:17	39.8	52.3	32.9	41.8	36.6
1225	29/06/2024 21:22	39.6	49.9	33.4	42.2	36.1
1226	29/06/2024 21:27	39.8	48.8	34.0	42.5	36.0
1227	29/06/2024 21:32	40.2	58.7	34.0	41.5	36.7
1228	29/06/2024 21:37	41.6	56.1	33.3	43.8	36.9
1229	29/06/2024 21:42	40.1	55.9	34.4	42.1	37.0
1230	29/06/2024 21:47	41.3	50.9	33.7	45.2	35.9
1231	29/06/2024 21:52	39.1	50.7	34.2	41.6	36.0
1232	29/06/2024 21:57	41.4	51.7	33.3	46.4	35.2
1233	29/06/2024 22:02	38.9	45.4	33.0	41.1	35.8
1234	29/06/2024 22:07	37.9	53.9	30.7	40.1	32.8
1235	29/06/2024 22:12	36.7	50.8	32.2	38.2	34.5
1236	29/06/2024 22:17	38.0	49.3	32.2	40.4	34.5
1237	29/06/2024 22:22	36.7	46.4	30.5	39.1	33.2
1238	29/06/2024 22:27	36.4	45.6	31.3	38.3	34.1
1239	29/06/2024 22:32	36.4	46.4	31.0	38.9	33.2
1240	29/06/2024 22:37	36.7	46.8	32.1	38.8	34.0
1241	29/06/2024 22:42	37.9	45.2	30.8	40.2	34.1
1242	29/06/2024 22:47	40.4	47.0	31.2	44.0	35.1
1243	29/06/2024 22:52	37.4	49.0	33.0	39.1	35.2
1244	29/06/2024 22:57	38.5	46.0	34.0	40.7	36.0
1245	29/06/2024 23:02	38.4	46.4	32.0	40.5	35.3
1246	29/06/2024 23:07	40.6	50.6	31.7	43.9	34.7
1247	29/06/2024 23:12	38.1	48.3	31.5	40.4	34.2
1248	29/06/2024 23:17	37.7	48.7	30.8	40.3	33.7
1249	29/06/2024 23:22	38.0	51.1	29.8	40.2	33.2
1250	29/06/2024 23:27	38.4	46.5	32.2	41.2	34.8
1251	29/06/2024 23:32	36.2	43.8	31.5	38.3	33.6
1252	29/06/2024 23:37	38.5	48.6	31.8	41.9	33.8

Address	Start Time	Measured Sound Pressure Level [dB(A)]				
		L _{Aeq,5 mins}	L _{Amax,F,5mins}	L _{Amin,5mins}	L _{A10,5mins}	L _{A90,5mins}
1253	29/06/2024 23:42	33.9	40.5	29.4	35.5	31.5
1254	29/06/2024 23:47	35.8	44.4	29.5	39.0	32.5
1255	29/06/2024 23:52	33.7	43.1	28.8	35.5	31.2
1256	29/06/2024 23:57	33.5	47.0	27.0	34.9	30.7
1257	30/06/2024 00:02	35.2	41.6	27.9	37.5	31.0
1258	30/06/2024 00:07	33.3	40.4	26.5	35.9	29.0
1259	30/06/2024 00:12	33.7	42.0	28.6	36.1	30.8
1260	30/06/2024 00:17	33.6	44.7	28.3	35.6	30.5
1261	30/06/2024 00:22	33.6	42.7	27.7	36.2	29.7
1262	30/06/2024 00:27	32.9	40.6	25.4	35.7	28.9
1263	30/06/2024 00:32	36.3	44.4	27.9	39.1	31.4
1264	30/06/2024 00:37	35.9	45.0	27.3	38.7	30.6
1265	30/06/2024 00:42	38.1	47.2	27.7	41.6	32.0
1266	30/06/2024 00:47	36.7	46.8	26.4	40.0	30.0
1267	30/06/2024 00:52	35.0	46.7	26.2	38.7	28.9
1268	30/06/2024 00:57	35.2	46.8	26.5	38.4	29.3
1269	30/06/2024 01:02	34.8	48.3	25.5	36.8	28.9
1270	30/06/2024 01:07	37.5	47.3	24.4	42.4	28.2
1271	30/06/2024 01:12	31.7	40.5	24.8	34.1	27.9
1272	30/06/2024 01:17	32.6	43.4	24.0	35.7	26.2
1273	30/06/2024 01:22	29.2	37.2	22.8	32.5	25.0
1274	30/06/2024 01:27	31.3	41.9	23.5	34.1	25.9
1275	30/06/2024 01:32	26.9	33.8	21.9	29.4	23.6
1276	30/06/2024 01:37	27.7	38.8	21.8	29.7	25.1
1277	30/06/2024 01:42	31.3	44.2	23.1	33.5	25.5
1278	30/06/2024 01:47	32.4	47.8	23.2	33.1	25.4
1279	30/06/2024 01:52	31.3	46.1	24.1	33.3	26.1
1280	30/06/2024 01:57	25.3	35.6	20.7	27.9	22.5
1281	30/06/2024 02:02	27.8	40.9	20.5	30.9	22.1
1282	30/06/2024 02:07	35.6	48.9	23.0	40.6	24.8
1283	30/06/2024 02:12	31.0	49.6	21.8	30.8	23.1
1284	30/06/2024 02:17	30.3	46.4	21.9	32.6	24.1
1285	30/06/2024 02:22	25.2	34.6	20.4	27.8	21.9
1286	30/06/2024 02:27	31.7	43.1	21.3	35.9	23.4
1287	30/06/2024 02:32	26.2	33.9	21.5	28.6	22.9
1288	30/06/2024 02:37	28.8	37.8	20.8	32.0	23.0
1289	30/06/2024 02:42	23.9	33.3	20.4	25.7	22.0
1290	30/06/2024 02:47	24.9	32.6	20.8	27.8	22.0
1291	30/06/2024 02:52	28.1	39.2	20.4	31.2	22.0
1292	30/06/2024 02:57	29.4	41.4	21.2	32.6	22.8
1293	30/06/2024 03:02	28.9	37.3	21.8	32.7	23.9
1294	30/06/2024 03:07	27.3	40.0	21.9	29.5	23.9
1295	30/06/2024 03:12	27.9	37.8	21.1	30.7	24.3
1296	30/06/2024 03:17	28.7	44.9	20.4	30.1	21.9

Address	Start Time	Measured Sound Pressure Level [dB(A)]				
		L _{Aeq,5 mins}	L _{Amax,F,5mins}	L _{Amin,5mins}	L _{A10,5mins}	L _{A90,5mins}
1297	30/06/2024 03:22	26.3	37.2	21.1	29.5	22.3
1298	30/06/2024 03:27	25.9	37.1	20.5	28.0	22.2
1299	30/06/2024 03:32	29.9	40.2	23.3	33.1	25.4
1300	30/06/2024 03:37	26.7	37.1	20.8	29.3	23.2
1301	30/06/2024 03:42	29.9	43.8	20.1	32.9	22.4
1302	30/06/2024 03:47	35.6	50.3	20.5	39.5	25.9
1303	30/06/2024 03:52	36.2	49.1	22.5	40.0	26.9
1304	30/06/2024 03:57	36.4	46.8	24.1	40.2	28.7
1305	30/06/2024 04:02	40.2	59.5	26.9	42.1	30.9
1306	30/06/2024 04:07	45.0	63.4	28.0	45.1	31.5
1307	30/06/2024 04:12	39.5	59.5	27.6	42.3	32.0
1308	30/06/2024 04:17	39.6	61.0	28.5	42.6	33.0
1309	30/06/2024 04:22	38.9	52.4	25.6	42.8	30.6
1310	30/06/2024 04:27	39.0	49.9	27.3	42.9	31.3
1311	30/06/2024 04:32	43.9	66.9	26.6	45.6	32.2
1312	30/06/2024 04:37	38.8	50.9	25.9	42.8	31.6
1313	30/06/2024 04:42	38.9	49.2	24.6	43.1	31.4
1314	30/06/2024 04:47	36.3	46.4	26.8	38.9	31.7
1315	30/06/2024 04:52	37.3	47.4	28.4	39.8	32.9
1316	30/06/2024 04:57	40.0	57.9	28.4	43.3	32.7
1317	30/06/2024 05:02	41.8	57.4	29.2	44.6	33.5
1318	30/06/2024 05:07	45.7	60.8	29.9	47.0	34.4
1319	30/06/2024 05:12	47.4	75.2	29.3	45.8	35.4
1320	30/06/2024 05:17	44.9	63.3	27.3	46.0	34.9
1321	30/06/2024 05:22	65.6	81.7	27.6	65.2	32.5
1322	30/06/2024 05:27	39.6	57.1	27.1	42.0	31.1
1323	30/06/2024 05:32	43.9	67.8	27.4	43.8	31.6
1324	30/06/2024 05:37	53.0	71.8	29.3	55.0	33.0
1325	30/06/2024 05:42	43.4	60.6	27.2	43.8	31.2
1326	30/06/2024 05:47	38.9	58.1	29.3	42.2	32.6
1327	30/06/2024 05:52	36.9	52.8	29.2	39.4	32.3
1328	30/06/2024 05:57	38.4	50.3	29.3	41.1	32.7
1329	30/06/2024 06:02	41.5	64.0	28.1	42.3	33.1
1330	30/06/2024 06:07	38.5	48.9	30.5	41.2	34.1
1331	30/06/2024 06:12	38.1	58.6	29.4	38.6	32.2
1332	30/06/2024 06:17	42.2	62.0	29.0	43.1	32.6
1333	30/06/2024 06:22	40.1	56.7	28.0	43.3	32.3
1334	30/06/2024 06:27	38.8	58.5	27.9	40.4	31.4
1335	30/06/2024 06:32	42.3	63.3	29.2	44.0	33.7
1336	30/06/2024 06:37	39.1	56.1	28.1	42.2	32.0
1337	30/06/2024 06:42	38.0	52.7	30.1	40.7	32.8
1338	30/06/2024 06:47	40.3	57.7	28.9	43.1	32.6
1339	30/06/2024 06:52	41.2	61.4	28.1	43.7	31.5
1340	30/06/2024 06:57	52.7	74.5	28.3	44.9	31.4

Address	Start Time	Measured Sound Pressure Level [dB(A)]				
		L _{Aeq,5 mins}	L _{Amax,F,5mins}	L _{Amin,5mins}	L _{A10,5mins}	L _{A90,5mins}
1341	30/06/2024 07:02	40.5	63.2	28.0	41.5	31.6
1342	30/06/2024 07:07	38.9	54.9	27.8	40.4	31.4
1343	30/06/2024 07:12	41.6	56.9	28.8	44.6	33.4
1344	30/06/2024 07:17	41.5	59.4	28.5	44.3	33.5
1345	30/06/2024 07:22	47.5	62.8	29.1	51.7	33.7
1346	30/06/2024 07:27	42.2	51.5	29.9	45.8	35.3
1347	30/06/2024 07:32	45.1	62.7	28.5	48.3	32.0
1348	30/06/2024 07:37	41.3	55.6	29.7	45.4	33.2
1349	30/06/2024 07:42	40.9	53.2	29.3	44.9	32.2
1350	30/06/2024 07:47	38.0	54.0	28.3	41.2	32.1
1351	30/06/2024 07:52	36.6	50.0	26.6	39.1	30.3
1352	30/06/2024 07:57	36.9	48.9	28.1	40.0	31.2
1353	30/06/2024 08:02	40.9	53.9	27.7	44.1	32.6
1354	30/06/2024 08:07	41.6	56.7	27.7	45.6	31.9
1355	30/06/2024 08:12	38.1	55.0	28.2	41.2	31.6
1356	30/06/2024 08:17	39.1	53.4	29.5	42.8	32.3
1357	30/06/2024 08:22	39.5	52.9	30.5	43.7	32.8
1358	30/06/2024 08:27	39.7	52.2	30.8	43.2	33.9
1359	30/06/2024 08:32	39.6	52.9	31.9	42.6	34.7
1360	30/06/2024 08:37	39.2	51.6	29.0	42.3	32.8
1361	30/06/2024 08:42	37.9	51.6	30.0	40.6	33.1
1362	30/06/2024 08:47	48.0	64.1	28.9	49.6	32.3
1363	30/06/2024 08:52	42.1	57.7	28.5	45.0	32.2
1364	30/06/2024 08:57	43.0	56.5	33.4	46.4	37.3
1365	30/06/2024 09:02	43.4	57.8	31.0	47.5	34.2
1366	30/06/2024 09:07	43.8	64.3	33.0	45.7	36.4
1367	30/06/2024 09:12	41.8	56.4	32.0	43.9	35.7
1368	30/06/2024 09:17	43.3	61.3	30.8	45.3	35.5
1369	30/06/2024 09:22	41.2	63.4	32.7	43.6	35.9
1370	30/06/2024 09:27	39.9	52.8	31.5	42.9	34.9
1371	30/06/2024 09:32	42.6	53.2	32.6	45.7	35.8
1372	30/06/2024 09:37	40.9	56.0	32.5	43.1	35.6
1373	30/06/2024 09:42	39.6	52.5	31.4	42.9	34.7
1374	30/06/2024 09:47	38.8	49.5	34.2	40.9	36.0
1375	30/06/2024 09:52	43.2	55.6	35.3	46.6	37.8
1376	30/06/2024 09:57	40.7	55.9	33.7	43.2	36.3
1377	30/06/2024 10:02	40.9	53.3	34.4	43.5	37.0
1378	30/06/2024 10:07	45.1	64.8	33.0	44.3	35.8
1379	30/06/2024 10:12	39.7	51.4	32.9	42.5	35.6
1380	30/06/2024 10:17	41.5	55.0	32.7	44.5	36.0
1381	30/06/2024 10:22	39.5	52.2	33.2	41.7	35.8
1382	30/06/2024 10:27	44.2	59.1	32.2	47.9	35.6
1383	30/06/2024 10:32	40.2	53.3	32.7	43.4	35.1
1384	30/06/2024 10:37	38.3	49.3	32.1	41.1	34.3

Address	Start Time	Measured Sound Pressure Level [dB(A)]				
		L _{Aeq,5 mins}	L _{Amax,F,5mins}	L _{Amin,5mins}	L _{A10,5mins}	L _{A90,5mins}
1385	30/06/2024 10:42	40.1	60.2	33.4	42.1	36.8
1386	30/06/2024 10:47	41.1	61.4	34.7	42.8	36.9
1387	30/06/2024 10:52	47.0	67.5	33.9	45.2	36.3
1388	30/06/2024 10:57	46.8	68.2	32.3	43.3	35.4
1389	30/06/2024 11:02	40.4	57.6	32.6	42.4	34.5
1390	30/06/2024 11:07	47.7	67.6	34.8	48.8	36.8
1391	30/06/2024 11:12	45.4	67.6	33.4	41.5	35.7
1392	30/06/2024 11:17	41.2	60.8	33.1	42.5	35.4
1393	30/06/2024 11:22	45.8	64.0	33.6	48.9	35.5
1394	30/06/2024 11:27	39.6	55.0	33.0	42.3	35.2
1395	30/06/2024 11:32	50.6	67.2	33.0	52.1	35.3
1396	30/06/2024 11:37	38.8	48.1	31.8	41.5	35.0
1397	30/06/2024 11:42	44.2	58.2	33.4	48.5	36.1
1398	30/06/2024 11:47	51.2	66.8	33.3	55.6	35.3
1399	30/06/2024 11:52	47.9	67.2	32.5	48.9	35.6
1400	30/06/2024 11:57	43.4	57.5	33.7	47.4	36.2
1401	30/06/2024 12:02	39.5	55.3	34.8	41.5	36.2
1402	30/06/2024 12:07	47.3	66.8	36.1	46.4	39.0
1403	30/06/2024 12:12	42.7	51.6	36.5	45.5	38.8
1404	30/06/2024 12:17	41.1	51.5	35.5	43.4	37.5
1405	30/06/2024 12:22	41.6	51.5	35.2	44.2	37.7
1406	30/06/2024 12:27	49.3	65.4	35.6	53.0	37.9
1407	30/06/2024 12:32	41.6	55.1	34.4	43.5	36.6
1408	30/06/2024 12:37	41.6	50.1	34.8	44.7	37.8
1409	30/06/2024 12:42	41.0	50.4	35.2	43.7	37.5
1410	30/06/2024 12:47	42.8	56.3	34.2	46.2	37.1
1411	30/06/2024 12:52	42.2	54.8	33.5	44.7	37.4
1412	30/06/2024 12:57	43.1	58.2	34.8	45.0	37.8
1413	30/06/2024 13:02	46.6	57.4	37.3	50.2	39.5
1414	30/06/2024 13:07	44.7	58.6	34.8	48.7	37.9
1415	30/06/2024 13:12	63.9	90.1	35.9	50.4	38.6
1416	30/06/2024 13:17	45.8	62.6	33.4	48.3	37.9
1417	30/06/2024 13:22	42.0	54.4	33.8	44.4	37.7
1418	30/06/2024 13:27	41.5	52.1	34.2	44.8	36.3
1419	30/06/2024 13:32	51.4	67.0	36.3	52.6	38.3
1420	30/06/2024 13:37	39.8	52.0	33.8	42.2	36.2
1421	30/06/2024 13:42	47.1	70.7	33.6	46.5	37.1
1422	30/06/2024 13:47	43.0	54.5	33.8	45.3	37.7
1423	30/06/2024 13:52	42.3	50.3	35.2	45.3	38.2
1424	30/06/2024 13:57	44.1	54.7	35.4	47.7	38.6
1425	30/06/2024 14:02	43.0	54.6	35.2	46.3	38.0
1426	30/06/2024 14:07	44.9	62.1	33.8	44.3	37.5
1427	30/06/2024 14:12	49.7	66.0	33.7	49.1	36.0
1428	30/06/2024 14:17	39.7	49.8	34.2	42.6	35.9

Address	Start Time	Measured Sound Pressure Level [dB(A)]				
		L _{Aeq,5 mins}	L _{Amax,F,5mins}	L _{Amin,5mins}	L _{A10,5mins}	L _{A90,5mins}
1429	30/06/2024 14:22	43.1	57.3	35.4	45.6	38.1
1430	30/06/2024 14:27	42.7	56.5	33.8	45.9	35.9
1431	30/06/2024 14:32	41.0	56.4	30.9	42.6	34.4
1432	30/06/2024 14:37	45.0	58.8	33.3	48.2	36.3
1433	30/06/2024 14:42	39.7	51.1	31.3	42.5	34.3
1434	30/06/2024 14:47	40.5	53.0	31.4	43.1	34.9
1435	30/06/2024 14:52	38.4	49.9	32.2	40.3	35.1
1436	30/06/2024 14:57	46.9	65.3	33.7	50.4	36.6
1437	30/06/2024 15:02	42.6	58.2	35.0	45.8	37.1
1438	30/06/2024 15:07	42.3	57.0	32.0	45.8	36.0
1439	30/06/2024 15:12	40.1	58.3	29.5	40.9	31.7
1440	30/06/2024 15:17	40.2	51.4	31.9	43.0	36.0
1441	30/06/2024 15:22	41.8	55.4	30.9	44.3	34.8
1442	30/06/2024 15:27	54.9	72.2	32.0	58.3	34.6
1443	30/06/2024 15:32	39.4	56.5	32.3	42.1	34.6
1444	30/06/2024 15:37	41.8	54.1	31.0	46.4	34.6
1445	30/06/2024 15:42	52.1	66.4	33.6	56.1	37.2
1446	30/06/2024 15:47	40.2	57.9	29.5	43.0	34.0
1447	30/06/2024 15:52	41.9	57.5	29.3	45.6	32.6
1448	30/06/2024 15:57	36.6	48.2	29.4	40.2	31.5
1449	30/06/2024 16:02	36.4	47.2	29.9	39.9	31.7
1450	30/06/2024 16:07	46.8	66.8	31.4	44.5	33.6
1451	30/06/2024 16:12	43.5	56.4	32.2	47.4	35.2
1452	30/06/2024 16:17	38.1	52.3	33.2	40.1	34.9
1453	30/06/2024 16:22	41.5	55.2	32.8	45.5	35.6
1454	30/06/2024 16:27	42.5	54.2	34.1	46.3	36.1
1455	30/06/2024 16:32	38.9	49.5	33.6	41.3	35.4
1456	30/06/2024 16:37	40.0	60.9	33.1	40.4	35.3
1457	30/06/2024 16:42	38.0	51.9	33.7	39.6	35.5
1458	30/06/2024 16:47	39.8	55.7	34.6	41.5	36.7
1459	30/06/2024 16:52	38.6	52.4	34.2	40.1	36.4
1460	30/06/2024 16:57	41.3	54.5	34.0	44.1	36.5
1461	30/06/2024 17:02	38.7	54.5	34.6	39.8	36.4
1462	30/06/2024 17:07	40.8	59.2	34.0	43.5	36.7
1463	30/06/2024 17:12	48.6	63.4	33.6	52.2	36.6
1464	30/06/2024 17:17	44.1	55.9	36.0	47.1	38.2
1465	30/06/2024 17:22	48.2	70.1	34.3	42.0	36.9
1466	30/06/2024 17:27	47.5	61.8	34.9	51.2	37.0
1467	30/06/2024 17:32	42.7	62.5	33.7	45.9	36.8
1468	30/06/2024 17:37	41.9	53.6	34.3	45.4	36.7
1469	30/06/2024 17:42	41.9	58.4	34.1	44.9	37.3
1470	30/06/2024 17:47	46.3	66.3	33.8	43.4	36.5
1471	30/06/2024 17:52	38.9	49.7	33.3	41.4	35.4
1472	30/06/2024 17:57	40.0	55.4	34.3	42.8	36.4

Address	Start Time	Measured Sound Pressure Level [dB(A)]				
		L _{Aeq,5 mins}	L _{Amax,F,5mins}	L _{Amin,5mins}	L _{A10,5mins}	L _{A90,5mins}
1473	30/06/2024 18:02	41.1	60.5	34.0	42.5	36.3
1474	30/06/2024 18:07	39.9	53.8	34.3	41.5	37.2
1475	30/06/2024 18:12	40.0	57.3	36.1	40.9	37.7
1476	30/06/2024 18:17	52.5	68.3	36.1	53.1	38.1
1477	30/06/2024 18:22	39.2	48.3	34.1	41.0	36.4
1478	30/06/2024 18:27	40.2	64.1	33.5	41.4	36.2
1479	30/06/2024 18:32	39.4	52.3	34.4	41.6	36.4
1480	30/06/2024 18:37	37.8	51.7	32.0	39.6	34.3
1481	30/06/2024 18:42	39.1	57.6	30.9	41.5	34.1
1482	30/06/2024 18:47	43.2	64.3	29.1	46.1	34.5
1483	30/06/2024 18:52	47.3	68.1	32.1	45.6	35.4
1484	30/06/2024 18:57	37.9	47.8	31.8	40.0	34.8
1485	30/06/2024 19:02	40.5	50.3	32.2	43.4	35.8
1486	30/06/2024 19:07	45.6	64.3	34.9	48.7	38.3
1487	30/06/2024 19:12	43.3	66.0	30.9	40.4	34.2
1488	30/06/2024 19:17	45.2	65.4	32.3	46.3	35.7
1489	30/06/2024 19:22	39.9	59.6	31.7	42.2	35.0
1490	30/06/2024 19:27	43.3	53.0	32.7	47.3	36.6
1491	30/06/2024 19:32	37.5	50.2	29.7	39.8	33.0
1492	30/06/2024 19:37	37.1	48.4	29.8	39.6	33.5
1493	30/06/2024 19:42	39.2	55.6	31.2	41.2	34.3
1494	30/06/2024 19:47	38.5	49.4	32.9	40.9	35.1
1495	30/06/2024 19:52	38.5	52.7	31.9	40.2	35.3
1496	30/06/2024 19:57	38.5	47.9	32.6	40.8	35.6
1497	30/06/2024 20:02	44.0	70.1	31.6	43.2	34.0
1498	30/06/2024 20:07	40.1	55.4	33.2	42.1	35.6
1499	30/06/2024 20:12	39.9	58.5	31.8	41.4	35.4
1500	30/06/2024 20:17	40.2	65.3	32.1	41.3	35.6
1501	30/06/2024 20:22	36.9	46.9	31.2	38.6	33.8
1502	30/06/2024 20:27	39.4	51.1	30.9	42.9	33.7
1503	30/06/2024 20:32	40.5	54.6	30.5	43.1	32.9
1504	30/06/2024 20:37	38.5	54.0	28.2	41.7	31.3
1505	30/06/2024 20:42	35.3	48.5	29.1	38.1	31.0
1506	30/06/2024 20:47	40.3	54.3	29.9	44.0	32.2
1507	30/06/2024 20:52	37.3	50.3	28.4	40.4	31.8
1508	30/06/2024 20:57	34.3	45.4	27.6	36.7	30.6
1509	30/06/2024 21:02	37.5	52.4	26.7	40.9	29.8
1510	30/06/2024 21:07	39.2	52.9	27.8	43.6	30.5
1511	30/06/2024 21:12	35.9	53.3	26.7	37.3	29.9
1512	30/06/2024 21:17	36.4	56.3	27.8	38.7	30.1
1513	30/06/2024 21:22	34.3	53.9	26.9	37.3	29.5
1514	30/06/2024 21:27	37.3	52.1	26.6	40.6	28.5
1515	30/06/2024 21:32	37.6	66.3	25.1	33.8	27.6
1516	30/06/2024 21:37	38.7	59.1	25.1	33.9	27.7

Address	Start Time	Measured Sound Pressure Level [dB(A)]				
		L _{Aeq,5 mins}	L _{Amax,F,5mins}	L _{Amin,5mins}	L _{A10,5mins}	L _{A90,5mins}
1517	30/06/2024 21:42	30.9	43.6	25.0	33.1	27.6
1518	30/06/2024 21:47	31.8	44.0	25.5	34.7	27.6
1519	30/06/2024 21:52	31.1	43.0	24.8	33.7	26.9
1520	30/06/2024 21:57	29.6	40.8	22.0	32.2	23.9
1521	30/06/2024 22:02	28.3	35.1	23.9	31.0	25.5
1522	30/06/2024 22:07	29.4	41.1	23.7	32.5	25.8
1523	30/06/2024 22:12	31.1	44.6	23.6	33.9	25.7
1524	30/06/2024 22:17	42.1	55.7	22.3	47.4	26.2
1525	30/06/2024 22:22	37.1	48.5	22.4	41.6	25.2
1526	30/06/2024 22:27	27.9	37.2	21.8	30.2	23.6
1527	30/06/2024 22:32	28.7	44.7	22.0	31.0	24.6
1528	30/06/2024 22:37	34.4	48.8	22.2	39.2	24.2
1529	30/06/2024 22:42	26.4	35.9	21.4	28.6	22.8
1530	30/06/2024 22:47	31.0	44.7	22.4	34.4	25.2
1531	30/06/2024 22:52	33.7	47.8	22.2	38.2	24.7
1532	30/06/2024 22:57	32.0	46.4	20.4	36.0	24.0
1533	30/06/2024 23:02	30.9	46.6	21.5	34.6	23.2
1534	30/06/2024 23:07	33.4	51.7	21.6	37.2	24.3
1535	30/06/2024 23:12	27.6	38.4	22.3	29.4	25.0
1536	30/06/2024 23:17	31.7	44.8	21.8	35.4	23.7
1537	30/06/2024 23:22	25.4	36.9	19.9	27.4	22.1
1538	30/06/2024 23:27	28.1	36.5	23.0	30.4	24.8
1539	30/06/2024 23:32	25.1	39.2	19.5	28.0	21.1
1540	30/06/2024 23:37	30.7	43.7	22.0	35.0	24.1
1541	30/06/2024 23:42	26.7	36.6	21.2	29.3	22.7
1542	30/06/2024 23:47	29.8	44.8	20.6	33.8	22.3
1543	30/06/2024 23:52	24.7	36.4	19.6	27.4	21.4
1544	30/06/2024 23:57	34.1	51.6	20.4	38.3	23.7
1545	01/07/2024 00:02	28.4	37.6	22.5	30.4	24.9
1546	01/07/2024 00:07	32.4	46.8	22.3	36.2	24.8
1547	01/07/2024 00:12	28.3	38.5	22.1	30.9	24.3
1548	01/07/2024 00:17	28.2	37.0	21.3	31.3	23.6
1549	01/07/2024 00:22	25.5	36.4	20.5	28.2	21.8
1550	01/07/2024 00:27	23.3	33.5	18.7	26.1	20.3
1551	01/07/2024 00:32	24.3	34.3	19.0	27.1	20.8
1552	01/07/2024 00:37	22.4	32.7	18.5	24.4	19.9
1553	01/07/2024 00:42	21.7	31.6	17.9	24.4	19.0
1554	01/07/2024 00:47	21.1	28.1	18.7	22.9	19.4
1555	01/07/2024 00:52	21.1	31.4	17.7	23.2	18.8
1556	01/07/2024 00:57	20.8	30.5	17.6	22.5	18.4
1557	01/07/2024 01:02	20.0	28.7	17.3	21.8	18.1
1558	01/07/2024 01:07	20.3	29.1	17.3	21.9	18.3
1559	01/07/2024 01:12	26.5	39.6	18.7	29.8	20.5
1560	01/07/2024 01:17	22.5	33.3	18.0	24.9	19.0

Address	Start Time	Measured Sound Pressure Level [dB(A)]				
		L _{Aeq,5 mins}	L _{Amax,F,5mins}	L _{Amin,5mins}	L _{A10,5mins}	L _{A90,5mins}
1561	01/07/2024 01:22	20.9	39.5	17.5	22.5	18.5
1562	01/07/2024 01:27	22.8	34.6	17.5	25.7	18.7
1563	01/07/2024 01:32	25.7	40.6	18.8	29.6	19.8
1564	01/07/2024 01:37	22.3	35.5	17.2	25.7	18.1
1565	01/07/2024 01:42	20.3	40.2	18.1	20.8	18.9
1566	01/07/2024 01:47	23.5	33.6	17.7	27.1	18.5
1567	01/07/2024 01:52	30.8	42.4	19.8	34.0	22.5
1568	01/07/2024 01:57	31.0	43.4	21.8	35.0	23.7
1569	01/07/2024 02:02	28.8	37.3	20.5	32.0	23.0
1570	01/07/2024 02:07	29.1	38.3	20.5	33.7	22.3
1571	01/07/2024 02:12	29.4	43.0	21.5	33.7	22.8
1572	01/07/2024 02:17	30.7	41.6	21.1	34.2	23.3
1573	01/07/2024 02:22	26.2	35.0	21.0	29.0	22.5
1574	01/07/2024 02:27	30.4	43.5	21.0	33.9	22.5
1575	01/07/2024 02:32	24.3	35.8	19.5	27.7	20.6
1576	01/07/2024 02:37	24.9	35.2	20.0	26.8	21.8
1577	01/07/2024 02:42	25.7	34.3	20.1	28.2	22.1
1578	01/07/2024 02:47	23.1	34.2	18.7	25.0	20.3
1579	01/07/2024 02:52	21.9	33.8	18.3	24.1	19.8
1580	01/07/2024 02:57	21.7	28.6	19.0	23.3	20.0
1581	01/07/2024 03:02	20.8	27.2	18.5	22.1	19.3
1582	01/07/2024 03:07	21.6	30.8	18.5	23.5	19.2
1583	01/07/2024 03:12	20.5	27.9	18.3	21.4	19.4
1584	01/07/2024 03:17	22.4	32.2	18.0	25.1	19.2
1585	01/07/2024 03:22	24.9	36.7	18.4	29.0	19.8
1586	01/07/2024 03:27	23.7	36.4	19.3	25.6	20.7
1587	01/07/2024 03:32	22.8	31.1	18.9	25.0	20.0
1588	01/07/2024 03:37	22.7	35.3	18.5	25.1	19.4
1589	01/07/2024 03:42	23.5	33.3	18.8	26.0	20.1
1590	01/07/2024 03:47	23.5	33.8	19.2	25.6	20.7
1591	01/07/2024 03:52	25.5	36.5	20.1	28.1	22.0
1592	01/07/2024 03:57	34.7	48.0	21.8	38.8	26.0
1593	01/07/2024 04:02	37.8	49.4	23.9	42.2	28.4
1594	01/07/2024 04:07	38.8	50.2	24.5	43.2	29.7
1595	01/07/2024 04:12	41.5	52.7	24.1	45.8	30.1
1596	01/07/2024 04:17	42.3	64.0	26.0	42.5	30.0
1597	01/07/2024 04:22	38.7	58.1	26.6	42.2	30.8
1598	01/07/2024 04:27	40.2	60.1	28.1	41.8	31.2
1599	01/07/2024 04:32	53.5	78.9	26.1	55.6	31.0
1600	01/07/2024 04:37	45.1	67.7	27.3	42.4	30.4
1601	01/07/2024 04:42	38.9	50.7	26.6	42.7	30.8
1602	01/07/2024 04:47	45.1	67.9	26.4	41.7	30.8
1603	01/07/2024 04:52	39.1	53.7	28.2	42.6	32.5
1604	01/07/2024 04:57	48.5	74.5	30.0	50.5	33.7

Address	Start Time	Measured Sound Pressure Level [dB(A)]				
		L _{Aeq,5 mins}	L _{Amax,F,5mins}	L _{Amin,5mins}	L _{A10,5mins}	L _{A90,5mins}
1605	01/07/2024 05:02	41.8	61.1	30.3	44.0	34.0
1606	01/07/2024 05:07	45.7	68.7	30.2	44.2	34.0
1607	01/07/2024 05:12	41.1	60.9	27.8	42.2	32.6
1608	01/07/2024 05:17	57.7	73.6	30.2	60.7	33.2
1609	01/07/2024 05:22	55.7	71.9	29.8	60.2	34.0
1610	01/07/2024 05:27	45.8	62.6	29.3	49.4	32.6
1611	01/07/2024 05:32	49.0	66.6	31.2	53.0	34.9
1612	01/07/2024 05:37	41.1	58.7	30.0	43.9	32.8
1613	01/07/2024 05:42	37.7	54.3	30.2	40.1	32.7
1614	01/07/2024 05:47	41.8	52.6	31.0	45.7	34.1
1615	01/07/2024 05:52	47.3	67.6	29.1	48.8	33.4
1616	01/07/2024 05:57	45.5	57.1	31.9	49.0	37.3
1617	01/07/2024 06:02	40.5	52.1	30.3	44.8	32.5
1618	01/07/2024 06:07	36.5	51.7	30.4	38.2	32.9
1619	01/07/2024 06:12	42.3	53.8	31.3	46.3	34.0
1620	01/07/2024 06:17	39.3	51.7	32.0	42.3	34.5
1621	01/07/2024 06:22	39.9	57.3	32.6	42.0	34.4
1622	01/07/2024 06:27	40.3	59.3	31.6	41.5	34.2
1623	01/07/2024 06:32	39.2	55.0	31.9	41.7	34.2
1624	01/07/2024 06:37	41.3	58.4	32.2	42.7	34.4
1625	01/07/2024 06:42	50.1	72.4	33.1	49.0	35.6
1626	01/07/2024 06:47	39.8	56.8	33.5	42.4	35.3
1627	01/07/2024 06:52	40.3	62.4	33.0	41.6	34.9
1628	01/07/2024 06:57	41.5	57.8	33.4	44.0	35.1
1629	01/07/2024 07:02	41.2	56.4	35.7	43.7	37.5
1630	01/07/2024 07:07	41.1	55.3	34.8	43.6	36.9
1631	01/07/2024 07:12	45.1	58.5	35.1	47.9	37.6
1632	01/07/2024 07:17	42.5	61.5	32.8	43.5	35.0
1633	01/07/2024 07:22	45.0	62.1	33.7	48.3	36.3
1634	01/07/2024 07:27	45.0	64.1	32.6	46.1	35.4
1635	01/07/2024 07:32	39.3	53.5	33.3	41.6	35.2
1636	01/07/2024 07:37	39.6	54.4	33.8	41.5	35.9
1637	01/07/2024 07:42	43.5	59.5	34.9	46.3	37.0
1638	01/07/2024 07:47	41.3	57.5	34.5	44.4	36.6
1639	01/07/2024 07:52	39.7	48.8	33.6	42.3	36.0
1640	01/07/2024 07:57	43.3	58.4	32.2	44.1	34.7
1641	01/07/2024 08:02	43.1	59.6	34.2	44.4	36.4
1642	01/07/2024 08:07	49.2	71.1	34.8	46.6	38.5
1643	01/07/2024 08:12	44.8	63.0	36.0	47.4	38.9
1644	01/07/2024 08:17	44.4	59.8	36.3	47.2	38.9
1645	01/07/2024 08:22	43.6	58.6	35.1	46.3	37.5
1646	01/07/2024 08:27	43.8	62.9	35.2	45.1	37.9
1647	01/07/2024 08:32	45.9	64.0	35.6	47.1	38.0
1648	01/07/2024 08:37	46.9	63.0	33.2	50.9	36.7

Address	Start Time	Measured Sound Pressure Level [dB(A)]				
		L _{Aeq,5 mins}	L _{Amax,F,5mins}	L _{Amin,5mins}	L _{A10,5mins}	L _{A90,5mins}
1649	01/07/2024 08:42	47.4	66.1	34.0	47.0	37.0
1650	01/07/2024 08:47	45.8	65.2	35.2	48.2	37.8
1651	01/07/2024 08:52	44.1	56.5	35.8	47.6	38.3
1652	01/07/2024 08:57	47.2	65.0	36.0	51.7	39.1
1653	01/07/2024 09:02	42.3	56.1	36.2	44.9	38.4
1654	01/07/2024 09:07	48.6	68.7	36.7	46.6	39.4
1655	01/07/2024 09:12	46.1	65.2	36.5	47.3	39.3
1656	01/07/2024 09:17	46.2	63.4	36.4	48.2	38.2
1657	01/07/2024 09:22	45.0	62.6	36.1	44.9	38.0
1658	01/07/2024 09:27	45.4	62.3	36.8	47.8	38.5
1659	01/07/2024 09:32	43.0	57.6	35.1	46.0	38.1
1660	01/07/2024 09:37	45.6	59.4	35.4	48.3	38.0
1661	01/07/2024 09:42	41.6	51.5	36.3	44.5	37.9
1662	01/07/2024 09:47	44.3	60.6	36.6	44.4	38.4
1663	01/07/2024 09:52	44.0	58.4	36.1	46.0	37.9
1664	01/07/2024 09:57	43.9	55.3	36.5	47.6	39.2
1665	01/07/2024 10:02	43.6	53.2	37.7	46.1	40.0
1666	01/07/2024 10:07	48.0	59.7	38.4	51.7	41.4
1667	01/07/2024 10:12	45.7	60.2	36.8	48.1	39.9
1668	01/07/2024 10:17	47.2	61.5	38.4	50.0	40.8
1669	01/07/2024 10:22	43.5	50.7	38.1	45.9	40.4
1670	01/07/2024 10:27	51.4	64.2	35.5	56.4	38.9
1671	01/07/2024 10:32	47.8	67.1	38.8	49.9	40.9
1672	01/07/2024 10:37	44.9	57.3	37.2	48.3	39.8
1673	01/07/2024 10:42	43.5	52.9	36.6	46.5	38.9
1674	01/07/2024 10:47	45.4	63.2	37.9	48.0	40.1
1675	01/07/2024 10:52	46.6	62.2	35.0	49.0	40.3
1676	01/07/2024 10:57	44.9	63.9	37.3	46.6	40.1
1677	01/07/2024 11:02	44.6	56.0	36.0	47.5	38.8
1678	01/07/2024 11:07	42.6	50.9	36.4	45.1	39.3
1679	01/07/2024 11:12	44.9	60.7	38.7	47.1	41.2
1680	01/07/2024 11:17	54.7	69.2	39.0	58.4	42.6
1681	01/07/2024 11:22	45.6	56.3	38.6	49.1	40.4
1682	01/07/2024 11:27	49.0	60.0	40.4	52.2	43.3
1683	01/07/2024 11:32	44.9	56.4	39.8	47.5	41.5
1684	01/07/2024 11:37	47.8	62.9	38.8	50.5	41.7
1685	01/07/2024 11:42	50.3	69.1	41.4	52.4	44.0
1686	01/07/2024 11:47	49.3	63.9	38.7	52.0	41.2
1687	01/07/2024 11:52	45.2	58.6	38.0	47.9	40.5
1688	01/07/2024 11:57	43.1	54.7	37.2	45.7	39.1
1689	01/07/2024 12:02	46.2	58.5	37.4	50.3	39.8
1690	01/07/2024 12:07	43.7	50.9	38.5	46.2	40.4
1691	01/07/2024 12:12	45.1	55.8	36.0	47.9	38.8
1692	01/07/2024 12:17	42.3	53.4	35.4	45.3	38.3

Address	Start Time	Measured Sound Pressure Level [dB(A)]				
		L _{Aeq,5 mins}	L _{Amax,F,5mins}	L _{Amin,5mins}	L _{A10,5mins}	L _{A90,5mins}
1693	01/07/2024 12:22	41.8	55.1	35.1	43.9	37.8
1694	01/07/2024 12:27	44.2	55.3	36.4	48.1	38.3
1695	01/07/2024 12:32	40.3	51.2	36.4	42.1	38.0
1696	01/07/2024 12:37	44.9	57.4	37.2	48.2	39.6
1697	01/07/2024 12:42	43.6	54.4	37.5	45.8	40.2
1698	01/07/2024 12:47	43.6	56.2	36.5	47.1	38.5
1699	01/07/2024 12:52	46.0	59.7	37.5	49.5	40.2
1700	01/07/2024 12:57	46.1	60.3	37.3	50.4	39.6
1701	01/07/2024 13:02	46.8	62.2	36.9	45.1	38.5
1702	01/07/2024 13:07	46.1	62.8	38.4	48.1	41.0
1703	01/07/2024 13:12	45.6	58.2	38.6	48.1	41.9
1704	01/07/2024 13:17	44.8	62.4	38.4	47.6	41.1
1705	01/07/2024 13:22	46.8	64.5	40.3	49.4	42.0
1706	01/07/2024 13:27	45.3	56.6	41.2	47.4	42.8
1707	01/07/2024 13:32	50.4	62.8	40.8	54.1	43.0
1708	01/07/2024 13:37	51.3	65.3	42.0	55.2	43.7
1709	01/07/2024 13:42	46.1	63.2	40.8	48.1	42.9
1710	01/07/2024 13:47	46.6	56.4	41.4	49.1	43.0
1711	01/07/2024 13:52	47.6	57.2	42.0	50.4	43.9
1712	01/07/2024 13:57	49.2	69.0	40.9	51.7	44.1
1713	01/07/2024 14:02	46.4	61.1	39.7	49.7	41.3
1714	01/07/2024 14:07	47.6	62.7	42.0	50.2	43.6
1715	01/07/2024 14:12	46.3	59.2	41.4	48.1	43.3
1716	01/07/2024 14:17	45.9	54.8	40.8	48.2	42.9
1717	01/07/2024 14:22	46.6	59.2	41.5	49.1	43.4
1718	01/07/2024 14:27	46.6	57.8	40.0	50.4	42.1
1719	01/07/2024 14:32	46.4	58.3	41.0	48.6	43.4
1720	01/07/2024 14:37	48.8	60.2	43.6	50.9	45.6
1721	01/07/2024 14:42	48.0	65.0	43.0	49.9	45.1
1722	01/07/2024 14:47	48.0	57.5	42.5	51.0	44.4
1723	01/07/2024 14:52	47.5	58.1	42.3	49.8	44.4
1724	01/07/2024 14:57	48.5	57.8	42.3	51.1	44.8
1725	01/07/2024 15:02	47.4	61.5	41.7	49.5	44.1
1726	01/07/2024 15:07	47.9	61.3	41.8	50.4	44.7
1727	01/07/2024 15:12	48.6	59.9	41.9	51.6	43.6
1728	01/07/2024 15:17	44.0	52.1	39.7	46.0	41.3
1729	01/07/2024 15:22	44.7	52.9	40.0	47.0	42.3
1730	01/07/2024 15:27	48.6	62.2	38.8	52.9	41.3
1731	01/07/2024 15:32	48.1	61.1	40.4	50.7	43.8
1732	01/07/2024 15:37	51.7	63.4	41.0	56.3	43.4
1733	01/07/2024 15:42	45.8	57.7	39.0	48.7	41.4
1734	01/07/2024 15:47	46.7	58.5	40.0	49.9	42.3
1735	01/07/2024 15:52	49.6	62.7	39.9	53.4	42.8
1736	01/07/2024 15:57	45.3	59.0	38.8	47.9	40.8

Address	Start Time	Measured Sound Pressure Level [dB(A)]				
		L _{Aeq,5 mins}	L _{Amax,F,5mins}	L _{Amin,5mins}	L _{A10,5mins}	L _{A90,5mins}
1737	01/07/2024 16:02	45.6	56.4	39.2	48.5	41.4
1738	01/07/2024 16:07	47.7	62.0	38.1	49.6	40.8
1739	01/07/2024 16:12	48.7	63.5	41.3	50.6	42.8
1740	01/07/2024 16:17	45.6	58.4	39.6	47.8	42.1
1741	01/07/2024 16:22	49.7	67.8	40.0	51.7	42.5
1742	01/07/2024 16:27	50.0	63.5	41.3	53.4	43.7
1743	01/07/2024 16:32	46.4	61.3	40.1	49.3	42.3
1744	01/07/2024 16:37	47.3	57.0	41.6	50.4	43.2
1745	01/07/2024 16:42	48.0	60.7	40.6	51.1	42.8
1746	01/07/2024 16:47	48.8	60.6	40.8	51.8	43.6
1747	01/07/2024 16:52	47.4	61.4	41.1	50.4	43.2
1748	01/07/2024 16:57	46.0	57.7	40.5	49.1	42.0
1749	01/07/2024 17:02	47.5	58.3	39.9	50.8	42.0
1750	01/07/2024 17:07	48.3	62.6	41.0	51.3	43.3
1751	01/07/2024 17:12	49.5	67.9	38.4	52.6	41.8
1752	01/07/2024 17:17	49.1	62.7	40.1	52.4	43.0
1753	01/07/2024 17:22	46.9	58.7	39.3	49.7	41.9
1754	01/07/2024 17:27	46.4	57.7	39.0	49.1	41.5
1755	01/07/2024 17:32	46.8	60.1	40.2	49.6	42.5
1756	01/07/2024 17:37	45.0	58.2	39.1	47.4	41.1
1757	01/07/2024 17:42	43.0	60.4	39.2	45.1	40.6
1758	01/07/2024 17:47	45.6	61.3	39.0	49.0	40.7
1759	01/07/2024 17:52	45.2	56.7	38.6	48.3	40.4
1760	01/07/2024 17:57	47.5	60.8	40.9	50.6	42.8
1761	01/07/2024 18:02	45.1	58.3	39.2	47.5	41.1
1762	01/07/2024 18:07	47.9	62.5	39.3	51.7	42.1
1763	01/07/2024 18:12	48.3	59.2	41.1	51.5	43.2
1764	01/07/2024 18:17	48.4	61.8	39.5	51.3	42.8
1765	01/07/2024 18:22	48.5	64.5	38.6	50.2	41.0
1766	01/07/2024 18:27	46.2	61.2	39.1	49.3	40.9
1767	01/07/2024 18:32	45.4	61.4	37.4	47.2	39.9
1768	01/07/2024 18:37	52.1	64.4	37.1	56.7	41.0
1769	01/07/2024 18:42	54.8	71.0	38.1	57.4	41.1
1770	01/07/2024 18:47	47.7	64.5	37.0	51.0	40.1
1771	01/07/2024 18:52	44.5	61.2	37.4	47.2	40.0
1772	01/07/2024 18:57	42.0	52.5	35.3	45.2	37.4
1773	01/07/2024 19:02	41.6	51.9	35.4	44.1	37.4
1774	01/07/2024 19:07	42.9	57.0	35.7	44.4	37.4
1775	01/07/2024 19:12	40.4	49.2	35.1	42.4	37.8
1776	01/07/2024 19:17	40.1	60.7	33.7	41.6	36.4
1777	01/07/2024 19:22	48.2	68.9	33.9	47.4	36.9
1778	01/07/2024 19:27	42.9	62.8	35.1	44.2	37.3
1779	01/07/2024 19:32	39.3	50.9	33.6	41.7	36.2
1780	01/07/2024 19:37	38.6	54.2	32.7	40.6	35.9

Address	Start Time	Measured Sound Pressure Level [dB(A)]				
		L _{Aeq,5 mins}	L _{Amax,F,5mins}	L _{Amin,5mins}	L _{A10,5mins}	L _{A90,5mins}
1781	01/07/2024 19:42	41.8	61.7	34.6	44.3	37.5
1782	01/07/2024 19:47	40.0	52.3	33.6	42.9	36.0
1783	01/07/2024 19:52	40.4	55.4	35.0	42.4	36.7
1784	01/07/2024 19:57	37.7	55.4	32.6	39.7	34.8
1785	01/07/2024 20:02	48.1	76.2	32.0	49.0	35.2
1786	01/07/2024 20:07	39.0	55.2	32.6	41.2	34.1
1787	01/07/2024 20:12	39.5	47.6	34.1	41.9	36.3
1788	01/07/2024 20:17	40.0	58.6	32.7	41.3	35.8
1789	01/07/2024 20:22	38.3	59.4	32.6	38.7	34.7
1790	01/07/2024 20:27	40.8	64.9	33.0	40.4	35.3
1791	01/07/2024 20:32	39.0	55.3	32.7	41.2	35.3
1792	01/07/2024 20:37	38.9	56.4	33.5	40.1	35.9
1793	01/07/2024 20:42	38.3	57.3	33.3	40.3	35.5
1794	01/07/2024 20:47	38.8	57.5	33.4	41.0	35.1
1795	01/07/2024 20:52	40.7	52.0	31.4	44.4	34.4
1796	01/07/2024 20:57	39.6	53.5	32.2	41.2	34.1
1797	01/07/2024 21:02	45.6	63.9	31.4	49.2	34.3
1798	01/07/2024 21:07	37.3	54.6	31.9	39.2	34.4
1799	01/07/2024 21:12	38.3	57.0	30.8	41.5	33.6
1800	01/07/2024 21:17	36.3	44.0	31.1	38.1	33.5
1801	01/07/2024 21:22	35.4	47.9	29.0	37.9	31.6
1802	01/07/2024 21:27	55.0	80.3	30.6	55.2	33.6
1803	01/07/2024 21:32	36.1	50.5	29.7	37.7	31.9
1804	01/07/2024 21:37	35.1	48.6	27.9	36.7	31.0
1805	01/07/2024 21:42	43.7	66.4	29.9	43.9	33.1
1806	01/07/2024 21:47	35.8	47.2	29.7	37.9	32.3
1807	01/07/2024 21:52	36.4	48.7	29.5	38.6	32.9
1808	01/07/2024 21:57	38.9	54.7	30.3	38.2	32.7
1809	01/07/2024 22:02	36.5	49.1	29.7	39.1	32.0
1810	01/07/2024 22:07	38.8	51.1	29.9	42.9	32.1
1811	01/07/2024 22:12	34.0	41.9	29.9	35.8	31.6
1812	01/07/2024 22:17	34.2	40.4	29.2	36.0	31.8
1813	01/07/2024 22:22	35.7	46.1	29.8	38.8	31.9
1814	01/07/2024 22:27	34.2	42.0	29.6	36.2	31.6
1815	01/07/2024 22:32	32.5	40.4	27.0	34.6	29.8
1816	01/07/2024 22:37	34.0	44.5	28.7	36.4	30.4
1817	01/07/2024 22:42	35.3	48.0	29.0	36.6	30.6
1818	01/07/2024 22:47	37.9	47.4	31.0	41.0	33.3
1819	01/07/2024 22:52	34.7	42.5	28.6	37.3	31.0
1820	01/07/2024 22:57	34.3	50.9	26.8	36.6	29.6
1821	01/07/2024 23:02	37.1	49.4	27.8	41.1	29.7
1822	01/07/2024 23:07	33.7	43.5	26.5	37.5	28.3
1823	01/07/2024 23:12	38.4	52.0	27.6	42.8	30.0
1824	01/07/2024 23:17	40.9	56.6	27.1	45.1	29.3

Address	Start Time	Measured Sound Pressure Level [dB(A)]				
		L _{Aeq,5 mins}	L _{Amax,F,5mins}	L _{Amin,5mins}	L _{A10,5mins}	L _{A90,5mins}
1825	01/07/2024 23:22	34.8	47.2	26.1	37.8	29.0
1826	01/07/2024 23:27	32.5	45.1	25.8	35.9	27.4
1827	01/07/2024 23:32	32.3	40.7	25.1	34.7	28.1
1828	01/07/2024 23:37	35.8	58.0	24.7	37.7	28.0
1829	01/07/2024 23:42	35.3	52.3	26.8	39.2	29.0
1830	01/07/2024 23:47	48.9	58.2	36.0	51.0	45.3
1831	01/07/2024 23:52	42.9	50.2	33.3	46.0	35.9
1832	01/07/2024 23:57	36.3	49.6	26.3	39.6	29.6
1833	02/07/2024 00:02	37.7	49.1	28.0	41.4	30.7
1834	02/07/2024 00:07	31.7	40.0	24.9	34.3	27.8
1835	02/07/2024 00:12	32.4	42.0	23.5	35.8	26.5
1836	02/07/2024 00:17	32.5	42.0	25.5	35.6	28.2
1837	02/07/2024 00:22	33.8	45.6	24.1	38.0	26.9
1838	02/07/2024 00:27	31.6	42.5	24.3	34.2	26.3
1839	02/07/2024 00:32	35.1	50.0	23.6	37.7	26.8
1840	02/07/2024 00:37	29.8	39.6	24.0	32.6	26.0
1841	02/07/2024 00:42	35.1	47.9	23.4	37.6	28.2
1842	02/07/2024 00:47	29.0	38.0	22.1	31.5	25.2
1843	02/07/2024 00:52	27.9	38.0	20.7	31.1	22.3
1844	02/07/2024 00:57	25.8	37.8	20.3	28.2	22.2
1845	02/07/2024 01:02	28.8	44.3	20.4	31.6	22.3
1846	02/07/2024 01:07	27.3	36.5	22.1	30.0	23.6
1847	02/07/2024 01:12	26.6	40.4	20.4	29.1	22.5
1848	02/07/2024 01:17	25.0	34.4	20.6	27.1	22.1
1849	02/07/2024 01:22	27.1	38.0	20.7	30.1	22.8
1850	02/07/2024 01:27	34.7	48.2	20.8	39.3	22.4
1851	02/07/2024 01:32	26.2	34.9	21.4	28.0	24.2
1852	02/07/2024 01:37	27.3	37.9	20.3	29.8	22.8
1853	02/07/2024 01:42	38.3	55.2	20.6	42.9	22.1
1854	02/07/2024 01:47	26.4	39.2	19.5	29.2	21.6
1855	02/07/2024 01:52	27.7	40.1	20.0	30.7	22.3
1856	02/07/2024 01:57	28.8	36.1	21.9	31.2	25.2
1857	02/07/2024 02:02	27.8	38.2	20.8	30.0	23.5
1858	02/07/2024 02:07	27.0	36.0	22.4	28.7	24.9
1859	02/07/2024 02:12	27.5	36.5	21.2	29.8	23.9
1860	02/07/2024 02:17	25.6	33.1	21.5	27.2	23.3
1861	02/07/2024 02:22	28.9	42.2	19.4	32.6	21.1
1862	02/07/2024 02:27	28.9	41.9	21.4	32.8	23.4
1863	02/07/2024 02:32	25.6	32.5	20.8	27.6	23.2
1864	02/07/2024 02:37	23.8	30.1	20.0	25.9	21.6
1865	02/07/2024 02:42	22.9	30.2	18.3	25.0	20.3
1866	02/07/2024 02:47	26.1	40.3	18.3	31.4	19.6
1867	02/07/2024 02:52	28.5	41.3	20.6	33.1	22.4
1868	02/07/2024 02:57	24.5	37.3	20.4	26.5	21.9

Address	Start Time	Measured Sound Pressure Level [dB(A)]				
		L _{Aeq,5 mins}	L _{Amax,F,5mins}	L _{Amin,5mins}	L _{A10,5mins}	L _{A90,5mins}
1869	02/07/2024 03:02	24.6	32.5	20.1	26.3	22.4
1870	02/07/2024 03:07	23.3	39.8	18.9	25.2	20.5
1871	02/07/2024 03:12	22.8	30.9	20.0	24.1	21.3
1872	02/07/2024 03:17	27.0	40.0	19.9	30.4	21.2
1873	02/07/2024 03:22	25.8	39.1	20.0	28.7	21.6
1874	02/07/2024 03:27	25.5	37.0	20.5	27.9	22.3
1875	02/07/2024 03:32	28.4	38.0	22.5	31.4	24.8
1876	02/07/2024 03:37	29.1	37.7	20.4	32.9	24.0
1877	02/07/2024 03:42	27.9	37.9	20.6	31.0	23.0
1878	02/07/2024 03:47	30.7	39.5	23.6	33.6	26.5
1879	02/07/2024 03:52	29.7	37.7	24.0	32.2	26.0
1880	02/07/2024 03:57	34.5	50.8	21.6	37.2	27.1
1881	02/07/2024 04:02	42.0	55.0	26.4	46.6	30.4
1882	02/07/2024 04:07	41.6	57.2	25.7	45.8	29.0
1883	02/07/2024 04:12	40.9	66.9	25.2	42.0	29.5
1884	02/07/2024 04:17	38.7	50.3	27.1	42.7	31.6
1885	02/07/2024 04:22	38.8	48.7	26.9	42.6	32.8
1886	02/07/2024 04:27	38.6	55.4	28.1	41.7	31.8
1887	02/07/2024 04:32	37.8	55.8	26.3	41.1	30.2
1888	02/07/2024 04:37	44.8	70.5	27.4	42.6	31.5
1889	02/07/2024 04:42	40.7	58.5	25.9	43.8	31.6
1890	02/07/2024 04:47	42.9	58.6	26.4	45.7	30.5
1891	02/07/2024 04:52	46.7	74.9	28.9	42.8	32.5
1892	02/07/2024 04:57	55.8	73.4	28.7	52.8	32.7
1893	02/07/2024 05:02	40.0	59.4	30.2	41.9	34.0
1894	02/07/2024 05:07	41.8	52.0	33.3	44.8	37.3
1895	02/07/2024 05:12	43.1	60.7	30.5	46.7	36.2
1896	02/07/2024 05:17	38.1	51.2	31.1	40.5	34.0
1897	02/07/2024 05:22	41.6	61.7	31.7	43.6	35.8
1898	02/07/2024 05:27	41.8	52.3	33.0	45.3	36.6
1899	02/07/2024 05:32	42.3	53.6	32.3	46.2	35.7
1900	02/07/2024 05:37	43.8	53.4	30.3	47.2	36.4
1901	02/07/2024 05:42	42.7	55.4	31.6	46.2	35.6
1902	02/07/2024 05:47	45.4	68.9	31.8	46.8	35.2
1903	02/07/2024 05:52	41.1	61.8	31.2	41.8	35.2
1904	02/07/2024 05:57	42.2	68.6	31.8	42.2	35.8
1905	02/07/2024 06:02	40.6	51.8	30.6	44.5	33.8
1906	02/07/2024 06:07	37.5	51.8	30.3	39.7	33.4
1907	02/07/2024 06:12	38.8	50.9	32.3	41.7	34.3
1908	02/07/2024 06:17	40.4	54.9	33.2	43.2	35.6
1909	02/07/2024 06:22	43.4	59.1	33.0	46.4	35.2
1910	02/07/2024 06:27	39.6	48.5	33.1	42.2	35.9
1911	02/07/2024 06:32	41.4	54.0	34.4	44.3	36.3
1912	02/07/2024 06:37	42.3	56.5	34.2	45.8	36.6

Address	Start Time	Measured Sound Pressure Level [dB(A)]				
		L _{Aeq,5 mins}	L _{Amax,F,5mins}	L _{Amin,5mins}	L _{A10,5mins}	L _{A90,5mins}
1913	02/07/2024 06:42	43.2	58.8	34.5	46.1	38.0
1914	02/07/2024 06:47	42.3	53.8	34.8	44.7	38.3
1915	02/07/2024 06:52	45.9	62.2	36.2	47.6	38.5
1916	02/07/2024 06:57	45.7	62.9	36.3	46.9	38.9
1917	02/07/2024 07:02	45.5	58.7	36.8	48.3	39.7
1918	02/07/2024 07:07	45.0	54.2	38.1	47.7	40.9
1919	02/07/2024 07:12	43.4	53.2	36.9	46.6	39.2
1920	02/07/2024 07:17	45.6	59.5	38.3	48.0	41.2
1921	02/07/2024 07:22	45.7	55.8	38.7	48.3	41.9
1922	02/07/2024 07:27	44.5	56.7	36.2	47.7	39.9
1923	02/07/2024 07:32	46.5	58.5	39.0	49.7	41.4
1924	02/07/2024 07:37	46.2	56.7	39.9	48.9	42.5
1925	02/07/2024 07:42	45.9	58.6	39.0	48.2	41.3
1926	02/07/2024 07:47	45.8	60.0	39.0	48.7	40.9
1927	02/07/2024 07:52	47.5	60.7	40.6	50.5	42.6
1928	02/07/2024 07:57	45.5	54.2	40.9	47.8	42.4
1929	02/07/2024 08:02	44.8	55.1	38.9	47.1	41.8
1930	02/07/2024 08:07	47.9	60.5	39.8	51.4	41.4
1931	02/07/2024 08:12	47.6	61.9	41.1	50.5	43.0
1932	02/07/2024 08:17	47.6	63.9	40.3	50.3	43.0
1933	02/07/2024 08:22	47.2	59.1	41.1	50.0	42.9
1934	02/07/2024 08:27	46.1	57.6	40.8	48.5	42.8
1935	02/07/2024 08:32	47.6	62.5	40.5	50.0	43.0
1936	02/07/2024 08:37	47.4	57.5	41.1	50.4	43.1
1937	02/07/2024 08:42	43.5	51.8	38.3	45.8	40.4
1938	02/07/2024 08:47	44.9	52.4	39.6	47.0	42.0
1939	02/07/2024 08:52	45.5	58.8	39.1	47.7	41.2
1940	02/07/2024 08:57	45.6	63.8	39.0	48.0	42.0
1941	02/07/2024 09:02	45.0	56.5	38.1	48.0	40.4
1942	02/07/2024 09:07	44.6	61.4	37.5	46.1	39.5
1943	02/07/2024 09:12	44.3	55.8	36.8	47.2	39.4
1944	02/07/2024 09:17	44.5	56.6	38.6	47.2	40.9
1945	02/07/2024 09:22	44.3	52.4	39.5	46.4	41.5
1946	02/07/2024 09:27	46.5	60.7	40.2	49.6	41.8
1947	02/07/2024 09:32	46.6	57.8	39.5	49.7	42.3
1948	02/07/2024 09:37	47.1	62.9	40.1	48.5	42.5
1949	02/07/2024 09:42	44.5	55.1	38.3	46.9	40.9
1950	02/07/2024 09:47	45.8	62.8	39.5	48.4	41.9
1951	02/07/2024 09:52	46.4	56.0	39.8	49.6	42.1
1952	02/07/2024 09:57	49.1	66.7	39.7	51.4	43.4
1953	02/07/2024 10:02	45.7	58.1	38.7	48.5	41.0
1954	02/07/2024 10:07	47.6	57.3	40.0	50.9	42.7
1955	02/07/2024 10:12	44.5	58.7	38.0	47.2	40.0
1956	02/07/2024 10:17	49.9	67.5	37.7	51.4	41.0

Address	Start Time	Measured Sound Pressure Level [dB(A)]				
		L _{Aeq,5 mins}	L _{Amax,F,5mins}	L _{Amin,5mins}	L _{A10,5mins}	L _{A90,5mins}
1957	02/07/2024 10:22	45.8	58.5	39.1	48.8	41.1
1958	02/07/2024 10:27	46.4	61.2	38.5	49.0	42.3
1959	02/07/2024 10:32	47.6	61.9	40.6	50.7	42.4
1960	02/07/2024 10:37	48.1	61.7	39.2	52.1	41.1
1961	02/07/2024 10:42	47.2	69.7	39.5	49.8	41.3

Location: NM02: Burndell Road
Survey Position: On western boundary. 1.8m above ground
Start: 25/06/2024
End: 30/06/2024
Engineer: Jason Corr

Instrumentation

Type	Item	Serial No.	Last External Calibration
Rion NL-32	Sound Level Meter	00103151	24/03/2023
Rion UC-53A	Microphone	316504	24/03/2023
Rion NH-21	Pre-amplifier	31888	24/03/2023
Rion NC-74	Acoustic Calibrator	34883981	29/04/2024

On-site Calibration

Before survey:	94.0 dB (re 94.0)
After survey:	93.9 dB (re 94.0)

Address	Start Time	Measured Sound Pressure Level [dB(A)]				
		L _{Aeq,5 mins}	L _{Amax,F 5mins}	L _{Amin,5mins}	L _{A10,5mins}	L _{A90,5mins}
1	25/06/2024 16:29	46.5	73.1	36.5	47.0	38.8
2	25/06/2024 16:34	44.5	59.4	34.8	48.5	36.8
3	25/06/2024 16:39	42.3	58.0	34.0	43.6	35.7
4	25/06/2024 16:44	42.6	58.0	33.3	45.3	36.1
5	25/06/2024 16:49	47.2	59.9	34.0	52.4	35.9
6	25/06/2024 16:54	53.2	75.8	34.7	46.7	36.6
7	25/06/2024 16:59	44.1	65.0	34.9	42.3	37.4
8	25/06/2024 17:04	42.6	58.9	35.7	44.5	37.5
9	25/06/2024 17:09	46.3	60.0	36.7	50.0	38.7
10	25/06/2024 17:14	41.0	61.2	35.5	42.0	37.4
11	25/06/2024 17:19	44.1	58.4	36.3	47.7	38.2
12	25/06/2024 17:24	42.7	56.5	37.0	46.4	38.7
13	25/06/2024 17:29	41.6	58.7	36.1	42.6	37.9
14	25/06/2024 17:34	41.0	49.8	35.7	42.9	38.1
15	25/06/2024 17:39	44.2	56.2	35.0	47.4	37.5
16	25/06/2024 17:44	42.7	61.1	33.4	44.9	35.7
17	25/06/2024 17:49	42.1	59.3	35.4	43.3	37.3
18	25/06/2024 17:54	45.4	64.1	35.7	47.6	37.6
19	25/06/2024 17:59	48.4	72.3	35.1	49.4	37.2
20	25/06/2024 18:04	39.9	56.3	32.8	42.0	35.8
21	25/06/2024 18:09	44.0	59.2	35.2	47.8	37.0
22	25/06/2024 18:14	46.3	60.6	35.8	50.1	37.9

Address	Start Time	Measured Sound Pressure Level [dB(A)]				
		L _{Aeq,5 mins}	L _{Amax,F 5mins}	L _{Amin,5mins}	L _{A10,5mins}	L _{A90,5mins}
23	25/06/2024 18:19	46.6	60.3	34.7	50.9	36.6
24	25/06/2024 18:24	43.1	60.3	35.4	42.2	36.9
25	25/06/2024 18:29	44.6	59.3	35.3	46.8	38.3
26	25/06/2024 18:34	45.1	70.4	35.8	46.8	38.4
27	25/06/2024 18:39	47.1	64.7	34.9	51.3	37.8
28	25/06/2024 18:44	48.9	69.2	36.5	49.0	38.8
29	25/06/2024 18:49	46.2	62.5	36.0	47.5	38.0
30	25/06/2024 18:54	43.4	64.0	36.1	46.0	38.2
31	25/06/2024 18:59	42.1	59.6	33.5	45.4	37.2
32	25/06/2024 19:04	42.1	58.4	34.2	42.9	37.1
33	25/06/2024 19:09	44.3	59.3	33.6	47.1	36.0
34	25/06/2024 19:14	51.3	70.4	33.7	50.6	35.6
35	25/06/2024 19:19	43.1	56.0	33.8	46.6	36.7
36	25/06/2024 19:24	42.2	61.2	36.5	44.2	38.6
37	25/06/2024 19:29	44.2	60.2	33.4	48.3	35.7
38	25/06/2024 19:34	43.3	58.5	32.2	46.4	34.9
39	25/06/2024 19:39	38.7	58.1	31.0	39.2	32.7
40	25/06/2024 19:44	45.0	61.4	33.4	49.2	36.0
41	25/06/2024 19:49	41.8	60.1	32.7	45.3	34.9
42	25/06/2024 19:54	42.8	56.9	31.2	47.1	35.1
43	25/06/2024 19:59	43.1	59.9	31.8	45.9	34.6
44	25/06/2024 20:04	39.1	57.9	33.4	41.5	35.5
45	25/06/2024 20:09	38.7	59.6	31.5	40.0	33.3
46	25/06/2024 20:14	37.6	56.2	31.3	39.5	33.4
47	25/06/2024 20:19	40.4	55.1	32.3	43.5	35.0
48	25/06/2024 20:24	42.2	60.5	36.1	43.8	38.2
49	25/06/2024 20:29	39.6	51.0	35.1	41.5	36.7
50	25/06/2024 20:34	45.3	56.8	38.2	48.5	40.1
51	25/06/2024 20:39	45.3	62.3	36.8	47.1	39.2
52	25/06/2024 20:44	43.0	59.3	36.7	45.8	38.5
53	25/06/2024 20:49	41.8	56.0	35.9	42.9	39.0
54	25/06/2024 20:54	45.3	60.6	35.7	46.2	38.7
55	25/06/2024 20:59	41.1	50.8	35.5	43.1	37.8
56	25/06/2024 21:04	40.2	57.4	35.3	41.6	37.9
57	25/06/2024 21:09	43.4	67.1	33.3	41.8	36.9
58	25/06/2024 21:14	41.7	57.7	34.4	42.4	38.0
59	25/06/2024 21:19	39.3	53.9	34.2	41.1	36.6
60	25/06/2024 21:24	40.1	55.9	32.2	41.3	35.1
61	25/06/2024 21:29	36.5	48.9	29.6	39.1	32.0
62	25/06/2024 21:34	37.3	52.9	29.8	40.1	33.6
63	25/06/2024 21:39	35.0	48.0	28.9	37.4	31.6
64	25/06/2024 21:44	32.6	44.2	27.7	34.6	30.1
65	25/06/2024 21:49	33.8	50.8	28.0	35.8	29.9
66	25/06/2024 21:54	34.9	51.4	27.7	36.5	31.5

Address	Start Time	Measured Sound Pressure Level [dB(A)]				
		L _{Aeq,5 mins}	L _{Amax,F 5mins}	L _{Amin,5mins}	L _{A10,5mins}	L _{A90,5mins}
67	25/06/2024 21:59	35.7	52.8	30.4	37.6	32.6
68	25/06/2024 22:04	36.0	43.0	31.2	37.7	33.7
69	25/06/2024 22:09	37.9	44.6	32.3	40.2	35.2
70	25/06/2024 22:14	35.4	42.2	29.3	37.6	31.7
71	25/06/2024 22:19	35.7	44.1	30.2	38.2	32.0
72	25/06/2024 22:24	34.6	44.0	28.6	37.4	30.9
73	25/06/2024 22:29	35.5	41.5	30.5	37.7	32.5
74	25/06/2024 22:34	34.4	40.9	28.7	36.4	31.4
75	25/06/2024 22:39	33.3	41.1	27.7	35.3	30.7
76	25/06/2024 22:44	40.3	59.1	27.2	41.1	30.8
77	25/06/2024 22:49	34.3	44.8	28.9	36.6	30.9
78	25/06/2024 22:54	35.9	43.9	27.6	38.3	31.4
79	25/06/2024 22:59	33.8	46.0	27.3	36.0	30.0
80	25/06/2024 23:04	34.5	44.2	27.7	37.1	30.0
81	25/06/2024 23:09	33.0	41.2	27.7	35.8	29.4
82	25/06/2024 23:14	33.0	39.4	26.5	35.6	29.5
83	25/06/2024 23:19	35.5	46.0	28.5	37.5	30.4
84	25/06/2024 23:24	32.4	41.0	26.0	35.1	29.0
85	25/06/2024 23:29	31.8	41.8	25.5	34.5	27.6
86	25/06/2024 23:34	33.4	42.7	25.8	37.0	28.4
87	25/06/2024 23:39	31.6	40.2	26.5	33.6	28.6
88	25/06/2024 23:44	30.9	44.9	26.1	32.5	28.1
89	25/06/2024 23:49	31.4	39.1	26.7	33.6	28.5
90	25/06/2024 23:54	32.5	39.9	26.3	36.2	28.4
91	25/06/2024 23:59	31.4	40.9	28.0	33.3	29.3
92	26/06/2024 00:04	31.3	43.5	27.0	33.0	29.3
93	26/06/2024 00:09	32.4	36.9	28.6	33.5	30.9
94	26/06/2024 00:14	32.9	37.8	30.0	34.4	31.3
95	26/06/2024 00:19	32.6	37.2	28.7	34.2	30.5
96	26/06/2024 00:24	31.2	39.1	27.1	33.4	28.6
97	26/06/2024 00:29	33.4	44.3	26.8	37.1	28.7
98	26/06/2024 00:34	29.8	37.8	26.6	31.1	28.2
99	26/06/2024 00:39	30.2	38.7	24.4	33.0	26.3
100	26/06/2024 00:44	30.4	38.1	24.1	32.5	27.1
101	26/06/2024 00:49	32.7	41.4	24.9	35.9	27.1
102	26/06/2024 00:54	29.6	37.7	24.9	32.0	26.7
103	26/06/2024 00:59	30.3	42.5	24.7	32.3	26.1
104	26/06/2024 01:04	29.5	40.2	24.5	32.5	26.0
105	26/06/2024 01:09	31.7	44.6	24.4	35.7	25.7
106	26/06/2024 01:14	29.4	41.3	25.9	31.0	26.8
107	26/06/2024 01:19	30.6	39.6	26.2	32.8	27.6
108	26/06/2024 01:24	28.9	35.1	26.4	30.1	27.7
109	26/06/2024 01:29	30.0	36.6	26.5	32.2	28.0
110	26/06/2024 01:34	29.0	36.5	26.6	30.2	27.8

Address	Start Time	Measured Sound Pressure Level [dB(A)]				
		L _{Aeq,5 mins}	L _{Amax,F 5mins}	L _{Amin,5mins}	L _{A10,5mins}	L _{A90,5mins}
111	26/06/2024 01:39	29.4	34.0	26.1	31.2	27.3
112	26/06/2024 01:44	29.5	37.3	26.3	30.8	27.4
113	26/06/2024 01:49	31.8	41.0	27.3	33.9	29.3
114	26/06/2024 01:54	31.2	45.9	25.4	32.6	26.8
115	26/06/2024 01:59	31.5	41.2	26.0	33.7	27.3
116	26/06/2024 02:04	32.0	40.6	28.2	34.0	29.8
117	26/06/2024 02:09	33.3	42.1	27.4	36.0	29.3
118	26/06/2024 02:14	31.2	39.5	26.1	34.2	27.9
119	26/06/2024 02:19	31.8	44.6	27.9	33.7	29.1
120	26/06/2024 02:24	33.3	45.3	26.8	36.2	28.7
121	26/06/2024 02:29	31.1	40.7	27.7	32.8	28.9
122	26/06/2024 02:34	33.1	43.8	27.7	37.6	28.8
123	26/06/2024 02:39	35.9	46.5	27.8	39.6	29.8
124	26/06/2024 02:44	33.1	40.6	28.2	35.9	29.5
125	26/06/2024 02:49	33.3	42.5	28.2	35.3	30.2
126	26/06/2024 02:54	34.4	42.6	30.0	36.5	31.6
127	26/06/2024 02:59	33.8	39.9	30.5	36.3	31.7
128	26/06/2024 03:04	31.5	39.3	27.8	34.1	29.0
129	26/06/2024 03:09	32.7	40.0	28.0	34.4	30.3
130	26/06/2024 03:14	34.2	44.3	29.4	37.3	31.2
131	26/06/2024 03:19	37.8	47.5	29.8	40.7	33.6
132	26/06/2024 03:24	36.7	45.4	30.5	39.8	32.6
133	26/06/2024 03:29	34.4	44.7	29.3	36.8	31.5
134	26/06/2024 03:34	34.8	50.2	28.0	36.4	29.5
135	26/06/2024 03:39	32.5	42.6	28.4	34.5	29.9
136	26/06/2024 03:44	41.5	53.7	31.9	45.5	34.4
137	26/06/2024 03:49	39.5	55.5	33.3	42.4	34.7
138	26/06/2024 03:54	40.8	54.3	32.8	44.4	35.0
139	26/06/2024 03:59	41.0	54.1	32.7	44.4	35.3
140	26/06/2024 04:04	45.4	57.4	34.1	49.5	37.4
141	26/06/2024 04:09	45.4	57.2	34.5	48.9	38.2
142	26/06/2024 04:14	48.7	63.1	34.8	53.1	38.7
143	26/06/2024 04:19	41.7	51.7	34.0	45.2	36.4
144	26/06/2024 04:24	42.1	52.4	33.2	45.9	35.8
145	26/06/2024 04:29	49.4	65.9	33.9	48.6	36.2
146	26/06/2024 04:34	41.5	51.8	35.6	44.3	37.6
147	26/06/2024 04:39	39.7	44.9	35.8	41.1	38.0
148	26/06/2024 04:44	52.8	73.1	37.1	55.0	39.1
149	26/06/2024 04:49	50.6	63.3	36.3	55.8	39.0
150	26/06/2024 04:54	50.0	62.8	36.2	54.5	39.1
151	26/06/2024 04:59	56.0	73.1	35.1	61.1	38.4
152	26/06/2024 05:04	55.6	70.9	36.0	59.6	38.9
153	26/06/2024 05:09	40.5	50.4	36.0	42.2	37.9
154	26/06/2024 05:14	44.8	63.8	36.1	45.8	38.0

Address	Start Time	Measured Sound Pressure Level [dB(A)]				
		L _{Aeq,5 mins}	L _{Amax,F 5mins}	L _{Amin,5mins}	L _{A10,5mins}	L _{A90,5mins}
155	26/06/2024 05:19	47.2	72.3	35.2	43.8	37.8
156	26/06/2024 05:24	39.7	53.5	35.1	41.5	37.4
157	26/06/2024 05:29	41.1	52.6	36.5	42.9	38.6
158	26/06/2024 05:34	41.6	55.4	36.0	43.8	38.0
159	26/06/2024 05:39	41.3	52.4	36.7	43.2	38.8
160	26/06/2024 05:44	42.3	52.5	37.5	44.8	39.2
161	26/06/2024 05:49	41.0	55.5	36.9	42.5	38.6
162	26/06/2024 05:54	41.2	57.7	36.0	43.3	37.9
163	26/06/2024 05:59	44.4	61.2	37.1	46.6	39.6
164	26/06/2024 06:04	52.6	72.0	37.1	52.7	38.9
165	26/06/2024 06:09	43.9	65.4	36.9	45.7	38.9
166	26/06/2024 06:14	42.4	53.3	37.1	44.7	39.3
167	26/06/2024 06:19	42.7	56.7	37.2	44.5	39.3
168	26/06/2024 06:24	42.7	50.4	37.4	45.3	39.6
169	26/06/2024 06:29	41.5	53.1	38.0	43.3	39.4
170	26/06/2024 06:34	42.7	52.7	37.9	44.2	40.4
171	26/06/2024 06:39	43.5	51.8	37.1	46.7	39.6
172	26/06/2024 06:44	42.3	56.9	37.5	44.1	39.6
173	26/06/2024 06:49	43.4	64.8	37.7	44.0	39.1
174	26/06/2024 06:54	41.3	50.1	38.1	42.8	39.7
175	26/06/2024 06:59	44.7	58.7	38.1	48.1	40.0
176	26/06/2024 07:04	50.3	69.6	37.0	51.3	38.7
177	26/06/2024 07:09	52.3	70.5	38.8	51.9	41.0
178	26/06/2024 07:14	42.3	54.1	38.3	43.8	40.1
179	26/06/2024 07:19	42.8	54.8	39.0	44.4	40.6
180	26/06/2024 07:24	43.2	52.7	39.2	44.8	40.9
181	26/06/2024 07:29	44.0	53.9	39.3	46.8	40.8
182	26/06/2024 07:34	46.0	57.7	38.3	49.6	40.8
183	26/06/2024 07:39	43.5	55.1	38.4	45.8	40.4
184	26/06/2024 07:44	41.6	49.2	38.0	43.0	39.8
185	26/06/2024 07:49	41.2	50.0	38.2	42.5	39.6
186	26/06/2024 07:54	43.5	50.1	39.3	45.6	40.9
187	26/06/2024 07:59	43.4	53.1	39.0	45.9	40.7
188	26/06/2024 08:04	41.4	55.5	37.7	42.6	39.3
189	26/06/2024 08:09	43.7	59.9	38.6	44.5	41.3
190	26/06/2024 08:14	44.6	58.8	38.7	45.9	40.3
191	26/06/2024 08:19	42.8	59.7	38.0	45.1	40.0
192	26/06/2024 08:24	45.9	61.1	38.4	48.0	39.8
193	26/06/2024 08:29	57.1	71.4	39.3	62.4	42.2
194	26/06/2024 08:34	55.1	71.0	39.0	58.0	42.5
195	26/06/2024 08:39	50.0	70.0	35.6	50.6	39.0
196	26/06/2024 08:44	51.8	72.0	37.7	52.0	39.8
197	26/06/2024 08:49	43.9	53.7	39.4	45.7	41.4
198	26/06/2024 08:54	44.8	73.1	38.2	45.4	40.2

Address	Start Time	Measured Sound Pressure Level [dB(A)]				
		L _{Aeq,5 mins}	L _{Amax,F 5mins}	L _{Amin,5mins}	L _{A10,5mins}	L _{A90,5mins}
199	26/06/2024 08:59	41.2	53.8	36.9	43.2	38.5
200	26/06/2024 09:04	48.5	62.0	38.2	52.6	40.2
201	26/06/2024 09:09	44.1	55.1	38.3	46.3	41.3
202	26/06/2024 09:14	47.5	62.8	39.3	50.1	42.0
203	26/06/2024 09:19	49.5	67.7	39.6	52.7	42.3
204	26/06/2024 09:24	54.6	70.9	37.7	57.9	42.0
205	26/06/2024 09:29	56.9	70.8	37.3	62.4	39.8
206	26/06/2024 09:34	49.4	72.5	35.6	44.5	38.1
207	26/06/2024 09:39	42.5	61.8	37.2	44.2	39.4
208	26/06/2024 09:44	46.9	67.5	36.3	50.8	39.5
209	26/06/2024 09:49	44.8	60.2	35.3	47.7	38.5
210	26/06/2024 09:54	60.1	78.9	34.1	59.6	36.3
211	26/06/2024 09:59	58.5	76.2	33.2	58.9	36.2
212	26/06/2024 10:04	47.1	59.8	35.7	51.1	38.9
213	26/06/2024 10:09	46.3	61.5	33.2	48.9	36.6
214	26/06/2024 10:14	49.7	68.0	35.0	53.0	37.3
215	26/06/2024 10:19	53.1	68.8	34.6	56.8	37.7
216	26/06/2024 10:24	46.1	62.6	33.3	46.3	36.1
217	26/06/2024 10:29	51.6	65.8	33.7	56.2	37.2
218	26/06/2024 10:34	43.9	61.4	32.5	44.3	37.0
219	26/06/2024 10:39	51.4	70.2	31.4	55.1	34.3
220	26/06/2024 10:44	48.9	66.4	33.9	49.9	36.9
221	26/06/2024 10:49	46.1	61.7	35.8	48.6	38.4
222	26/06/2024 10:54	44.1	61.5	33.2	48.3	35.0
223	26/06/2024 10:59	44.8	60.3	34.7	48.1	38.1
224	26/06/2024 11:04	45.6	59.1	34.7	48.5	38.6
225	26/06/2024 11:09	45.5	60.5	33.6	47.8	36.8
226	26/06/2024 11:14	48.5	63.8	35.6	52.0	40.3
227	26/06/2024 11:19	44.1	58.6	36.6	46.6	39.1
228	26/06/2024 11:24	45.1	63.1	37.2	48.0	39.2
229	26/06/2024 11:29	44.4	57.7	37.8	46.7	40.4
230	26/06/2024 11:34	45.9	58.8	37.1	50.1	39.9
231	26/06/2024 11:39	43.2	55.1	36.7	45.7	39.3
232	26/06/2024 11:44	50.0	62.3	37.1	55.0	40.7
233	26/06/2024 11:49	46.2	65.6	37.1	48.6	39.8
234	26/06/2024 11:54	47.3	60.7	38.0	51.1	40.6
235	26/06/2024 11:59	47.1	63.6	37.8	50.0	40.6
236	26/06/2024 12:04	47.5	62.8	36.1	50.8	39.9
237	26/06/2024 12:09	53.9	70.6	36.4	56.0	39.5
238	26/06/2024 12:14	52.5	68.8	36.4	54.4	40.9
239	26/06/2024 12:19	51.0	62.5	38.8	55.0	41.6
240	26/06/2024 12:24	49.6	62.4	39.1	53.1	41.3
241	26/06/2024 12:29	49.0	63.8	37.8	52.8	40.8
242	26/06/2024 12:34	48.3	58.8	38.2	51.8	40.9

Address	Start Time	Measured Sound Pressure Level [dB(A)]				
		L _{Aeq,5 mins}	L _{Amax,F 5mins}	L _{Amin,5mins}	L _{A10,5mins}	L _{A90,5mins}
243	26/06/2024 12:39	47.0	59.5	36.6	50.3	40.4
244	26/06/2024 12:44	46.2	60.2	37.0	48.8	40.1
245	26/06/2024 12:49	45.1	62.2	38.1	47.4	40.7
246	26/06/2024 12:54	47.1	59.6	39.8	51.1	41.5
247	26/06/2024 12:59	47.5	60.6	38.3	51.6	40.3
248	26/06/2024 13:04	51.7	66.7	39.1	54.1	41.6
249	26/06/2024 13:09	47.6	62.9	37.4	49.9	40.1
250	26/06/2024 13:14	43.8	57.9	38.4	46.3	40.0
251	26/06/2024 13:19	46.7	61.5	38.0	50.1	40.3
252	26/06/2024 13:24	46.8	58.9	40.0	49.2	42.9
253	26/06/2024 13:29	45.1	62.3	36.6	47.6	39.1
254	26/06/2024 13:34	45.5	62.4	37.1	46.5	39.6
255	26/06/2024 13:39	44.0	61.2	38.3	45.4	39.7
256	26/06/2024 13:44	46.1	63.1	37.9	48.6	39.6
257	26/06/2024 13:49	44.1	54.5	38.5	46.1	40.2
258	26/06/2024 13:54	46.3	59.4	37.6	49.7	40.1
259	26/06/2024 13:59	44.5	59.1	37.2	46.9	39.1
260	26/06/2024 14:04	45.4	59.2	37.9	48.3	40.0
261	26/06/2024 14:09	44.5	59.4	37.1	47.6	39.6
262	26/06/2024 14:14	42.7	55.5	38.0	44.3	40.2
263	26/06/2024 14:19	43.0	54.4	37.5	45.0	39.2
264	26/06/2024 14:24	42.1	58.4	36.5	43.8	39.6
265	26/06/2024 14:29	44.5	60.1	36.4	45.2	39.2
266	26/06/2024 14:34	46.1	59.7	37.7	49.1	40.4
267	26/06/2024 14:39	45.9	62.7	36.7	48.2	38.7
268	26/06/2024 14:44	46.2	67.4	37.1	47.5	39.5
269	26/06/2024 14:49	44.7	61.3	37.4	47.5	40.1
270	26/06/2024 14:54	44.7	62.7	38.0	46.8	40.3
271	26/06/2024 14:59	46.5	61.7	38.4	48.4	40.9
272	26/06/2024 15:04	44.7	62.6	37.5	46.8	39.5
273	26/06/2024 15:09	44.1	62.8	37.3	44.9	39.3
274	26/06/2024 15:14	44.0	58.6	35.6	47.4	38.0
275	26/06/2024 15:19	48.6	61.4	35.8	53.1	39.6
276	26/06/2024 15:24	42.0	60.4	35.8	42.1	37.5
277	26/06/2024 15:29	42.6	59.0	35.2	43.5	37.0
278	26/06/2024 15:34	45.1	59.0	36.0	48.5	37.7
279	26/06/2024 15:39	45.2	62.2	36.7	47.9	38.5
280	26/06/2024 15:44	43.1	55.6	36.5	45.8	38.9
281	26/06/2024 15:49	40.9	54.6	35.2	41.7	37.7
282	26/06/2024 15:54	44.7	70.2	35.8	42.2	37.4
283	26/06/2024 15:59	42.1	60.7	36.1	44.2	37.5
284	26/06/2024 16:04	43.0	62.6	37.7	44.9	39.5
285	26/06/2024 16:09	42.5	60.2	35.9	44.9	37.7
286	26/06/2024 16:14	42.7	55.7	36.4	45.4	38.0

Address	Start Time	Measured Sound Pressure Level [dB(A)]				
		L _{Aeq,5 mins}	L _{Amax,F 5mins}	L _{Amin,5mins}	L _{A10,5mins}	L _{A90,5mins}
287	26/06/2024 16:19	41.3	53.3	35.4	44.0	37.2
288	26/06/2024 16:24	40.2	52.8	34.9	41.8	37.5
289	26/06/2024 16:29	45.0	61.0	36.0	49.6	37.9
290	26/06/2024 16:34	44.3	58.2	36.7	47.0	38.9
291	26/06/2024 16:39	45.0	60.8	35.2	47.6	36.6
292	26/06/2024 16:44	43.6	59.9	34.3	45.5	36.7
293	26/06/2024 16:49	42.3	63.4	35.4	44.4	37.2
294	26/06/2024 16:54	47.0	66.6	35.8	46.3	37.5
295	26/06/2024 16:59	48.0	63.4	34.8	50.8	36.8
296	26/06/2024 17:04	45.5	62.3	35.9	48.6	37.5
297	26/06/2024 17:09	44.1	60.6	35.9	46.8	37.9
298	26/06/2024 17:14	51.1	65.7	36.2	53.1	38.8
299	26/06/2024 17:19	45.7	57.0	34.9	50.5	37.1
300	26/06/2024 17:24	42.4	70.1	35.2	44.4	37.2
301	26/06/2024 17:29	45.4	57.5	34.7	48.1	36.7
302	26/06/2024 17:34	37.6	45.5	33.8	39.0	35.9
303	26/06/2024 17:39	42.9	58.2	36.1	46.3	37.5
304	26/06/2024 17:44	41.0	56.8	35.3	43.5	36.6
305	26/06/2024 17:49	43.8	65.7	34.7	42.2	36.6
306	26/06/2024 17:54	43.6	60.7	35.5	43.6	37.0
307	26/06/2024 17:59	42.3	57.0	35.6	43.9	37.4
308	26/06/2024 18:04	40.9	56.4	35.3	41.6	37.3
309	26/06/2024 18:09	43.2	53.0	36.2	46.3	38.6
310	26/06/2024 18:14	41.4	61.4	35.1	43.0	37.9
311	26/06/2024 18:19	43.1	58.5	35.3	45.1	37.0
312	26/06/2024 18:24	41.9	59.6	35.4	43.8	37.6
313	26/06/2024 18:29	41.3	52.3	35.3	44.0	37.3
314	26/06/2024 18:34	44.1	55.3	37.1	46.8	39.8
315	26/06/2024 18:39	43.3	65.5	36.9	44.7	39.3
316	26/06/2024 18:44	46.1	60.8	36.5	48.7	38.9
317	26/06/2024 18:49	42.9	52.3	37.3	45.5	39.7
318	26/06/2024 18:54	41.9	63.4	36.5	43.6	38.4
319	26/06/2024 18:59	45.7	60.0	35.5	46.5	38.5
320	26/06/2024 19:04	45.2	68.8	36.1	45.5	38.4
321	26/06/2024 19:09	43.3	57.5	37.4	45.1	39.7
322	26/06/2024 19:14	42.5	55.2	36.3	44.8	38.7
323	26/06/2024 19:19	43.7	54.4	37.0	47.2	39.1
324	26/06/2024 19:24	41.1	52.3	35.2	43.1	38.1
325	26/06/2024 19:29	40.2	53.8	35.2	41.3	36.9
326	26/06/2024 19:34	41.4	60.7	34.7	42.9	37.4
327	26/06/2024 19:39	44.3	64.5	35.7	44.2	38.1
328	26/06/2024 19:44	43.8	56.3	36.0	46.9	39.1
329	26/06/2024 19:49	43.8	54.6	35.8	48.0	37.8
330	26/06/2024 19:54	39.9	50.5	34.7	41.7	36.8

Address	Start Time	Measured Sound Pressure Level [dB(A)]				
		L _{Aeq,5 mins}	L _{Amax,F 5mins}	L _{Amin,5mins}	L _{A10,5mins}	L _{A90,5mins}
331	26/06/2024 19:59	44.3	61.9	35.3	48.3	37.3
332	26/06/2024 20:04	39.9	52.1	33.8	42.7	35.8
333	26/06/2024 20:09	41.5	54.9	34.1	43.9	37.2
334	26/06/2024 20:14	43.0	64.0	35.6	43.9	37.7
335	26/06/2024 20:19	41.4	54.8	34.2	45.2	36.3
336	26/06/2024 20:24	43.9	64.9	34.4	45.6	36.8
337	26/06/2024 20:29	40.9	61.3	35.1	43.1	37.2
338	26/06/2024 20:34	44.2	59.4	33.5	46.4	36.1
339	26/06/2024 20:39	44.5	60.0	33.5	46.2	36.3
340	26/06/2024 20:44	43.0	62.9	35.0	43.3	37.1
341	26/06/2024 20:49	42.3	62.1	34.5	44.0	37.5
342	26/06/2024 20:54	40.6	65.6	35.2	41.1	37.6
343	26/06/2024 20:59	39.6	44.7	35.9	40.9	38.0
344	26/06/2024 21:04	40.5	60.3	35.1	42.2	37.1
345	26/06/2024 21:09	40.3	54.7	34.6	42.3	37.6
346	26/06/2024 21:14	39.9	60.6	35.2	41.2	37.2
347	26/06/2024 21:19	40.1	61.5	35.1	41.5	37.4
348	26/06/2024 21:24	42.2	58.6	35.2	44.3	37.5
349	26/06/2024 21:29	41.9	67.0	34.5	42.8	36.9
350	26/06/2024 21:34	39.5	48.1	33.3	42.2	36.2
351	26/06/2024 21:39	42.2	50.6	33.7	46.3	36.3
352	26/06/2024 21:44	41.6	69.3	33.6	40.3	36.1
353	26/06/2024 21:49	40.2	59.9	32.6	42.5	35.4
354	26/06/2024 21:54	38.3	51.2	33.3	39.8	35.8
355	26/06/2024 21:59	41.8	49.7	35.5	43.8	38.9
356	26/06/2024 22:04	37.4	51.7	32.7	39.2	35.1
357	26/06/2024 22:09	40.8	53.0	33.2	45.1	36.0
358	26/06/2024 22:14	38.3	45.2	34.0	40.3	35.5
359	26/06/2024 22:19	35.6	40.5	31.7	37.0	33.8
360	26/06/2024 22:24	36.1	45.7	31.5	37.9	33.2
361	26/06/2024 22:29	35.6	42.9	31.1	37.4	33.2
362	26/06/2024 22:34	39.1	46.8	30.4	43.0	33.9
363	26/06/2024 22:39	36.7	45.0	30.5	40.0	32.6
364	26/06/2024 22:44	39.3	55.9	29.7	38.4	31.7
365	26/06/2024 22:49	37.1	45.8	30.3	40.0	32.7
366	26/06/2024 22:54	37.1	48.3	31.7	38.7	33.6
367	26/06/2024 22:59	36.0	44.1	29.8	38.3	32.9
368	26/06/2024 23:04	34.9	40.6	27.3	37.2	30.5
369	26/06/2024 23:09	35.3	41.6	30.3	37.5	32.6
370	26/06/2024 23:14	35.9	44.3	30.2	38.1	32.6
371	26/06/2024 23:19	34.5	41.0	29.9	36.3	32.3
372	26/06/2024 23:24	32.7	40.4	26.9	35.6	29.1
373	26/06/2024 23:29	33.6	40.4	27.2	35.9	30.3
374	26/06/2024 23:34	33.5	40.5	28.1	36.3	29.9

Address	Start Time	Measured Sound Pressure Level [dB(A)]				
		L _{Aeq,5 mins}	L _{Amax,F 5mins}	L _{Amin,5mins}	L _{A10,5mins}	L _{A90,5mins}
375	26/06/2024 23:39	35.3	45.1	28.4	38.8	30.5
376	26/06/2024 23:44	30.4	43.2	24.0	33.0	26.3
377	26/06/2024 23:49	32.3	42.1	25.2	34.8	28.1
378	26/06/2024 23:54	30.8	37.1	22.8	33.6	24.5
379	26/06/2024 23:59	32.7	42.8	25.4	35.8	27.1
380	27/06/2024 00:04	30.5	38.6	24.5	32.7	26.9
381	27/06/2024 00:09	30.3	36.7	24.3	32.6	27.2
382	27/06/2024 00:14	30.8	38.5	25.1	33.2	27.7
383	27/06/2024 00:19	31.1	39.2	25.7	33.4	28.3
384	27/06/2024 00:24	31.5	41.2	25.2	34.1	27.8
385	27/06/2024 00:29	30.5	35.9	24.4	33.0	26.4
386	27/06/2024 00:34	29.1	34.6	23.9	31.1	26.2
387	27/06/2024 00:39	30.2	40.3	24.8	33.4	26.4
388	27/06/2024 00:44	31.1	39.3	25.6	33.8	27.2
389	27/06/2024 00:49	29.2	37.0	23.6	31.6	25.8
390	27/06/2024 00:54	30.1	37.8	23.2	34.3	25.8
391	27/06/2024 00:59	31.9	38.9	24.9	34.9	27.3
392	27/06/2024 01:04	29.4	35.8	24.5	32.5	26.2
393	27/06/2024 01:09	30.1	39.6	22.7	33.8	24.3
394	27/06/2024 01:14	38.6	46.8	26.9	41.9	30.5
395	27/06/2024 01:19	36.9	51.0	25.8	40.1	28.3
396	27/06/2024 01:24	35.7	45.3	25.7	38.8	28.3
397	27/06/2024 01:29	35.0	43.2	23.3	39.1	25.9
398	27/06/2024 01:34	24.2	32.8	21.1	26.0	22.2
399	27/06/2024 01:39	33.7	43.9	24.8	37.8	27.2
400	27/06/2024 01:44	31.3	40.6	22.0	35.5	24.3
401	27/06/2024 01:49	34.5	44.4	23.2	37.5	28.0
402	27/06/2024 01:54	27.7	38.2	22.4	31.1	23.6
403	27/06/2024 01:59	36.1	64.2	21.5	35.0	22.9
404	27/06/2024 02:04	32.8	42.5	23.5	36.6	26.3
405	27/06/2024 02:09	34.3	46.2	22.9	39.4	24.1
406	27/06/2024 02:14	35.2	48.7	22.8	39.2	26.4
407	27/06/2024 02:19	33.9	45.1	24.0	38.2	26.1
408	27/06/2024 02:24	30.5	42.0	23.0	33.9	24.3
409	27/06/2024 02:29	29.9	42.7	22.7	33.7	23.9
410	27/06/2024 02:34	34.0	47.8	24.0	38.3	25.1
411	27/06/2024 02:39	33.9	45.5	24.3	37.5	25.7
412	27/06/2024 02:44	33.7	42.8	24.3	37.5	25.9
413	27/06/2024 02:49	34.0	42.9	25.4	37.4	27.3
414	27/06/2024 02:54	31.7	42.9	24.5	35.0	26.5
415	27/06/2024 02:59	32.6	42.9	25.2	35.8	27.4
416	27/06/2024 03:04	36.1	44.4	26.7	39.9	29.1
417	27/06/2024 03:09	35.3	44.5	24.8	39.5	28.0
418	27/06/2024 03:14	33.8	46.4	24.7	37.7	26.5

Address	Start Time	Measured Sound Pressure Level [dB(A)]				
		L _{Aeq,5 mins}	L _{Amax,F 5mins}	L _{Amin,5mins}	L _{A10,5mins}	L _{A90,5mins}
419	27/06/2024 03:19	35.8	47.1	26.4	40.3	28.3
420	27/06/2024 03:24	34.0	42.7	27.0	37.4	29.6
421	27/06/2024 03:29	31.3	39.7	27.6	33.2	29.1
422	27/06/2024 03:34	31.0	35.9	26.1	33.1	28.2
423	27/06/2024 03:39	34.6	44.4	28.3	38.1	29.9
424	27/06/2024 03:44	33.4	40.2	28.8	35.8	30.5
425	27/06/2024 03:49	36.0	43.0	30.0	38.2	32.9
426	27/06/2024 03:54	40.8	56.7	31.6	44.1	34.7
427	27/06/2024 03:59	42.1	54.0	32.1	45.5	36.0
428	27/06/2024 04:04	43.1	57.7	31.9	45.8	35.7
429	27/06/2024 04:09	45.2	57.6	31.1	49.6	35.2
430	27/06/2024 04:14	45.8	57.8	30.6	50.7	34.7
431	27/06/2024 04:19	44.5	60.1	31.5	47.8	35.9
432	27/06/2024 04:24	40.6	51.4	29.9	44.5	34.0
433	27/06/2024 04:29	41.3	52.0	29.7	44.9	35.7
434	27/06/2024 04:34	41.5	52.9	32.6	44.7	36.4
435	27/06/2024 04:39	44.2	60.6	34.0	47.0	36.6
436	27/06/2024 04:44	41.5	49.0	34.7	44.2	37.6
437	27/06/2024 04:49	41.3	58.3	33.0	43.2	36.4
438	27/06/2024 04:54	43.5	65.6	32.3	42.8	35.2
439	27/06/2024 04:59	46.3	62.2	34.2	49.8	36.4
440	27/06/2024 05:04	39.8	49.9	32.3	43.0	34.9
441	27/06/2024 05:09	46.7	63.7	31.8	47.5	36.2
442	27/06/2024 05:14	43.9	62.3	36.1	45.4	38.7
443	27/06/2024 05:19	45.8	62.1	35.2	47.7	38.2
444	27/06/2024 05:24	42.1	56.9	35.0	43.3	39.0
445	27/06/2024 05:29	42.4	53.1	36.2	44.7	39.3
446	27/06/2024 05:34	46.2	59.7	37.4	48.6	40.6
447	27/06/2024 05:39	49.4	59.0	41.3	52.1	44.5
448	27/06/2024 05:44	49.6	59.7	42.0	51.7	45.8
449	27/06/2024 05:49	52.6	69.7	43.1	53.7	46.8
450	27/06/2024 05:54	50.0	62.9	40.5	51.9	44.5
451	27/06/2024 05:59	48.7	68.9	38.0	48.8	41.3
452	27/06/2024 06:04	44.7	56.4	38.1	46.4	42.1
453	27/06/2024 06:09	53.5	75.4	39.4	52.8	42.4
454	27/06/2024 06:14	48.5	66.9	39.7	49.3	42.6
455	27/06/2024 06:19	50.1	66.8	38.9	52.8	41.3
456	27/06/2024 06:24	42.8	56.2	38.0	44.6	40.1
457	27/06/2024 06:29	41.8	54.5	37.8	43.4	39.7
458	27/06/2024 06:34	45.6	66.2	39.1	46.7	41.3
459	27/06/2024 06:39	43.9	54.4	39.3	45.8	41.6
460	27/06/2024 06:44	43.7	53.6	39.1	45.4	41.5
461	27/06/2024 06:49	43.9	55.8	39.0	45.4	41.4
462	27/06/2024 06:54	43.0	55.1	37.8	44.9	39.9

Address	Start Time	Measured Sound Pressure Level [dB(A)]				
		L _{Aeq,5 mins}	L _{Amax,F 5mins}	L _{Amin,5mins}	L _{A10,5mins}	L _{A90,5mins}
463	27/06/2024 06:59	42.2	58.8	35.9	44.4	38.1
464	27/06/2024 07:04	43.5	58.5	36.2	46.4	37.6
465	27/06/2024 07:09	47.6	65.6	36.2	49.1	38.7
466	27/06/2024 07:14	50.6	64.9	37.4	55.5	39.4
467	27/06/2024 07:19	51.8	69.6	36.5	53.6	40.3
468	27/06/2024 07:24	49.9	68.2	37.3	48.3	40.1
469	27/06/2024 07:29	46.6	64.8	35.9	47.7	38.8
470	27/06/2024 07:34	50.5	66.4	36.1	51.2	38.3
471	27/06/2024 07:39	48.7	68.1	36.6	48.5	38.8
472	27/06/2024 07:44	41.5	58.3	35.2	43.8	37.5
473	27/06/2024 07:49	42.7	53.9	35.5	45.9	37.5
474	27/06/2024 07:54	42.9	59.5	35.0	45.9	37.0
475	27/06/2024 07:59	39.3	54.2	34.7	40.9	36.8
476	27/06/2024 08:04	39.3	57.7	33.9	41.4	35.8
477	27/06/2024 08:09	42.3	63.8	34.5	44.4	35.8
478	27/06/2024 08:14	44.5	60.0	35.3	46.5	37.5
479	27/06/2024 08:19	53.9	73.1	36.5	50.9	39.2
480	27/06/2024 08:24	58.6	73.8	37.1	63.5	39.3
481	27/06/2024 08:29	54.0	73.8	35.4	53.0	37.5
482	27/06/2024 08:34	41.4	55.2	36.1	42.9	38.1
483	27/06/2024 08:39	45.6	59.9	34.8	48.8	37.2
484	27/06/2024 08:44	39.4	52.5	34.3	41.5	35.9
485	27/06/2024 08:49	42.1	55.1	33.2	45.6	35.8
486	27/06/2024 08:54	51.2	71.4	33.3	53.2	35.4
487	27/06/2024 08:59	50.2	66.4	33.2	54.1	36.7
488	27/06/2024 09:04	53.3	71.2	34.6	57.7	37.4
489	27/06/2024 09:09	50.4	68.8	34.1	54.4	36.1
490	27/06/2024 09:14	46.7	60.5	36.1	50.5	38.3
491	27/06/2024 09:19	43.8	60.9	35.2	46.0	37.3
492	27/06/2024 09:24	43.5	62.9	35.1	44.8	36.8
493	27/06/2024 09:29	44.8	60.9	35.5	46.8	37.9
494	27/06/2024 09:34	47.8	65.7	36.2	46.9	38.9
495	27/06/2024 09:39	45.1	66.5	36.5	45.1	38.6
496	27/06/2024 09:44	46.6	65.4	35.2	46.5	36.7
497	27/06/2024 09:49	54.6	78.7	35.1	45.4	36.7
498	27/06/2024 09:54	54.5	76.3	34.8	52.7	38.0
499	27/06/2024 09:59	45.9	67.1	36.3	42.7	38.2
500	27/06/2024 10:04	48.3	68.2	36.8	48.8	40.1
501	27/06/2024 10:09	45.3	63.5	37.2	46.2	39.4
502	27/06/2024 10:14	48.5	61.5	38.1	51.9	40.4
503	27/06/2024 10:19	45.9	56.5	37.6	49.3	40.8
504	27/06/2024 10:24	43.5	54.9	37.4	45.8	39.7
505	27/06/2024 10:29	48.3	63.5	38.7	50.5	43.6
506	27/06/2024 10:34	48.9	65.2	38.2	50.1	42.7

Address	Start Time	Measured Sound Pressure Level [dB(A)]				
		L _{Aeq,5 mins}	L _{Amax,F 5mins}	L _{Amin,5mins}	L _{A10,5mins}	L _{A90,5mins}
507	27/06/2024 10:39	47.1	62.9	38.5	50.1	40.4
508	27/06/2024 10:44	44.0	54.5	38.8	46.6	41.0
509	27/06/2024 10:49	48.9	59.8	41.3	51.7	44.1
510	27/06/2024 10:54	50.9	66.8	39.8	54.0	41.9
511	27/06/2024 10:59	52.3	73.6	41.1	53.8	44.1
512	27/06/2024 11:04	50.0	67.5	38.0	51.1	40.3
513	27/06/2024 11:09	48.0	65.0	40.3	50.8	42.7
514	27/06/2024 11:14	47.7	62.8	37.9	50.9	40.7
515	27/06/2024 11:19	47.5	61.7	37.9	50.8	41.4
516	27/06/2024 11:24	49.9	65.6	40.8	52.2	43.5
517	27/06/2024 11:29	49.5	65.4	38.3	52.9	41.2
518	27/06/2024 11:34	47.2	60.6	39.2	49.6	41.7
519	27/06/2024 11:39	49.2	65.3	39.8	51.4	42.0
520	27/06/2024 11:44	47.7	60.3	38.9	50.7	42.1
521	27/06/2024 11:49	51.7	73.6	37.6	50.0	39.6
522	27/06/2024 11:54	50.0	71.6	37.2	47.9	39.9
523	27/06/2024 11:59	44.6	52.8	37.8	47.8	40.4
524	27/06/2024 12:04	45.6	53.8	39.2	48.0	41.4
525	27/06/2024 12:09	46.7	54.8	39.8	49.0	42.5
526	27/06/2024 12:14	48.1	60.8	39.8	51.7	42.4
527	27/06/2024 12:19	45.6	55.9	38.8	48.8	40.8
528	27/06/2024 12:24	46.5	51.9	41.3	49.0	43.0
529	27/06/2024 12:29	55.3	70.2	42.0	59.5	44.2
530	27/06/2024 12:34	49.1	60.1	42.3	51.7	44.6
531	27/06/2024 12:39	46.8	54.6	39.9	49.8	41.6
532	27/06/2024 12:44	49.4	70.0	40.0	49.0	41.9
533	27/06/2024 12:49	48.5	65.1	38.9	48.6	41.1
534	27/06/2024 12:54	45.7	51.6	38.7	48.8	40.5
535	27/06/2024 12:59	43.9	62.2	37.7	46.0	40.4
536	27/06/2024 13:04	43.3	59.0	38.2	45.4	40.0
537	27/06/2024 13:09	49.0	62.7	39.6	52.2	42.3
538	27/06/2024 13:14	46.1	59.2	39.4	49.6	41.8
539	27/06/2024 13:19	51.8	61.4	43.9	54.7	47.3
540	27/06/2024 13:24	52.3	65.7	43.0	54.9	46.0
541	27/06/2024 13:29	51.5	66.5	44.9	54.0	47.4
542	27/06/2024 13:34	50.7	61.5	43.4	54.4	45.2
543	27/06/2024 13:39	49.5	61.2	42.9	52.2	45.1
544	27/06/2024 13:44	50.5	61.3	41.6	53.8	45.3
545	27/06/2024 13:49	49.8	60.2	43.1	52.9	45.5
546	27/06/2024 13:54	51.1	65.4	42.4	54.4	45.5
547	27/06/2024 13:59	47.5	63.5	41.1	50.1	42.9
548	27/06/2024 14:04	48.1	58.7	41.7	50.9	43.6
549	27/06/2024 14:09	51.0	61.6	43.5	53.8	46.0
550	27/06/2024 14:14	50.3	64.2	42.2	53.1	44.7

Address	Start Time	Measured Sound Pressure Level [dB(A)]				
		L _{Aeq,5 mins}	L _{Amax,F 5mins}	L _{Amin,5mins}	L _{A10,5mins}	L _{A90,5mins}
551	27/06/2024 14:19	53.8	70.4	44.0	57.5	46.2
552	27/06/2024 14:24	52.5	64.5	43.7	55.5	47.3
553	27/06/2024 14:29	50.0	61.1	42.2	52.9	45.2
554	27/06/2024 14:34	52.4	64.1	45.1	55.3	47.7
555	27/06/2024 14:39	52.0	64.2	43.4	55.5	46.0
556	27/06/2024 14:44	50.8	59.6	43.3	53.8	45.8
557	27/06/2024 14:49	48.8	62.3	42.1	51.2	44.7
558	27/06/2024 14:54	52.5	60.4	42.1	55.5	47.4
559	27/06/2024 14:59	52.4	65.1	43.0	55.6	45.8
560	27/06/2024 15:04	49.8	58.0	42.4	53.4	45.0
561	27/06/2024 15:09	54.3	66.4	42.0	57.8	44.2
562	27/06/2024 15:14	52.4	66.9	43.1	55.5	46.9
563	27/06/2024 15:19	51.0	59.3	42.7	54.1	46.1
564	27/06/2024 15:24	52.4	62.2	44.1	55.3	47.0
565	27/06/2024 15:29	50.3	58.7	44.0	53.2	46.2
566	27/06/2024 15:34	51.3	59.1	44.3	54.5	46.2
567	27/06/2024 15:39	52.6	69.8	44.8	55.5	47.1
568	27/06/2024 15:44	55.0	62.9	44.1	58.4	47.8
569	27/06/2024 15:49	53.2	64.1	43.8	56.2	47.8
570	27/06/2024 15:54	52.3	58.9	44.3	55.5	46.7
571	27/06/2024 15:59	54.5	62.7	45.7	57.9	47.9
572	27/06/2024 16:04	56.6	69.0	48.4	59.8	51.9
573	27/06/2024 16:09	52.9	63.0	43.8	56.7	47.4
574	27/06/2024 16:14	50.1	61.4	43.9	52.9	45.5
575	27/06/2024 16:19	49.2	60.3	42.5	52.6	44.2
576	27/06/2024 16:24	50.9	58.0	43.7	53.6	46.1
577	27/06/2024 16:29	52.2	65.4	43.7	55.1	46.1
578	27/06/2024 16:34	51.5	58.7	41.5	54.9	43.9
579	27/06/2024 16:39	51.0	62.5	41.2	54.5	44.4
580	27/06/2024 16:44	52.8	63.9	42.7	55.5	45.6
581	27/06/2024 16:49	53.2	62.1	43.9	56.3	46.1
582	27/06/2024 16:54	52.5	70.9	43.2	56.6	45.5
583	27/06/2024 16:59	52.8	61.8	43.9	56.1	46.3
584	27/06/2024 17:04	51.5	59.7	43.6	54.4	46.1
585	27/06/2024 17:09	53.2	64.6	43.8	56.8	46.3
586	27/06/2024 17:14	54.9	63.0	46.3	58.0	49.4
587	27/06/2024 17:19	48.8	64.4	41.7	51.1	45.4
588	27/06/2024 17:24	49.0	57.1	42.1	51.8	44.2
589	27/06/2024 17:29	49.7	58.7	41.1	53.0	44.4
590	27/06/2024 17:34	48.3	56.0	40.9	51.0	43.6
591	27/06/2024 17:39	51.6	59.6	42.6	54.9	45.6
592	27/06/2024 17:44	49.0	58.4	42.6	52.3	44.4
593	27/06/2024 17:49	48.4	62.6	41.4	51.1	44.0
594	27/06/2024 17:54	48.9	58.0	42.5	51.8	43.8

Address	Start Time	Measured Sound Pressure Level [dB(A)]				
		L _{Aeq,5 mins}	L _{Amax,F 5mins}	L _{Amin,5mins}	L _{A10,5mins}	L _{A90,5mins}
595	27/06/2024 17:59	48.2	56.9	42.2	51.1	44.1
596	27/06/2024 18:04	53.6	64.6	43.4	57.2	46.3
597	27/06/2024 18:09	52.3	60.6	42.8	55.6	45.5
598	27/06/2024 18:14	51.3	66.5	42.6	55.2	44.7
599	27/06/2024 18:19	49.1	59.7	41.2	52.5	43.5
600	27/06/2024 18:24	47.8	56.7	41.3	50.5	43.1
601	27/06/2024 18:29	53.7	65.2	44.5	56.8	47.1
602	27/06/2024 18:34	52.8	61.7	41.6	56.5	44.4
603	27/06/2024 18:39	49.7	69.2	41.6	52.9	43.7
604	27/06/2024 18:44	49.0	58.6	39.9	52.5	43.0
605	27/06/2024 18:49	52.2	60.2	43.2	55.5	47.0
606	27/06/2024 18:54	49.4	62.0	39.8	52.3	41.9
607	27/06/2024 18:59	48.5	57.1	41.5	51.1	44.1
608	27/06/2024 19:04	52.4	65.7	42.7	55.5	45.7
609	27/06/2024 19:09	50.6	60.1	41.6	54.1	44.1
610	27/06/2024 19:14	52.5	62.0	44.9	55.5	47.1
611	27/06/2024 19:19	52.7	60.5	44.0	55.8	46.6
612	27/06/2024 19:24	52.2	66.4	43.6	55.2	45.9
613	27/06/2024 19:29	47.1	64.2	39.1	49.9	42.0
614	27/06/2024 19:34	46.6	55.2	39.0	49.7	41.1
615	27/06/2024 19:39	46.8	56.4	39.6	50.3	41.5
616	27/06/2024 19:44	45.3	56.0	39.2	48.5	41.0
617	27/06/2024 19:49	49.1	56.9	41.3	52.8	44.0
618	27/06/2024 19:54	47.3	66.1	41.0	50.2	42.9
619	27/06/2024 19:59	44.9	55.1	39.9	47.7	41.8
620	27/06/2024 20:04	49.0	57.9	39.4	53.0	42.3
621	27/06/2024 20:09	46.1	57.5	38.9	48.6	41.6
622	27/06/2024 20:14	44.9	60.6	37.5	47.6	39.5
623	27/06/2024 20:19	44.4	66.2	37.6	46.6	40.2
624	27/06/2024 20:24	44.5	59.1	37.4	47.9	39.3
625	27/06/2024 20:29	46.8	59.0	40.6	49.3	42.4
626	27/06/2024 20:34	48.4	61.1	38.1	51.7	40.4
627	27/06/2024 20:39	45.7	65.7	36.1	47.7	38.4
628	27/06/2024 20:44	50.9	65.3	39.4	54.0	42.2
629	27/06/2024 20:49	47.2	69.7	38.9	49.9	41.7
630	27/06/2024 20:54	45.5	54.9	37.0	49.9	39.1
631	27/06/2024 20:59	41.0	52.1	34.9	44.3	36.9
632	27/06/2024 21:04	42.7	53.6	35.8	46.0	37.9
633	27/06/2024 21:09	43.8	53.3	36.3	46.8	38.9
634	27/06/2024 21:14	41.9	68.7	35.4	41.9	37.3
635	27/06/2024 21:19	40.8	58.9	34.6	43.7	36.5
636	27/06/2024 21:24	38.9	59.1	33.9	40.9	35.6
637	27/06/2024 21:29	38.5	48.6	32.7	40.7	35.3
638	27/06/2024 21:34	37.1	59.7	30.4	38.3	32.7

Address	Start Time	Measured Sound Pressure Level [dB(A)]				
		L _{Aeq,5 mins}	L _{Amax,F 5mins}	L _{Amin,5mins}	L _{A10,5mins}	L _{A90,5mins}
639	27/06/2024 21:39	36.6	50.2	30.2	40.1	32.2
640	27/06/2024 21:44	34.6	49.1	30.2	36.0	32.2
641	27/06/2024 21:49	35.4	43.8	30.4	37.3	33.0
642	27/06/2024 21:54	35.8	48.9	31.3	38.0	32.8
643	27/06/2024 21:59	37.5	44.7	31.9	39.8	34.5
644	27/06/2024 22:04	36.4	49.7	31.6	37.7	33.6
645	27/06/2024 22:09	37.4	44.7	32.1	39.4	34.8
646	27/06/2024 22:14	36.6	55.8	30.8	39.4	33.0
647	27/06/2024 22:19	34.1	44.9	30.2	35.6	31.8
648	27/06/2024 22:24	35.2	42.2	31.2	37.4	32.7
649	27/06/2024 22:29	36.0	42.6	30.3	38.4	32.7
650	27/06/2024 22:34	42.6	50.3	34.1	45.9	36.7
651	27/06/2024 22:39	42.3	49.9	34.0	45.5	37.2
652	27/06/2024 22:44	42.4	50.4	35.3	45.6	37.1
653	27/06/2024 22:49	45.2	54.5	36.8	48.5	39.1
654	27/06/2024 22:54	43.5	51.5	35.9	47.0	38.5
655	27/06/2024 22:59	41.2	50.1	31.3	45.4	33.6
656	27/06/2024 23:04	42.6	53.1	32.1	45.8	34.2
657	27/06/2024 23:09	47.3	58.5	33.3	52.1	36.6
658	27/06/2024 23:14	41.3	49.4	32.6	44.9	34.3
659	27/06/2024 23:19	40.6	49.1	34.1	43.4	36.6
660	27/06/2024 23:24	39.2	50.9	32.2	42.1	34.3
661	27/06/2024 23:29	36.4	47.7	30.5	38.8	32.3
662	27/06/2024 23:34	33.3	41.0	28.3	36.6	30.1
663	27/06/2024 23:39	34.2	43.8	27.0	36.5	29.6
664	27/06/2024 23:44	33.3	41.2	27.7	36.1	30.1
665	27/06/2024 23:49	31.8	41.4	26.6	34.0	29.0
666	27/06/2024 23:54	31.8	40.5	26.8	34.0	29.3
667	27/06/2024 23:59	32.8	42.7	26.8	35.1	29.3
668	28/06/2024 00:04	31.1	39.9	25.0	33.6	27.6
669	28/06/2024 00:09	29.9	41.4	23.6	33.1	24.8
670	28/06/2024 00:14	31.7	46.1	25.4	34.4	27.6
671	28/06/2024 00:19	29.5	38.5	24.3	31.9	26.2
672	28/06/2024 00:24	28.0	36.2	23.1	30.9	24.3
673	28/06/2024 00:29	32.1	40.8	24.7	34.6	27.3
674	28/06/2024 00:34	31.8	42.3	24.4	34.8	27.1
675	28/06/2024 00:39	31.1	43.8	23.2	33.6	26.2
676	28/06/2024 00:44	32.2	41.9	26.3	35.5	28.1
677	28/06/2024 00:49	28.8	39.8	23.6	31.1	25.2
678	28/06/2024 00:54	31.3	45.4	23.7	34.0	26.4
679	28/06/2024 00:59	29.9	40.0	24.8	32.0	26.7
680	28/06/2024 01:04	31.5	49.8	25.4	33.1	27.6
681	28/06/2024 01:09	31.8	37.5	25.7	34.3	28.1
682	28/06/2024 01:14	29.2	35.7	24.5	31.4	26.2

Address	Start Time	Measured Sound Pressure Level [dB(A)]				
		L _{Aeq,5 mins}	L _{Amax,F 5mins}	L _{Amin,5mins}	L _{A10,5mins}	L _{A90,5mins}
683	28/06/2024 01:19	26.6	31.8	23.0	28.7	24.5
684	28/06/2024 01:24	30.7	46.4	24.0	33.4	25.6
685	28/06/2024 01:29	30.7	38.2	24.9	33.0	27.2
686	28/06/2024 01:34	29.9	38.8	25.9	31.3	27.7
687	28/06/2024 01:39	28.7	40.2	22.8	30.9	24.2
688	28/06/2024 01:44	27.9	36.2	22.0	30.2	24.2
689	28/06/2024 01:49	32.4	43.0	23.5	36.0	26.0
690	28/06/2024 01:54	28.7	40.3	23.3	30.8	25.4
691	28/06/2024 01:59	26.3	36.2	21.6	28.6	23.2
692	28/06/2024 02:04	27.0	38.8	21.2	29.5	23.1
693	28/06/2024 02:09	28.8	37.3	22.5	31.4	24.6
694	28/06/2024 02:14	27.9	43.8	22.4	30.3	24.0
695	28/06/2024 02:19	29.7	39.3	22.7	32.6	24.7
696	28/06/2024 02:24	27.0	37.3	23.0	28.9	24.4
697	28/06/2024 02:29	27.9	35.4	22.3	30.5	24.6
698	28/06/2024 02:34	27.0	33.9	21.6	29.8	23.5
699	28/06/2024 02:39	28.0	37.9	21.9	30.7	24.1
700	28/06/2024 02:44	28.3	34.8	23.6	30.8	25.1
701	28/06/2024 02:49	28.5	38.7	23.2	30.6	25.1
702	28/06/2024 02:54	27.2	33.1	22.4	29.3	24.7
703	28/06/2024 02:59	31.7	42.7	25.4	33.7	29.2
704	28/06/2024 03:04	28.5	38.0	22.4	30.9	25.1
705	28/06/2024 03:09	28.8	39.0	21.4	32.5	22.8
706	28/06/2024 03:14	29.5	39.6	23.2	32.5	25.4
707	28/06/2024 03:19	29.7	37.3	24.2	32.1	26.7
708	28/06/2024 03:24	35.3	45.7	27.6	37.6	29.7
709	28/06/2024 03:29	35.9	46.2	28.7	38.3	31.2
710	28/06/2024 03:34	37.4	45.0	29.2	40.3	33.4
711	28/06/2024 03:39	32.8	40.7	26.8	36.0	28.7
712	28/06/2024 03:44	41.7	56.6	27.3	45.9	31.5
713	28/06/2024 03:49	39.2	55.6	26.6	42.8	29.1
714	28/06/2024 03:54	35.4	50.0	25.6	39.3	28.7
715	28/06/2024 03:59	42.4	56.4	27.6	46.1	32.1
716	28/06/2024 04:04	42.4	59.5	28.7	44.2	32.1
717	28/06/2024 04:09	41.0	56.8	26.0	44.9	30.5
718	28/06/2024 04:14	49.8	62.7	26.9	55.2	32.9
719	28/06/2024 04:19	49.4	62.8	31.2	54.4	35.7
720	28/06/2024 04:24	43.4	58.6	29.6	46.0	32.6
721	28/06/2024 04:29	47.6	60.7	26.7	52.9	32.8
722	28/06/2024 04:34	39.6	59.1	28.4	42.7	31.5
723	28/06/2024 04:39	53.5	75.0	28.7	50.6	32.0
724	28/06/2024 04:44	47.6	70.4	29.9	47.8	33.0
725	28/06/2024 04:49	39.8	53.3	30.3	42.2	33.7
726	28/06/2024 04:54	39.8	52.2	31.7	42.7	34.3

Address	Start Time	Measured Sound Pressure Level [dB(A)]				
		L _{Aeq,5 mins}	L _{Amax,F 5mins}	L _{Amin,5mins}	L _{A10,5mins}	L _{A90,5mins}
727	28/06/2024 04:59	47.7	71.1	30.5	42.9	34.7
728	28/06/2024 05:04	43.5	63.6	30.4	41.9	34.0
729	28/06/2024 05:09	49.2	65.6	31.4	51.3	36.5
730	28/06/2024 05:14	42.8	61.8	31.6	44.7	35.0
731	28/06/2024 05:19	44.9	59.4	31.6	49.2	35.0
732	28/06/2024 05:24	40.6	54.9	32.7	43.4	35.7
733	28/06/2024 05:29	42.2	59.6	32.6	44.2	35.2
734	28/06/2024 05:34	48.2	64.2	34.2	48.5	36.9
735	28/06/2024 05:39	41.5	55.0	33.0	45.5	35.4
736	28/06/2024 05:44	38.0	48.0	33.2	40.1	35.0
737	28/06/2024 05:49	38.7	49.6	33.3	41.2	35.2
738	28/06/2024 05:54	46.7	67.2	32.2	41.2	34.2
739	28/06/2024 05:59	48.4	69.1	30.1	51.7	33.5
740	28/06/2024 06:04	38.8	52.7	33.3	40.2	35.7
741	28/06/2024 06:09	51.2	72.5	35.0	47.4	37.5
742	28/06/2024 06:14	39.8	55.9	33.9	41.5	36.6
743	28/06/2024 06:19	39.6	53.1	34.0	41.2	36.2
744	28/06/2024 06:24	40.3	46.6	36.0	42.1	37.5
745	28/06/2024 06:29	39.1	48.2	35.3	40.5	37.3
746	28/06/2024 06:34	39.3	47.5	34.0	41.2	36.7
747	28/06/2024 06:39	43.4	57.4	35.9	47.1	37.7
748	28/06/2024 06:44	41.5	56.5	36.7	43.0	38.1
749	28/06/2024 06:49	44.0	61.2	35.5	45.8	37.4
750	28/06/2024 06:54	41.2	58.1	36.4	43.2	38.0
751	28/06/2024 06:59	42.7	52.6	35.1	45.9	38.2
752	28/06/2024 07:04	41.4	59.6	36.7	43.9	38.2
753	28/06/2024 07:09	40.7	56.1	36.5	42.7	38.2
754	28/06/2024 07:14	46.0	65.3	36.4	43.3	38.1
755	28/06/2024 07:19	48.2	63.9	36.7	51.3	38.8
756	28/06/2024 07:24	45.5	58.2	38.1	48.6	40.2
757	28/06/2024 07:29	48.8	64.9	37.6	51.2	40.3
758	28/06/2024 07:34	49.7	67.6	38.0	50.4	40.1
759	28/06/2024 07:39	43.4	57.2	37.6	46.5	39.5
760	28/06/2024 07:44	47.3	69.1	38.7	48.4	40.0
761	28/06/2024 07:49	43.5	53.9	37.9	46.3	39.6
762	28/06/2024 07:54	40.3	49.4	36.2	42.3	37.8
763	28/06/2024 07:59	41.7	58.1	36.9	41.6	38.0
764	28/06/2024 08:04	46.4	64.7	36.6	47.6	38.2
765	28/06/2024 08:09	53.8	67.6	37.4	58.5	39.8
766	28/06/2024 08:14	51.6	66.1	37.2	55.5	39.5
767	28/06/2024 08:19	44.9	60.7	37.7	46.5	40.2
768	28/06/2024 08:24	54.5	74.2	38.4	57.3	41.3
769	28/06/2024 08:29	48.7	66.3	39.7	50.8	42.4
770	28/06/2024 08:34	43.7	65.0	36.9	43.9	38.6

Address	Start Time	Measured Sound Pressure Level [dB(A)]				
		L _{Aeq,5 mins}	L _{Amax,F 5mins}	L _{Amin,5mins}	L _{A10,5mins}	L _{A90,5mins}
771	28/06/2024 08:39	42.7	50.8	36.8	46.0	38.4
772	28/06/2024 08:44	42.3	52.7	37.5	44.4	39.8
773	28/06/2024 08:49	43.3	57.3	38.0	45.8	39.6
774	28/06/2024 08:54	45.4	61.4	37.3	47.7	39.4
775	28/06/2024 08:59	48.2	66.0	35.6	48.9	38.3
776	28/06/2024 09:04	45.4	63.6	36.0	46.0	38.4
777	28/06/2024 09:09	48.4	65.7	37.3	47.9	39.5
778	28/06/2024 09:14	47.5	68.9	38.6	48.1	41.2
779	28/06/2024 09:19	42.2	50.5	36.4	44.6	38.9
780	28/06/2024 09:24	43.6	62.4	35.9	43.7	37.4
781	28/06/2024 09:29	48.7	64.5	37.3	51.1	40.9
782	28/06/2024 09:34	45.1	64.9	36.9	47.3	39.3
783	28/06/2024 09:39	40.8	52.4	36.9	42.8	38.5
784	28/06/2024 09:44	55.8	73.1	36.3	58.5	38.5
785	28/06/2024 09:49	44.4	56.5	37.8	47.6	40.2
786	28/06/2024 09:54	41.0	49.4	36.1	43.8	37.8
787	28/06/2024 09:59	41.1	46.0	36.4	43.5	38.2
788	28/06/2024 10:04	49.5	70.7	37.3	47.3	39.3
789	28/06/2024 10:09	50.2	67.7	36.5	53.2	39.0
790	28/06/2024 10:14	53.4	66.4	36.5	57.6	41.0
791	28/06/2024 10:19	57.5	68.9	38.3	61.9	42.8
792	28/06/2024 10:24	45.7	59.8	37.4	48.7	40.9
793	28/06/2024 10:29	45.0	66.5	37.6	47.0	39.4
794	28/06/2024 10:34	45.1	53.9	38.5	48.1	40.6
795	28/06/2024 10:39	45.6	52.5	39.2	48.5	41.9
796	28/06/2024 10:44	44.2	50.0	37.5	47.0	39.6
797	28/06/2024 10:49	44.0	58.5	38.4	46.3	40.8
798	28/06/2024 10:54	45.4	53.4	39.3	47.8	41.5
799	28/06/2024 10:59	45.6	60.4	38.8	48.3	40.7
800	28/06/2024 11:04	47.2	60.6	39.0	48.3	40.9
801	28/06/2024 11:09	49.5	60.4	39.1	53.6	42.4
802	28/06/2024 11:14	48.1	68.0	38.5	50.0	40.7
803	28/06/2024 11:19	48.3	68.3	38.7	50.1	42.2
804	28/06/2024 11:24	51.8	66.1	39.1	56.8	41.5
805	28/06/2024 11:29	47.1	56.2	40.7	49.8	42.8
806	28/06/2024 11:34	44.7	59.8	38.4	47.0	40.6
807	28/06/2024 11:39	43.1	56.1	38.5	45.5	40.2
808	28/06/2024 11:44	45.9	54.5	38.4	48.7	41.3
809	28/06/2024 11:49	46.1	64.9	39.7	47.9	42.7
810	28/06/2024 11:54	44.7	54.7	39.1	47.0	41.2
811	28/06/2024 11:59	44.3	51.9	39.3	46.8	41.1
812	28/06/2024 12:04	45.6	53.2	40.9	48.5	42.4
813	28/06/2024 12:09	45.6	55.7	39.7	47.7	42.8
814	28/06/2024 12:14	47.8	69.8	40.8	50.0	42.9

Address	Start Time	Measured Sound Pressure Level [dB(A)]				
		L _{Aeq,5 mins}	L _{Amax,F 5mins}	L _{Amin,5mins}	L _{A10,5mins}	L _{A90,5mins}
815	28/06/2024 12:19	45.6	54.0	40.0	48.0	42.2
816	28/06/2024 12:24	47.6	66.2	41.2	50.8	43.2
817	28/06/2024 12:29	46.3	52.7	40.3	49.0	42.1
818	28/06/2024 12:34	48.4	55.3	41.2	51.5	44.3
819	28/06/2024 12:39	46.0	65.2	39.8	48.2	41.7
820	28/06/2024 12:44	48.7	61.8	39.8	51.6	43.0
821	28/06/2024 12:49	45.5	51.3	39.0	47.9	41.6
822	28/06/2024 12:54	47.6	57.0	40.8	50.5	43.0
823	28/06/2024 12:59	48.7	55.7	39.8	51.7	43.9
824	28/06/2024 13:04	45.0	54.2	39.3	48.1	41.2
825	28/06/2024 13:09	47.2	57.2	40.1	50.4	42.2
826	28/06/2024 13:14	48.2	56.6	40.6	51.1	43.1
827	28/06/2024 13:19	48.0	61.7	41.5	51.1	43.5
828	28/06/2024 13:24	52.2	62.6	41.4	56.8	43.8
829	28/06/2024 13:29	49.2	59.8	41.5	52.2	44.3
830	28/06/2024 13:34	51.3	65.1	41.4	53.5	46.9
831	28/06/2024 13:39	48.6	58.1	39.6	52.7	42.0
832	28/06/2024 13:44	46.3	61.8	38.6	49.1	40.9
833	28/06/2024 13:49	45.4	60.3	38.7	47.8	40.8
834	28/06/2024 13:54	44.6	60.8	39.1	46.9	40.9
835	28/06/2024 13:59	42.1	57.2	37.0	43.9	39.4
836	28/06/2024 14:04	44.8	55.2	36.4	47.9	39.5
837	28/06/2024 14:09	42.1	52.5	37.4	44.1	39.4
838	28/06/2024 14:14	43.4	58.2	37.7	45.3	40.0
839	28/06/2024 14:19	41.7	48.7	37.5	43.5	39.3
840	28/06/2024 14:24	43.7	60.1	37.5	46.7	39.2
841	28/06/2024 14:29	42.8	54.5	37.9	45.4	39.6
842	28/06/2024 14:34	47.8	61.0	39.1	50.9	41.7
843	28/06/2024 14:39	43.0	54.3	38.5	44.9	40.1
844	28/06/2024 14:44	44.7	59.2	40.2	46.6	41.9
845	28/06/2024 14:49	43.0	62.5	38.4	44.9	40.1
846	28/06/2024 14:54	44.7	55.8	37.9	48.2	40.2
847	28/06/2024 14:59	42.3	51.2	38.9	43.8	40.3
848	28/06/2024 15:04	45.9	56.4	40.6	48.3	42.5
849	28/06/2024 15:09	43.3	51.2	39.5	44.8	41.0
850	28/06/2024 15:14	45.3	64.8	39.3	46.9	41.5
851	28/06/2024 15:19	46.2	68.4	39.2	47.7	41.1
852	28/06/2024 15:24	45.8	59.4	38.7	48.4	41.0
853	28/06/2024 15:29	46.3	61.5	39.8	49.1	41.8
854	28/06/2024 15:34	45.8	61.5	38.5	48.9	40.4
855	28/06/2024 15:39	44.7	59.0	38.6	47.5	40.2
856	28/06/2024 15:44	47.0	56.9	38.8	50.1	41.3
857	28/06/2024 15:49	42.8	51.5	37.0	44.7	39.5
858	28/06/2024 15:54	43.0	54.2	37.9	44.9	40.0

Address	Start Time	Measured Sound Pressure Level [dB(A)]				
		L _{Aeq,5 mins}	L _{Amax,F 5mins}	L _{Amin,5mins}	L _{A10,5mins}	L _{A90,5mins}
859	28/06/2024 15:59	44.7	54.4	38.6	48.2	40.7
860	28/06/2024 16:04	45.4	55.1	38.8	48.7	40.4
861	28/06/2024 16:09	46.9	63.9	38.4	49.6	40.9
862	28/06/2024 16:14	48.2	56.1	38.9	52.5	42.2
863	28/06/2024 16:19	46.3	53.6	38.4	50.6	40.0
864	28/06/2024 16:24	45.3	53.1	37.6	48.5	40.3
865	28/06/2024 16:29	42.7	48.7	37.7	45.0	39.7
866	28/06/2024 16:34	49.3	70.4	36.0	46.8	38.7
867	28/06/2024 16:39	44.8	52.4	37.9	48.1	39.5
868	28/06/2024 16:44	44.3	53.5	36.6	47.7	39.3
869	28/06/2024 16:49	53.2	70.5	37.2	56.3	38.9
870	28/06/2024 16:54	42.6	58.6	37.6	44.5	39.6
871	28/06/2024 16:59	42.6	63.8	37.9	44.8	39.4
872	28/06/2024 17:04	47.0	67.4	38.2	48.2	40.7
873	28/06/2024 17:09	44.3	55.9	37.3	47.1	39.6
874	28/06/2024 17:14	49.3	70.5	36.1	53.4	37.7
875	28/06/2024 17:19	43.5	60.0	36.5	46.1	38.7
876	28/06/2024 17:24	44.6	71.9	36.3	47.0	38.7
877	28/06/2024 17:29	40.7	50.7	36.6	42.9	37.9
878	28/06/2024 17:34	42.7	51.0	37.4	45.9	39.3
879	28/06/2024 17:39	42.6	49.3	37.3	44.9	39.4
880	28/06/2024 17:44	44.2	59.1	38.4	45.4	40.4
881	28/06/2024 17:49	43.2	61.2	37.3	46.1	38.7
882	28/06/2024 17:54	42.8	53.2	38.6	44.4	40.8
883	28/06/2024 17:59	43.4	61.3	38.5	44.2	40.3
884	28/06/2024 18:04	46.4	57.4	40.8	49.7	42.7
885	28/06/2024 18:09	44.7	63.4	39.1	46.7	41.3
886	28/06/2024 18:14	46.5	72.7	39.0	45.3	41.1
887	28/06/2024 18:19	46.2	56.3	39.5	49.4	42.2
888	28/06/2024 18:24	45.8	61.9	39.4	48.7	41.6
889	28/06/2024 18:29	46.8	64.8	39.2	48.2	40.8
890	28/06/2024 18:34	47.0	63.0	38.7	49.0	40.9
891	28/06/2024 18:39	40.7	59.7	36.2	42.7	37.7
892	28/06/2024 18:44	42.9	61.7	36.6	43.5	38.8
893	28/06/2024 18:49	47.7	69.2	36.0	45.0	38.2
894	28/06/2024 18:54	43.3	60.6	36.2	46.1	38.8
895	28/06/2024 18:59	42.4	50.1	35.2	45.9	37.2
896	28/06/2024 19:04	40.7	48.4	35.1	42.8	37.7
897	28/06/2024 19:09	39.3	60.8	34.6	40.2	36.3
898	28/06/2024 19:14	38.1	51.5	33.5	39.3	35.0
899	28/06/2024 19:19	40.4	56.6	35.4	43.2	37.0
900	28/06/2024 19:24	39.2	51.1	33.6	41.6	35.7
901	28/06/2024 19:29	37.3	41.9	34.1	39.5	35.3
902	28/06/2024 19:34	40.2	61.4	34.1	40.3	35.9

Address	Start Time	Measured Sound Pressure Level [dB(A)]				
		L _{Aeq,5 mins}	L _{Amax,F 5mins}	L _{Amin,5mins}	L _{A10,5mins}	L _{A90,5mins}
903	28/06/2024 19:39	38.5	51.5	34.0	40.1	35.7
904	28/06/2024 19:44	57.2	75.8	34.3	58.3	36.6
905	28/06/2024 19:49	62.4	77.3	34.1	67.5	36.7
906	28/06/2024 19:54	60.7	78.8	34.5	63.5	36.6
907	28/06/2024 19:59	42.5	65.9	33.8	44.4	36.5
908	28/06/2024 20:04	44.7	61.9	34.9	47.9	37.8
909	28/06/2024 20:09	41.6	54.9	34.5	43.9	37.0
910	28/06/2024 20:14	41.0	56.8	35.0	42.5	37.1
911	28/06/2024 20:19	54.2	72.0	34.4	57.9	36.9
912	28/06/2024 20:24	52.8	72.2	33.3	55.4	37.2
913	28/06/2024 20:29	45.8	62.2	33.5	46.9	36.6
914	28/06/2024 20:34	45.9	62.5	33.8	47.8	37.3
915	28/06/2024 20:39	41.0	56.9	33.7	41.8	36.5
916	28/06/2024 20:44	42.9	59.2	33.7	43.5	35.8
917	28/06/2024 20:49	42.2	69.0	31.8	42.3	35.5
918	28/06/2024 20:54	37.8	51.1	33.4	39.7	35.5
919	28/06/2024 20:59	40.3	63.0	33.7	41.8	36.5
920	28/06/2024 21:04	38.5	48.0	33.5	40.1	35.9
921	28/06/2024 21:09	37.5	45.3	29.7	39.6	32.6
922	28/06/2024 21:14	39.6	60.6	30.1	42.7	33.6
923	28/06/2024 21:19	38.1	48.1	32.7	40.2	35.2
924	28/06/2024 21:24	39.2	55.1	32.0	41.9	34.8
925	28/06/2024 21:29	36.5	50.0	31.4	38.3	33.9
926	28/06/2024 21:34	36.6	42.6	31.5	38.2	34.4
927	28/06/2024 21:39	38.9	55.4	31.9	40.3	34.7
928	28/06/2024 21:44	40.1	68.2	31.0	37.6	33.8
929	28/06/2024 21:49	35.0	41.7	29.8	36.9	32.0
930	28/06/2024 21:54	36.2	43.3	29.8	38.0	33.3
931	28/06/2024 21:59	36.4	50.3	30.0	38.4	32.6
932	28/06/2024 22:04	36.9	42.4	31.5	38.9	34.3
933	28/06/2024 22:09	36.4	45.0	30.8	38.6	33.5
934	28/06/2024 22:14	37.9	45.6	31.6	40.0	34.4
935	28/06/2024 22:19	36.9	52.1	30.5	38.9	33.5
936	28/06/2024 22:24	36.2	44.2	31.1	38.2	33.6
937	28/06/2024 22:29	36.0	42.0	30.3	38.0	33.5
938	28/06/2024 22:34	35.0	41.8	30.6	36.8	32.9
939	28/06/2024 22:39	34.4	39.9	29.7	36.3	31.8
940	28/06/2024 22:44	35.2	41.2	29.9	37.0	32.8
941	28/06/2024 22:49	34.1	48.3	28.9	36.3	31.0
942	28/06/2024 22:54	34.2	41.7	28.5	37.1	31.0
943	28/06/2024 22:59	34.5	40.3	29.7	36.5	31.6
944	28/06/2024 23:04	33.1	40.9	28.3	35.4	30.2
945	28/06/2024 23:09	35.5	41.1	28.4	37.7	33.0
946	28/06/2024 23:14	32.9	37.3	28.2	34.7	30.6

Address	Start Time	Measured Sound Pressure Level [dB(A)]				
		L _{Aeq,5 mins}	L _{Amax,F 5mins}	L _{Amin,5mins}	L _{A10,5mins}	L _{A90,5mins}
947	28/06/2024 23:19	36.5	47.2	29.1	39.7	31.4
948	28/06/2024 23:24	34.8	49.2	28.0	36.9	31.3
949	28/06/2024 23:29	38.9	50.6	28.0	43.1	31.6
950	28/06/2024 23:34	33.8	38.9	26.4	36.1	30.7
951	28/06/2024 23:39	33.5	40.3	26.4	35.7	29.5
952	28/06/2024 23:44	35.4	46.6	27.3	38.1	30.8
953	28/06/2024 23:49	32.7	40.2	24.6	35.5	27.7
954	28/06/2024 23:54	36.3	45.7	27.2	39.3	30.4
955	28/06/2024 23:59	33.7	41.3	25.2	37.0	28.9
956	29/06/2024 00:04	33.0	41.7	23.6	36.0	27.2
957	29/06/2024 00:09	34.7	44.5	25.7	37.5	28.8
958	29/06/2024 00:14	34.1	41.9	25.5	37.1	29.5
959	29/06/2024 00:19	33.7	41.0	23.2	36.8	27.4
960	29/06/2024 00:24	34.0	45.9	25.4	36.9	27.8
961	29/06/2024 00:29	33.2	41.4	24.2	36.4	27.6
962	29/06/2024 00:34	34.6	41.4	23.0	38.0	26.8
963	29/06/2024 00:39	33.3	41.3	21.1	36.7	25.9
964	29/06/2024 00:44	33.5	44.5	25.0	36.8	27.4
965	29/06/2024 00:49	35.1	44.8	23.2	38.3	27.2
966	29/06/2024 00:54	30.4	40.0	20.3	34.5	22.5
967	29/06/2024 00:59	27.3	40.1	18.9	30.9	20.8
968	29/06/2024 01:04	31.8	44.2	19.3	34.9	23.1
969	29/06/2024 01:09	34.3	44.8	26.0	37.5	28.3
970	29/06/2024 01:14	32.6	40.5	23.1	35.6	27.1
971	29/06/2024 01:19	28.9	39.1	21.1	31.7	24.3
972	29/06/2024 01:24	30.5	41.4	22.3	33.1	24.4
973	29/06/2024 01:29	33.3	44.4	24.3	36.9	26.4
974	29/06/2024 01:34	29.0	37.7	21.4	32.3	24.2
975	29/06/2024 01:39	28.5	40.2	19.8	31.4	21.9
976	29/06/2024 01:44	31.6	42.5	22.5	34.6	26.0
977	29/06/2024 01:49	27.1	38.2	21.4	30.0	23.2
978	29/06/2024 01:54	29.5	40.1	21.6	33.0	24.1
979	29/06/2024 01:59	28.9	37.2	22.8	32.2	24.6
980	29/06/2024 02:04	27.7	39.8	20.8	29.3	23.6
981	29/06/2024 02:09	27.1	42.7	20.4	30.1	21.5
982	29/06/2024 02:14	27.8	43.1	20.5	31.1	22.3
983	29/06/2024 02:19	29.6	49.5	20.6	32.1	22.9
984	29/06/2024 02:24	31.7	48.3	20.5	33.9	22.3
985	29/06/2024 02:29	27.5	34.3	20.5	31.0	22.9
986	29/06/2024 02:34	30.3	43.9	25.0	32.5	26.8
987	29/06/2024 02:39	28.2	43.2	21.2	30.5	23.6
988	29/06/2024 02:44	28.5	43.7	21.6	30.5	23.5
989	29/06/2024 02:49	30.0	38.7	22.4	33.2	24.6
990	29/06/2024 02:54	24.7	33.8	20.5	26.6	22.7

Address	Start Time	Measured Sound Pressure Level [dB(A)]				
		L _{Aeq,5 mins}	L _{Amax,F 5mins}	L _{Amin,5mins}	L _{A10,5mins}	L _{A90,5mins}
991	29/06/2024 02:59	27.6	42.7	22.2	30.4	23.5
992	29/06/2024 03:04	28.1	37.7	22.0	31.3	23.7
993	29/06/2024 03:09	25.2	33.1	22.0	26.7	23.1
994	29/06/2024 03:14	27.9	37.4	22.7	30.2	24.3
995	29/06/2024 03:19	27.3	37.4	21.8	29.7	23.5
996	29/06/2024 03:24	27.5	38.3	21.5	30.2	23.3
997	29/06/2024 03:29	30.2	45.6	22.3	32.8	24.9
998	29/06/2024 03:34	29.8	41.0	22.0	33.2	23.7
999	29/06/2024 03:39	33.1	45.5	25.8	36.4	27.9
1000	29/06/2024 03:44	39.8	52.9	28.7	44.0	31.7
1001	29/06/2024 03:49	39.5	55.1	28.8	43.2	31.4
1002	29/06/2024 03:54	37.1	49.9	28.8	39.7	32.3
1003	29/06/2024 03:59	42.1	58.5	30.4	44.6	33.8
1004	29/06/2024 04:04	38.7	56.5	29.3	38.5	32.2
1005	29/06/2024 04:09	41.6	60.3	28.7	44.5	32.1
1006	29/06/2024 04:14	41.5	58.5	29.2	45.0	31.4
1007	29/06/2024 04:19	41.6	59.1	28.9	43.7	33.5
1008	29/06/2024 04:24	39.2	49.3	29.2	43.4	32.2
1009	29/06/2024 04:29	40.1	50.6	29.1	44.6	31.6
1010	29/06/2024 04:34	41.2	57.6	30.4	44.4	32.8
1011	29/06/2024 04:39	38.2	56.9	28.5	40.2	31.1
1012	29/06/2024 04:44	37.0	46.7	30.5	39.5	33.3
1013	29/06/2024 04:49	39.1	52.1	31.8	41.9	34.7
1014	29/06/2024 04:54	49.0	70.0	31.0	44.9	34.9
1015	29/06/2024 04:59	51.3	72.7	32.8	47.3	35.5
1016	29/06/2024 05:04	41.4	56.5	31.5	45.3	34.0
1017	29/06/2024 05:09	39.4	54.4	29.4	42.1	32.8
1018	29/06/2024 05:14	40.8	50.4	31.4	44.9	34.0
1019	29/06/2024 05:19	39.3	50.3	31.6	42.5	33.6
1020	29/06/2024 05:24	42.4	54.1	33.5	46.1	36.2
1021	29/06/2024 05:29	40.1	54.0	30.5	43.1	34.2
1022	29/06/2024 05:34	40.6	56.7	31.7	43.0	33.6
1023	29/06/2024 05:39	39.4	53.5	31.2	39.9	33.6
1024	29/06/2024 05:44	42.5	54.2	30.7	47.2	33.4
1025	29/06/2024 05:49	42.4	53.6	31.0	46.7	33.5
1026	29/06/2024 05:54	44.9	63.3	31.4	50.1	35.4
1027	29/06/2024 05:59	46.6	65.7	31.9	50.7	34.5
1028	29/06/2024 06:04	47.7	62.3	33.8	51.8	36.7
1029	29/06/2024 06:09	40.4	55.2	32.2	42.5	35.2
1030	29/06/2024 06:14	43.6	57.8	32.1	49.0	34.7
1031	29/06/2024 06:19	38.7	54.4	33.0	40.4	35.3
1032	29/06/2024 06:24	47.2	72.2	32.5	44.8	34.6
1033	29/06/2024 06:29	37.8	48.6	31.5	39.6	34.8
1034	29/06/2024 06:34	39.5	53.6	32.9	42.4	35.5

Address	Start Time	Measured Sound Pressure Level [dB(A)]				
		L _{Aeq,5 mins}	L _{Amax,F 5mins}	L _{Amin,5mins}	L _{A10,5mins}	L _{A90,5mins}
1035	29/06/2024 06:39	45.4	69.1	33.4	44.5	35.2
1036	29/06/2024 06:44	53.9	76.1	32.6	54.6	36.1
1037	29/06/2024 06:49	43.6	66.5	32.1	42.5	34.6
1038	29/06/2024 06:54	37.9	55.5	30.8	41.0	33.5
1039	29/06/2024 06:59	41.8	60.9	33.0	42.2	34.8
1040	29/06/2024 07:04	39.2	51.1	31.3	42.5	34.5
1041	29/06/2024 07:09	37.5	50.3	31.2	40.3	33.7
1042	29/06/2024 07:14	36.2	48.6	30.9	38.2	33.5
1043	29/06/2024 07:19	38.1	50.5	30.8	41.1	32.8
1044	29/06/2024 07:24	40.7	59.1	30.4	43.7	33.8
1045	29/06/2024 07:29	39.3	56.7	31.9	41.2	34.5
1046	29/06/2024 07:34	37.6	52.3	31.5	39.1	33.6
1047	29/06/2024 07:39	42.4	63.1	31.9	46.1	34.6
1048	29/06/2024 07:44	38.2	57.2	32.5	40.2	35.3
1049	29/06/2024 07:49	42.1	56.6	33.8	45.0	36.5
1050	29/06/2024 07:54	43.3	54.4	32.7	46.8	37.0
1051	29/06/2024 07:59	43.6	60.2	34.0	46.4	37.5
1052	29/06/2024 08:04	42.3	54.3	34.7	45.7	37.1
1053	29/06/2024 08:09	44.9	57.6	34.1	48.2	37.4
1054	29/06/2024 08:14	46.7	60.7	34.0	50.7	37.8
1055	29/06/2024 08:19	42.4	54.3	34.2	45.4	36.5
1056	29/06/2024 08:24	42.7	58.9	34.2	45.7	37.4
1057	29/06/2024 08:29	42.7	56.9	33.5	45.6	36.4
1058	29/06/2024 08:34	43.7	59.5	32.7	46.3	35.6
1059	29/06/2024 08:39	46.5	56.4	35.3	50.9	38.1
1060	29/06/2024 08:44	49.5	66.2	34.4	50.3	36.9
1061	29/06/2024 08:49	46.9	65.8	33.7	49.2	37.3
1062	29/06/2024 08:54	45.8	62.0	33.5	49.3	36.0
1063	29/06/2024 08:59	48.2	61.5	33.1	51.9	37.8
1064	29/06/2024 09:04	47.6	66.9	32.6	51.0	35.2
1065	29/06/2024 09:09	45.5	58.4	33.6	49.2	37.6
1066	29/06/2024 09:14	50.5	68.2	31.4	53.1	34.3
1067	29/06/2024 09:19	47.7	68.8	32.2	47.2	35.9
1068	29/06/2024 09:24	51.0	71.7	34.3	48.0	37.0
1069	29/06/2024 09:29	45.9	70.0	33.3	48.6	35.4
1070	29/06/2024 09:34	53.5	72.6	34.1	50.2	36.7
1071	29/06/2024 09:39	49.6	70.8	34.9	47.2	37.9
1072	29/06/2024 09:44	42.4	59.2	34.9	43.9	37.2
1073	29/06/2024 09:49	42.4	52.0	38.4	43.8	40.5
1074	29/06/2024 09:54	45.0	61.7	38.6	46.2	40.6
1075	29/06/2024 09:59	45.9	59.7	40.0	48.5	42.1
1076	29/06/2024 10:04	45.2	64.2	39.5	47.9	41.2
1077	29/06/2024 10:09	49.1	61.3	39.9	52.9	42.0
1078	29/06/2024 10:14	45.6	56.4	38.0	48.8	40.5

Address	Start Time	Measured Sound Pressure Level [dB(A)]				
		L _{Aeq,5 mins}	L _{Amax,F 5mins}	L _{Amin,5mins}	L _{A10,5mins}	L _{A90,5mins}
1079	29/06/2024 10:19	46.4	59.2	40.3	49.2	42.7
1080	29/06/2024 10:24	49.2	70.7	39.6	51.2	42.0
1081	29/06/2024 10:29	49.7	64.8	39.1	51.8	41.3
1082	29/06/2024 10:34	51.1	66.2	38.6	54.1	41.1
1083	29/06/2024 10:39	47.7	65.7	38.3	48.1	40.6
1084	29/06/2024 10:44	44.0	58.4	38.3	46.4	40.5
1085	29/06/2024 10:49	45.7	65.1	39.1	46.0	41.1
1086	29/06/2024 10:54	49.8	65.5	40.0	53.5	41.7
1087	29/06/2024 10:59	47.2	58.8	41.5	50.1	43.6
1088	29/06/2024 11:04	52.0	67.1	41.1	54.5	42.8
1089	29/06/2024 11:09	54.0	70.1	39.6	55.1	42.1
1090	29/06/2024 11:14	50.8	68.4	39.6	49.8	41.9
1091	29/06/2024 11:19	47.5	64.9	40.3	50.0	42.4
1092	29/06/2024 11:24	46.2	69.1	40.6	46.5	42.1
1093	29/06/2024 11:29	46.2	58.4	41.0	48.5	43.0
1094	29/06/2024 11:34	47.3	57.9	41.1	50.7	43.0
1095	29/06/2024 11:39	48.8	61.2	38.3	52.1	42.2
1096	29/06/2024 11:44	48.0	61.5	40.0	51.6	42.2
1097	29/06/2024 11:49	43.6	54.5	39.5	45.5	41.1
1098	29/06/2024 11:54	49.7	66.6	39.8	51.1	41.9
1099	29/06/2024 11:59	45.6	64.6	37.3	49.0	39.2
1100	29/06/2024 12:04	44.3	64.3	38.1	45.5	39.6
1101	29/06/2024 12:09	42.9	56.3	37.2	45.6	39.0
1102	29/06/2024 12:14	42.2	67.1	37.3	42.7	39.1
1103	29/06/2024 12:19	43.3	66.5	36.9	44.4	39.3
1104	29/06/2024 12:24	44.8	60.0	38.0	46.2	40.0
1105	29/06/2024 12:29	45.0	56.6	36.3	47.9	39.4
1106	29/06/2024 12:34	44.0	70.0	36.2	44.3	38.8
1107	29/06/2024 12:39	43.8	62.7	36.8	46.3	38.4
1108	29/06/2024 12:44	42.9	61.4	38.1	43.6	39.7
1109	29/06/2024 12:49	41.8	58.4	37.2	43.3	39.7
1110	29/06/2024 12:54	41.6	52.7	37.6	43.0	39.4
1111	29/06/2024 12:59	41.9	48.0	38.1	43.9	39.9
1112	29/06/2024 13:04	43.9	70.3	38.3	44.0	40.2
1113	29/06/2024 13:09	42.9	49.6	38.2	44.6	40.5
1114	29/06/2024 13:14	43.2	49.1	39.1	45.2	40.9
1115	29/06/2024 13:19	51.8	69.3	38.3	50.6	40.9
1116	29/06/2024 13:24	43.7	53.4	38.3	46.4	40.4
1117	29/06/2024 13:29	43.2	62.0	39.1	44.7	40.9
1118	29/06/2024 13:34	45.7	63.3	39.1	48.8	40.9
1119	29/06/2024 13:39	41.8	46.6	37.7	43.3	40.0
1120	29/06/2024 13:44	42.6	49.6	37.4	45.4	39.4
1121	29/06/2024 13:49	43.7	54.2	38.8	46.0	40.7
1122	29/06/2024 13:54	41.8	60.3	36.0	43.4	38.7

Address	Start Time	Measured Sound Pressure Level [dB(A)]				
		L _{Aeq,5 mins}	L _{Amax,F 5mins}	L _{Amin,5mins}	L _{A10,5mins}	L _{A90,5mins}
1123	29/06/2024 13:59	40.7	49.9	36.0	42.4	38.2
1124	29/06/2024 14:04	40.8	53.5	36.4	42.1	38.9
1125	29/06/2024 14:09	39.8	48.6	35.6	41.6	37.7
1126	29/06/2024 14:14	41.9	52.4	36.9	43.7	39.2
1127	29/06/2024 14:19	49.9	63.8	37.6	54.7	40.6
1128	29/06/2024 14:24	47.0	58.9	37.5	49.8	39.9
1129	29/06/2024 14:29	42.1	58.0	38.3	44.0	39.6
1130	29/06/2024 14:34	42.1	55.7	37.0	44.0	39.6
1131	29/06/2024 14:39	42.5	56.9	37.3	43.8	39.1
1132	29/06/2024 14:44	41.6	58.0	37.4	42.8	39.0
1133	29/06/2024 14:49	40.5	52.8	35.8	41.7	37.9
1134	29/06/2024 14:54	39.2	54.2	33.7	40.7	36.3
1135	29/06/2024 14:59	48.9	71.6	36.4	44.0	38.1
1136	29/06/2024 15:04	39.0	50.3	35.0	40.6	36.6
1137	29/06/2024 15:09	44.4	58.5	35.5	48.2	37.1
1138	29/06/2024 15:14	39.9	61.5	35.3	40.6	37.0
1139	29/06/2024 15:19	40.5	47.8	34.6	42.8	37.6
1140	29/06/2024 15:24	38.0	52.0	33.1	38.8	34.8
1141	29/06/2024 15:29	43.8	61.4	33.1	47.3	35.7
1142	29/06/2024 15:34	40.9	58.3	31.2	42.7	33.6
1143	29/06/2024 15:39	40.0	52.4	31.0	44.1	33.3
1144	29/06/2024 15:44	42.3	63.7	29.9	45.2	32.1
1145	29/06/2024 15:49	43.0	56.7	30.8	47.6	33.1
1146	29/06/2024 15:54	39.4	49.1	31.5	42.2	33.8
1147	29/06/2024 15:59	49.3	62.4	32.5	54.5	34.5
1148	29/06/2024 16:04	43.8	64.2	31.9	47.8	34.2
1149	29/06/2024 16:09	51.1	68.7	34.4	55.4	36.5
1150	29/06/2024 16:14	51.1	63.8	34.9	56.3	37.3
1151	29/06/2024 16:19	38.8	54.1	34.3	40.1	36.4
1152	29/06/2024 16:24	38.7	54.0	34.3	40.2	36.6
1153	29/06/2024 16:29	41.4	68.8	35.3	41.5	37.5
1154	29/06/2024 16:34	39.6	50.2	35.1	41.1	37.2
1155	29/06/2024 16:39	39.5	49.6	36.0	41.2	37.6
1156	29/06/2024 16:44	39.0	55.8	34.3	40.2	36.9
1157	29/06/2024 16:49	40.8	55.5	34.7	42.6	36.8
1158	29/06/2024 16:54	42.3	61.6	35.3	44.3	38.0
1159	29/06/2024 16:59	40.7	55.3	35.6	42.4	38.2
1160	29/06/2024 17:04	40.5	52.1	34.5	42.8	36.9
1161	29/06/2024 17:09	38.8	45.9	33.9	40.5	36.6
1162	29/06/2024 17:14	38.1	50.4	32.6	39.6	35.5
1163	29/06/2024 17:19	37.9	57.9	32.9	39.2	34.9
1164	29/06/2024 17:24	37.9	54.6	33.2	40.6	34.7
1165	29/06/2024 17:29	38.4	50.3	33.5	40.2	35.6
1166	29/06/2024 17:34	37.5	48.2	32.5	39.4	35.0

Address	Start Time	Measured Sound Pressure Level [dB(A)]				
		L _{Aeq,5 mins}	L _{Amax,F 5mins}	L _{Amin,5mins}	L _{A10,5mins}	L _{A90,5mins}
1167	29/06/2024 17:39	37.4	48.9	32.8	39.6	34.3
1168	29/06/2024 17:44	40.4	62.4	32.3	41.4	34.6
1169	29/06/2024 17:49	37.2	51.4	33.0	39.0	35.1
1170	29/06/2024 17:54	35.8	47.7	31.2	38.1	33.2
1171	29/06/2024 17:59	36.6	48.3	31.2	38.8	33.6
1172	29/06/2024 18:04	35.7	53.1	31.4	37.2	33.2
1173	29/06/2024 18:09	36.7	45.8	32.2	38.7	34.3
1174	29/06/2024 18:14	39.0	63.9	31.6	38.6	34.0
1175	29/06/2024 18:19	40.4	56.1	32.8	41.0	35.4
1176	29/06/2024 18:24	43.4	63.5	30.5	43.0	34.5
1177	29/06/2024 18:29	38.7	49.2	31.9	42.5	34.1
1178	29/06/2024 18:34	35.9	51.6	31.6	37.8	33.6
1179	29/06/2024 18:39	37.2	60.9	31.7	38.9	33.8
1180	29/06/2024 18:44	37.3	55.5	31.5	37.6	34.0
1181	29/06/2024 18:49	40.6	58.3	32.6	42.6	35.3
1182	29/06/2024 18:54	43.4	58.3	32.8	43.3	35.3
1183	29/06/2024 18:59	40.5	49.8	33.8	42.9	37.2
1184	29/06/2024 19:04	41.0	64.5	33.9	41.0	36.4
1185	29/06/2024 19:09	37.8	51.1	33.7	39.7	35.4
1186	29/06/2024 19:14	42.9	60.0	33.5	45.2	36.8
1187	29/06/2024 19:19	42.0	55.4	35.3	43.3	37.9
1188	29/06/2024 19:24	41.7	60.2	36.1	43.9	38.6
1189	29/06/2024 19:29	43.0	67.9	35.8	43.9	38.4
1190	29/06/2024 19:34	40.4	51.5	35.9	42.2	37.8
1191	29/06/2024 19:39	41.9	67.5	33.6	40.4	36.3
1192	29/06/2024 19:44	39.8	57.8	34.9	41.5	37.1
1193	29/06/2024 19:49	39.8	55.0	30.7	42.1	34.3
1194	29/06/2024 19:54	43.9	66.4	35.3	43.2	37.4
1195	29/06/2024 19:59	39.1	53.6	33.0	40.7	35.6
1196	29/06/2024 20:04	38.2	53.8	31.3	39.6	34.1
1197	29/06/2024 20:09	41.6	55.1	33.9	44.8	36.7
1198	29/06/2024 20:14	50.7	63.9	33.4	55.0	36.4
1199	29/06/2024 20:19	53.0	67.4	32.1	56.9	34.6
1200	29/06/2024 20:24	40.8	63.1	31.9	41.1	35.0
1201	29/06/2024 20:29	37.4	49.5	31.6	39.4	34.5
1202	29/06/2024 20:34	52.8	67.6	32.9	57.6	36.0
1203	29/06/2024 20:39	37.4	45.7	30.9	39.7	33.9
1204	29/06/2024 20:44	40.6	49.3	31.5	43.7	34.5
1205	29/06/2024 20:49	49.3	64.3	30.3	55.6	33.5
1206	29/06/2024 20:54	40.7	57.2	31.2	41.8	33.1
1207	29/06/2024 20:59	40.0	56.3	32.1	40.0	34.1
1208	29/06/2024 21:04	37.9	55.8	32.5	39.3	34.5
1209	29/06/2024 21:09	38.3	55.5	30.6	39.9	34.6
1210	29/06/2024 21:14	38.0	58.3	32.2	38.7	34.2

Address	Start Time	Measured Sound Pressure Level [dB(A)]				
		L _{Aeq,5 mins}	L _{Amax,F 5mins}	L _{Amin,5mins}	L _{A10,5mins}	L _{A90,5mins}
1211	29/06/2024 21:19	36.2	45.9	31.1	38.1	33.4
1212	29/06/2024 21:24	38.9	58.4	32.2	39.1	34.1
1213	29/06/2024 21:29	36.2	42.8	31.7	37.9	33.9
1214	29/06/2024 21:34	38.4	52.0	32.5	41.0	34.5
1215	29/06/2024 21:39	37.6	56.3	31.2	39.1	34.5
1216	29/06/2024 21:44	40.5	49.1	31.4	44.8	34.3
1217	29/06/2024 21:49	37.6	47.8	31.1	40.7	33.4
1218	29/06/2024 21:54	40.3	52.0	30.1	45.6	32.8
1219	29/06/2024 21:59	37.5	45.4	31.4	40.3	34.0
1220	29/06/2024 22:04	35.6	48.1	28.1	37.7	31.5
1221	29/06/2024 22:09	35.2	48.3	30.2	36.8	33.1
1222	29/06/2024 22:14	36.3	44.7	30.9	38.8	32.8
1223	29/06/2024 22:19	35.0	44.3	30.9	36.7	32.2
1224	29/06/2024 22:24	34.3	41.1	29.6	36.3	31.5
1225	29/06/2024 22:29	34.2	42.8	29.9	36.1	31.8
1226	29/06/2024 22:34	36.4	42.8	31.0	38.7	33.4
1227	29/06/2024 22:39	37.3	46.5	30.7	40.1	33.7
1228	29/06/2024 22:44	38.8	46.4	30.9	42.7	33.9
1229	29/06/2024 22:49	37.6	46.7	31.7	40.7	33.7
1230	29/06/2024 22:54	38.2	53.5	33.4	39.9	35.4
1231	29/06/2024 22:59	36.8	48.0	31.5	39.0	33.8
1232	29/06/2024 23:04	39.6	47.9	31.1	43.0	33.9
1233	29/06/2024 23:09	35.9	45.0	29.7	38.3	32.2
1234	29/06/2024 23:14	35.3	46.4	29.5	37.5	31.9
1235	29/06/2024 23:19	36.6	55.2	28.4	37.5	31.2
1236	29/06/2024 23:24	37.4	45.1	30.4	40.9	33.5
1237	29/06/2024 23:29	35.1	41.9	30.0	37.3	32.5
1238	29/06/2024 23:34	37.1	47.4	29.3	40.9	32.0
1239	29/06/2024 23:39	33.4	42.5	27.3	35.2	30.4
1240	29/06/2024 23:44	33.5	42.8	29.3	35.4	31.2
1241	29/06/2024 23:49	34.8	43.3	29.0	38.1	31.4
1242	29/06/2024 23:54	32.6	45.2	26.9	34.3	29.7
1243	29/06/2024 23:59	34.5	40.4	28.1	36.9	30.9
1244	30/06/2024 00:04	32.7	42.1	25.1	35.4	27.9
1245	30/06/2024 00:09	32.8	43.4	26.2	35.6	29.0
1246	30/06/2024 00:14	31.6	37.8	27.9	33.2	29.7
1247	30/06/2024 00:19	34.2	44.2	27.8	37.2	29.2
1248	30/06/2024 00:24	31.3	39.1	25.8	33.2	28.9
1249	30/06/2024 00:29	33.6	46.5	27.6	36.2	29.6
1250	30/06/2024 00:34	37.8	57.8	27.8	39.5	30.2
1251	30/06/2024 00:39	36.4	50.5	26.7	39.7	29.3
1252	30/06/2024 00:44	35.9	48.5	25.9	39.5	28.6
1253	30/06/2024 00:49	30.9	38.7	25.4	33.7	27.6
1254	30/06/2024 00:54	30.8	38.5	25.9	33.4	27.7

Address	Start Time	Measured Sound Pressure Level [dB(A)]				
		L _{Aeq,5 mins}	L _{Amax,F 5mins}	L _{Amin,5mins}	L _{A10,5mins}	L _{A90,5mins}
1255	30/06/2024 00:59	32.5	44.7	25.2	35.0	27.7
1256	30/06/2024 01:04	36.7	47.0	24.4	42.1	26.8
1257	30/06/2024 01:09	31.7	41.2	24.0	34.7	26.2
1258	30/06/2024 01:14	32.3	42.6	24.1	35.4	26.8
1259	30/06/2024 01:19	28.6	40.6	23.2	31.1	25.1
1260	30/06/2024 01:24	29.6	36.3	23.6	32.3	25.9
1261	30/06/2024 01:29	28.7	36.7	24.4	31.0	26.0
1262	30/06/2024 01:34	27.8	41.8	24.0	29.4	25.4
1263	30/06/2024 01:39	30.6	39.6	25.9	32.8	27.6
1264	30/06/2024 01:44	29.4	40.4	23.2	31.7	25.9
1265	30/06/2024 01:49	29.9	40.8	24.6	32.0	26.5
1266	30/06/2024 01:54	25.9	34.1	22.4	27.8	23.7
1267	30/06/2024 01:59	26.7	37.9	22.1	28.9	23.6
1268	30/06/2024 02:04	35.6	47.6	23.1	40.2	24.8
1269	30/06/2024 02:09	29.0	43.5	23.5	30.8	24.8
1270	30/06/2024 02:14	30.2	39.2	24.6	32.7	26.8
1271	30/06/2024 02:19	26.9	33.5	23.0	28.6	24.7
1272	30/06/2024 02:24	29.6	43.1	22.0	33.0	24.6
1273	30/06/2024 02:29	30.9	42.8	24.0	35.2	25.2
1274	30/06/2024 02:34	29.9	40.9	24.1	32.2	26.1
1275	30/06/2024 02:39	27.0	37.5	23.9	28.4	25.2
1276	30/06/2024 02:44	25.4	32.2	22.5	27.2	23.7
1277	30/06/2024 02:49	26.2	36.9	20.7	28.6	22.0
1278	30/06/2024 02:54	27.9	39.8	21.8	30.3	23.5
1279	30/06/2024 02:59	27.7	36.2	22.8	30.7	24.2
1280	30/06/2024 03:04	26.2	34.8	22.5	28.2	23.9
1281	30/06/2024 03:09	26.3	40.1	22.1	28.4	23.5
1282	30/06/2024 03:14	27.6	36.9	23.6	29.8	24.9
1283	30/06/2024 03:19	25.9	46.3	22.3	27.3	23.3
1284	30/06/2024 03:24	24.8	32.6	21.2	26.3	23.0
1285	30/06/2024 03:29	28.0	38.9	22.2	30.8	24.0
1286	30/06/2024 03:34	26.6	37.4	20.7	29.7	23.0
1287	30/06/2024 03:39	27.8	46.2	20.7	30.7	22.2
1288	30/06/2024 03:44	36.2	48.4	21.5	40.7	25.2
1289	30/06/2024 03:49	37.8	50.4	22.2	42.4	25.9
1290	30/06/2024 03:54	37.9	51.2	23.6	42.1	27.7
1291	30/06/2024 03:59	39.8	59.8	26.3	43.2	29.9
1292	30/06/2024 04:04	42.2	58.1	26.0	45.5	30.2
1293	30/06/2024 04:09	35.5	48.8	26.0	38.8	29.8
1294	30/06/2024 04:14	44.5	63.2	27.4	44.5	31.9
1295	30/06/2024 04:19	50.9	67.2	26.3	55.1	31.0
1296	30/06/2024 04:24	51.1	67.0	26.4	55.3	31.5
1297	30/06/2024 04:29	43.9	61.9	26.4	46.6	30.5
1298	30/06/2024 04:34	39.2	50.1	25.7	43.6	30.1

Address	Start Time	Measured Sound Pressure Level [dB(A)]				
		L _{Aeq,5 mins}	L _{Amax,F 5mins}	L _{Amin,5mins}	L _{A10,5mins}	L _{A90,5mins}
1299	30/06/2024 04:39	42.6	56.3	25.7	46.7	30.7
1300	30/06/2024 04:44	41.2	53.3	26.6	44.7	29.8
1301	30/06/2024 04:49	42.2	60.8	27.3	42.2	30.2
1302	30/06/2024 04:54	39.2	53.9	27.1	42.9	29.7
1303	30/06/2024 04:59	37.3	56.7	27.0	40.2	30.4
1304	30/06/2024 05:04	39.7	57.7	28.0	39.9	31.2
1305	30/06/2024 05:09	45.8	56.6	28.4	51.4	32.7
1306	30/06/2024 05:14	39.8	54.8	27.0	42.6	30.5
1307	30/06/2024 05:19	41.2	57.6	26.9	42.2	30.2
1308	30/06/2024 05:24	33.3	44.6	26.6	35.9	29.4
1309	30/06/2024 05:29	34.1	51.2	27.1	36.3	29.6
1310	30/06/2024 05:34	35.1	51.6	26.9	38.3	29.6
1311	30/06/2024 05:39	49.3	67.5	27.0	45.9	29.8
1312	30/06/2024 05:44	36.0	48.8	27.7	39.1	31.0
1313	30/06/2024 05:49	37.2	53.2	27.9	39.7	30.2
1314	30/06/2024 05:54	36.2	52.6	28.1	38.1	30.9
1315	30/06/2024 05:59	35.9	52.7	26.7	37.7	30.1
1316	30/06/2024 06:04	34.9	47.7	26.2	38.0	29.3
1317	30/06/2024 06:09	34.0	43.4	28.5	36.5	30.5
1318	30/06/2024 06:14	35.8	50.6	28.6	38.6	31.1
1319	30/06/2024 06:19	34.8	50.7	26.3	37.2	29.3
1320	30/06/2024 06:24	43.6	65.5	27.0	44.5	30.1
1321	30/06/2024 06:29	45.1	59.8	28.9	49.5	31.6
1322	30/06/2024 06:34	43.4	58.6	28.3	47.1	32.1
1323	30/06/2024 06:39	37.4	54.6	27.8	39.7	30.4
1324	30/06/2024 06:44	44.8	65.0	28.2	47.6	31.3
1325	30/06/2024 06:49	38.2	54.2	27.4	41.9	30.3
1326	30/06/2024 06:54	37.1	55.3	27.4	40.5	30.3
1327	30/06/2024 06:59	45.6	59.4	27.9	50.4	31.0
1328	30/06/2024 07:04	43.6	58.5	27.9	47.6	32.3
1329	30/06/2024 07:09	41.9	56.6	27.7	46.2	31.9
1330	30/06/2024 07:14	41.1	63.9	28.1	37.4	30.6
1331	30/06/2024 07:19	38.7	55.5	26.9	40.3	29.9
1332	30/06/2024 07:24	48.2	68.2	29.3	48.0	32.8
1333	30/06/2024 07:29	41.1	56.6	28.1	44.4	30.8
1334	30/06/2024 07:34	41.6	57.5	29.0	45.3	31.7
1335	30/06/2024 07:39	41.7	56.4	28.8	45.8	31.4
1336	30/06/2024 07:44	38.1	51.7	28.3	40.6	31.7
1337	30/06/2024 07:49	42.1	65.6	27.8	44.0	30.7
1338	30/06/2024 07:54	36.9	52.5	27.8	38.4	30.5
1339	30/06/2024 07:59	41.7	58.8	27.3	44.5	30.8
1340	30/06/2024 08:04	44.1	60.5	28.6	48.5	31.4
1341	30/06/2024 08:09	37.8	52.6	26.7	40.5	29.7
1342	30/06/2024 08:14	38.4	53.5	28.9	41.8	31.4

Address	Start Time	Measured Sound Pressure Level [dB(A)]				
		L _{Aeq,5 mins}	L _{Amax,F 5mins}	L _{Amin,5mins}	L _{A10,5mins}	L _{A90,5mins}
1343	30/06/2024 08:19	38.9	53.5	27.4	43.6	30.2
1344	30/06/2024 08:24	38.0	53.2	28.7	41.9	31.3
1345	30/06/2024 08:29	38.4	53.3	30.2	40.9	33.5
1346	30/06/2024 08:34	42.6	54.3	29.7	46.8	32.7
1347	30/06/2024 08:39	37.2	58.7	29.5	38.9	32.5
1348	30/06/2024 08:44	38.7	56.6	28.7	42.3	31.3
1349	30/06/2024 08:49	35.1	45.3	28.6	38.3	30.4
1350	30/06/2024 08:54	40.6	57.9	29.2	43.3	31.4
1351	30/06/2024 08:59	41.9	55.2	30.9	46.1	32.8
1352	30/06/2024 09:04	42.4	61.0	32.0	43.7	34.0
1353	30/06/2024 09:09	39.1	53.3	31.0	41.3	33.9
1354	30/06/2024 09:14	48.4	71.9	31.1	50.0	35.2
1355	30/06/2024 09:19	40.8	59.5	31.1	42.3	34.2
1356	30/06/2024 09:24	36.5	48.1	31.4	38.9	33.4
1357	30/06/2024 09:29	42.8	66.2	30.2	43.6	32.9
1358	30/06/2024 09:34	45.8	68.0	31.6	46.0	33.3
1359	30/06/2024 09:39	50.5	73.0	30.7	47.5	33.3
1360	30/06/2024 09:44	42.9	63.1	31.2	43.7	33.4
1361	30/06/2024 09:49	41.3	53.7	32.7	44.6	35.3
1362	30/06/2024 09:54	39.5	52.3	32.0	42.7	33.9
1363	30/06/2024 09:59	45.2	66.5	31.7	47.6	34.4
1364	30/06/2024 10:04	43.8	61.8	33.0	46.5	35.9
1365	30/06/2024 10:09	41.1	57.5	32.7	44.5	34.4
1366	30/06/2024 10:14	38.3	55.7	32.9	40.4	34.5
1367	30/06/2024 10:19	38.2	55.7	32.2	39.8	33.9
1368	30/06/2024 10:24	41.9	58.0	31.2	45.4	33.1
1369	30/06/2024 10:29	40.7	57.3	31.3	42.9	33.2
1370	30/06/2024 10:34	39.2	57.7	30.9	41.0	33.0
1371	30/06/2024 10:39	37.9	47.3	31.6	40.3	34.3
1372	30/06/2024 10:44	37.8	49.7	33.4	40.0	34.7
1373	30/06/2024 10:49	41.0	55.5	31.3	42.4	34.6
1374	30/06/2024 10:54	41.1	64.3	31.5	43.0	34.0
1375	30/06/2024 10:59	37.8	50.0	30.8	41.2	32.5
1376	30/06/2024 11:04	42.6	56.8	31.7	46.0	34.7
1377	30/06/2024 11:09	39.0	54.2	32.2	41.3	34.2
1378	30/06/2024 11:14	36.1	48.1	31.5	38.1	33.2
1379	30/06/2024 11:19	46.0	60.9	31.9	49.7	34.3
1380	30/06/2024 11:24	39.5	59.6	31.2	41.5	33.4
1381	30/06/2024 11:29	45.5	62.6	31.7	45.8	34.4
1382	30/06/2024 11:34	47.0	65.1	31.4	43.5	33.5
1383	30/06/2024 11:39	42.2	57.1	31.4	45.7	35.3
1384	30/06/2024 11:44	42.7	58.5	32.3	46.3	34.4
1385	30/06/2024 11:49	52.6	67.0	31.6	57.6	34.6
1386	30/06/2024 11:54	36.7	48.8	31.6	38.7	33.9

Address	Start Time	Measured Sound Pressure Level [dB(A)]				
		L _{Aeq,5 mins}	L _{Amax,F 5mins}	L _{Amin,5mins}	L _{A10,5mins}	L _{A90,5mins}
1387	30/06/2024 11:59	44.1	60.8	33.7	47.9	35.2
1388	30/06/2024 12:04	38.6	53.3	33.3	40.4	36.0
1389	30/06/2024 12:09	39.9	56.9	35.1	41.7	36.8
1390	30/06/2024 12:14	42.5	62.8	34.7	43.8	36.5
1391	30/06/2024 12:19	41.7	59.8	31.9	43.7	35.2
1392	30/06/2024 12:24	48.9	67.8	33.7	52.4	35.8
1393	30/06/2024 12:29	45.6	70.2	33.1	41.3	35.2
1394	30/06/2024 12:34	40.0	49.7	33.1	42.6	35.0
1395	30/06/2024 12:39	40.3	54.9	33.7	42.2	36.3
1396	30/06/2024 12:44	42.1	54.5	34.3	45.6	36.3
1397	30/06/2024 12:49	38.6	48.9	32.6	41.7	34.7
1398	30/06/2024 12:54	39.5	50.3	34.5	41.4	36.5
1399	30/06/2024 12:59	39.7	49.4	34.3	41.8	36.8
1400	30/06/2024 13:04	46.3	65.6	34.2	49.7	37.1
1401	30/06/2024 13:09	38.7	54.7	32.8	41.0	34.8
1402	30/06/2024 13:14	45.5	64.8	32.1	45.2	34.7
1403	30/06/2024 13:19	43.0	55.1	33.6	47.6	35.9
1404	30/06/2024 13:24	39.9	53.0	32.5	42.6	34.6
1405	30/06/2024 13:29	51.7	68.8	34.5	50.9	37.5
1406	30/06/2024 13:34	37.9	49.2	32.8	39.4	35.5
1407	30/06/2024 13:39	42.8	57.7	32.1	45.2	34.9
1408	30/06/2024 13:44	43.0	56.7	33.6	43.9	36.2
1409	30/06/2024 13:49	44.9	58.7	34.0	47.9	36.0
1410	30/06/2024 13:54	45.8	58.6	34.7	49.3	38.1
1411	30/06/2024 13:59	43.4	56.4	33.7	47.5	36.1
1412	30/06/2024 14:04	42.8	56.6	34.8	44.8	36.6
1413	30/06/2024 14:09	40.3	56.4	31.6	41.2	33.5
1414	30/06/2024 14:14	40.7	59.7	34.2	41.1	36.4
1415	30/06/2024 14:19	40.1	52.7	33.2	42.3	35.5
1416	30/06/2024 14:24	42.6	55.3	32.6	45.9	35.9
1417	30/06/2024 14:29	38.3	47.3	32.6	40.5	35.3
1418	30/06/2024 14:34	44.3	59.7	31.6	46.5	34.2
1419	30/06/2024 14:39	40.2	56.5	33.7	42.6	35.6
1420	30/06/2024 14:44	36.7	49.9	31.1	39.4	33.0
1421	30/06/2024 14:49	38.0	49.3	31.6	40.2	34.2
1422	30/06/2024 14:54	41.3	52.4	33.4	45.3	35.8
1423	30/06/2024 14:59	44.4	58.2	34.4	48.5	36.6
1424	30/06/2024 15:04	42.4	56.5	32.8	45.8	35.8
1425	30/06/2024 15:09	37.8	51.3	30.4	40.2	32.7
1426	30/06/2024 15:14	39.7	51.5	31.4	42.7	34.1
1427	30/06/2024 15:19	36.8	48.1	30.9	39.4	33.1
1428	30/06/2024 15:24	55.0	70.2	32.5	57.9	35.3
1429	30/06/2024 15:29	38.6	51.2	31.2	41.4	34.1
1430	30/06/2024 15:34	41.2	52.0	30.8	45.1	33.6

Address	Start Time	Measured Sound Pressure Level [dB(A)]				
		L _{Aeq,5 mins}	L _{Amax,F 5mins}	L _{Amin,5mins}	L _{A10,5mins}	L _{A90,5mins}
1431	30/06/2024 15:39	52.0	68.4	32.0	56.2	35.4
1432	30/06/2024 15:44	43.8	56.7	29.6	48.3	32.7
1433	30/06/2024 15:49	41.2	55.2	29.2	44.7	32.8
1434	30/06/2024 15:54	35.5	53.9	29.1	36.9	30.8
1435	30/06/2024 15:59	35.9	46.9	29.3	38.8	31.2
1436	30/06/2024 16:04	34.0	50.2	30.1	35.3	31.6
1437	30/06/2024 16:09	41.3	54.3	30.3	45.9	32.0
1438	30/06/2024 16:14	42.4	65.9	31.6	39.7	33.0
1439	30/06/2024 16:19	39.7	60.0	30.6	43.4	33.0
1440	30/06/2024 16:24	38.5	52.2	31.5	41.6	33.9
1441	30/06/2024 16:29	41.5	55.5	32.3	45.7	34.6
1442	30/06/2024 16:34	38.2	57.8	31.1	39.4	32.8
1443	30/06/2024 16:39	39.6	68.1	32.1	39.6	34.0
1444	30/06/2024 16:44	38.7	54.3	34.0	40.4	35.5
1445	30/06/2024 16:49	40.1	48.9	35.4	41.9	37.9
1446	30/06/2024 16:54	42.2	56.6	35.8	44.5	38.0
1447	30/06/2024 16:59	40.0	52.0	34.7	41.7	37.6
1448	30/06/2024 17:04	40.0	60.2	33.9	41.4	37.1
1449	30/06/2024 17:09	48.6	62.4	33.1	52.2	36.9
1450	30/06/2024 17:14	44.7	56.8	36.5	47.5	39.6
1451	30/06/2024 17:19	40.6	51.9	35.2	42.1	37.9
1452	30/06/2024 17:24	47.5	64.0	35.0	49.5	37.6
1453	30/06/2024 17:29	41.2	52.9	35.8	43.7	37.7
1454	30/06/2024 17:34	41.0	63.6	33.3	42.4	36.7
1455	30/06/2024 17:39	41.2	58.3	34.1	43.8	37.3
1456	30/06/2024 17:44	40.8	58.5	34.6	42.7	37.1
1457	30/06/2024 17:49	39.1	54.0	34.0	40.7	36.6
1458	30/06/2024 17:54	39.9	60.0	35.0	40.9	37.1
1459	30/06/2024 17:59	41.6	65.8	34.2	42.8	36.8
1460	30/06/2024 18:04	39.9	53.8	34.5	41.4	37.4
1461	30/06/2024 18:09	41.0	61.9	35.8	42.0	37.7
1462	30/06/2024 18:14	52.2	67.8	35.0	53.2	38.2
1463	30/06/2024 18:19	39.5	46.7	34.1	41.6	36.7
1464	30/06/2024 18:24	39.7	57.4	33.5	41.0	36.3
1465	30/06/2024 18:29	39.4	50.3	35.3	41.4	36.9
1466	30/06/2024 18:34	46.5	64.9	30.4	41.3	33.6
1467	30/06/2024 18:39	49.0	67.5	30.2	50.2	33.3
1468	30/06/2024 18:44	48.0	62.4	28.5	51.4	31.5
1469	30/06/2024 18:49	46.9	62.7	31.3	48.3	34.9
1470	30/06/2024 18:54	43.9	63.5	31.1	46.5	33.2
1471	30/06/2024 18:59	39.2	49.6	32.7	42.0	35.1
1472	30/06/2024 19:04	43.8	55.1	32.3	47.3	36.0
1473	30/06/2024 19:09	39.5	52.7	30.6	41.7	33.3
1474	30/06/2024 19:14	43.3	62.2	31.5	45.5	34.2

Address	Start Time	Measured Sound Pressure Level [dB(A)]				
		L _{Aeq,5 mins}	L _{Amax,F 5mins}	L _{Amin,5mins}	L _{A10,5mins}	L _{A90,5mins}
1475	30/06/2024 19:19	37.7	53.9	30.9	39.8	33.9
1476	30/06/2024 19:24	41.5	54.5	31.2	45.7	34.1
1477	30/06/2024 19:29	36.0	44.4	30.5	38.4	32.7
1478	30/06/2024 19:34	35.1	49.2	29.1	36.5	31.4
1479	30/06/2024 19:39	39.0	56.6	30.9	39.8	33.1
1480	30/06/2024 19:44	37.8	54.2	31.6	39.9	34.0
1481	30/06/2024 19:49	38.6	55.6	31.8	39.2	33.8
1482	30/06/2024 19:54	38.9	51.6	31.6	41.5	33.8
1483	30/06/2024 19:59	37.1	50.4	29.5	38.7	32.6
1484	30/06/2024 20:04	40.5	55.6	31.3	42.9	34.0
1485	30/06/2024 20:09	38.8	55.4	29.5	39.3	32.5
1486	30/06/2024 20:14	37.3	53.0	31.1	38.3	33.4
1487	30/06/2024 20:19	35.7	50.5	29.7	37.1	32.1
1488	30/06/2024 20:24	40.1	55.0	29.8	43.1	32.3
1489	30/06/2024 20:29	38.5	57.7	28.3	37.8	30.8
1490	30/06/2024 20:34	42.1	57.1	27.7	44.4	30.0
1491	30/06/2024 20:39	33.3	43.1	27.4	35.7	30.0
1492	30/06/2024 20:44	35.3	49.9	27.8	37.9	30.7
1493	30/06/2024 20:49	39.3	52.4	27.7	43.3	31.3
1494	30/06/2024 20:54	32.4	48.1	26.9	33.8	29.0
1495	30/06/2024 20:59	32.8	45.6	25.9	35.0	29.5
1496	30/06/2024 21:04	34.3	46.6	27.3	37.0	29.6
1497	30/06/2024 21:09	31.8	40.5	26.5	33.9	28.7
1498	30/06/2024 21:14	39.5	54.7	27.2	43.4	29.8
1499	30/06/2024 21:19	36.0	58.8	26.5	37.6	28.6
1500	30/06/2024 21:24	36.4	59.3	25.2	38.1	27.6
1501	30/06/2024 21:29	29.5	46.4	24.4	31.6	26.0
1502	30/06/2024 21:34	29.0	41.3	23.9	31.1	26.1
1503	30/06/2024 21:39	36.2	55.6	25.1	34.2	26.6
1504	30/06/2024 21:44	29.6	40.3	24.2	31.9	26.4
1505	30/06/2024 21:49	28.5	41.8	23.2	30.2	25.5
1506	30/06/2024 21:54	29.7	39.4	21.3	32.5	24.0
1507	30/06/2024 21:59	27.4	34.0	23.0	29.8	24.5
1508	30/06/2024 22:04	28.3	45.2	22.7	29.9	24.3
1509	30/06/2024 22:09	28.3	38.6	22.9	30.6	24.9
1510	30/06/2024 22:14	41.9	56.1	23.1	46.5	25.8
1511	30/06/2024 22:19	37.9	50.7	21.6	42.6	24.2
1512	30/06/2024 22:24	32.7	45.8	21.3	37.0	22.9
1513	30/06/2024 22:29	27.7	37.8	22.0	30.0	24.1
1514	30/06/2024 22:34	32.5	45.7	21.4	37.0	23.0
1515	30/06/2024 22:39	31.2	47.5	22.1	34.3	23.9
1516	30/06/2024 22:44	31.4	44.0	21.3	35.2	23.6
1517	30/06/2024 22:49	32.0	46.1	21.3	36.1	23.9
1518	30/06/2024 22:54	34.5	51.0	20.5	38.9	22.9

Address	Start Time	Measured Sound Pressure Level [dB(A)]				
		L _{Aeq,5 mins}	L _{Amax,F 5mins}	L _{Amin,5mins}	L _{A10,5mins}	L _{A90,5mins}
1519	30/06/2024 22:59	26.0	43.4	20.0	27.6	21.4
1520	30/06/2024 23:04	32.8	47.1	21.6	37.9	23.6
1521	30/06/2024 23:09	31.8	52.4	21.1	33.4	23.3
1522	30/06/2024 23:14	30.5	44.6	20.7	34.1	23.0
1523	30/06/2024 23:19	26.4	37.8	20.3	29.3	21.8
1524	30/06/2024 23:24	26.3	37.8	21.5	28.8	22.7
1525	30/06/2024 23:29	26.2	36.9	19.5	29.3	20.8
1526	30/06/2024 23:34	29.4	45.0	18.8	33.7	20.8
1527	30/06/2024 23:39	27.4	35.5	21.2	30.0	23.5
1528	30/06/2024 23:44	29.2	42.6	20.7	33.3	22.1
1529	30/06/2024 23:49	23.3	32.1	20.4	25.0	21.5
1530	30/06/2024 23:54	32.6	48.7	21.3	36.3	23.3
1531	30/06/2024 23:59	30.1	41.7	22.3	32.9	24.2
1532	01/07/2024 00:04	28.7	38.2	22.4	31.1	24.2
1533	01/07/2024 00:09	30.7	42.4	22.1	34.7	23.9
1534	01/07/2024 00:14	27.5	36.3	21.2	30.4	23.0
1535	01/07/2024 00:19	25.7	33.7	21.2	28.5	23.1
1536	01/07/2024 00:24	23.3	33.3	18.7	26.4	19.9
1537	01/07/2024 00:29	24.0	34.6	19.4	26.4	20.8
1538	01/07/2024 00:34	22.8	39.7	19.3	23.4	20.3
1539	01/07/2024 00:39	22.9	40.7	19.3	24.9	20.1
1540	01/07/2024 00:44	21.1	29.2	18.8	22.3	19.9
1541	01/07/2024 00:49	20.9	29.4	18.5	21.9	19.4
1542	01/07/2024 00:54	20.8	28.6	17.9	22.2	18.7
1543	01/07/2024 00:59	20.3	31.1	17.6	21.3	18.5
1544	01/07/2024 01:04	20.8	39.9	17.9	22.1	18.7
1545	01/07/2024 01:09	24.8	35.9	18.9	28.5	20.3
1546	01/07/2024 01:14	26.4	41.7	18.1	29.0	19.4
1547	01/07/2024 01:19	21.6	33.7	18.3	23.4	19.3
1548	01/07/2024 01:24	22.6	35.1	17.9	26.0	18.7
1549	01/07/2024 01:29	25.8	42.0	18.3	30.3	19.2
1550	01/07/2024 01:34	22.4	30.4	17.7	25.0	18.5
1551	01/07/2024 01:39	19.8	33.9	18.0	20.7	18.7
1552	01/07/2024 01:44	21.4	36.1	18.1	23.4	18.8
1553	01/07/2024 01:49	24.7	34.7	20.3	26.8	21.8
1554	01/07/2024 01:54	27.3	33.3	21.6	30.5	23.2
1555	01/07/2024 01:59	26.9	38.4	20.5	30.1	22.0
1556	01/07/2024 02:04	24.6	32.5	20.1	27.1	21.8
1557	01/07/2024 02:09	30.0	41.8	20.5	34.6	22.1
1558	01/07/2024 02:14	25.2	34.2	20.8	27.2	22.0
1559	01/07/2024 02:19	22.8	29.3	20.6	24.3	21.4
1560	01/07/2024 02:24	23.6	34.8	20.4	26.0	21.5
1561	01/07/2024 02:29	24.0	33.1	19.8	26.7	21.0
1562	01/07/2024 02:34	23.2	32.8	19.8	24.9	20.7

Address	Start Time	Measured Sound Pressure Level [dB(A)]				
		L _{Aeq,5 mins}	L _{Amax,F 5mins}	L _{Amin,5mins}	L _{A10,5mins}	L _{A90,5mins}
1563	01/07/2024 02:39	25.2	44.8	20.0	27.4	21.8
1564	01/07/2024 02:44	22.4	35.3	19.2	23.7	20.5
1565	01/07/2024 02:49	21.9	38.2	18.5	23.2	19.4
1566	01/07/2024 02:54	21.7	32.2	19.0	23.4	20.0
1567	01/07/2024 02:59	21.5	30.2	19.2	22.7	20.1
1568	01/07/2024 03:04	21.6	29.5	19.5	22.7	20.4
1569	01/07/2024 03:09	22.1	31.1	19.4	24.1	20.0
1570	01/07/2024 03:14	22.9	32.2	18.9	26.0	19.8
1571	01/07/2024 03:19	22.2	31.4	18.9	24.6	20.0
1572	01/07/2024 03:24	25.0	40.0	19.0	28.5	20.7
1573	01/07/2024 03:29	26.7	51.9	19.2	24.3	20.4
1574	01/07/2024 03:34	23.4	33.4	19.5	25.4	20.6
1575	01/07/2024 03:39	23.9	37.5	19.8	26.0	21.0
1576	01/07/2024 03:44	24.8	43.5	20.5	26.9	21.6
1577	01/07/2024 03:49	25.6	37.3	20.7	28.4	22.0
1578	01/07/2024 03:54	37.3	53.1	20.7	41.3	23.5
1579	01/07/2024 03:59	43.4	57.8	21.5	48.1	25.8
1580	01/07/2024 04:04	43.8	59.2	23.1	48.5	27.1
1581	01/07/2024 04:09	41.9	56.0	23.7	46.1	28.7
1582	01/07/2024 04:14	36.0	49.1	24.3	39.8	28.0
1583	01/07/2024 04:19	38.3	53.3	25.6	42.1	29.4
1584	01/07/2024 04:24	40.8	54.3	26.4	44.8	30.5
1585	01/07/2024 04:29	42.5	57.4	25.4	46.3	29.1
1586	01/07/2024 04:34	42.6	56.7	25.5	46.7	29.0
1587	01/07/2024 04:39	39.3	53.9	24.9	43.1	27.7
1588	01/07/2024 04:44	50.1	73.9	25.0	44.6	27.6
1589	01/07/2024 04:49	49.0	72.0	25.5	37.2	28.6
1590	01/07/2024 04:54	43.1	68.4	26.6	37.5	29.6
1591	01/07/2024 04:59	40.9	55.6	27.0	44.3	30.2
1592	01/07/2024 05:04	40.4	57.1	27.6	44.7	30.7
1593	01/07/2024 05:09	36.9	48.2	27.0	40.2	30.6
1594	01/07/2024 05:14	35.6	48.3	26.8	39.0	29.1
1595	01/07/2024 05:19	43.6	65.3	27.9	45.6	31.3
1596	01/07/2024 05:24	38.1	57.2	27.6	40.7	30.1
1597	01/07/2024 05:29	40.1	60.7	28.2	41.5	30.7
1598	01/07/2024 05:34	38.1	54.0	28.9	41.0	31.5
1599	01/07/2024 05:39	34.2	48.1	28.3	36.4	30.6
1600	01/07/2024 05:44	36.4	48.6	29.2	39.4	31.5
1601	01/07/2024 05:49	37.2	54.8	28.5	38.7	30.5
1602	01/07/2024 05:54	39.3	52.6	29.3	42.9	32.1
1603	01/07/2024 05:59	37.9	54.7	29.2	40.4	30.9
1604	01/07/2024 06:04	34.8	43.2	29.9	37.6	31.8
1605	01/07/2024 06:09	39.1	52.0	30.1	43.0	31.9
1606	01/07/2024 06:14	41.8	58.4	31.2	45.1	33.0

Address	Start Time	Measured Sound Pressure Level [dB(A)]				
		L _{Aeq,5 mins}	L _{Amax,F 5mins}	L _{Amin,5mins}	L _{A10,5mins}	L _{A90,5mins}
1607	01/07/2024 06:19	39.3	57.3	31.4	40.1	33.4
1608	01/07/2024 06:24	40.6	57.5	31.3	41.2	32.7
1609	01/07/2024 06:29	42.3	60.6	30.8	44.7	33.3
1610	01/07/2024 06:34	40.7	58.4	31.6	42.8	33.5
1611	01/07/2024 06:39	39.4	54.7	31.6	41.4	34.1
1612	01/07/2024 06:44	38.7	57.8	32.3	38.2	34.0
1613	01/07/2024 06:49	39.4	58.8	32.1	41.2	33.7
1614	01/07/2024 06:54	37.4	50.6	32.2	40.1	33.5
1615	01/07/2024 06:59	44.2	63.9	34.6	44.1	37.0
1616	01/07/2024 07:04	46.9	70.1	32.9	41.5	35.6
1617	01/07/2024 07:09	44.1	62.3	33.6	46.1	35.8
1618	01/07/2024 07:14	36.8	47.0	31.4	39.5	33.3
1619	01/07/2024 07:19	40.7	57.2	31.8	42.8	34.2
1620	01/07/2024 07:24	42.1	54.1	31.6	45.5	34.8
1621	01/07/2024 07:29	39.8	51.9	32.0	43.0	33.8
1622	01/07/2024 07:34	41.0	57.2	32.6	42.7	35.2
1623	01/07/2024 07:39	40.9	53.6	33.9	44.4	35.6
1624	01/07/2024 07:44	39.3	51.6	33.0	41.6	35.4
1625	01/07/2024 07:49	42.5	57.0	31.7	46.9	34.3
1626	01/07/2024 07:54	38.9	53.8	30.9	40.4	33.3
1627	01/07/2024 07:59	38.7	50.9	31.4	42.0	34.1
1628	01/07/2024 08:04	40.8	53.4	33.0	43.6	35.9
1629	01/07/2024 08:09	39.5	53.9	34.0	41.4	36.2
1630	01/07/2024 08:14	41.9	54.9	32.6	45.0	35.1
1631	01/07/2024 08:19	42.4	56.8	33.8	45.2	36.0
1632	01/07/2024 08:24	39.7	52.3	33.2	42.5	35.2
1633	01/07/2024 08:29	41.5	56.2	33.9	44.5	36.1
1634	01/07/2024 08:34	43.3	54.7	32.6	47.1	34.8
1635	01/07/2024 08:39	38.5	54.0	32.9	40.6	34.8
1636	01/07/2024 08:44	39.7	52.4	33.1	42.3	35.6
1637	01/07/2024 08:49	41.5	54.6	34.0	45.1	35.8
1638	01/07/2024 08:54	44.6	61.6	33.9	47.8	35.8
1639	01/07/2024 08:59	41.6	54.8	32.8	44.9	34.8
1640	01/07/2024 09:04	40.8	52.2	33.7	43.9	35.8
1641	01/07/2024 09:09	43.7	58.7	32.9	45.6	36.1
1642	01/07/2024 09:14	42.6	57.3	34.4	45.3	36.2
1643	01/07/2024 09:19	42.6	57.1	34.2	45.6	36.4
1644	01/07/2024 09:24	39.6	51.5	33.9	42.7	35.8
1645	01/07/2024 09:29	41.0	59.6	34.0	42.5	35.5
1646	01/07/2024 09:34	39.3	51.8	34.1	41.6	36.0
1647	01/07/2024 09:39	39.0	50.6	33.4	41.7	35.3
1648	01/07/2024 09:44	39.2	48.2	34.4	41.8	36.4
1649	01/07/2024 09:49	51.0	69.1	34.0	47.4	35.8
1650	01/07/2024 09:54	52.9	71.6	35.6	48.7	37.5

Address	Start Time	Measured Sound Pressure Level [dB(A)]				
		L _{Aeq,5 mins}	L _{Amax,F 5mins}	L _{Amin,5mins}	L _{A10,5mins}	L _{A90,5mins}
1651	01/07/2024 09:59	41.5	51.7	34.8	43.8	37.4
1652	01/07/2024 10:04	42.3	50.3	36.1	45.0	38.9
1653	01/07/2024 10:09	42.0	52.3	34.2	44.4	37.5
1654	01/07/2024 10:14	41.1	59.1	36.1	43.3	37.9
1655	01/07/2024 10:19	46.3	67.9	35.5	42.5	37.3
1656	01/07/2024 10:24	45.7	64.2	33.2	48.7	36.6
1657	01/07/2024 10:29	51.1	67.7	36.1	55.4	38.8
1658	01/07/2024 10:34	40.3	52.7	35.3	42.7	36.9
1659	01/07/2024 10:39	43.6	58.6	35.5	46.4	37.5
1660	01/07/2024 10:44	43.7	60.8	35.7	45.8	37.7
1661	01/07/2024 10:49	42.2	58.8	36.1	44.3	38.1
1662	01/07/2024 10:54	41.9	59.3	34.1	44.1	36.3
1663	01/07/2024 10:59	40.9	51.8	34.7	43.6	36.9
1664	01/07/2024 11:04	40.2	55.7	34.5	43.0	36.6
1665	01/07/2024 11:09	42.0	50.1	35.7	44.5	38.4
1666	01/07/2024 11:14	53.6	68.1	37.6	57.6	40.4
1667	01/07/2024 11:19	42.6	53.4	35.6	46.1	37.7
1668	01/07/2024 11:24	46.6	60.0	38.9	49.1	41.6
1669	01/07/2024 11:29	42.2	53.1	37.5	44.3	39.2
1670	01/07/2024 11:34	43.7	54.3	37.5	46.3	39.5
1671	01/07/2024 11:39	47.8	65.1	39.0	49.5	41.3
1672	01/07/2024 11:44	42.1	58.2	36.1	43.6	38.8
1673	01/07/2024 11:49	40.5	49.3	35.8	42.7	37.7
1674	01/07/2024 11:54	39.9	47.6	34.8	42.2	36.9
1675	01/07/2024 11:59	40.2	50.5	34.6	42.4	36.6
1676	01/07/2024 12:04	44.9	68.3	36.6	45.4	38.9
1677	01/07/2024 12:09	43.4	58.0	34.5	46.9	36.6
1678	01/07/2024 12:14	49.0	69.8	34.5	45.9	36.0
1679	01/07/2024 12:19	38.7	49.5	33.5	40.8	35.6
1680	01/07/2024 12:24	43.4	56.4	34.5	47.0	36.9
1681	01/07/2024 12:29	39.8	59.5	34.8	42.3	36.5
1682	01/07/2024 12:34	38.2	58.4	34.3	39.4	36.1
1683	01/07/2024 12:39	43.2	56.5	36.9	45.6	39.2
1684	01/07/2024 12:44	41.9	55.3	34.4	45.3	36.7
1685	01/07/2024 12:49	43.0	60.5	35.0	45.9	37.9
1686	01/07/2024 12:54	45.9	60.4	35.3	50.6	37.2
1687	01/07/2024 12:59	42.0	57.0	35.6	43.6	37.6
1688	01/07/2024 13:04	41.2	57.7	35.9	43.1	38.1
1689	01/07/2024 13:09	42.9	56.3	36.3	44.9	38.7
1690	01/07/2024 13:14	44.6	64.8	39.9	46.8	41.5
1691	01/07/2024 13:19	44.2	61.9	38.6	46.7	40.8
1692	01/07/2024 13:24	44.5	52.1	40.3	46.7	42.2
1693	01/07/2024 13:29	49.6	63.3	40.6	53.8	42.2
1694	01/07/2024 13:34	51.5	66.0	40.9	55.2	44.1

Address	Start Time	Measured Sound Pressure Level [dB(A)]				
		L _{Aeq,5 mins}	L _{Amax,F 5mins}	L _{Amin,5mins}	L _{A10,5mins}	L _{A90,5mins}
1695	01/07/2024 13:39	47.7	68.4	40.9	50.2	42.9
1696	01/07/2024 13:44	47.5	55.1	42.2	50.2	44.1
1697	01/07/2024 13:49	47.7	57.9	41.2	51.5	43.1
1698	01/07/2024 13:54	48.8	58.2	41.8	51.4	44.4
1699	01/07/2024 13:59	44.6	53.8	39.5	47.1	41.3
1700	01/07/2024 14:04	46.8	55.1	40.7	50.0	42.8
1701	01/07/2024 14:09	45.7	64.1	39.9	48.0	42.6
1702	01/07/2024 14:14	45.1	52.1	40.6	47.2	42.6
1703	01/07/2024 14:19	46.9	64.0	41.5	48.6	43.4
1704	01/07/2024 14:24	43.8	54.7	39.4	45.7	41.7
1705	01/07/2024 14:29	44.7	57.9	38.7	46.6	41.7
1706	01/07/2024 14:34	49.2	63.2	42.5	51.7	45.1
1707	01/07/2024 14:39	48.4	64.4	42.9	50.6	45.0
1708	01/07/2024 14:44	48.2	61.8	41.9	50.4	44.1
1709	01/07/2024 14:49	48.7	62.4	41.2	51.6	43.2
1710	01/07/2024 14:54	45.7	51.8	41.4	47.7	43.2
1711	01/07/2024 14:59	46.0	63.5	40.7	47.6	43.3
1712	01/07/2024 15:04	47.3	55.9	42.0	49.8	43.9
1713	01/07/2024 15:09	45.6	54.8	40.5	47.9	42.7
1714	01/07/2024 15:14	43.7	55.2	40.0	45.5	41.4
1715	01/07/2024 15:19	43.6	52.2	39.9	45.4	41.6
1716	01/07/2024 15:24	44.9	61.8	38.1	48.5	39.8
1717	01/07/2024 15:29	47.0	57.6	40.7	50.3	42.4
1718	01/07/2024 15:34	47.5	60.5	40.2	50.4	42.4
1719	01/07/2024 15:39	43.3	58.5	38.1	45.2	40.0
1720	01/07/2024 15:44	43.2	53.6	39.4	45.3	40.7
1721	01/07/2024 15:49	44.7	58.0	38.6	47.2	40.5
1722	01/07/2024 15:54	42.7	51.6	37.2	45.6	38.7
1723	01/07/2024 15:59	43.3	50.4	37.4	45.8	39.5
1724	01/07/2024 16:04	43.2	55.9	38.3	45.1	40.6
1725	01/07/2024 16:09	49.5	65.1	39.1	53.1	41.4
1726	01/07/2024 16:14	44.0	59.4	39.5	45.6	41.1
1727	01/07/2024 16:19	42.5	57.0	38.4	44.0	40.1
1728	01/07/2024 16:24	44.5	53.6	39.4	46.9	41.5
1729	01/07/2024 16:29	44.4	53.6	38.7	47.6	40.7
1730	01/07/2024 16:34	45.0	53.6	39.2	48.0	41.4
1731	01/07/2024 16:39	46.1	64.5	38.8	48.5	41.3
1732	01/07/2024 16:44	46.1	57.9	39.2	49.0	41.3
1733	01/07/2024 16:49	44.4	59.2	38.1	46.3	40.9
1734	01/07/2024 16:54	43.5	51.1	39.0	45.6	40.9
1735	01/07/2024 16:59	43.8	54.3	38.3	45.7	40.7
1736	01/07/2024 17:04	43.9	56.5	38.1	47.1	40.3
1737	01/07/2024 17:09	44.5	59.3	38.5	47.3	40.2
1738	01/07/2024 17:14	43.7	52.5	37.4	46.8	39.2

Address	Start Time	Measured Sound Pressure Level [dB(A)]				
		L _{Aeq,5 mins}	L _{Amax,F 5mins}	L _{Amin,5mins}	L _{A10,5mins}	L _{A90,5mins}
1739	01/07/2024 17:19	43.3	65.9	37.2	46.3	39.4
1740	01/07/2024 17:24	44.5	67.4	37.0	44.5	39.4
1741	01/07/2024 17:29	42.7	49.9	37.1	45.0	39.6
1742	01/07/2024 17:34	42.6	63.0	36.9	44.7	38.7
1743	01/07/2024 17:39	40.6	47.7	36.9	42.1	39.0
1744	01/07/2024 17:44	40.9	51.0	37.1	42.8	38.7
1745	01/07/2024 17:49	40.2	45.6	36.8	41.9	38.2
1746	01/07/2024 17:54	42.3	50.9	37.4	44.5	39.5
1747	01/07/2024 17:59	43.2	56.6	36.4	45.8	39.0
1748	01/07/2024 18:04	43.4	56.5	38.1	45.3	40.2
1749	01/07/2024 18:09	46.0	56.2	38.1	49.6	40.6
1750	01/07/2024 18:14	45.4	56.9	36.5	49.1	40.2
1751	01/07/2024 18:19	42.4	55.7	36.2	44.6	37.7
1752	01/07/2024 18:24	42.7	58.0	37.4	45.0	39.3
1753	01/07/2024 18:29	41.3	59.3	36.4	42.9	38.3
1754	01/07/2024 18:34	48.8	65.5	35.8	52.0	37.6
1755	01/07/2024 18:39	42.6	51.6	36.6	45.0	39.2
1756	01/07/2024 18:44	46.3	60.0	35.3	49.8	38.6
1757	01/07/2024 18:49	44.2	61.0	36.1	47.0	38.2
1758	01/07/2024 18:54	42.2	58.5	32.6	45.6	34.5
1759	01/07/2024 18:59	39.2	50.0	34.5	41.2	36.5
1760	01/07/2024 19:04	40.3	54.8	32.6	41.4	35.9
1761	01/07/2024 19:09	39.7	54.0	34.5	41.1	36.9
1762	01/07/2024 19:14	41.4	70.1	33.2	41.0	36.0
1763	01/07/2024 19:19	44.1	63.2	33.6	44.4	36.5
1764	01/07/2024 19:24	41.3	57.4	34.6	43.2	37.2
1765	01/07/2024 19:29	39.4	55.2	33.0	40.7	35.7
1766	01/07/2024 19:34	39.8	54.7	32.3	41.8	35.6
1767	01/07/2024 19:39	43.4	63.4	33.4	46.3	35.8
1768	01/07/2024 19:44	41.8	59.0	33.5	44.4	35.9
1769	01/07/2024 19:49	40.1	54.5	33.9	42.3	36.6
1770	01/07/2024 19:54	37.1	47.1	31.9	39.0	34.1
1771	01/07/2024 19:59	39.2	54.7	32.6	41.5	35.7
1772	01/07/2024 20:04	35.7	55.5	29.6	37.8	32.2
1773	01/07/2024 20:09	37.4	56.7	32.2	39.0	34.3
1774	01/07/2024 20:14	37.4	48.7	31.1	39.5	34.6
1775	01/07/2024 20:19	36.7	56.0	30.9	38.4	33.5
1776	01/07/2024 20:24	36.3	47.7	31.9	38.2	33.8
1777	01/07/2024 20:29	35.5	43.9	31.5	37.4	33.2
1778	01/07/2024 20:34	37.6	58.5	31.2	38.0	33.5
1779	01/07/2024 20:39	39.9	55.9	31.2	40.4	33.9
1780	01/07/2024 20:44	41.2	56.6	30.5	43.0	33.4
1781	01/07/2024 20:49	40.6	60.4	30.5	45.0	33.0
1782	01/07/2024 20:54	42.3	60.3	31.1	44.1	33.8

Address	Start Time	Measured Sound Pressure Level [dB(A)]				
		L _{Aeq,5 mins}	L _{Amax,F 5mins}	L _{Amin,5mins}	L _{A10,5mins}	L _{A90,5mins}
1783	01/07/2024 20:59	49.1	66.8	29.4	53.8	31.9
1784	01/07/2024 21:04	37.1	59.1	30.3	38.4	32.7
1785	01/07/2024 21:09	38.2	53.8	29.6	42.2	32.3
1786	01/07/2024 21:14	34.9	51.1	28.7	36.9	31.4
1787	01/07/2024 21:19	36.7	59.9	27.1	38.1	30.3
1788	01/07/2024 21:24	39.9	66.0	28.8	38.9	32.1
1789	01/07/2024 21:29	34.3	46.4	27.6	36.7	30.5
1790	01/07/2024 21:34	34.2	43.2	27.0	37.0	29.7
1791	01/07/2024 21:39	39.1	52.3	29.2	43.5	31.2
1792	01/07/2024 21:44	32.3	42.8	27.9	33.9	29.7
1793	01/07/2024 21:49	32.5	41.5	27.6	34.3	30.1
1794	01/07/2024 21:54	38.0	55.0	28.5	35.7	30.1
1795	01/07/2024 21:59	36.4	52.0	27.8	39.0	29.8
1796	01/07/2024 22:04	38.2	50.8	27.4	42.8	29.5
1797	01/07/2024 22:09	30.8	47.3	27.0	32.0	28.8
1798	01/07/2024 22:14	31.4	38.2	27.4	33.3	29.4
1799	01/07/2024 22:19	30.6	39.9	26.5	32.5	28.3
1800	01/07/2024 22:24	33.5	44.4	26.6	37.3	28.3
1801	01/07/2024 22:29	29.3	36.4	25.2	30.9	27.1
1802	01/07/2024 22:34	32.6	44.4	25.7	35.9	27.6
1803	01/07/2024 22:39	30.0	39.0	26.1	31.8	27.7
1804	01/07/2024 22:44	37.6	49.2	28.5	41.6	31.0
1805	01/07/2024 22:49	31.3	39.4	26.1	33.8	28.6
1806	01/07/2024 22:54	32.3	44.6	26.6	35.2	28.0
1807	01/07/2024 22:59	36.7	50.8	25.2	41.3	27.8
1808	01/07/2024 23:04	32.8	44.7	24.9	37.4	26.6
1809	01/07/2024 23:09	37.4	51.2	25.7	41.9	28.1
1810	01/07/2024 23:14	41.5	57.3	24.8	44.8	26.9
1811	01/07/2024 23:19	32.1	42.6	24.8	35.2	27.0
1812	01/07/2024 23:24	32.3	47.5	21.8	36.3	24.6
1813	01/07/2024 23:29	30.3	40.6	23.1	33.3	25.4
1814	01/07/2024 23:34	30.9	46.2	23.2	34.0	25.2
1815	01/07/2024 23:39	35.9	47.6	24.9	40.6	26.6
1816	01/07/2024 23:44	48.9	53.1	26.0	51.2	31.8
1817	01/07/2024 23:49	45.1	50.8	36.3	47.2	39.2
1818	01/07/2024 23:54	37.8	48.3	28.2	40.6	31.8
1819	01/07/2024 23:59	33.9	50.9	27.8	36.4	30.0
1820	02/07/2024 00:04	37.1	52.5	25.8	41.7	28.2
1821	02/07/2024 00:09	30.8	47.3	23.9	33.5	26.0
1822	02/07/2024 00:14	29.6	43.6	22.8	31.9	25.6
1823	02/07/2024 00:19	32.5	45.9	23.5	35.9	25.8
1824	02/07/2024 00:24	28.6	45.0	21.9	31.5	24.6
1825	02/07/2024 00:29	33.6	47.5	22.4	37.2	25.8
1826	02/07/2024 00:34	28.4	35.9	22.4	31.1	24.7

Address	Start Time	Measured Sound Pressure Level [dB(A)]				
		L _{Aeq,5 mins}	L _{Amax,F 5mins}	L _{Amin,5mins}	L _{A10,5mins}	L _{A90,5mins}
1827	02/07/2024 00:39	33.2	46.9	22.3	36.8	24.3
1828	02/07/2024 00:44	26.4	35.8	21.6	28.4	23.1
1829	02/07/2024 00:49	25.9	40.0	20.1	28.7	21.5
1830	02/07/2024 00:54	23.6	43.5	19.2	26.2	20.5
1831	02/07/2024 00:59	24.5	34.2	19.4	27.4	20.8
1832	02/07/2024 01:04	24.1	34.9	20.0	26.3	21.8
1833	02/07/2024 01:09	25.0	37.8	19.8	27.2	21.8
1834	02/07/2024 01:14	22.8	30.1	19.4	24.3	20.8
1835	02/07/2024 01:19	23.7	30.8	20.0	25.5	21.4
1836	02/07/2024 01:24	35.5	50.6	20.1	40.0	21.8
1837	02/07/2024 01:29	24.9	34.4	20.7	26.6	22.4
1838	02/07/2024 01:34	26.0	49.0	19.8	28.7	21.5
1839	02/07/2024 01:39	38.5	55.3	19.2	43.0	21.0
1840	02/07/2024 01:44	23.7	36.4	19.0	25.7	20.6
1841	02/07/2024 01:49	23.1	36.2	19.0	24.7	20.8
1842	02/07/2024 01:54	26.2	36.9	20.7	29.2	22.4
1843	02/07/2024 01:59	24.1	41.1	20.4	25.5	21.5
1844	02/07/2024 02:04	24.7	31.2	20.5	26.3	22.9
1845	02/07/2024 02:09	24.9	36.0	20.6	26.4	21.9
1846	02/07/2024 02:14	24.5	46.5	19.8	25.9	21.8
1847	02/07/2024 02:19	28.7	43.9	20.6	33.3	22.5
1848	02/07/2024 02:24	27.5	39.0	19.0	31.6	20.8
1849	02/07/2024 02:29	24.2	39.3	20.3	25.8	22.1
1850	02/07/2024 02:34	22.8	36.4	19.6	24.0	21.1
1851	02/07/2024 02:39	23.4	43.9	19.6	24.2	21.1
1852	02/07/2024 02:44	21.0	41.1	17.9	21.9	19.2
1853	02/07/2024 02:49	26.7	37.4	19.5	31.4	20.6
1854	02/07/2024 02:54	27.7	41.3	19.6	32.1	21.2
1855	02/07/2024 02:59	23.3	33.9	19.9	24.9	21.3
1856	02/07/2024 03:04	24.6	33.7	18.3	27.0	19.8
1857	02/07/2024 03:09	26.3	42.0	22.4	27.9	23.9
1858	02/07/2024 03:14	26.1	41.4	20.8	28.8	22.0
1859	02/07/2024 03:19	27.6	39.1	21.4	30.5	23.0
1860	02/07/2024 03:24	25.5	36.9	21.1	27.4	22.4
1861	02/07/2024 03:29	27.5	33.9	23.4	29.5	25.2
1862	02/07/2024 03:34	29.3	39.8	21.5	32.6	24.5
1863	02/07/2024 03:39	26.4	38.6	20.0	29.1	21.8
1864	02/07/2024 03:44	27.9	47.3	21.1	30.4	24.0
1865	02/07/2024 03:49	29.1	56.7	23.0	29.1	24.8
1866	02/07/2024 03:54	31.3	47.7	21.2	33.5	24.6
1867	02/07/2024 03:59	41.6	54.8	21.9	46.6	25.6
1868	02/07/2024 04:04	43.9	56.6	24.1	49.0	27.3
1869	02/07/2024 04:09	35.7	52.8	22.5	35.1	26.2
1870	02/07/2024 04:14	32.5	45.4	24.6	34.8	28.1

Address	Start Time	Measured Sound Pressure Level [dB(A)]				
		L _{Aeq,5 mins}	L _{Amax,F 5mins}	L _{Amin,5mins}	L _{A10,5mins}	L _{A90,5mins}
1871	02/07/2024 04:19	33.9	43.2	26.0	36.8	29.3
1872	02/07/2024 04:24	37.0	53.2	25.7	41.0	29.1
1873	02/07/2024 04:29	41.3	57.2	25.0	43.9	29.1
1874	02/07/2024 04:34	37.4	50.9	26.4	41.8	29.5
1875	02/07/2024 04:39	34.2	49.1	26.1	36.7	29.7
1876	02/07/2024 04:44	35.4	55.6	25.2	36.3	28.3
1877	02/07/2024 04:49	35.8	50.2	27.0	38.3	30.0
1878	02/07/2024 04:54	44.9	63.8	27.7	40.3	30.8
1879	02/07/2024 04:59	50.5	67.6	28.7	54.0	32.2
1880	02/07/2024 05:04	47.1	65.1	30.0	40.0	33.2
1881	02/07/2024 05:09	39.3	52.3	27.6	41.8	34.0
1882	02/07/2024 05:14	38.3	56.9	28.3	40.5	31.3
1883	02/07/2024 05:19	36.8	50.2	30.2	39.1	32.9
1884	02/07/2024 05:24	39.8	50.5	31.1	42.0	34.7
1885	02/07/2024 05:29	39.6	48.6	31.3	43.0	34.5
1886	02/07/2024 05:34	40.4	54.0	28.9	43.9	34.4
1887	02/07/2024 05:39	40.2	55.4	29.2	43.3	34.0
1888	02/07/2024 05:44	37.7	56.1	28.7	38.9	31.7
1889	02/07/2024 05:49	38.0	53.3	30.4	39.2	32.9
1890	02/07/2024 05:54	39.7	56.5	31.2	38.4	33.7
1891	02/07/2024 05:59	38.7	53.1	31.1	42.6	33.4
1892	02/07/2024 06:04	36.9	57.1	29.8	38.1	31.8
1893	02/07/2024 06:09	36.2	46.6	29.8	38.8	32.1
1894	02/07/2024 06:14	36.9	46.4	30.3	39.2	33.4
1895	02/07/2024 06:19	38.4	55.8	30.6	40.6	33.5
1896	02/07/2024 06:24	38.1	56.6	31.4	39.3	33.8
1897	02/07/2024 06:29	39.4	53.8	31.9	42.1	34.5
1898	02/07/2024 06:34	42.5	52.5	32.2	46.9	35.0
1899	02/07/2024 06:39	39.6	56.2	32.6	40.9	35.4
1900	02/07/2024 06:44	40.0	48.8	34.0	43.0	36.1
1901	02/07/2024 06:49	40.9	58.4	34.2	42.5	36.4
1902	02/07/2024 06:54	43.6	55.3	35.0	46.9	37.6
1903	02/07/2024 06:59	43.8	54.3	35.2	47.4	37.4
1904	02/07/2024 07:04	43.6	55.8	36.3	46.4	38.6
1905	02/07/2024 07:09	44.0	62.3	34.8	45.9	37.5
1906	02/07/2024 07:14	43.9	60.5	36.1	46.9	39.2
1907	02/07/2024 07:19	44.0	55.6	36.8	47.5	39.1
1908	02/07/2024 07:24	42.1	57.1	36.1	43.3	38.6
1909	02/07/2024 07:29	46.1	72.7	36.3	46.4	38.6
1910	02/07/2024 07:34	52.6	73.1	38.1	51.7	40.3
1911	02/07/2024 07:39	44.3	58.7	37.4	46.3	39.2
1912	02/07/2024 07:44	46.3	61.8	36.5	47.8	39.2
1913	02/07/2024 07:49	44.1	56.3	38.4	46.8	40.0
1914	02/07/2024 07:54	42.0	53.4	37.5	43.7	39.6

Address	Start Time	Measured Sound Pressure Level [dB(A)]				
		L _{Aeq,5 mins}	L _{Amax,F 5mins}	L _{Amin,5mins}	L _{A10,5mins}	L _{A90,5mins}
1915	02/07/2024 07:59	43.7	53.4	39.1	46.0	40.9
1916	02/07/2024 08:04	43.9	51.2	38.2	46.9	40.0
1917	02/07/2024 08:09	45.3	58.2	39.1	48.3	40.6
1918	02/07/2024 08:14	44.7	52.3	39.1	46.8	41.2
1919	02/07/2024 08:19	45.2	55.1	39.2	47.8	41.4
1920	02/07/2024 08:24	48.3	73.5	39.6	45.3	41.1
1921	02/07/2024 08:29	44.7	51.2	39.6	47.5	41.5
1922	02/07/2024 08:34	51.9	68.1	38.8	51.5	41.1
1923	02/07/2024 08:39	45.3	52.8	39.1	48.1	41.0
1924	02/07/2024 08:44	42.3	48.9	37.4	44.3	39.3
1925	02/07/2024 08:49	42.3	52.5	37.2	44.5	39.6
1926	02/07/2024 08:54	42.8	53.5	36.9	45.4	39.3
1927	02/07/2024 08:59	51.0	72.9	36.2	44.2	38.5
1928	02/07/2024 09:04	55.6	74.2	36.2	44.2	38.0
1929	02/07/2024 09:09	41.7	50.4	36.9	44.3	38.6
1930	02/07/2024 09:14	49.0	71.5	37.8	46.0	40.2
1931	02/07/2024 09:19	43.5	50.4	38.4	45.7	40.6
1932	02/07/2024 09:24	44.4	57.5	38.2	47.2	40.1
1933	02/07/2024 09:29	41.7	57.5	37.4	43.1	39.5
1934	02/07/2024 09:34	44.1	54.0	38.7	46.4	40.8
1935	02/07/2024 09:39	43.1	53.3	37.1	45.6	39.5
1936	02/07/2024 09:44	43.9	58.0	38.2	46.1	40.4
1937	02/07/2024 09:49	43.7	61.2	37.4	46.0	39.5
1938	02/07/2024 09:54	45.6	61.5	38.9	48.5	40.7
1939	02/07/2024 09:59	58.3	77.3	38.4	52.1	40.5
1940	02/07/2024 10:04	44.3	60.8	37.2	45.8	39.9
1941	02/07/2024 10:09	46.9	69.1	37.2	44.3	39.2
1942	02/07/2024 10:14	47.8	73.7	37.8	45.8	39.4
1943	02/07/2024 10:19	46.6	69.7	36.3	44.8	38.6
1944	02/07/2024 10:24	46.7	67.0	38.4	49.3	40.4
1945	02/07/2024 10:29	46.8	57.5	39.7	49.8	42.0

Location: NM03: Burndell Road
Survey Position: On northern boundary. 1.8m above ground
Start: 25/06/2024
End: 30/06/2024
Engineer: Jason Corr

Instrumentation

Type	Item	Serial No.	Last External Calibration
Rion NL-32	Sound Level Meter	00613600	09/01/2023
Rion UC-53A	Microphone	318543	09/01/2023
Rion NH-21	Pre-amplifier	37284	09/01/2023
Rion NC-74	Acoustic Calibrator	34883981	29/04/2024

On-site Calibration

Before survey:	94.0 dB (re 94.0)
After survey:	94.0 dB (re 94.0)

Address	Start Time	Measured Sound Pressure Level [dB(A)]				
		L _{Aeq,5 mins}	L _{Amax,F,5mins}	L _{Amin,5mins}	L _{A10,5mins}	L _{A90,5mins}
1	25/06/2024 16:04	61.3	93.1	40.5	50.1	42.3
2	25/06/2024 16:09	47.7	59.3	39.8	50.2	42.6
3	25/06/2024 16:14	46.3	62.8	39.3	47.6	41.4
4	25/06/2024 16:19	45.0	61.8	39.5	47.3	41.3
5	25/06/2024 16:24	43.3	62.3	38.0	45.4	40.0
6	25/06/2024 16:29	46.5	69.5	37.7	47.3	40.5
7	25/06/2024 16:34	42.1	52.9	35.9	44.0	38.8
8	25/06/2024 16:39	41.6	64.7	34.7	40.6	36.6
9	25/06/2024 16:44	40.6	48.2	35.0	42.8	38.1
10	25/06/2024 16:49	47.7	61.2	34.4	51.8	37.6
11	25/06/2024 16:54	42.2	60.6	36.2	43.5	38.1
12	25/06/2024 16:59	44.4	59.8	35.1	48.3	37.9
13	25/06/2024 17:04	41.6	49.3	36.3	44.3	38.3
14	25/06/2024 17:09	45.3	54.7	38.2	49.2	39.8
15	25/06/2024 17:14	42.5	56.8	36.3	45.4	38.2
16	25/06/2024 17:19	44.6	65.5	36.4	46.7	39.0
17	25/06/2024 17:24	42.7	51.4	36.4	45.8	38.8
18	25/06/2024 17:29	44.1	57.6	37.2	47.1	39.1
19	25/06/2024 17:34	41.9	56.2	36.8	43.0	38.9
20	25/06/2024 17:39	44.3	53.3	37.8	47.4	40.3
21	25/06/2024 17:44	44.0	58.3	35.0	45.5	36.9
22	25/06/2024 17:49	42.7	60.4	36.5	45.7	38.2

Address	Start Time	Measured Sound Pressure Level [dB(A)]				
		L _{Aeq,5 mins}	L _{Amax,F,5mins}	L _{Amin,5mins}	L _{A10,5mins}	L _{A90,5mins}
23	25/06/2024 17:54	43.1	53.3	38.7	45.0	40.7
24	25/06/2024 17:59	45.8	66.6	36.9	47.8	38.9
25	25/06/2024 18:04	40.5	52.6	35.0	42.1	37.6
26	25/06/2024 18:09	40.5	59.2	33.9	42.2	36.9
27	25/06/2024 18:14	41.9	51.9	36.4	44.1	38.5
28	25/06/2024 18:19	40.8	51.1	36.0	42.9	37.6
29	25/06/2024 18:24	41.4	54.7	36.0	44.2	38.0
30	25/06/2024 18:29	41.0	49.8	36.1	42.6	38.7
31	25/06/2024 18:34	44.4	56.6	37.6	48.0	39.9
32	25/06/2024 18:39	43.7	57.1	35.7	46.7	38.7
33	25/06/2024 18:44	42.6	51.9	37.5	45.6	39.1
34	25/06/2024 18:49	42.5	54.3	36.7	45.3	38.8
35	25/06/2024 18:54	42.9	59.6	36.1	46.1	38.4
36	25/06/2024 18:59	43.2	58.1	35.2	46.9	37.9
37	25/06/2024 19:04	39.9	50.6	35.7	41.6	37.5
38	25/06/2024 19:09	40.4	51.0	34.2	43.1	36.4
39	25/06/2024 19:14	42.7	61.3	34.1	43.1	36.0
40	25/06/2024 19:19	44.3	61.4	34.0	45.4	37.0
41	25/06/2024 19:24	43.3	59.1	37.1	45.3	39.2
42	25/06/2024 19:29	41.0	62.1	34.2	41.4	36.0
43	25/06/2024 19:34	40.4	55.1	33.7	42.4	37.0
44	25/06/2024 19:39	37.0	50.4	32.1	39.0	34.1
45	25/06/2024 19:44	45.3	52.7	32.8	49.2	36.9
46	25/06/2024 19:49	40.9	57.8	34.0	43.1	35.8
47	25/06/2024 19:54	43.7	60.8	32.3	47.5	36.0
48	25/06/2024 19:59	40.4	56.8	32.3	42.2	35.3
49	25/06/2024 20:04	41.5	56.0	34.2	43.8	36.6
50	25/06/2024 20:09	39.1	53.2	31.5	42.1	33.9
51	25/06/2024 20:14	42.4	61.7	31.7	43.9	34.0
52	25/06/2024 20:19	42.3	58.3	32.0	44.8	35.6
53	25/06/2024 20:24	41.5	51.4	36.2	43.5	38.1
54	25/06/2024 20:29	45.5	68.0	35.4	41.3	36.9
55	25/06/2024 20:34	44.6	55.1	36.2	48.3	39.4
56	25/06/2024 20:39	44.7	62.2	36.1	47.0	39.2
57	25/06/2024 20:44	43.5	63.3	35.8	45.4	38.5
58	25/06/2024 20:49	41.4	53.4	36.8	43.7	38.7
59	25/06/2024 20:54	42.6	53.6	35.7	45.1	39.1
60	25/06/2024 20:59	42.9	63.3	35.3	43.1	37.6
61	25/06/2024 21:04	40.0	58.3	35.4	41.1	37.6
62	25/06/2024 21:09	40.7	62.5	34.1	41.6	37.5
63	25/06/2024 21:14	40.2	46.4	34.4	42.2	37.5
64	25/06/2024 21:19	38.9	51.5	34.1	41.5	35.7
65	25/06/2024 21:24	39.3	56.4	32.3	40.0	34.7
66	25/06/2024 21:29	36.7	50.8	29.6	39.3	31.9

Address	Start Time	Measured Sound Pressure Level [dB(A)]				
		L _{Aeq,5 mins}	L _{Amax,F,5mins}	L _{Amin,5mins}	L _{A10,5mins}	L _{A90,5mins}
67	25/06/2024 21:34	37.7	53.0	31.6	40.0	34.0
68	25/06/2024 21:39	36.9	51.6	29.8	39.7	32.3
69	25/06/2024 21:44	32.7	43.7	28.2	34.8	30.1
70	25/06/2024 21:49	33.7	41.7	26.7	36.3	29.9
71	25/06/2024 21:54	36.6	45.1	27.1	39.4	31.8
72	25/06/2024 21:59	36.7	45.2	31.2	39.0	33.6
73	25/06/2024 22:04	36.8	48.5	31.7	38.7	33.9
74	25/06/2024 22:09	38.2	45.9	32.1	40.3	35.2
75	25/06/2024 22:14	35.7	41.2	29.1	37.7	32.2
76	25/06/2024 22:19	36.6	44.0	29.0	39.4	32.0
77	25/06/2024 22:24	35.3	43.4	29.4	37.9	31.4
78	25/06/2024 22:29	35.4	44.1	29.6	38.0	31.4
79	25/06/2024 22:34	33.8	41.2	28.3	35.7	31.4
80	25/06/2024 22:39	34.4	43.0	29.0	36.7	31.0
81	25/06/2024 22:44	38.9	56.3	28.0	40.9	30.2
82	25/06/2024 22:49	34.9	43.3	28.7	37.3	31.1
83	25/06/2024 22:54	35.8	42.2	26.9	38.5	30.8
84	25/06/2024 22:59	34.6	42.7	27.1	37.3	30.3
85	25/06/2024 23:04	34.5	40.7	27.8	37.2	30.7
86	25/06/2024 23:09	33.4	41.9	26.9	36.4	29.0
87	25/06/2024 23:14	32.3	38.1	26.3	34.4	29.5
88	25/06/2024 23:19	35.0	45.1	27.8	37.5	30.2
89	25/06/2024 23:24	32.6	39.5	25.1	35.1	28.8
90	25/06/2024 23:29	32.5	40.8	24.9	35.5	27.4
91	25/06/2024 23:34	33.6	41.9	24.5	37.1	26.9
92	25/06/2024 23:39	31.5	39.4	24.8	34.1	27.1
93	25/06/2024 23:44	30.2	41.5	25.1	32.8	26.7
94	25/06/2024 23:49	30.6	39.5	25.9	32.9	27.4
95	25/06/2024 23:54	32.3	39.5	25.2	36.0	27.3
96	25/06/2024 23:59	30.4	37.1	26.5	31.7	28.6
97	26/06/2024 00:04	30.5	38.9	27.0	32.1	28.6
98	26/06/2024 00:09	32.3	37.6	28.0	34.2	30.1
99	26/06/2024 00:14	32.5	39.1	28.8	34.3	30.4
100	26/06/2024 00:19	32.1	38.0	28.5	33.7	30.3
101	26/06/2024 00:24	31.5	38.7	26.8	34.0	27.9
102	26/06/2024 00:29	32.7	44.6	26.7	35.5	28.5
103	26/06/2024 00:34	30.6	43.4	25.1	31.8	27.4
104	26/06/2024 00:39	29.0	35.5	23.5	31.4	25.6
105	26/06/2024 00:44	29.9	38.4	23.4	32.7	26.0
106	26/06/2024 00:49	31.2	41.0	24.3	33.8	26.4
107	26/06/2024 00:54	30.7	45.8	24.4	33.9	26.4
108	26/06/2024 00:59	29.9	42.2	24.1	32.2	25.8
109	26/06/2024 01:04	29.4	40.7	23.7	32.8	25.9
110	26/06/2024 01:09	31.2	41.9	24.0	35.6	25.7

Address	Start Time	Measured Sound Pressure Level [dB(A)]				
		L _{Aeq,5 mins}	L _{Amax,F,5mins}	L _{Amin,5mins}	L _{A10,5mins}	L _{A90,5mins}
111	26/06/2024 01:14	28.1	35.9	24.3	30.3	25.7
112	26/06/2024 01:19	29.0	36.5	24.9	31.0	26.7
113	26/06/2024 01:24	27.9	35.2	25.2	29.5	26.6
114	26/06/2024 01:29	28.4	37.3	25.0	30.3	26.4
115	26/06/2024 01:34	29.2	36.6	25.4	30.9	27.0
116	26/06/2024 01:39	29.9	35.6	26.1	32.0	27.8
117	26/06/2024 01:44	29.9	46.9	26.4	30.8	27.7
118	26/06/2024 01:49	31.3	47.3	27.7	33.5	28.9
119	26/06/2024 01:54	30.2	38.9	24.9	33.1	26.3
120	26/06/2024 01:59	29.8	38.0	24.6	32.0	26.5
121	26/06/2024 02:04	33.6	41.4	29.6	36.0	31.1
122	26/06/2024 02:09	33.5	40.1	27.9	35.7	29.5
123	26/06/2024 02:14	31.9	38.7	27.1	34.8	28.7
124	26/06/2024 02:19	30.4	41.3	27.4	31.7	28.6
125	26/06/2024 02:24	32.6	41.4	27.6	35.0	29.4
126	26/06/2024 02:29	30.9	40.0	27.7	32.9	28.9
127	26/06/2024 02:34	31.0	43.8	27.1	33.8	28.2
128	26/06/2024 02:39	34.5	44.9	27.2	37.9	28.9
129	26/06/2024 02:44	32.0	39.0	27.0	34.3	28.9
130	26/06/2024 02:49	30.8	40.3	26.8	32.9	28.1
131	26/06/2024 02:54	32.6	42.1	28.2	35.1	29.9
132	26/06/2024 02:59	32.5	37.6	30.1	33.9	31.2
133	26/06/2024 03:04	32.1	41.2	29.3	33.5	30.4
134	26/06/2024 03:09	32.6	41.3	29.3	33.6	30.8
135	26/06/2024 03:14	32.1	42.7	27.0	34.2	28.5
136	26/06/2024 03:19	38.2	48.8	31.2	41.1	34.1
137	26/06/2024 03:24	35.6	45.5	29.9	38.3	31.7
138	26/06/2024 03:29	34.5	47.9	29.3	37.1	31.4
139	26/06/2024 03:34	34.7	51.5	27.9	36.0	29.3
140	26/06/2024 03:39	31.7	47.2	27.6	32.5	29.1
141	26/06/2024 03:44	35.5	43.5	30.4	38.1	32.3
142	26/06/2024 03:49	39.7	53.2	33.2	41.9	35.3
143	26/06/2024 03:54	43.3	56.1	32.9	47.3	35.0
144	26/06/2024 03:59	42.8	54.5	32.1	46.4	35.8
145	26/06/2024 04:04	44.2	54.5	34.1	47.6	37.2
146	26/06/2024 04:09	43.5	58.3	34.4	45.9	37.8
147	26/06/2024 04:14	46.1	57.6	35.7	50.6	38.5
148	26/06/2024 04:19	47.3	58.8	34.0	52.4	36.8
149	26/06/2024 04:24	48.0	57.3	33.0	53.0	36.6
150	26/06/2024 04:29	47.4	57.4	34.3	51.9	37.1
151	26/06/2024 04:34	49.4	68.7	34.8	52.5	38.4
152	26/06/2024 04:39	45.7	56.7	35.0	50.3	37.6
153	26/06/2024 04:44	47.6	57.3	35.6	52.6	38.8
154	26/06/2024 04:49	46.7	59.3	36.4	51.0	39.0

Address	Start Time	Measured Sound Pressure Level [dB(A)]				
		L _{Aeq,5 mins}	L _{Amax,F,5mins}	L _{Amin,5mins}	L _{A10,5mins}	L _{A90,5mins}
155	26/06/2024 04:54	50.9	67.9	36.1	48.4	39.0
156	26/06/2024 04:59	43.0	63.0	34.8	43.6	38.1
157	26/06/2024 05:04	44.2	66.8	35.3	43.5	38.1
158	26/06/2024 05:09	49.3	69.6	35.4	46.8	37.2
159	26/06/2024 05:14	51.3	70.1	35.5	52.0	38.2
160	26/06/2024 05:19	46.4	57.5	35.4	51.7	37.7
161	26/06/2024 05:24	58.9	79.5	35.0	56.0	37.9
162	26/06/2024 05:29	52.5	68.8	35.5	58.0	38.8
163	26/06/2024 05:34	59.4	71.4	35.7	64.3	38.4
164	26/06/2024 05:39	51.6	67.9	36.7	47.1	38.4
165	26/06/2024 05:44	42.8	63.9	36.9	45.2	38.6
166	26/06/2024 05:49	41.4	55.6	36.5	42.9	38.3
167	26/06/2024 05:54	50.6	68.5	36.1	50.4	37.8
168	26/06/2024 05:59	49.5	70.5	36.7	49.7	39.3
169	26/06/2024 06:04	44.2	62.8	36.8	47.7	38.3
170	26/06/2024 06:09	46.4	68.6	36.3	44.7	38.0
171	26/06/2024 06:14	45.7	61.4	37.0	49.1	38.8
172	26/06/2024 06:19	47.3	61.5	37.3	51.7	39.1
173	26/06/2024 06:24	44.7	56.2	36.9	48.4	39.3
174	26/06/2024 06:29	44.1	55.7	36.5	47.7	38.7
175	26/06/2024 06:34	45.4	65.7	37.2	45.8	39.6
176	26/06/2024 06:39	47.8	64.5	37.3	50.8	40.0
177	26/06/2024 06:44	46.9	61.0	37.0	51.3	39.5
178	26/06/2024 06:49	51.5	68.3	36.7	53.1	38.9
179	26/06/2024 06:54	50.0	70.8	37.6	45.3	39.4
180	26/06/2024 06:59	44.2	58.3	37.7	46.8	39.9
181	26/06/2024 07:04	42.4	54.9	36.9	44.0	38.7
182	26/06/2024 07:09	44.6	64.0	38.8	45.1	41.0
183	26/06/2024 07:14	44.6	59.9	39.1	46.9	41.4
184	26/06/2024 07:19	44.5	56.9	39.1	46.6	40.7
185	26/06/2024 07:24	45.7	58.1	39.8	48.5	41.7
186	26/06/2024 07:29	44.2	56.6	39.1	45.8	41.3
187	26/06/2024 07:34	47.9	64.0	38.3	49.8	41.7
188	26/06/2024 07:39	46.0	58.8	40.7	48.5	42.3
189	26/06/2024 07:44	42.4	55.9	38.3	44.4	40.1
190	26/06/2024 07:49	42.6	51.4	38.3	44.4	40.2
191	26/06/2024 07:54	43.6	51.3	39.4	45.9	41.1
192	26/06/2024 07:59	43.1	61.2	38.7	43.7	40.4
193	26/06/2024 08:04	43.4	56.9	37.3	45.7	39.4
194	26/06/2024 08:09	46.9	58.1	39.5	49.8	41.8
195	26/06/2024 08:14	46.1	66.6	39.9	47.9	41.5
196	26/06/2024 08:19	44.3	54.9	39.0	46.3	41.7
197	26/06/2024 08:24	42.4	56.4	37.5	43.8	39.5
198	26/06/2024 08:29	42.6	53.3	36.2	44.8	38.7

Address	Start Time	Measured Sound Pressure Level [dB(A)]				
		L _{Aeq,5 mins}	L _{Amax,F,5mins}	L _{Amin,5mins}	L _{A10,5mins}	L _{A90,5mins}
199	26/06/2024 08:34	44.7	61.9	38.1	46.7	40.4
200	26/06/2024 08:39	41.3	53.5	36.1	43.0	38.5
201	26/06/2024 08:44	42.4	56.0	36.9	44.3	39.3
202	26/06/2024 08:49	45.1	56.5	36.5	48.9	39.4
203	26/06/2024 08:54	41.0	52.7	35.4	43.0	37.2
204	26/06/2024 08:59	41.0	52.5	34.8	42.9	37.7
205	26/06/2024 09:04	46.7	63.6	37.4	49.9	39.3
206	26/06/2024 09:09	45.0	70.9	36.6	43.6	39.4
207	26/06/2024 09:14	44.2	62.4	37.8	46.0	39.8
208	26/06/2024 09:19	47.8	71.5	36.8	48.1	40.1
209	26/06/2024 09:24	48.1	67.7	38.0	50.5	41.8
210	26/06/2024 09:29	44.8	56.1	37.1	47.6	39.7
211	26/06/2024 09:34	45.5	65.5	34.1	44.6	37.7
212	26/06/2024 09:39	39.9	46.4	35.4	41.6	37.9
213	26/06/2024 09:44	49.1	69.7	35.4	44.8	37.4
214	26/06/2024 09:49	44.4	67.2	36.8	45.8	38.7
215	26/06/2024 09:54	51.5	69.7	32.7	49.4	34.5
216	26/06/2024 09:59	40.7	49.3	30.9	44.3	35.1
217	26/06/2024 10:04	43.8	55.0	35.0	47.5	37.5
218	26/06/2024 10:09	45.6	58.8	33.5	49.6	36.2
219	26/06/2024 10:14	43.7	61.4	33.9	45.6	37.2
220	26/06/2024 10:19	43.1	57.6	35.6	45.0	38.5
221	26/06/2024 10:24	42.7	58.0	36.3	45.5	38.2
222	26/06/2024 10:29	40.8	57.3	31.6	40.9	35.2
223	26/06/2024 10:34	41.1	47.4	32.9	43.5	36.6
224	26/06/2024 10:39	44.3	55.4	30.6	49.1	33.0
225	26/06/2024 10:44	44.2	58.1	33.5	47.0	37.7
226	26/06/2024 10:49	42.6	58.7	34.4	43.9	35.8
227	26/06/2024 10:54	43.8	57.3	31.7	47.6	34.0
228	26/06/2024 10:59	41.0	53.8	31.8	43.0	34.7
229	26/06/2024 11:04	41.4	63.9	33.0	43.1	35.3
230	26/06/2024 11:09	41.9	55.7	32.5	45.3	35.4
231	26/06/2024 11:14	48.3	63.2	35.6	51.3	40.1
232	26/06/2024 11:19	41.5	56.9	36.3	43.4	38.0
233	26/06/2024 11:24	50.8	73.6	37.2	48.6	39.9
234	26/06/2024 11:29	45.3	63.7	39.3	47.1	41.4
235	26/06/2024 11:34	45.7	58.3	39.6	48.2	41.0
236	26/06/2024 11:39	43.9	53.7	38.3	46.2	40.3
237	26/06/2024 11:44	46.6	64.3	39.3	48.9	41.8
238	26/06/2024 11:49	44.8	62.8	36.7	46.4	40.7
239	26/06/2024 11:54	46.7	59.0	38.5	49.2	41.1
240	26/06/2024 11:59	47.1	64.8	39.8	48.7	42.9
241	26/06/2024 12:04	48.0	65.6	38.4	50.2	41.9
242	26/06/2024 12:09	45.0	56.6	36.7	48.4	40.1

Address	Start Time	Measured Sound Pressure Level [dB(A)]				
		L _{Aeq,5 mins}	L _{Amax,F,5mins}	L _{Amin,5mins}	L _{A10,5mins}	L _{A90,5mins}
243	26/06/2024 12:14	47.0	59.3	38.7	49.5	42.5
244	26/06/2024 12:19	50.1	61.1	40.0	54.2	42.8
245	26/06/2024 12:24	48.7	64.2	37.8	52.6	40.9
246	26/06/2024 12:29	46.4	58.6	39.3	49.2	42.1
247	26/06/2024 12:34	47.6	55.4	39.4	50.3	43.2
248	26/06/2024 12:39	47.7	58.0	41.1	50.7	43.2
249	26/06/2024 12:44	46.1	53.3	40.4	49.0	42.2
250	26/06/2024 12:49	46.1	58.7	39.8	48.5	42.3
251	26/06/2024 12:54	49.0	61.0	41.9	51.4	45.1
252	26/06/2024 12:59	49.0	63.7	38.3	51.6	42.4
253	26/06/2024 13:04	57.1	69.6	41.8	61.7	47.1
254	26/06/2024 13:09	48.8	66.0	41.7	51.1	44.5
255	26/06/2024 13:14	49.0	62.9	42.7	51.2	44.8
256	26/06/2024 13:19	49.3	58.3	40.8	52.0	43.8
257	26/06/2024 13:24	50.3	61.8	43.5	52.3	47.5
258	26/06/2024 13:29	49.4	58.7	40.5	52.0	44.1
259	26/06/2024 13:34	48.3	57.8	39.5	50.5	43.8
260	26/06/2024 13:39	47.2	54.0	41.6	50.2	43.6
261	26/06/2024 13:44	49.1	56.4	43.3	51.1	46.0
262	26/06/2024 13:49	49.5	57.1	42.4	52.1	46.2
263	26/06/2024 13:54	47.9	59.6	41.2	50.5	43.5
264	26/06/2024 13:59	50.6	63.3	42.0	53.2	46.3
265	26/06/2024 14:04	51.2	68.0	41.8	52.0	43.3
266	26/06/2024 14:09	46.6	55.3	39.1	49.3	42.3
267	26/06/2024 14:14	48.5	61.1	42.4	50.5	44.4
268	26/06/2024 14:19	45.2	53.9	40.3	47.8	42.1
269	26/06/2024 14:24	48.1	65.0	38.9	50.8	42.5
270	26/06/2024 14:29	48.1	59.0	42.1	50.1	44.4
271	26/06/2024 14:34	47.7	55.9	41.8	49.8	44.8
272	26/06/2024 14:39	46.1	52.2	38.3	48.6	42.5
273	26/06/2024 14:44	48.9	63.4	41.3	51.1	43.9
274	26/06/2024 14:49	48.6	59.6	40.4	51.1	44.0
275	26/06/2024 14:54	49.0	55.4	42.6	51.2	45.3
276	26/06/2024 14:59	48.6	58.6	42.2	50.4	45.8
277	26/06/2024 15:04	47.5	59.0	40.1	49.6	43.3
278	26/06/2024 15:09	45.9	52.8	39.3	48.5	42.3
279	26/06/2024 15:14	44.6	56.7	38.4	47.2	40.9
280	26/06/2024 15:19	48.5	60.4	38.6	52.0	42.5
281	26/06/2024 15:24	45.2	56.2	39.9	47.7	41.8
282	26/06/2024 15:29	44.4	51.4	37.8	46.8	40.2
283	26/06/2024 15:34	47.7	60.1	40.0	50.0	42.9
284	26/06/2024 15:39	47.0	63.0	39.3	49.4	42.4
285	26/06/2024 15:44	46.2	55.4	40.0	48.5	41.8
286	26/06/2024 15:49	45.6	53.9	37.6	48.7	40.8

Address	Start Time	Measured Sound Pressure Level [dB(A)]				
		L _{Aeq,5 mins}	L _{Amax,F,5mins}	L _{Amin,5mins}	L _{A10,5mins}	L _{A90,5mins}
287	26/06/2024 15:54	44.1	53.4	38.0	47.1	40.7
288	26/06/2024 15:59	44.4	51.6	37.4	47.0	40.9
289	26/06/2024 16:04	46.9	64.6	39.5	49.0	42.1
290	26/06/2024 16:09	45.9	61.6	37.9	48.5	40.7
291	26/06/2024 16:14	44.8	52.8	38.7	46.8	41.2
292	26/06/2024 16:19	44.1	55.8	37.7	46.0	40.2
293	26/06/2024 16:24	42.7	49.2	35.6	45.0	38.9
294	26/06/2024 16:29	44.7	53.7	37.3	48.4	40.2
295	26/06/2024 16:34	43.9	62.6	37.5	46.2	40.2
296	26/06/2024 16:39	46.6	61.7	36.1	49.5	39.2
297	26/06/2024 16:44	43.5	52.9	37.9	45.3	40.4
298	26/06/2024 16:49	45.7	59.9	37.3	47.6	39.9
299	26/06/2024 16:54	44.6	50.5	38.6	46.7	41.3
300	26/06/2024 16:59	43.0	57.0	37.6	45.4	39.6
301	26/06/2024 17:04	43.4	49.9	38.0	46.1	40.0
302	26/06/2024 17:09	43.4	51.0	38.7	46.3	40.2
303	26/06/2024 17:14	51.0	66.5	38.3	52.6	42.1
304	26/06/2024 17:19	47.5	57.7	39.0	52.0	41.0
305	26/06/2024 17:24	45.0	59.9	39.3	47.5	41.6
306	26/06/2024 17:29	47.1	58.0	39.0	49.1	41.2
307	26/06/2024 17:34	44.0	51.2	37.9	46.1	40.9
308	26/06/2024 17:39	46.8	57.7	40.2	49.7	42.5
309	26/06/2024 17:44	45.6	52.9	36.8	48.4	40.0
310	26/06/2024 17:49	45.6	60.6	38.7	48.3	41.2
311	26/06/2024 17:54	45.8	54.3	39.3	47.7	42.0
312	26/06/2024 17:59	45.8	53.3	39.8	47.9	42.7
313	26/06/2024 18:04	45.6	52.0	39.3	48.1	42.0
314	26/06/2024 18:09	46.0	63.0	38.4	48.6	40.9
315	26/06/2024 18:14	49.5	70.2	37.1	45.2	39.6
316	26/06/2024 18:19	44.2	58.5	37.2	46.5	38.7
317	26/06/2024 18:24	42.3	54.0	37.3	44.5	39.1
318	26/06/2024 18:29	42.2	49.2	35.8	44.1	39.5
319	26/06/2024 18:34	46.6	57.4	38.2	48.7	41.8
320	26/06/2024 18:39	49.5	67.7	40.7	51.0	42.8
321	26/06/2024 18:44	44.2	50.9	37.2	47.3	39.7
322	26/06/2024 18:49	46.9	56.6	40.8	49.1	44.0
323	26/06/2024 18:54	45.9	56.1	39.1	48.4	42.1
324	26/06/2024 18:59	45.8	55.4	39.3	48.3	41.4
325	26/06/2024 19:04	43.1	60.7	37.7	45.0	40.2
326	26/06/2024 19:09	45.8	60.6	38.7	48.4	41.0
327	26/06/2024 19:14	45.6	60.2	38.1	48.1	41.0
328	26/06/2024 19:19	44.5	52.8	38.6	47.4	40.8
329	26/06/2024 19:24	44.3	51.9	37.7	46.8	40.6
330	26/06/2024 19:29	45.4	63.9	38.1	46.4	39.9

Address	Start Time	Measured Sound Pressure Level [dB(A)]				
		L _{Aeq,5 mins}	L _{Amax,F,5mins}	L _{Amin,5mins}	L _{A10,5mins}	L _{A90,5mins}
331	26/06/2024 19:34	46.0	64.7	37.6	45.5	39.8
332	26/06/2024 19:39	42.4	58.1	36.3	44.5	38.5
333	26/06/2024 19:44	43.7	55.0	36.6	46.6	39.3
334	26/06/2024 19:49	41.4	49.3	36.6	43.5	38.6
335	26/06/2024 19:54	45.4	67.2	36.1	43.5	38.3
336	26/06/2024 19:59	42.1	56.7	36.0	44.9	38.3
337	26/06/2024 20:04	41.8	54.3	34.1	46.2	36.2
338	26/06/2024 20:09	43.4	56.7	35.2	47.2	37.3
339	26/06/2024 20:14	43.2	60.8	36.2	44.6	38.5
340	26/06/2024 20:19	47.0	62.1	34.2	51.7	37.1
341	26/06/2024 20:24	41.4	56.0	35.0	43.5	37.7
342	26/06/2024 20:29	46.3	67.9	35.5	45.5	37.9
343	26/06/2024 20:34	46.1	65.0	34.6	43.1	36.4
344	26/06/2024 20:39	39.2	52.5	34.6	41.3	36.4
345	26/06/2024 20:44	44.8	70.6	34.9	43.2	36.8
346	26/06/2024 20:49	44.0	69.8	36.1	45.3	38.3
347	26/06/2024 20:54	41.4	53.6	35.1	44.1	37.7
348	26/06/2024 20:59	42.2	52.2	36.5	45.3	38.2
349	26/06/2024 21:04	42.9	66.1	35.7	42.1	37.6
350	26/06/2024 21:09	41.7	60.5	35.7	42.6	37.9
351	26/06/2024 21:14	42.2	60.7	35.1	42.5	37.4
352	26/06/2024 21:19	40.7	59.6	35.5	42.6	37.3
353	26/06/2024 21:24	41.6	55.2	35.5	43.8	37.5
354	26/06/2024 21:29	41.1	56.3	35.2	42.7	37.9
355	26/06/2024 21:34	40.2	52.7	33.8	43.0	36.6
356	26/06/2024 21:39	42.7	55.9	35.1	46.9	36.8
357	26/06/2024 21:44	41.7	66.8	34.5	41.5	36.7
358	26/06/2024 21:49	39.9	52.4	32.9	42.3	35.5
359	26/06/2024 21:54	38.5	51.2	33.2	39.8	35.9
360	26/06/2024 21:59	42.1	50.9	36.2	43.9	38.8
361	26/06/2024 22:04	37.3	45.8	33.2	39.8	35.0
362	26/06/2024 22:09	41.0	52.9	33.6	45.2	35.9
363	26/06/2024 22:14	38.3	44.7	34.2	40.3	36.2
364	26/06/2024 22:19	36.0	41.0	32.2	37.7	34.2
365	26/06/2024 22:24	36.6	44.3	31.8	38.3	33.8
366	26/06/2024 22:29	34.9	39.4	31.5	36.5	33.0
367	26/06/2024 22:34	40.1	48.3	31.3	44.0	34.6
368	26/06/2024 22:39	37.1	45.1	32.3	40.3	33.6
369	26/06/2024 22:44	39.6	54.9	30.4	38.8	32.6
370	26/06/2024 22:49	36.7	44.8	30.7	39.3	33.3
371	26/06/2024 22:54	37.8	46.6	31.1	40.5	34.1
372	26/06/2024 22:59	36.7	44.2	30.3	39.1	33.3
373	26/06/2024 23:04	35.8	41.8	26.9	37.9	31.5
374	26/06/2024 23:09	35.3	44.3	30.6	36.9	33.1

Address	Start Time	Measured Sound Pressure Level [dB(A)]				
		L _{Aeq,5 mins}	L _{Amax,F,5mins}	L _{Amin,5mins}	L _{A10,5mins}	L _{A90,5mins}
375	26/06/2024 23:14	36.5	42.9	30.9	38.6	33.7
376	26/06/2024 23:19	35.5	42.4	31.0	37.3	33.3
377	26/06/2024 23:24	33.7	40.9	26.9	36.1	29.7
378	26/06/2024 23:29	33.5	45.8	28.3	35.9	30.5
379	26/06/2024 23:34	33.9	40.4	28.0	36.3	30.4
380	26/06/2024 23:39	35.8	45.5	28.5	39.4	31.5
381	26/06/2024 23:44	30.8	43.2	23.5	32.9	26.4
382	26/06/2024 23:49	32.9	43.9	25.7	35.0	28.9
383	26/06/2024 23:54	31.4	37.5	22.7	34.1	25.9
384	26/06/2024 23:59	33.3	41.7	26.1	36.2	27.9
385	27/06/2024 00:04	31.5	38.1	24.9	33.7	28.4
386	27/06/2024 00:09	31.0	39.0	24.2	33.3	27.6
387	27/06/2024 00:14	31.7	39.2	24.6	34.3	27.0
388	27/06/2024 00:19	31.5	39.2	25.2	33.7	28.8
389	27/06/2024 00:24	32.2	40.3	26.1	34.8	28.5
390	27/06/2024 00:29	31.7	42.3	24.2	34.2	26.8
391	27/06/2024 00:34	29.8	40.4	25.0	31.8	27.3
392	27/06/2024 00:39	30.5	38.3	24.1	33.8	26.3
393	27/06/2024 00:44	31.5	40.8	26.0	33.8	28.0
394	27/06/2024 00:49	29.3	37.4	23.4	31.7	26.1
395	27/06/2024 00:54	29.1	38.3	22.7	31.3	25.8
396	27/06/2024 00:59	32.8	39.1	25.8	35.7	28.5
397	27/06/2024 01:04	31.9	40.9	23.3	35.7	26.1
398	27/06/2024 01:09	30.0	39.3	22.8	33.4	24.7
399	27/06/2024 01:14	38.0	45.9	26.3	41.4	32.1
400	27/06/2024 01:19	35.2	42.5	24.8	38.7	28.7
401	27/06/2024 01:24	38.1	49.4	25.1	42.1	29.0
402	27/06/2024 01:29	35.0	45.2	24.4	39.3	26.7
403	27/06/2024 01:34	24.1	37.1	21.1	25.9	22.4
404	27/06/2024 01:39	33.1	43.7	24.3	37.1	26.7
405	27/06/2024 01:44	32.1	39.4	21.1	35.5	25.4
406	27/06/2024 01:49	34.0	42.8	21.5	37.0	23.7
407	27/06/2024 01:54	29.4	39.3	22.4	34.4	23.9
408	27/06/2024 01:59	29.9	40.5	21.4	35.0	23.5
409	27/06/2024 02:04	32.0	44.5	22.4	35.1	26.2
410	27/06/2024 02:09	33.6	43.5	22.1	38.5	23.6
411	27/06/2024 02:14	34.8	48.5	23.0	39.1	25.7
412	27/06/2024 02:19	35.2	44.5	24.5	40.2	26.5
413	27/06/2024 02:24	33.5	46.6	23.0	37.7	24.5
414	27/06/2024 02:29	29.5	44.2	22.4	32.1	23.6
415	27/06/2024 02:34	36.6	47.2	24.1	41.6	25.5
416	27/06/2024 02:39	35.1	44.0	24.5	39.2	25.8
417	27/06/2024 02:44	34.4	43.0	23.5	38.3	26.4
418	27/06/2024 02:49	35.2	44.5	24.6	39.2	27.4

Address	Start Time	Measured Sound Pressure Level [dB(A)]				
		L _{Aeq,5 mins}	L _{Amax,F,5mins}	L _{Amin,5mins}	L _{A10,5mins}	L _{A90,5mins}
419	27/06/2024 02:54	33.9	47.2	24.5	37.1	26.4
420	27/06/2024 02:59	33.3	43.7	24.7	36.8	27.4
421	27/06/2024 03:04	36.1	43.6	25.7	40.3	29.5
422	27/06/2024 03:09	35.9	45.0	26.2	39.5	29.3
423	27/06/2024 03:14	34.6	44.8	26.0	39.3	27.6
424	27/06/2024 03:19	36.9	48.8	27.0	41.4	28.6
425	27/06/2024 03:24	37.2	46.5	28.2	41.2	30.4
426	27/06/2024 03:29	33.5	41.5	27.4	36.0	30.1
427	27/06/2024 03:34	32.7	39.4	25.9	34.7	28.7
428	27/06/2024 03:39	34.7	43.8	28.0	38.3	29.5
429	27/06/2024 03:44	34.9	43.8	29.5	37.4	31.2
430	27/06/2024 03:49	37.6	48.0	29.8	40.5	32.9
431	27/06/2024 03:54	39.6	51.4	31.7	42.2	35.5
432	27/06/2024 03:59	40.8	50.4	31.1	43.8	35.2
433	27/06/2024 04:04	41.9	53.7	31.5	45.0	37.0
434	27/06/2024 04:09	40.3	51.5	31.1	43.1	35.5
435	27/06/2024 04:14	40.3	58.2	30.3	43.2	34.8
436	27/06/2024 04:19	41.3	51.0	31.7	44.4	35.4
437	27/06/2024 04:24	47.1	56.5	31.8	51.9	35.2
438	27/06/2024 04:29	45.9	56.7	31.3	51.1	36.4
439	27/06/2024 04:34	45.7	55.2	34.1	50.0	37.1
440	27/06/2024 04:39	42.0	57.2	33.8	44.4	36.8
441	27/06/2024 04:44	44.4	62.4	35.2	45.9	38.2
442	27/06/2024 04:49	46.7	61.9	33.8	50.2	38.1
443	27/06/2024 04:54	49.6	65.2	32.2	53.5	37.0
444	27/06/2024 04:59	44.9	57.9	34.7	48.0	37.3
445	27/06/2024 05:04	47.5	58.2	33.6	51.8	37.0
446	27/06/2024 05:09	46.6	62.7	32.6	48.6	36.1
447	27/06/2024 05:14	43.1	59.9	35.8	45.1	39.4
448	27/06/2024 05:19	45.0	60.4	36.0	47.7	39.6
449	27/06/2024 05:24	46.3	57.9	35.5	50.5	39.5
450	27/06/2024 05:29	45.3	58.1	36.7	48.7	39.6
451	27/06/2024 05:34	45.5	59.1	39.0	48.4	41.2
452	27/06/2024 05:39	50.1	68.3	41.0	50.5	45.4
453	27/06/2024 05:44	48.6	60.0	40.5	51.0	44.1
454	27/06/2024 05:49	49.4	53.5	43.8	51.1	46.6
455	27/06/2024 05:54	50.0	57.2	42.3	51.9	46.8
456	27/06/2024 05:59	51.7	68.6	38.8	54.6	42.1
457	27/06/2024 06:04	46.6	64.1	38.6	46.5	42.1
458	27/06/2024 06:09	45.7	60.5	40.0	45.8	42.9
459	27/06/2024 06:14	44.6	57.9	39.8	46.1	42.5
460	27/06/2024 06:19	45.8	61.5	38.9	47.5	41.6
461	27/06/2024 06:24	44.4	57.9	38.5	46.4	40.5
462	27/06/2024 06:29	47.3	66.1	38.4	50.6	40.4

Address	Start Time	Measured Sound Pressure Level [dB(A)]				
		L _{Aeq,5 mins}	L _{Amax,F,5mins}	L _{Amin,5mins}	L _{A10,5mins}	L _{A90,5mins}
463	27/06/2024 06:34	54.4	70.4	39.0	59.3	41.0
464	27/06/2024 06:39	48.0	66.1	39.7	47.7	41.6
465	27/06/2024 06:44	45.8	65.9	40.6	46.6	41.9
466	27/06/2024 06:49	47.5	62.3	39.8	49.5	42.1
467	27/06/2024 06:54	49.4	66.2	38.2	52.0	41.2
468	27/06/2024 06:59	44.8	65.4	37.3	46.7	39.3
469	27/06/2024 07:04	46.5	64.2	37.4	48.5	40.3
470	27/06/2024 07:09	45.7	57.8	41.3	47.5	43.3
471	27/06/2024 07:14	49.9	55.8	41.2	53.5	43.2
472	27/06/2024 07:19	50.3	55.5	42.3	52.6	45.5
473	27/06/2024 07:24	50.9	62.5	41.8	52.9	47.7
474	27/06/2024 07:29	49.1	57.5	39.7	51.9	45.4
475	27/06/2024 07:34	47.6	58.6	40.4	49.8	43.8
476	27/06/2024 07:39	47.8	60.9	40.2	50.2	43.7
477	27/06/2024 07:44	45.7	60.4	36.2	48.8	39.8
478	27/06/2024 07:49	44.0	55.2	36.7	46.6	39.6
479	27/06/2024 07:54	45.6	60.6	37.5	49.0	40.0
480	27/06/2024 07:59	43.8	61.8	36.8	44.9	39.4
481	27/06/2024 08:04	41.7	53.8	34.2	44.7	37.2
482	27/06/2024 08:09	40.7	55.5	34.2	42.4	36.1
483	27/06/2024 08:14	40.2	53.0	35.8	41.9	37.9
484	27/06/2024 08:19	46.8	57.0	38.6	49.8	41.2
485	27/06/2024 08:24	45.0	54.0	38.0	47.4	40.7
486	27/06/2024 08:29	43.1	51.9	35.1	46.3	38.3
487	27/06/2024 08:34	41.7	48.3	36.7	44.3	38.5
488	27/06/2024 08:39	41.2	49.3	34.9	43.7	37.5
489	27/06/2024 08:44	39.4	48.5	34.5	42.0	36.1
490	27/06/2024 08:49	41.2	51.2	33.2	44.6	35.8
491	27/06/2024 08:54	41.5	53.3	33.7	45.1	36.3
492	27/06/2024 08:59	41.8	51.0	34.7	44.9	37.1
493	27/06/2024 09:04	44.0	57.3	34.7	46.8	37.9
494	27/06/2024 09:09	46.2	54.6	37.6	48.8	41.3
495	27/06/2024 09:14	46.5	61.4	36.9	48.8	40.0
496	27/06/2024 09:19	48.1	70.1	35.5	46.6	38.6
497	27/06/2024 09:24	44.0	58.5	37.9	46.0	40.5
498	27/06/2024 09:29	46.1	60.9	36.5	49.8	39.6
499	27/06/2024 09:34	47.6	65.7	40.3	49.0	42.6
500	27/06/2024 09:39	46.7	65.9	37.6	49.9	41.6
501	27/06/2024 09:44	44.6	53.2	37.9	47.5	40.1
502	27/06/2024 09:49	47.5	64.8	38.1	49.9	41.2
503	27/06/2024 09:54	47.7	58.1	37.2	51.2	40.3
504	27/06/2024 09:59	43.8	54.7	37.1	47.3	38.7
505	27/06/2024 10:04	49.3	60.3	39.2	53.3	41.6
506	27/06/2024 10:09	47.5	55.7	41.0	50.3	43.5

Address	Start Time	Measured Sound Pressure Level [dB(A)]				
		L _{Aeq,5 mins}	L _{Amax,F,5mins}	L _{Amin,5mins}	L _{A10,5mins}	L _{A90,5mins}
507	27/06/2024 10:14	52.8	71.5	39.3	56.4	44.1
508	27/06/2024 10:19	52.9	64.1	41.1	56.4	46.1
509	27/06/2024 10:24	52.0	60.6	40.1	55.1	43.8
510	27/06/2024 10:29	53.6	60.1	43.1	56.3	45.9
511	27/06/2024 10:34	54.0	71.1	43.7	55.5	47.5
512	27/06/2024 10:39	50.4	60.5	40.9	53.1	46.2
513	27/06/2024 10:44	49.5	60.7	40.7	51.9	45.0
514	27/06/2024 10:49	53.7	60.6	42.2	56.4	46.4
515	27/06/2024 10:54	53.8	61.6	44.4	56.9	48.2
516	27/06/2024 10:59	54.6	61.1	41.4	57.6	46.1
517	27/06/2024 11:04	52.0	62.1	42.5	54.7	45.7
518	27/06/2024 11:09	52.6	61.4	44.0	56.2	47.3
519	27/06/2024 11:14	51.1	60.8	39.6	54.0	43.5
520	27/06/2024 11:19	53.3	60.6	40.4	56.4	45.0
521	27/06/2024 11:24	54.5	61.1	45.6	57.7	47.7
522	27/06/2024 11:29	53.7	64.0	45.0	56.7	47.8
523	27/06/2024 11:34	52.5	60.2	43.4	56.5	47.4
524	27/06/2024 11:39	54.2	61.1	43.8	57.0	49.6
525	27/06/2024 11:44	52.9	60.8	43.5	56.2	46.9
526	27/06/2024 11:49	51.7	58.7	42.1	54.5	44.9
527	27/06/2024 11:54	52.2	60.4	44.4	55.0	46.6
528	27/06/2024 11:59	50.5	57.2	41.2	53.5	44.2
529	27/06/2024 12:04	52.8	60.4	40.8	55.4	45.1
530	27/06/2024 12:09	53.8	60.9	45.4	56.2	50.2
531	27/06/2024 12:14	52.2	63.9	44.2	55.3	46.0
532	27/06/2024 12:19	52.0	58.5	41.9	55.0	46.2
533	27/06/2024 12:24	53.3	60.2	42.4	56.5	47.6
534	27/06/2024 12:29	58.1	70.8	50.0	61.3	52.9
535	27/06/2024 12:34	55.4	63.1	46.7	57.7	51.1
536	27/06/2024 12:39	55.0	61.7	43.3	58.2	47.4
537	27/06/2024 12:44	52.5	58.2	45.9	55.1	48.1
538	27/06/2024 12:49	53.1	60.5	43.0	56.2	46.6
539	27/06/2024 12:54	51.0	56.4	43.4	54.1	46.5
540	27/06/2024 12:59	51.3	58.6	43.2	54.9	46.0
541	27/06/2024 13:04	50.3	65.5	40.7	53.5	44.6
542	27/06/2024 13:09	55.5	62.9	45.8	58.6	49.7
543	27/06/2024 13:14	52.2	60.4	42.9	56.1	46.5
544	27/06/2024 13:19	58.8	66.8	46.9	61.0	54.7
545	27/06/2024 13:24	58.3	70.6	50.3	60.7	53.5
546	27/06/2024 13:29	58.5	65.8	48.3	60.9	55.4
547	27/06/2024 13:34	57.7	63.6	48.8	61.1	52.0
548	27/06/2024 13:39	58.0	65.1	50.4	60.8	53.8
549	27/06/2024 13:44	57.4	64.2	49.2	60.1	53.8
550	27/06/2024 13:49	56.3	63.2	46.0	58.9	51.1

Address	Start Time	Measured Sound Pressure Level [dB(A)]				
		L _{Aeq,5 mins}	L _{Amax,F,5mins}	L _{Amin,5mins}	L _{A10,5mins}	L _{A90,5mins}
551	27/06/2024 13:54	58.4	65.6	49.0	61.3	53.4
552	27/06/2024 13:59	55.8	68.0	47.4	58.9	49.7
553	27/06/2024 14:04	56.4	63.5	48.0	58.7	51.7
554	27/06/2024 14:09	58.0	66.0	50.9	61.1	53.6
555	27/06/2024 14:14	57.3	62.9	51.3	59.9	53.7
556	27/06/2024 14:19	59.4	66.9	49.9	62.5	53.8
557	27/06/2024 14:24	57.9	65.2	50.2	61.4	52.6
558	27/06/2024 14:29	58.3	66.7	50.2	60.8	53.7
559	27/06/2024 14:34	58.7	65.2	51.7	61.2	55.2
560	27/06/2024 14:39	58.8	65.5	50.2	61.8	53.0
561	27/06/2024 14:44	57.9	63.4	48.3	60.5	52.5
562	27/06/2024 14:49	57.2	67.8	48.2	60.0	52.1
563	27/06/2024 14:54	59.0	66.0	47.4	62.0	53.0
564	27/06/2024 14:59	59.0	67.0	47.3	61.8	53.6
565	27/06/2024 15:04	57.0	63.4	50.1	60.1	52.8
566	27/06/2024 15:09	58.5	66.3	49.6	62.1	51.6
567	27/06/2024 15:14	58.9	66.4	51.2	61.6	54.5
568	27/06/2024 15:19	58.1	65.2	48.4	60.8	52.7
569	27/06/2024 15:24	58.8	65.8	50.1	61.5	54.8
570	27/06/2024 15:29	57.0	63.1	50.0	59.6	53.0
571	27/06/2024 15:34	58.2	64.2	51.1	61.1	54.0
572	27/06/2024 15:39	58.6	66.0	52.5	60.9	54.6
573	27/06/2024 15:44	60.9	67.2	52.6	63.2	57.2
574	27/06/2024 15:49	59.4	65.3	50.7	61.9	55.4
575	27/06/2024 15:54	59.1	64.9	49.5	62.4	53.5
576	27/06/2024 15:59	60.9	69.0	53.4	63.3	56.0
577	27/06/2024 16:04	62.6	67.5	56.8	65.0	59.1
578	27/06/2024 16:09	60.0	65.4	52.5	62.8	55.1
579	27/06/2024 16:14	56.9	63.0	50.1	60.0	52.8
580	27/06/2024 16:19	56.3	67.6	46.5	59.6	49.8
581	27/06/2024 16:24	57.7	64.9	48.3	60.9	53.1
582	27/06/2024 16:29	59.9	67.6	50.0	62.7	53.5
583	27/06/2024 16:34	59.2	65.3	50.6	62.2	54.9
584	27/06/2024 16:39	56.8	64.2	45.8	59.6	50.1
585	27/06/2024 16:44	59.6	66.5	48.1	62.5	54.2
586	27/06/2024 16:49	59.6	67.8	52.5	62.1	55.1
587	27/06/2024 16:54	58.0	64.5	46.6	61.5	52.5
588	27/06/2024 16:59	60.5	66.8	52.6	63.5	54.9
589	27/06/2024 17:04	58.9	67.6	48.1	62.3	51.9
590	27/06/2024 17:09	58.1	64.1	48.8	60.9	51.2
591	27/06/2024 17:14	61.5	68.4	52.1	64.3	55.4
592	27/06/2024 17:19	57.7	64.9	50.0	61.5	52.7
593	27/06/2024 17:24	57.3	64.4	47.6	60.3	52.1
594	27/06/2024 17:29	56.1	62.6	45.3	59.1	51.6

Address	Start Time	Measured Sound Pressure Level [dB(A)]				
		L _{Aeq,5 mins}	L _{Amax,F,5mins}	L _{Amin,5mins}	L _{A10,5mins}	L _{A90,5mins}
595	27/06/2024 17:34	55.2	62.8	44.2	57.9	50.7
596	27/06/2024 17:39	57.4	63.3	50.0	60.0	53.9
597	27/06/2024 17:44	56.1	64.6	48.4	58.8	50.8
598	27/06/2024 17:49	57.0	71.4	46.7	60.5	50.6
599	27/06/2024 17:54	56.6	63.0	45.6	59.7	50.6
600	27/06/2024 17:59	56.6	62.5	46.1	60.0	52.0
601	27/06/2024 18:04	58.3	65.2	50.0	61.2	53.7
602	27/06/2024 18:09	59.1	66.4	50.2	62.5	53.2
603	27/06/2024 18:14	57.4	68.1	47.6	61.2	50.6
604	27/06/2024 18:19	57.3	65.5	47.6	61.3	50.1
605	27/06/2024 18:24	54.3	61.2	46.2	56.8	49.5
606	27/06/2024 18:29	59.6	66.8	52.6	62.6	55.5
607	27/06/2024 18:34	58.6	65.6	48.3	61.5	52.3
608	27/06/2024 18:39	57.1	63.2	46.3	59.9	51.7
609	27/06/2024 18:44	54.3	62.2	44.9	57.7	47.5
610	27/06/2024 18:49	58.8	68.0	44.5	62.2	50.8
611	27/06/2024 18:54	57.6	64.3	45.9	61.3	50.5
612	27/06/2024 18:59	55.1	60.7	47.6	58.2	50.9
613	27/06/2024 19:04	60.2	68.8	50.9	63.7	54.0
614	27/06/2024 19:09	57.7	65.9	49.8	60.9	52.3
615	27/06/2024 19:14	58.8	64.1	50.2	61.2	54.9
616	27/06/2024 19:19	57.3	63.6	50.7	59.5	53.2
617	27/06/2024 19:24	58.2	67.4	49.2	61.6	52.5
618	27/06/2024 19:29	55.4	65.3	47.2	59.5	49.6
619	27/06/2024 19:34	53.8	59.3	43.5	57.1	49.3
620	27/06/2024 19:39	52.8	67.0	43.8	55.5	47.7
621	27/06/2024 19:44	54.7	61.1	43.4	57.5	49.2
622	27/06/2024 19:49	56.1	63.6	49.1	59.4	51.8
623	27/06/2024 19:54	56.1	64.6	47.7	59.0	51.1
624	27/06/2024 19:59	54.8	61.1	46.8	57.8	49.9
625	27/06/2024 20:04	56.7	62.2	47.2	60.1	49.2
626	27/06/2024 20:09	52.5	59.3	44.1	55.9	47.2
627	27/06/2024 20:14	50.7	59.0	42.0	53.2	45.9
628	27/06/2024 20:19	51.9	59.4	40.4	55.1	44.9
629	27/06/2024 20:24	53.8	66.6	42.5	57.1	46.7
630	27/06/2024 20:29	55.1	62.5	48.4	57.5	51.4
631	27/06/2024 20:34	52.4	57.9	44.8	55.5	46.6
632	27/06/2024 20:39	51.2	60.0	41.9	55.6	44.8
633	27/06/2024 20:44	54.4	59.7	45.4	56.9	50.3
634	27/06/2024 20:49	54.8	63.8	47.5	57.1	50.7
635	27/06/2024 20:54	52.7	58.5	42.0	55.6	46.5
636	27/06/2024 20:59	47.5	56.3	39.8	51.2	42.4
637	27/06/2024 21:04	50.4	58.7	42.7	53.9	45.4
638	27/06/2024 21:09	48.4	55.3	41.1	51.6	43.0

Address	Start Time	Measured Sound Pressure Level [dB(A)]				
		L _{Aeq,5 mins}	L _{Amax,F,5mins}	L _{Amin,5mins}	L _{A10,5mins}	L _{A90,5mins}
639	27/06/2024 21:14	49.0	65.7	36.7	53.2	42.2
640	27/06/2024 21:19	46.7	60.0	37.8	50.1	40.6
641	27/06/2024 21:24	43.9	57.4	36.9	46.9	39.2
642	27/06/2024 21:29	43.1	57.4	35.7	45.0	38.2
643	27/06/2024 21:34	38.5	46.4	31.8	40.8	34.3
644	27/06/2024 21:39	37.9	50.3	31.6	41.3	33.6
645	27/06/2024 21:44	38.4	47.4	33.3	40.7	35.0
646	27/06/2024 21:49	39.9	47.3	34.2	42.4	35.4
647	27/06/2024 21:54	43.7	59.8	34.8	46.4	37.8
648	27/06/2024 21:59	46.1	52.9	35.0	50.2	38.4
649	27/06/2024 22:04	43.0	52.2	34.5	45.8	36.9
650	27/06/2024 22:09	43.8	50.8	35.1	46.5	37.8
651	27/06/2024 22:14	42.4	50.4	34.9	45.2	37.2
652	27/06/2024 22:19	41.2	49.1	33.4	44.8	35.5
653	27/06/2024 22:24	43.7	51.6	35.3	47.0	37.2
654	27/06/2024 22:29	44.9	52.5	35.4	48.5	37.9
655	27/06/2024 22:34	46.4	55.4	37.0	49.9	39.5
656	27/06/2024 22:39	49.2	56.0	39.8	52.1	43.6
657	27/06/2024 22:44	46.2	52.1	36.8	49.5	40.9
658	27/06/2024 22:49	52.8	59.7	40.3	56.1	45.8
659	27/06/2024 22:54	49.6	55.2	41.6	52.5	44.7
660	27/06/2024 22:59	49.5	58.1	39.0	53.2	42.3
661	27/06/2024 23:04	45.4	52.7	35.8	48.8	40.2
662	27/06/2024 23:09	51.1	60.2	40.0	54.9	43.8
663	27/06/2024 23:14	48.5	55.7	39.2	52.8	41.2
664	27/06/2024 23:19	50.1	57.0	40.0	52.8	44.7
665	27/06/2024 23:24	46.6	53.0	35.1	49.1	40.4
666	27/06/2024 23:29	44.1	53.8	33.5	47.0	37.1
667	27/06/2024 23:34	41.0	48.4	32.3	44.9	35.8
668	27/06/2024 23:39	40.2	46.0	33.1	43.1	35.7
669	27/06/2024 23:44	38.0	46.5	31.3	40.5	34.3
670	27/06/2024 23:49	37.5	43.3	29.5	40.5	33.0
671	27/06/2024 23:54	37.0	42.3	31.3	39.2	34.3
672	27/06/2024 23:59	34.6	40.9	29.3	36.9	31.6
673	28/06/2024 00:04	31.8	37.5	26.1	34.1	28.2
674	28/06/2024 00:09	31.0	41.0	24.2	33.8	26.5
675	28/06/2024 00:14	33.7	40.5	28.8	35.9	30.4
676	28/06/2024 00:19	36.3	43.0	29.9	38.3	33.6
677	28/06/2024 00:24	32.9	41.7	25.1	35.5	28.4
678	28/06/2024 00:29	34.9	44.8	26.0	37.1	31.0
679	28/06/2024 00:34	35.2	45.0	28.8	37.2	31.8
680	28/06/2024 00:39	34.5	43.0	27.6	37.8	29.5
681	28/06/2024 00:44	38.1	47.0	28.6	41.7	33.6
682	28/06/2024 00:49	38.6	44.8	30.1	41.4	33.2

Address	Start Time	Measured Sound Pressure Level [dB(A)]				
		L _{Aeq,5 mins}	L _{Amax,F,5mins}	L _{Amin,5mins}	L _{A10,5mins}	L _{A90,5mins}
683	28/06/2024 00:54	37.1	46.5	27.0	40.7	30.2
684	28/06/2024 00:59	36.1	47.3	27.8	39.7	30.0
685	28/06/2024 01:04	37.5	43.5	27.4	40.4	31.6
686	28/06/2024 01:09	38.2	45.2	31.2	41.6	33.8
687	28/06/2024 01:14	37.0	43.0	29.3	40.0	32.1
688	28/06/2024 01:19	36.1	43.6	26.4	40.1	28.9
689	28/06/2024 01:24	36.8	44.1	29.9	39.5	32.5
690	28/06/2024 01:29	39.0	44.0	32.0	41.4	35.4
691	28/06/2024 01:34	37.2	42.6	30.0	39.9	33.4
692	28/06/2024 01:39	37.0	45.5	28.1	39.9	31.4
693	28/06/2024 01:44	33.5	40.7	26.9	36.2	29.4
694	28/06/2024 01:49	33.3	42.1	24.6	36.6	27.6
695	28/06/2024 01:54	30.2	45.3	24.9	31.7	27.0
696	28/06/2024 01:59	26.8	35.4	21.4	29.5	23.5
697	28/06/2024 02:04	26.8	35.9	21.3	29.4	23.1
698	28/06/2024 02:09	29.2	38.0	22.7	31.7	25.4
699	28/06/2024 02:14	28.5	41.4	21.9	31.0	24.5
700	28/06/2024 02:19	30.7	40.0	23.1	33.5	25.1
701	28/06/2024 02:24	27.4	35.2	22.4	29.3	24.8
702	28/06/2024 02:29	28.0	34.8	22.7	30.6	24.5
703	28/06/2024 02:34	27.4	33.2	22.3	29.8	24.3
704	28/06/2024 02:39	28.0	37.0	21.5	30.6	23.9
705	28/06/2024 02:44	28.7	34.1	23.9	30.9	25.6
706	28/06/2024 02:49	29.3	38.1	23.1	32.0	25.5
707	28/06/2024 02:54	28.0	35.5	23.5	29.9	25.4
708	28/06/2024 02:59	32.7	40.6	23.6	35.2	28.8
709	28/06/2024 03:04	30.1	40.9	23.4	32.8	26.1
710	28/06/2024 03:09	31.5	39.4	21.8	36.2	23.3
711	28/06/2024 03:14	35.0	42.2	26.3	38.5	30.0
712	28/06/2024 03:19	38.4	44.2	29.7	41.4	32.6
713	28/06/2024 03:24	41.7	48.3	30.3	45.0	34.7
714	28/06/2024 03:29	44.2	49.1	35.4	47.0	39.2
715	28/06/2024 03:34	44.5	50.9	36.4	47.7	39.1
716	28/06/2024 03:39	42.6	49.0	33.0	46.1	36.4
717	28/06/2024 03:44	42.3	50.9	31.7	45.8	36.9
718	28/06/2024 03:49	39.5	49.6	28.8	42.7	33.1
719	28/06/2024 03:54	38.9	53.2	30.5	42.1	33.1
720	28/06/2024 03:59	41.9	53.6	29.8	45.6	34.4
721	28/06/2024 04:04	42.3	55.4	28.3	46.2	33.2
722	28/06/2024 04:09	45.5	57.3	28.5	50.2	33.3
723	28/06/2024 04:14	47.1	57.8	27.2	51.9	34.5
724	28/06/2024 04:19	46.3	58.0	31.1	50.1	37.1
725	28/06/2024 04:24	41.9	59.7	31.0	44.7	35.4
726	28/06/2024 04:29	42.3	59.8	29.4	44.9	33.7

Address	Start Time	Measured Sound Pressure Level [dB(A)]				
		L _{Aeq,5 mins}	L _{Amax,F,5mins}	L _{Amin,5mins}	L _{A10,5mins}	L _{A90,5mins}
727	28/06/2024 04:34	39.0	48.5	29.6	42.5	33.1
728	28/06/2024 04:39	46.1	59.9	30.3	50.4	34.4
729	28/06/2024 04:44	47.8	66.3	32.2	50.6	35.9
730	28/06/2024 04:49	46.9	60.1	33.3	51.5	36.6
731	28/06/2024 04:54	44.7	57.7	33.3	48.8	36.6
732	28/06/2024 04:59	41.4	50.8	31.6	45.1	36.1
733	28/06/2024 05:04	47.4	65.9	31.8	46.6	36.5
734	28/06/2024 05:09	42.6	60.2	31.2	44.9	35.1
735	28/06/2024 05:14	42.7	55.7	33.2	45.4	36.7
736	28/06/2024 05:19	42.5	59.1	31.8	44.9	36.0
737	28/06/2024 05:24	45.2	58.9	34.7	48.1	36.8
738	28/06/2024 05:29	46.5	68.7	34.2	45.3	37.0
739	28/06/2024 05:34	44.9	56.3	34.6	49.1	37.9
740	28/06/2024 05:39	53.7	71.0	34.8	54.5	37.5
741	28/06/2024 05:44	47.7	69.0	35.2	47.3	37.5
742	28/06/2024 05:49	49.1	64.1	34.0	52.3	37.4
743	28/06/2024 05:54	53.3	68.7	34.7	56.0	37.6
744	28/06/2024 05:59	48.6	70.5	32.5	50.7	36.0
745	28/06/2024 06:04	49.8	61.7	32.8	54.2	39.0
746	28/06/2024 06:09	47.4	60.8	37.1	50.5	40.8
747	28/06/2024 06:14	48.6	58.9	36.4	52.6	40.7
748	28/06/2024 06:19	47.0	64.5	36.5	49.8	39.5
749	28/06/2024 06:24	51.4	64.7	39.8	54.0	44.0
750	28/06/2024 06:29	47.4	63.4	38.9	49.9	41.3
751	28/06/2024 06:34	52.3	69.4	37.4	50.7	39.6
752	28/06/2024 06:39	44.1	55.8	38.8	46.4	40.6
753	28/06/2024 06:44	44.4	58.7	39.2	46.5	41.2
754	28/06/2024 06:49	43.0	53.1	37.2	45.9	38.7
755	28/06/2024 06:54	45.9	58.0	38.2	48.7	40.4
756	28/06/2024 06:59	44.7	57.1	38.4	47.1	41.0
757	28/06/2024 07:04	48.1	56.9	38.9	52.6	41.0
758	28/06/2024 07:09	46.4	55.9	39.0	49.5	41.1
759	28/06/2024 07:14	45.4	55.9	38.4	48.5	41.1
760	28/06/2024 07:19	49.6	61.9	40.1	52.7	43.3
761	28/06/2024 07:24	48.5	60.9	41.5	51.1	44.0
762	28/06/2024 07:29	49.0	56.9	40.4	52.0	44.1
763	28/06/2024 07:34	48.8	58.9	41.3	51.1	44.5
764	28/06/2024 07:39	45.7	58.5	40.3	48.4	41.9
765	28/06/2024 07:44	50.4	61.7	41.1	53.7	43.7
766	28/06/2024 07:49	48.7	60.7	40.4	52.5	42.6
767	28/06/2024 07:54	45.1	58.7	36.9	47.8	39.2
768	28/06/2024 07:59	44.8	52.2	38.2	47.8	40.5
769	28/06/2024 08:04	49.8	67.6	38.8	51.3	42.5
770	28/06/2024 08:09	49.2	61.9	40.4	52.3	44.1

Address	Start Time	Measured Sound Pressure Level [dB(A)]				
		L _{Aeq,5 mins}	L _{Amax,F,5mins}	L _{Amin,5mins}	L _{A10,5mins}	L _{A90,5mins}
771	28/06/2024 08:14	51.0	69.7	38.5	51.7	41.1
772	28/06/2024 08:19	51.9	68.9	39.3	52.9	42.5
773	28/06/2024 08:24	47.1	57.2	40.0	50.3	42.7
774	28/06/2024 08:29	49.5	61.8	40.6	52.7	43.7
775	28/06/2024 08:34	48.1	62.7	39.9	51.0	42.2
776	28/06/2024 08:39	55.3	74.3	37.8	56.2	40.4
777	28/06/2024 08:44	51.3	71.1	40.3	53.5	41.7
778	28/06/2024 08:49	47.4	58.6	39.3	50.4	42.1
779	28/06/2024 08:54	46.3	57.7	38.8	49.3	41.2
780	28/06/2024 08:59	46.7	62.5	39.0	48.8	41.2
781	28/06/2024 09:04	47.0	57.9	38.5	50.7	40.3
782	28/06/2024 09:09	46.8	53.5	39.9	49.5	42.9
783	28/06/2024 09:14	48.2	57.7	39.2	51.0	42.2
784	28/06/2024 09:19	46.5	64.4	39.9	49.4	42.0
785	28/06/2024 09:24	48.7	69.4	40.6	50.8	43.1
786	28/06/2024 09:29	52.0	59.0	43.2	55.1	45.9
787	28/06/2024 09:34	47.9	64.6	40.3	49.9	43.4
788	28/06/2024 09:39	46.6	53.9	37.7	50.0	40.5
789	28/06/2024 09:44	56.3	73.0	38.4	60.1	41.8
790	28/06/2024 09:49	49.8	57.1	42.3	53.1	44.6
791	28/06/2024 09:54	45.5	56.3	38.9	47.9	40.5
792	28/06/2024 09:59	47.0	54.9	38.0	50.4	41.8
793	28/06/2024 10:04	49.4	69.3	41.7	52.2	44.5
794	28/06/2024 10:09	50.8	65.3	42.1	54.4	44.8
795	28/06/2024 10:14	49.9	64.6	40.0	53.4	42.6
796	28/06/2024 10:19	58.5	69.5	45.0	62.7	48.9
797	28/06/2024 10:24	49.1	55.2	43.4	51.5	45.0
798	28/06/2024 10:29	49.9	61.4	40.7	53.6	42.6
799	28/06/2024 10:34	52.0	62.1	44.9	54.8	47.2
800	28/06/2024 10:39	54.4	71.4	45.1	55.1	47.5
801	28/06/2024 10:44	54.5	70.9	41.5	55.3	46.4
802	28/06/2024 10:49	52.1	65.5	42.8	55.2	46.7
803	28/06/2024 10:54	51.8	59.6	43.9	54.3	47.3
804	28/06/2024 10:59	52.6	60.5	43.8	55.4	48.0
805	28/06/2024 11:04	50.5	56.7	42.0	53.3	45.6
806	28/06/2024 11:09	52.0	61.5	43.9	56.2	46.2
807	28/06/2024 11:14	47.8	57.4	40.7	51.0	43.2
808	28/06/2024 11:19	50.2	58.5	43.4	52.3	46.5
809	28/06/2024 11:24	53.0	63.2	41.6	57.0	44.4
810	28/06/2024 11:29	53.5	60.3	47.3	55.9	49.3
811	28/06/2024 11:34	51.9	58.8	43.5	55.2	46.8
812	28/06/2024 11:39	50.3	56.2	41.9	52.5	46.9
813	28/06/2024 11:44	52.0	57.4	44.3	54.7	48.5
814	28/06/2024 11:49	52.6	67.4	46.5	55.6	48.9

Address	Start Time	Measured Sound Pressure Level [dB(A)]				
		L _{Aeq,5 mins}	L _{Amax,F,5mins}	L _{Amin,5mins}	L _{A10,5mins}	L _{A90,5mins}
815	28/06/2024 11:54	52.3	57.7	43.1	55.5	46.8
816	28/06/2024 11:59	51.6	60.9	44.1	54.2	47.2
817	28/06/2024 12:04	54.3	64.8	45.9	56.8	49.6
818	28/06/2024 12:09	51.0	60.1	44.1	53.2	47.0
819	28/06/2024 12:14	52.6	66.0	43.5	55.3	48.1
820	28/06/2024 12:19	49.1	54.8	43.9	51.7	45.9
821	28/06/2024 12:24	55.6	72.7	46.7	58.6	50.4
822	28/06/2024 12:29	55.0	63.7	47.4	57.7	50.6
823	28/06/2024 12:34	55.6	61.6	48.7	58.0	51.3
824	28/06/2024 12:39	52.9	66.5	45.2	55.4	48.0
825	28/06/2024 12:44	53.3	61.1	45.4	56.1	48.9
826	28/06/2024 12:49	54.1	60.3	45.8	57.5	47.8
827	28/06/2024 12:54	55.5	62.6	47.4	58.4	51.1
828	28/06/2024 12:59	55.8	64.6	47.0	58.6	50.5
829	28/06/2024 13:04	52.9	58.1	44.0	55.7	47.9
830	28/06/2024 13:09	52.2	59.4	43.7	55.5	47.0
831	28/06/2024 13:14	54.0	59.1	46.8	55.9	50.8
832	28/06/2024 13:19	55.1	64.4	46.8	57.6	50.5
833	28/06/2024 13:24	55.2	63.6	47.8	58.3	51.0
834	28/06/2024 13:29	54.8	60.6	46.1	57.8	49.9
835	28/06/2024 13:34	55.7	62.1	48.6	58.2	51.3
836	28/06/2024 13:39	54.6	63.2	45.2	57.8	49.0
837	28/06/2024 13:44	51.1	57.1	43.7	53.3	46.6
838	28/06/2024 13:49	48.6	54.7	39.4	51.8	43.7
839	28/06/2024 13:54	50.3	56.1	40.8	53.2	44.0
840	28/06/2024 13:59	48.2	57.8	40.1	50.5	44.3
841	28/06/2024 14:04	47.5	65.2	39.4	50.0	42.4
842	28/06/2024 14:09	47.5	59.1	39.9	49.5	42.3
843	28/06/2024 14:14	48.6	61.2	41.2	51.0	44.1
844	28/06/2024 14:19	47.7	54.3	39.1	50.5	42.1
845	28/06/2024 14:24	50.3	60.5	39.8	53.1	44.4
846	28/06/2024 14:29	49.4	57.8	39.1	52.5	43.1
847	28/06/2024 14:34	50.8	60.4	42.2	54.0	44.9
848	28/06/2024 14:39	50.3	64.3	44.0	52.7	46.9
849	28/06/2024 14:44	48.7	59.0	41.3	52.1	43.9
850	28/06/2024 14:49	48.8	60.5	40.2	52.4	43.2
851	28/06/2024 14:54	47.5	56.3	40.4	50.3	42.2
852	28/06/2024 14:59	49.3	67.0	42.6	50.9	44.9
853	28/06/2024 15:04	51.8	59.2	44.4	54.8	46.6
854	28/06/2024 15:09	49.9	60.5	43.2	53.5	45.2
855	28/06/2024 15:14	51.4	61.7	43.8	53.9	47.7
856	28/06/2024 15:19	50.2	58.2	41.8	53.6	44.5
857	28/06/2024 15:24	50.8	58.5	42.2	54.1	46.2
858	28/06/2024 15:29	52.5	59.1	45.4	55.3	47.7

Address	Start Time	Measured Sound Pressure Level [dB(A)]				
		L _{Aeq,5 mins}	L _{Amax,F,5mins}	L _{Amin,5mins}	L _{A10,5mins}	L _{A90,5mins}
859	28/06/2024 15:34	52.6	61.5	40.7	55.8	45.7
860	28/06/2024 15:39	50.8	63.3	41.9	53.0	46.0
861	28/06/2024 15:44	52.2	61.2	42.7	55.2	45.5
862	28/06/2024 15:49	48.2	55.2	39.0	51.0	42.2
863	28/06/2024 15:54	50.0	71.2	40.8	51.7	44.5
864	28/06/2024 15:59	51.6	59.9	42.0	54.8	46.7
865	28/06/2024 16:04	51.8	58.3	41.2	55.1	43.8
866	28/06/2024 16:09	51.3	60.4	44.1	53.9	47.1
867	28/06/2024 16:14	54.5	61.4	44.5	57.3	48.5
868	28/06/2024 16:19	51.0	59.9	40.8	53.9	44.7
869	28/06/2024 16:24	51.6	60.0	43.6	54.6	46.8
870	28/06/2024 16:29	48.3	55.5	41.2	51.1	43.8
871	28/06/2024 16:34	47.8	60.4	38.5	51.1	41.3
872	28/06/2024 16:39	50.3	57.0	41.5	53.8	44.4
873	28/06/2024 16:44	51.2	58.3	41.3	54.4	46.1
874	28/06/2024 16:49	54.0	68.8	40.5	57.6	42.7
875	28/06/2024 16:54	49.5	56.4	40.5	52.5	43.5
876	28/06/2024 16:59	50.3	61.9	41.9	53.1	45.2
877	28/06/2024 17:04	49.9	64.3	42.6	51.9	45.0
878	28/06/2024 17:09	48.7	60.2	40.5	50.9	43.5
879	28/06/2024 17:14	48.8	60.1	38.9	52.5	41.9
880	28/06/2024 17:19	47.9	56.6	39.0	51.5	42.3
881	28/06/2024 17:24	49.4	65.6	40.2	52.3	43.8
882	28/06/2024 17:29	47.0	51.9	39.5	49.5	43.0
883	28/06/2024 17:34	48.9	56.2	40.3	52.6	42.6
884	28/06/2024 17:39	46.3	52.7	39.4	49.8	41.8
885	28/06/2024 17:44	49.2	64.8	40.4	51.9	42.9
886	28/06/2024 17:49	46.4	62.5	38.8	49.6	41.0
887	28/06/2024 17:54	47.7	60.4	39.0	50.6	44.1
888	28/06/2024 17:59	46.8	66.0	39.1	48.5	42.0
889	28/06/2024 18:04	53.6	60.9	41.9	57.2	46.8
890	28/06/2024 18:09	49.6	58.9	40.2	52.2	43.8
891	28/06/2024 18:14	45.8	66.1	40.0	47.7	41.8
892	28/06/2024 18:19	53.5	61.0	44.3	56.4	48.0
893	28/06/2024 18:24	53.1	61.0	41.9	56.3	45.5
894	28/06/2024 18:29	48.2	61.0	39.8	51.0	42.1
895	28/06/2024 18:34	51.5	63.0	41.1	54.9	45.3
896	28/06/2024 18:39	46.0	55.4	39.6	49.1	41.3
897	28/06/2024 18:44	47.3	55.0	41.1	50.3	42.6
898	28/06/2024 18:49	48.0	54.5	41.4	50.7	44.3
899	28/06/2024 18:54	47.9	55.0	40.7	50.4	43.8
900	28/06/2024 18:59	47.8	60.4	39.2	51.7	41.9
901	28/06/2024 19:04	46.9	54.1	38.3	49.9	41.9
902	28/06/2024 19:09	43.9	63.4	36.2	46.1	39.1

Address	Start Time	Measured Sound Pressure Level [dB(A)]				
		L _{Aeq,5 mins}	L _{Amax,F,5mins}	L _{Amin,5mins}	L _{A10,5mins}	L _{A90,5mins}
903	28/06/2024 19:14	43.1	53.6	36.0	45.9	38.6
904	28/06/2024 19:19	46.2	64.6	36.2	44.8	39.8
905	28/06/2024 19:24	45.9	60.6	36.1	48.6	41.2
906	28/06/2024 19:29	45.5	52.3	38.0	48.3	40.4
907	28/06/2024 19:34	45.7	62.3	35.9	46.1	38.7
908	28/06/2024 19:39	45.9	64.0	36.8	46.1	39.7
909	28/06/2024 19:44	50.8	69.1	38.0	51.9	40.4
910	28/06/2024 19:49	45.3	54.4	36.6	47.9	39.7
911	28/06/2024 19:54	46.3	63.8	36.0	49.4	39.0
912	28/06/2024 19:59	48.1	63.3	35.8	51.8	40.2
913	28/06/2024 20:04	47.6	59.8	37.4	51.0	40.6
914	28/06/2024 20:09	46.9	61.5	37.5	49.9	41.0
915	28/06/2024 20:14	46.4	61.2	36.7	49.2	39.8
916	28/06/2024 20:19	45.5	50.8	38.9	48.5	41.8
917	28/06/2024 20:24	46.3	64.1	37.1	47.9	40.7
918	28/06/2024 20:29	46.5	59.9	38.7	49.1	41.3
919	28/06/2024 20:34	44.1	59.9	34.7	46.5	39.2
920	28/06/2024 20:39	45.5	61.8	38.3	47.0	41.6
921	28/06/2024 20:44	44.9	57.8	37.6	47.2	41.5
922	28/06/2024 20:49	43.8	64.9	34.9	44.5	37.0
923	28/06/2024 20:54	41.9	49.3	36.9	44.4	38.5
924	28/06/2024 20:59	45.3	67.8	38.1	45.7	40.1
925	28/06/2024 21:04	42.2	50.0	36.6	44.4	38.3
926	28/06/2024 21:09	39.6	49.4	33.5	41.7	35.9
927	28/06/2024 21:14	44.2	66.8	32.3	46.3	35.2
928	28/06/2024 21:19	43.0	65.1	35.3	44.2	37.5
929	28/06/2024 21:24	42.0	63.2	34.0	42.9	36.9
930	28/06/2024 21:29	41.9	62.4	33.8	40.5	36.6
931	28/06/2024 21:34	41.0	46.0	35.0	43.5	37.8
932	28/06/2024 21:39	42.2	62.3	35.4	42.8	37.3
933	28/06/2024 21:44	40.1	67.0	33.2	39.2	35.5
934	28/06/2024 21:49	36.8	42.9	33.2	38.4	34.9
935	28/06/2024 21:54	37.6	43.7	31.1	39.4	35.2
936	28/06/2024 21:59	37.3	49.0	31.2	39.6	34.0
937	28/06/2024 22:04	38.1	43.5	34.0	39.8	35.9
938	28/06/2024 22:09	38.6	47.0	33.1	40.5	36.2
939	28/06/2024 22:14	39.2	47.7	32.9	41.3	35.6
940	28/06/2024 22:19	38.3	48.9	32.0	40.1	35.4
941	28/06/2024 22:24	37.6	46.1	32.3	39.7	35.4
942	28/06/2024 22:29	37.4	43.8	31.6	39.5	34.3
943	28/06/2024 22:34	35.9	42.6	31.0	37.6	33.8
944	28/06/2024 22:39	35.5	42.2	30.2	37.7	32.5
945	28/06/2024 22:44	36.3	41.8	31.2	38.1	33.9
946	28/06/2024 22:49	34.7	42.9	28.2	36.9	31.6

Address	Start Time	Measured Sound Pressure Level [dB(A)]				
		L _{Aeq,5 mins}	L _{Amax,F,5mins}	L _{Amin,5mins}	L _{A10,5mins}	L _{A90,5mins}
947	28/06/2024 22:54	34.9	41.6	29.5	37.5	31.8
948	28/06/2024 22:59	35.3	43.9	29.2	37.3	32.1
949	28/06/2024 23:04	33.8	38.5	28.5	36.0	30.8
950	28/06/2024 23:09	35.8	41.0	29.3	37.8	32.2
951	28/06/2024 23:14	34.3	39.3	28.8	36.1	31.8
952	28/06/2024 23:19	37.1	48.2	29.5	39.9	31.9
953	28/06/2024 23:24	35.8	46.0	29.5	38.1	32.2
954	28/06/2024 23:29	39.4	50.3	29.5	43.1	32.9
955	28/06/2024 23:34	35.1	41.1	27.4	37.2	31.9
956	28/06/2024 23:39	34.2	41.6	27.3	36.6	30.3
957	28/06/2024 23:44	36.3	45.1	28.0	39.0	32.2
958	28/06/2024 23:49	34.2	41.5	25.7	36.9	28.8
959	28/06/2024 23:54	37.1	46.3	28.4	39.9	31.2
960	28/06/2024 23:59	34.9	42.2	27.3	38.0	30.7
961	29/06/2024 00:04	34.0	41.7	24.9	37.2	27.9
962	29/06/2024 00:09	35.3	46.5	26.6	38.0	29.4
963	29/06/2024 00:14	34.6	43.3	26.1	37.5	29.2
964	29/06/2024 00:19	34.0	42.1	23.9	37.2	28.7
965	29/06/2024 00:24	35.3	43.9	25.7	37.9	30.2
966	29/06/2024 00:29	33.3	38.9	24.3	36.6	26.5
967	29/06/2024 00:34	35.0	43.2	22.4	38.4	26.7
968	29/06/2024 00:39	35.8	46.3	21.6	39.6	27.1
969	29/06/2024 00:44	34.3	42.5	25.0	37.8	28.4
970	29/06/2024 00:49	36.5	46.4	24.0	39.5	28.8
971	29/06/2024 00:54	33.2	41.8	20.6	37.3	22.8
972	29/06/2024 00:59	28.3	37.0	19.6	32.6	21.6
973	29/06/2024 01:04	32.0	44.8	19.0	33.8	22.2
974	29/06/2024 01:09	36.2	46.6	25.6	39.6	28.7
975	29/06/2024 01:14	33.9	43.1	24.8	36.6	28.8
976	29/06/2024 01:19	31.0	39.1	22.1	34.3	24.9
977	29/06/2024 01:24	31.9	45.0	21.3	33.6	24.1
978	29/06/2024 01:29	35.0	46.2	24.6	38.7	27.7
979	29/06/2024 01:34	31.7	44.0	21.8	35.1	24.4
980	29/06/2024 01:39	31.0	46.2	19.3	33.5	22.5
981	29/06/2024 01:44	34.6	45.0	24.0	38.5	25.9
982	29/06/2024 01:49	28.7	43.8	21.4	31.6	23.4
983	29/06/2024 01:54	31.1	41.0	23.1	35.5	24.5
984	29/06/2024 01:59	30.0	41.3	21.6	33.0	25.5
985	29/06/2024 02:04	28.5	40.8	22.9	30.4	24.3
986	29/06/2024 02:09	26.5	39.7	19.6	29.9	21.5
987	29/06/2024 02:14	27.8	46.9	20.8	30.0	22.8
988	29/06/2024 02:19	32.2	52.6	22.0	34.0	24.5
989	29/06/2024 02:24	32.4	43.9	19.6	36.8	22.3
990	29/06/2024 02:29	27.9	38.1	19.9	31.7	22.5

Address	Start Time	Measured Sound Pressure Level [dB(A)]				
		L _{Aeq,5 mins}	L _{Amax,F,5mins}	L _{Amin,5mins}	L _{A10,5mins}	L _{A90,5mins}
991	29/06/2024 02:34	30.1	41.6	23.5	32.0	26.6
992	29/06/2024 02:39	29.1	43.4	22.1	31.8	23.9
993	29/06/2024 02:44	28.5	40.2	21.4	31.6	23.6
994	29/06/2024 02:49	30.1	41.2	22.8	32.9	24.3
995	29/06/2024 02:54	25.8	37.4	20.8	29.0	22.3
996	29/06/2024 02:59	27.6	37.2	21.0	31.2	23.0
997	29/06/2024 03:04	28.4	39.6	22.1	31.3	23.7
998	29/06/2024 03:09	25.1	34.7	21.3	27.1	22.7
999	29/06/2024 03:14	27.0	36.2	20.8	30.4	22.3
1000	29/06/2024 03:19	26.6	37.7	21.1	29.0	22.5
1001	29/06/2024 03:24	27.0	35.3	21.0	29.8	22.8
1002	29/06/2024 03:29	30.6	43.0	23.2	33.7	25.6
1003	29/06/2024 03:34	30.5	41.7	22.0	33.8	23.9
1004	29/06/2024 03:39	31.4	39.9	25.8	34.2	27.6
1005	29/06/2024 03:44	34.5	45.6	28.5	36.9	31.0
1006	29/06/2024 03:49	36.7	48.4	27.9	40.6	31.7
1007	29/06/2024 03:54	36.1	47.5	28.9	38.6	31.5
1008	29/06/2024 03:59	42.1	55.5	28.4	46.3	32.2
1009	29/06/2024 04:04	40.1	57.0	29.0	42.1	32.2
1010	29/06/2024 04:09	41.0	55.3	29.0	44.6	32.6
1011	29/06/2024 04:14	39.5	55.2	28.8	42.4	31.3
1012	29/06/2024 04:19	43.3	52.1	29.5	47.8	33.7
1013	29/06/2024 04:24	44.9	56.9	30.1	49.3	32.9
1014	29/06/2024 04:29	45.8	57.4	29.0	50.9	32.3
1015	29/06/2024 04:34	45.8	56.2	30.6	50.9	34.5
1016	29/06/2024 04:39	43.0	59.5	28.1	47.2	30.9
1017	29/06/2024 04:44	42.1	60.9	28.9	42.7	32.2
1018	29/06/2024 04:49	39.1	58.9	31.6	41.3	35.1
1019	29/06/2024 04:54	43.4	58.9	32.6	46.5	35.2
1020	29/06/2024 04:59	45.1	64.4	33.9	45.6	36.5
1021	29/06/2024 05:04	40.2	53.4	31.7	43.8	34.6
1022	29/06/2024 05:09	57.2	70.5	29.9	63.4	33.5
1023	29/06/2024 05:14	52.0	69.2	31.2	50.0	35.4
1024	29/06/2024 05:19	45.7	60.0	31.2	50.0	33.9
1025	29/06/2024 05:24	43.4	57.3	32.6	47.4	35.2
1026	29/06/2024 05:29	47.8	63.8	31.1	52.2	34.4
1027	29/06/2024 05:34	48.0	72.8	30.8	52.2	33.4
1028	29/06/2024 05:39	46.4	61.2	31.5	52.2	33.7
1029	29/06/2024 05:44	45.3	62.3	31.1	49.4	33.8
1030	29/06/2024 05:49	42.2	60.5	31.2	42.2	33.6
1031	29/06/2024 05:54	41.0	58.0	32.2	43.8	35.6
1032	29/06/2024 05:59	41.6	56.9	32.6	45.0	34.7
1033	29/06/2024 06:04	45.6	64.1	33.9	47.9	36.5
1034	29/06/2024 06:09	44.3	58.9	33.3	48.5	35.9

Address	Start Time	Measured Sound Pressure Level [dB(A)]				
		L _{Aeq,5 mins}	L _{Amax,F,5mins}	L _{Amin,5mins}	L _{A10,5mins}	L _{A90,5mins}
1035	29/06/2024 06:14	45.8	63.7	32.1	49.0	35.7
1036	29/06/2024 06:19	45.3	64.1	34.8	47.4	37.1
1037	29/06/2024 06:24	51.5	68.0	32.2	48.8	35.7
1038	29/06/2024 06:29	48.8	72.5	33.8	49.8	36.0
1039	29/06/2024 06:34	40.7	56.6	35.1	42.4	37.0
1040	29/06/2024 06:39	40.0	59.5	33.8	42.0	35.4
1041	29/06/2024 06:44	41.2	60.6	32.9	42.1	35.9
1042	29/06/2024 06:49	41.6	53.8	32.5	45.6	34.9
1043	29/06/2024 06:54	43.7	57.8	32.3	48.4	34.2
1044	29/06/2024 06:59	42.7	56.2	31.8	47.0	35.1
1045	29/06/2024 07:04	49.4	68.1	33.3	46.5	35.7
1046	29/06/2024 07:09	50.6	68.1	33.0	50.7	34.6
1047	29/06/2024 07:14	41.3	62.9	31.8	41.3	34.2
1048	29/06/2024 07:19	42.4	55.0	32.3	45.4	36.4
1049	29/06/2024 07:24	48.7	70.2	32.3	44.0	35.8
1050	29/06/2024 07:29	45.2	66.0	32.1	47.3	36.1
1051	29/06/2024 07:34	40.7	58.8	33.6	42.9	35.8
1052	29/06/2024 07:39	43.3	52.5	34.4	47.4	37.0
1053	29/06/2024 07:44	40.7	55.4	32.3	42.8	36.3
1054	29/06/2024 07:49	43.3	62.0	33.7	44.5	36.7
1055	29/06/2024 07:54	43.3	64.3	32.9	43.0	36.4
1056	29/06/2024 07:59	44.5	68.3	32.1	46.6	35.7
1057	29/06/2024 08:04	45.6	68.2	33.1	47.9	36.4
1058	29/06/2024 08:09	43.2	53.7	33.4	47.2	36.3
1059	29/06/2024 08:14	52.3	70.7	34.0	55.6	38.3
1060	29/06/2024 08:19	57.2	74.1	34.6	57.0	37.5
1061	29/06/2024 08:24	41.9	53.8	35.1	44.3	38.6
1062	29/06/2024 08:29	46.5	67.5	33.1	48.2	36.1
1063	29/06/2024 08:34	45.8	65.9	34.0	43.2	36.4
1064	29/06/2024 08:39	43.1	59.8	33.5	47.4	36.2
1065	29/06/2024 08:44	42.0	54.2	32.1	45.8	35.7
1066	29/06/2024 08:49	42.1	59.8	32.7	44.2	34.7
1067	29/06/2024 08:54	39.0	53.9	33.3	41.4	35.4
1068	29/06/2024 08:59	40.1	56.2	31.9	41.7	35.1
1069	29/06/2024 09:04	38.8	56.0	31.2	40.9	33.4
1070	29/06/2024 09:09	44.1	61.6	31.6	48.2	34.5
1071	29/06/2024 09:14	42.1	55.0	31.7	45.3	34.4
1072	29/06/2024 09:19	46.2	61.4	31.7	50.1	36.0
1073	29/06/2024 09:24	45.0	59.8	32.7	49.4	35.6
1074	29/06/2024 09:29	41.8	54.7	31.7	45.5	34.9
1075	29/06/2024 09:34	43.6	60.3	32.6	44.7	35.3
1076	29/06/2024 09:39	41.7	60.0	34.5	44.7	36.6
1077	29/06/2024 09:44	41.2	50.9	35.2	43.3	37.0
1078	29/06/2024 09:49	43.0	51.0	37.7	44.7	40.2

Address	Start Time	Measured Sound Pressure Level [dB(A)]				
		L _{Aeq,5 mins}	L _{Amax,F,5mins}	L _{Amin,5mins}	L _{A10,5mins}	L _{A90,5mins}
1079	29/06/2024 09:54	47.1	60.1	39.7	49.7	43.4
1080	29/06/2024 09:59	48.0	62.2	40.1	50.0	44.6
1081	29/06/2024 10:04	46.7	61.8	40.9	49.4	43.1
1082	29/06/2024 10:09	48.7	64.3	40.7	52.3	42.8
1083	29/06/2024 10:14	46.5	55.9	39.7	48.6	42.8
1084	29/06/2024 10:19	47.0	52.8	41.6	49.3	44.0
1085	29/06/2024 10:24	49.1	67.5	42.2	51.4	44.4
1086	29/06/2024 10:29	47.1	60.7	40.6	50.2	42.2
1087	29/06/2024 10:34	50.9	63.9	41.5	54.1	43.9
1088	29/06/2024 10:39	47.1	62.8	39.8	49.6	42.6
1089	29/06/2024 10:44	46.1	56.8	40.0	48.7	42.7
1090	29/06/2024 10:49	46.8	51.4	40.4	49.5	43.7
1091	29/06/2024 10:54	49.9	65.9	41.0	53.2	44.4
1092	29/06/2024 10:59	50.3	60.4	44.1	52.6	46.6
1093	29/06/2024 11:04	51.5	67.9	43.1	54.8	45.6
1094	29/06/2024 11:09	49.8	61.6	41.7	52.5	45.2
1095	29/06/2024 11:14	49.8	60.1	42.2	52.1	44.9
1096	29/06/2024 11:19	49.3	62.7	42.2	52.3	44.1
1097	29/06/2024 11:24	48.1	54.7	41.8	51.5	43.6
1098	29/06/2024 11:29	50.2	59.8	41.3	53.0	44.9
1099	29/06/2024 11:34	47.7	59.4	41.0	49.9	44.5
1100	29/06/2024 11:39	49.0	62.5	40.7	52.0	43.3
1101	29/06/2024 11:44	46.5	60.0	39.5	48.1	41.7
1102	29/06/2024 11:49	46.9	59.7	40.0	49.1	42.2
1103	29/06/2024 11:54	50.7	68.2	40.9	51.8	43.3
1104	29/06/2024 11:59	45.6	54.8	40.0	48.0	41.8
1105	29/06/2024 12:04	44.8	62.2	37.7	46.1	40.9
1106	29/06/2024 12:09	46.1	55.4	38.9	48.7	42.3
1107	29/06/2024 12:14	46.1	63.6	39.1	48.5	41.9
1108	29/06/2024 12:19	47.8	62.4	40.0	50.3	44.0
1109	29/06/2024 12:24	47.0	60.5	40.7	49.4	43.8
1110	29/06/2024 12:29	46.2	58.2	38.0	49.2	40.5
1111	29/06/2024 12:34	45.5	65.9	38.4	46.6	41.0
1112	29/06/2024 12:39	46.2	65.0	38.1	48.1	40.5
1113	29/06/2024 12:44	46.7	66.2	38.8	49.2	40.8
1114	29/06/2024 12:49	47.6	67.2	38.4	47.3	41.1
1115	29/06/2024 12:54	45.1	51.7	38.3	47.9	41.0
1116	29/06/2024 12:59	47.3	59.6	40.8	48.9	42.8
1117	29/06/2024 13:04	47.9	61.3	39.1	50.6	42.3
1118	29/06/2024 13:09	48.4	54.9	40.8	51.4	43.2
1119	29/06/2024 13:14	48.0	63.5	41.3	50.5	43.4
1120	29/06/2024 13:19	52.8	68.1	41.4	53.2	43.0
1121	29/06/2024 13:24	49.5	58.0	42.4	52.4	45.3
1122	29/06/2024 13:29	48.3	57.1	42.1	50.8	44.5

Address	Start Time	Measured Sound Pressure Level [dB(A)]				
		L _{Aeq,5 mins}	L _{Amax,F,5mins}	L _{Amin,5mins}	L _{A10,5mins}	L _{A90,5mins}
1123	29/06/2024 13:34	51.1	63.4	44.7	53.5	46.5
1124	29/06/2024 13:39	48.4	54.9	41.8	51.1	44.6
1125	29/06/2024 13:44	47.9	53.9	41.1	50.5	43.3
1126	29/06/2024 13:49	47.6	53.3	41.3	50.5	43.8
1127	29/06/2024 13:54	48.1	59.2	39.1	50.7	43.6
1128	29/06/2024 13:59	47.6	60.9	39.4	50.8	41.0
1129	29/06/2024 14:04	46.6	63.0	37.5	48.1	42.4
1130	29/06/2024 14:09	44.2	52.7	37.3	47.0	40.6
1131	29/06/2024 14:14	45.2	54.8	37.8	47.5	40.1
1132	29/06/2024 14:19	51.4	65.1	40.4	55.5	43.1
1133	29/06/2024 14:24	50.1	60.9	42.4	53.3	44.7
1134	29/06/2024 14:29	46.6	60.3	40.0	49.4	42.3
1135	29/06/2024 14:34	46.7	66.8	38.5	48.3	41.2
1136	29/06/2024 14:39	45.5	54.9	38.7	48.0	41.2
1137	29/06/2024 14:44	44.4	61.1	38.6	45.9	41.2
1138	29/06/2024 14:49	43.0	58.8	38.3	45.3	40.3
1139	29/06/2024 14:54	47.3	61.0	37.9	49.8	40.2
1140	29/06/2024 14:59	46.5	67.7	37.7	46.3	40.3
1141	29/06/2024 15:04	45.5	66.2	36.4	43.0	38.2
1142	29/06/2024 15:09	45.0	56.3	35.9	48.2	38.4
1143	29/06/2024 15:14	43.5	63.1	35.7	46.2	38.1
1144	29/06/2024 15:19	44.0	64.0	37.1	45.4	39.6
1145	29/06/2024 15:24	47.2	67.6	36.4	46.2	38.6
1146	29/06/2024 15:29	49.7	66.5	35.8	48.2	37.8
1147	29/06/2024 15:34	49.3	66.7	33.4	49.8	36.0
1148	29/06/2024 15:39	44.4	63.0	33.2	46.4	35.8
1149	29/06/2024 15:44	42.4	60.4	32.3	45.6	35.0
1150	29/06/2024 15:49	44.9	57.5	32.2	49.2	34.6
1151	29/06/2024 15:54	39.8	48.9	32.1	43.0	34.2
1152	29/06/2024 15:59	49.3	62.9	34.0	53.8	36.3
1153	29/06/2024 16:04	41.5	55.7	33.0	44.9	35.3
1154	29/06/2024 16:09	49.5	65.2	36.1	54.3	37.8
1155	29/06/2024 16:14	53.5	68.4	35.6	57.8	38.0
1156	29/06/2024 16:19	46.3	67.8	34.9	44.2	37.1
1157	29/06/2024 16:24	41.4	54.1	35.1	43.4	37.7
1158	29/06/2024 16:29	45.8	65.6	35.6	46.4	38.5
1159	29/06/2024 16:34	47.5	67.4	35.5	43.9	37.7
1160	29/06/2024 16:39	44.6	63.9	34.9	46.8	39.5
1161	29/06/2024 16:44	41.4	50.5	35.9	43.6	38.4
1162	29/06/2024 16:49	42.3	53.2	35.5	45.5	37.3
1163	29/06/2024 16:54	44.2	65.1	36.4	46.0	38.7
1164	29/06/2024 16:59	42.4	53.5	36.5	45.2	38.8
1165	29/06/2024 17:04	43.8	58.0	37.2	46.0	39.8
1166	29/06/2024 17:09	41.9	47.0	36.0	43.9	39.1

Address	Start Time	Measured Sound Pressure Level [dB(A)]				
		L _{Aeq,5 mins}	L _{Amax,F,5mins}	L _{Amin,5mins}	L _{A10,5mins}	L _{A90,5mins}
1167	29/06/2024 17:14	45.7	67.7	36.0	45.1	37.6
1168	29/06/2024 17:19	52.5	76.6	35.3	47.2	37.9
1169	29/06/2024 17:24	42.3	52.7	34.0	45.3	37.1
1170	29/06/2024 17:29	43.2	52.2	35.6	45.8	38.8
1171	29/06/2024 17:34	45.8	59.3	36.3	49.3	38.7
1172	29/06/2024 17:39	44.8	61.2	36.9	47.3	40.1
1173	29/06/2024 17:44	42.2	52.1	36.9	44.4	39.3
1174	29/06/2024 17:49	42.0	54.3	36.0	43.6	39.3
1175	29/06/2024 17:54	42.5	52.5	34.7	44.6	37.5
1176	29/06/2024 17:59	41.5	64.8	34.6	43.3	36.3
1177	29/06/2024 18:04	41.1	55.8	33.6	43.4	36.5
1178	29/06/2024 18:09	40.2	47.6	33.7	43.0	36.4
1179	29/06/2024 18:14	42.1	64.0	34.9	43.3	37.9
1180	29/06/2024 18:19	41.0	58.5	35.2	42.2	37.5
1181	29/06/2024 18:24	39.3	50.2	33.3	41.6	36.0
1182	29/06/2024 18:29	40.2	53.9	34.5	42.9	36.4
1183	29/06/2024 18:34	40.0	51.2	34.3	42.2	37.1
1184	29/06/2024 18:39	39.8	49.8	34.3	42.3	36.4
1185	29/06/2024 18:44	38.3	47.7	34.4	40.2	36.1
1186	29/06/2024 18:49	41.4	50.9	35.5	43.7	38.0
1187	29/06/2024 18:54	43.6	69.1	34.1	43.3	36.7
1188	29/06/2024 18:59	41.0	47.0	35.0	42.9	37.9
1189	29/06/2024 19:04	44.0	64.4	37.3	46.3	39.6
1190	29/06/2024 19:09	41.2	52.3	34.7	43.4	37.0
1191	29/06/2024 19:14	43.8	58.9	36.1	47.0	38.3
1192	29/06/2024 19:19	44.3	57.9	36.7	47.6	39.6
1193	29/06/2024 19:24	46.9	60.2	41.2	48.9	43.6
1194	29/06/2024 19:29	43.6	59.8	37.7	46.3	39.7
1195	29/06/2024 19:34	44.4	53.4	37.5	47.3	40.1
1196	29/06/2024 19:39	42.3	52.0	35.5	44.6	38.7
1197	29/06/2024 19:44	43.4	56.3	35.2	46.5	37.7
1198	29/06/2024 19:49	41.3	51.5	34.9	43.3	38.2
1199	29/06/2024 19:54	44.6	61.6	37.0	46.8	39.4
1200	29/06/2024 19:59	42.5	51.8	35.1	46.4	37.9
1201	29/06/2024 20:04	40.5	51.6	34.2	42.7	36.3
1202	29/06/2024 20:09	42.4	53.2	35.3	46.1	38.0
1203	29/06/2024 20:14	42.4	55.0	33.7	46.1	36.2
1204	29/06/2024 20:19	44.5	60.1	34.1	48.2	37.8
1205	29/06/2024 20:24	45.9	68.5	37.0	45.8	39.6
1206	29/06/2024 20:29	40.4	49.8	35.6	42.4	37.7
1207	29/06/2024 20:34	44.1	54.8	35.7	48.4	38.1
1208	29/06/2024 20:39	40.6	55.0	33.0	43.8	35.4
1209	29/06/2024 20:44	40.4	48.4	32.8	43.5	35.5
1210	29/06/2024 20:49	43.6	59.4	33.0	48.0	35.6

Address	Start Time	Measured Sound Pressure Level [dB(A)]				
		L _{Aeq,5 mins}	L _{Amax,F,5mins}	L _{Amin,5mins}	L _{A10,5mins}	L _{A90,5mins}
1211	29/06/2024 20:54	39.2	53.0	31.2	41.1	34.2
1212	29/06/2024 20:59	39.7	54.8	32.8	41.0	36.3
1213	29/06/2024 21:04	39.9	47.5	34.6	42.1	36.8
1214	29/06/2024 21:09	41.7	59.5	34.1	43.4	38.4
1215	29/06/2024 21:14	39.8	52.4	33.4	41.7	36.3
1216	29/06/2024 21:19	40.9	58.6	32.8	42.1	35.2
1217	29/06/2024 21:24	39.6	48.5	33.6	42.2	36.1
1218	29/06/2024 21:29	40.2	49.0	34.9	42.3	37.3
1219	29/06/2024 21:34	40.2	52.4	34.1	42.2	37.1
1220	29/06/2024 21:39	41.5	61.7	35.6	41.7	37.9
1221	29/06/2024 21:44	41.5	49.4	34.0	45.2	36.9
1222	29/06/2024 21:49	37.6	45.8	32.6	39.4	34.9
1223	29/06/2024 21:54	41.5	50.7	32.0	46.1	34.4
1224	29/06/2024 21:59	38.3	44.7	33.4	40.3	35.6
1225	29/06/2024 22:04	37.6	49.4	29.4	40.1	33.2
1226	29/06/2024 22:09	36.8	49.4	32.9	38.2	34.9
1227	29/06/2024 22:14	37.6	45.6	31.0	39.9	33.9
1228	29/06/2024 22:19	35.2	40.4	31.0	37.1	32.6
1229	29/06/2024 22:24	35.1	42.5	29.5	37.1	32.2
1230	29/06/2024 22:29	35.1	43.7	30.2	37.2	32.7
1231	29/06/2024 22:34	37.4	47.2	32.3	39.7	34.2
1232	29/06/2024 22:39	38.2	47.8	33.4	40.8	35.4
1233	29/06/2024 22:44	39.5	47.4	32.8	43.3	35.0
1234	29/06/2024 22:49	38.8	47.3	33.6	41.5	35.6
1235	29/06/2024 22:54	39.0	54.3	32.8	40.7	35.8
1236	29/06/2024 22:59	38.3	46.9	34.1	40.1	36.0
1237	29/06/2024 23:04	40.8	48.1	33.3	43.6	36.8
1238	29/06/2024 23:09	37.4	44.4	31.4	39.8	34.0
1239	29/06/2024 23:14	36.8	45.6	30.5	38.8	33.8
1240	29/06/2024 23:19	35.9	47.9	29.0	38.1	32.3
1241	29/06/2024 23:24	38.6	46.9	30.8	41.5	34.4
1242	29/06/2024 23:29	36.0	45.0	30.9	38.2	33.1
1243	29/06/2024 23:34	37.5	47.4	30.2	41.1	32.7
1244	29/06/2024 23:39	33.4	44.4	28.3	35.1	30.7
1245	29/06/2024 23:44	33.8	41.9	28.9	35.7	31.2
1246	29/06/2024 23:49	34.8	42.8	29.2	38.0	31.5
1247	29/06/2024 23:54	32.7	41.8	26.4	34.6	30.2
1248	29/06/2024 23:59	34.3	40.7	28.0	36.8	30.6
1249	30/06/2024 00:04	34.0	42.1	25.1	36.8	27.8
1250	30/06/2024 00:09	32.7	42.1	26.2	35.6	28.9
1251	30/06/2024 00:14	31.8	39.1	27.6	33.7	29.5
1252	30/06/2024 00:19	33.4	43.0	26.0	36.4	28.8
1253	30/06/2024 00:24	32.1	39.8	27.6	34.4	29.0
1254	30/06/2024 00:29	32.6	40.5	26.5	35.4	28.5

Address	Start Time	Measured Sound Pressure Level [dB(A)]				
		L _{Aeq,5 mins}	L _{Amax,F,5mins}	L _{Amin,5mins}	L _{A10,5mins}	L _{A90,5mins}
1255	30/06/2024 00:34	36.9	51.2	28.3	39.5	30.5
1256	30/06/2024 00:39	35.2	42.9	26.9	38.5	28.9
1257	30/06/2024 00:44	35.9	43.4	27.8	38.8	30.9
1258	30/06/2024 00:49	34.2	42.2	27.0	36.4	29.9
1259	30/06/2024 00:54	34.1	43.6	28.7	36.2	30.7
1260	30/06/2024 00:59	33.7	44.5	26.3	36.4	29.6
1261	30/06/2024 01:04	36.1	45.8	26.5	40.2	29.6
1262	30/06/2024 01:09	35.2	46.1	24.0	39.8	28.5
1263	30/06/2024 01:14	32.2	41.7	23.0	35.2	26.5
1264	30/06/2024 01:19	27.7	35.2	22.9	30.2	24.6
1265	30/06/2024 01:24	28.1	34.5	22.4	30.7	25.0
1266	30/06/2024 01:29	29.4	36.8	24.1	32.5	25.9
1267	30/06/2024 01:34	27.1	34.8	23.3	28.8	25.0
1268	30/06/2024 01:39	29.3	40.3	24.2	31.6	26.6
1269	30/06/2024 01:44	30.3	43.2	23.7	33.0	26.0
1270	30/06/2024 01:49	30.3	39.7	24.4	32.5	27.1
1271	30/06/2024 01:54	26.4	37.1	21.8	29.3	23.1
1272	30/06/2024 01:59	27.4	37.2	21.5	30.4	23.1
1273	30/06/2024 02:04	35.6	48.3	25.1	40.1	26.8
1274	30/06/2024 02:09	30.2	38.1	23.7	32.9	26.2
1275	30/06/2024 02:14	33.3	41.4	29.1	35.4	30.7
1276	30/06/2024 02:19	30.4	39.0	27.2	32.0	28.6
1277	30/06/2024 02:24	30.0	38.0	24.6	32.7	27.1
1278	30/06/2024 02:29	31.6	42.2	23.3	35.9	25.1
1279	30/06/2024 02:34	28.2	37.3	24.1	30.3	25.4
1280	30/06/2024 02:39	27.1	39.8	23.5	29.1	24.8
1281	30/06/2024 02:44	25.8	33.1	22.4	27.4	23.5
1282	30/06/2024 02:49	28.0	36.5	22.2	30.4	24.2
1283	30/06/2024 02:54	30.2	37.5	21.4	33.5	24.7
1284	30/06/2024 02:59	28.8	41.1	23.9	31.2	25.6
1285	30/06/2024 03:04	26.5	34.9	22.0	29.2	23.3
1286	30/06/2024 03:09	30.2	36.2	22.5	33.1	25.9
1287	30/06/2024 03:14	29.5	36.6	24.4	32.0	26.6
1288	30/06/2024 03:19	28.1	36.4	23.0	30.1	25.0
1289	30/06/2024 03:24	29.7	38.4	23.1	32.5	25.4
1290	30/06/2024 03:29	33.7	39.5	26.1	35.7	30.1
1291	30/06/2024 03:34	31.5	36.4	26.4	33.3	28.8
1292	30/06/2024 03:39	28.6	37.8	22.1	31.8	24.2
1293	30/06/2024 03:44	30.7	47.1	23.2	33.2	26.1
1294	30/06/2024 03:49	30.2	48.9	22.4	33.0	25.7
1295	30/06/2024 03:54	35.1	50.1	25.0	39.0	27.7
1296	30/06/2024 03:59	39.7	52.4	24.5	43.9	30.4
1297	30/06/2024 04:04	42.3	54.5	27.8	46.2	31.9
1298	30/06/2024 04:09	42.3	57.5	26.6	46.6	30.8

Address	Start Time	Measured Sound Pressure Level [dB(A)]				
		L _{Aeq,5 mins}	L _{Amax,F,5mins}	L _{Amin,5mins}	L _{A10,5mins}	L _{A90,5mins}
1299	30/06/2024 04:14	41.6	53.9	28.7	45.3	33.8
1300	30/06/2024 04:19	38.2	48.1	27.7	42.2	32.1
1301	30/06/2024 04:24	39.6	50.0	28.7	42.7	32.3
1302	30/06/2024 04:29	43.0	56.9	29.1	46.0	34.7
1303	30/06/2024 04:34	38.8	51.2	26.4	42.4	31.4
1304	30/06/2024 04:39	39.1	49.1	25.7	42.9	30.8
1305	30/06/2024 04:44	37.8	46.5	25.9	41.8	30.5
1306	30/06/2024 04:49	39.4	49.8	26.1	43.1	31.6
1307	30/06/2024 04:54	46.7	57.9	28.6	51.8	33.3
1308	30/06/2024 04:59	45.5	58.9	29.5	50.8	34.1
1309	30/06/2024 05:04	42.7	57.2	29.3	45.3	34.0
1310	30/06/2024 05:09	43.7	62.5	28.3	46.1	33.7
1311	30/06/2024 05:14	45.8	59.2	27.2	50.6	32.5
1312	30/06/2024 05:19	46.3	57.2	27.0	51.4	32.0
1313	30/06/2024 05:24	43.4	61.3	25.9	49.1	30.2
1314	30/06/2024 05:29	43.0	60.1	27.2	47.3	30.1
1315	30/06/2024 05:34	41.5	54.8	28.0	45.0	30.8
1316	30/06/2024 05:39	40.5	59.5	27.8	41.1	31.5
1317	30/06/2024 05:44	42.4	61.9	29.9	45.2	32.8
1318	30/06/2024 05:49	40.5	54.7	28.9	44.2	32.3
1319	30/06/2024 05:54	48.4	68.1	29.0	50.4	34.3
1320	30/06/2024 05:59	51.2	68.1	29.8	55.7	34.7
1321	30/06/2024 06:04	43.8	59.1	29.1	47.9	34.1
1322	30/06/2024 06:09	40.3	50.3	29.0	44.7	31.5
1323	30/06/2024 06:14	38.4	60.8	28.3	40.3	32.8
1324	30/06/2024 06:19	42.0	58.0	28.0	44.5	32.0
1325	30/06/2024 06:24	46.7	64.1	28.5	50.1	32.6
1326	30/06/2024 06:29	44.4	64.2	28.1	43.9	31.6
1327	30/06/2024 06:34	46.1	71.8	30.8	47.6	34.0
1328	30/06/2024 06:39	40.3	55.3	27.6	44.2	30.7
1329	30/06/2024 06:44	44.9	64.7	28.0	43.6	32.6
1330	30/06/2024 06:49	41.5	63.2	26.6	40.6	29.9
1331	30/06/2024 06:54	51.8	74.4	27.6	48.6	30.3
1332	30/06/2024 06:59	49.4	70.6	27.2	46.9	30.7
1333	30/06/2024 07:04	40.7	56.7	28.0	43.5	32.2
1334	30/06/2024 07:09	48.3	62.7	28.0	53.8	31.4
1335	30/06/2024 07:14	48.5	67.1	28.8	52.7	31.8
1336	30/06/2024 07:19	48.7	63.5	28.7	53.1	32.1
1337	30/06/2024 07:24	43.6	55.1	29.9	47.4	33.9
1338	30/06/2024 07:29	46.5	63.4	28.5	46.9	32.0
1339	30/06/2024 07:34	48.1	62.6	28.4	52.9	31.9
1340	30/06/2024 07:39	41.3	53.1	29.1	44.8	32.3
1341	30/06/2024 07:44	40.9	63.5	29.6	41.8	32.9
1342	30/06/2024 07:49	37.8	48.1	28.2	41.3	31.7

Address	Start Time	Measured Sound Pressure Level [dB(A)]				
		L _{Aeq,5 mins}	L _{Amax,F,5mins}	L _{Amin,5mins}	L _{A10,5mins}	L _{A90,5mins}
1343	30/06/2024 07:54	36.0	45.7	27.3	39.0	31.1
1344	30/06/2024 07:59	48.7	61.1	28.4	53.8	34.1
1345	30/06/2024 08:04	48.3	63.8	30.1	51.3	33.6
1346	30/06/2024 08:09	39.6	58.9	27.6	40.9	30.3
1347	30/06/2024 08:14	38.3	54.2	27.9	41.7	32.2
1348	30/06/2024 08:19	41.6	59.8	29.0	44.5	32.5
1349	30/06/2024 08:24	39.6	51.7	30.2	42.7	33.9
1350	30/06/2024 08:29	40.6	61.2	30.9	42.3	34.2
1351	30/06/2024 08:34	47.6	70.4	29.6	43.3	33.2
1352	30/06/2024 08:39	41.6	55.2	30.6	45.0	33.3
1353	30/06/2024 08:44	39.4	51.3	29.8	42.6	33.5
1354	30/06/2024 08:49	40.6	55.0	29.2	43.2	31.1
1355	30/06/2024 08:54	41.4	57.7	30.1	44.0	33.1
1356	30/06/2024 08:59	41.9	57.7	32.2	44.8	34.7
1357	30/06/2024 09:04	43.2	53.9	32.2	46.6	35.4
1358	30/06/2024 09:09	41.5	57.3	32.8	44.1	35.9
1359	30/06/2024 09:14	44.7	60.5	31.5	47.7	36.6
1360	30/06/2024 09:19	41.7	52.8	31.9	45.5	34.2
1361	30/06/2024 09:24	41.6	49.4	32.7	45.4	36.3
1362	30/06/2024 09:29	40.6	52.0	30.1	43.9	33.2
1363	30/06/2024 09:34	42.4	60.8	31.6	44.7	33.7
1364	30/06/2024 09:39	39.6	58.3	31.7	41.9	33.7
1365	30/06/2024 09:44	41.2	58.0	31.9	43.7	34.7
1366	30/06/2024 09:49	42.7	55.5	34.3	45.9	37.1
1367	30/06/2024 09:54	42.6	57.8	33.7	45.2	37.3
1368	30/06/2024 09:59	41.5	49.8	31.8	44.8	35.2
1369	30/06/2024 10:04	43.1	54.0	36.3	46.1	38.4
1370	30/06/2024 10:09	42.3	55.2	35.0	44.3	37.5
1371	30/06/2024 10:14	40.3	53.8	32.9	43.4	35.3
1372	30/06/2024 10:19	40.9	50.0	32.3	44.2	35.4
1373	30/06/2024 10:24	40.9	58.9	31.2	45.3	34.4
1374	30/06/2024 10:29	43.0	56.3	31.2	47.2	34.3
1375	30/06/2024 10:34	38.9	54.1	31.2	40.8	33.1
1376	30/06/2024 10:39	41.5	48.6	31.2	45.1	35.4
1377	30/06/2024 10:44	43.2	57.6	35.9	45.3	38.6
1378	30/06/2024 10:49	42.4	58.7	35.5	45.4	38.2
1379	30/06/2024 10:54	40.6	50.8	32.2	43.5	35.8
1380	30/06/2024 10:59	40.1	53.0	30.6	43.9	34.2
1381	30/06/2024 11:04	45.3	55.7	36.0	48.7	39.0
1382	30/06/2024 11:09	44.4	65.8	35.0	45.9	37.0
1383	30/06/2024 11:14	40.8	48.4	33.6	43.8	36.4
1384	30/06/2024 11:19	41.1	54.0	32.5	44.6	33.9
1385	30/06/2024 11:24	46.7	62.6	33.4	50.3	36.7
1386	30/06/2024 11:29	41.4	54.8	32.3	44.2	35.0

Address	Start Time	Measured Sound Pressure Level [dB(A)]				
		L _{Aeq,5 mins}	L _{Amax,F,5mins}	L _{Amin,5mins}	L _{A10,5mins}	L _{A90,5mins}
1387	30/06/2024 11:34	50.2	66.3	31.2	53.5	34.9
1388	30/06/2024 11:39	44.6	61.0	33.8	46.6	37.9
1389	30/06/2024 11:44	45.1	59.3	33.4	49.1	35.6
1390	30/06/2024 11:49	52.4	66.5	33.2	56.8	36.6
1391	30/06/2024 11:54	47.0	63.1	32.7	48.0	35.2
1392	30/06/2024 11:59	46.8	60.5	34.0	50.9	36.2
1393	30/06/2024 12:04	44.9	54.8	35.9	48.2	40.4
1394	30/06/2024 12:09	45.1	55.0	38.3	48.1	40.4
1395	30/06/2024 12:14	46.9	59.3	34.5	49.9	40.7
1396	30/06/2024 12:19	45.1	64.0	35.8	46.0	38.4
1397	30/06/2024 12:24	49.9	65.3	37.9	53.3	40.8
1398	30/06/2024 12:29	50.8	71.5	41.0	50.9	43.5
1399	30/06/2024 12:34	44.9	52.6	35.0	48.7	37.9
1400	30/06/2024 12:39	45.3	61.8	38.6	46.2	41.0
1401	30/06/2024 12:44	49.1	62.5	38.7	51.9	42.5
1402	30/06/2024 12:49	45.6	61.8	36.1	47.6	38.8
1403	30/06/2024 12:54	50.0	62.9	39.3	53.9	42.2
1404	30/06/2024 12:59	49.1	66.7	39.5	51.2	43.3
1405	30/06/2024 13:04	48.0	61.5	37.6	51.4	42.4
1406	30/06/2024 13:09	46.4	52.4	35.4	49.4	40.8
1407	30/06/2024 13:14	47.3	65.0	37.6	49.2	40.6
1408	30/06/2024 13:19	47.5	59.5	38.1	50.3	41.9
1409	30/06/2024 13:24	47.0	65.4	37.5	49.2	39.6
1410	30/06/2024 13:29	52.1	69.0	38.9	52.6	41.2
1411	30/06/2024 13:34	44.6	61.3	32.3	47.3	36.6
1412	30/06/2024 13:39	43.5	60.8	34.8	46.2	37.6
1413	30/06/2024 13:44	47.1	58.9	35.1	51.4	38.7
1414	30/06/2024 13:49	47.2	59.9	35.2	50.5	39.5
1415	30/06/2024 13:54	48.1	58.6	39.3	50.5	42.0
1416	30/06/2024 13:59	44.9	52.1	36.4	47.7	39.7
1417	30/06/2024 14:04	48.0	59.5	39.4	50.9	42.3
1418	30/06/2024 14:09	44.0	54.8	34.4	47.2	38.3
1419	30/06/2024 14:14	42.8	54.2	35.9	45.6	38.7
1420	30/06/2024 14:19	45.9	57.6	37.7	48.9	41.1
1421	30/06/2024 14:24	44.7	55.0	34.6	47.8	37.6
1422	30/06/2024 14:29	46.5	61.5	36.2	48.8	40.3
1423	30/06/2024 14:34	45.5	59.4	33.6	47.8	36.6
1424	30/06/2024 14:39	43.2	52.6	37.6	45.6	40.2
1425	30/06/2024 14:44	42.0	56.3	33.9	43.7	35.7
1426	30/06/2024 14:49	39.8	51.0	33.5	42.4	35.1
1427	30/06/2024 14:54	44.1	53.9	37.5	47.2	39.6
1428	30/06/2024 14:59	46.7	62.2	35.9	50.3	40.0
1429	30/06/2024 15:04	44.1	64.3	33.6	46.8	37.0
1430	30/06/2024 15:09	46.3	69.1	29.8	46.9	32.0

Address	Start Time	Measured Sound Pressure Level [dB(A)]				
		L _{Aeq,5 mins}	L _{Amax,F,5mins}	L _{Amin,5mins}	L _{A10,5mins}	L _{A90,5mins}
1431	30/06/2024 15:14	38.8	50.4	30.7	41.9	33.5
1432	30/06/2024 15:19	38.4	51.9	30.7	41.4	33.3
1433	30/06/2024 15:24	55.6	76.5	33.9	58.2	38.0
1434	30/06/2024 15:29	41.6	64.1	33.1	43.2	35.3
1435	30/06/2024 15:34	44.0	59.0	31.5	47.8	35.7
1436	30/06/2024 15:39	51.9	65.9	32.9	56.4	36.8
1437	30/06/2024 15:44	44.4	56.9	29.1	49.1	33.0
1438	30/06/2024 15:49	45.2	61.0	30.9	48.7	34.3
1439	30/06/2024 15:54	39.2	57.7	31.9	41.4	33.7
1440	30/06/2024 15:59	37.1	48.6	30.7	40.3	32.6
1441	30/06/2024 16:04	41.8	64.6	32.7	43.3	34.3
1442	30/06/2024 16:09	42.4	53.8	31.6	46.6	33.9
1443	30/06/2024 16:14	39.5	53.7	32.1	41.4	35.0
1444	30/06/2024 16:19	41.9	49.9	33.2	46.1	35.0
1445	30/06/2024 16:24	40.9	51.0	34.8	43.6	37.1
1446	30/06/2024 16:29	41.6	54.5	33.4	45.6	35.2
1447	30/06/2024 16:34	40.1	57.7	33.4	41.4	35.4
1448	30/06/2024 16:39	39.2	56.8	33.9	41.0	35.4
1449	30/06/2024 16:44	39.4	47.3	35.2	41.2	37.2
1450	30/06/2024 16:49	41.8	51.6	37.2	44.0	39.0
1451	30/06/2024 16:54	43.2	55.0	37.6	45.9	39.3
1452	30/06/2024 16:59	43.7	52.5	39.4	45.7	41.4
1453	30/06/2024 17:04	40.8	47.1	35.2	42.5	37.8
1454	30/06/2024 17:09	48.8	62.4	36.8	52.3	39.4
1455	30/06/2024 17:14	45.0	69.6	37.3	45.1	39.7
1456	30/06/2024 17:19	43.7	56.0	35.1	46.0	38.2
1457	30/06/2024 17:24	48.4	63.5	36.0	51.7	38.6
1458	30/06/2024 17:29	44.9	56.8	38.5	47.3	40.9
1459	30/06/2024 17:34	43.2	56.8	36.0	46.4	39.2
1460	30/06/2024 17:39	46.5	61.1	37.9	49.2	41.5
1461	30/06/2024 17:44	50.4	71.3	36.4	47.6	39.1
1462	30/06/2024 17:49	44.4	58.4	36.4	47.2	39.1
1463	30/06/2024 17:54	45.1	62.1	36.1	45.0	38.2
1464	30/06/2024 17:59	51.5	72.5	36.7	47.3	40.2
1465	30/06/2024 18:04	44.9	56.9	37.0	48.6	39.9
1466	30/06/2024 18:09	48.4	63.8	38.0	50.7	42.9
1467	30/06/2024 18:14	52.8	68.0	37.9	52.7	40.4
1468	30/06/2024 18:19	45.0	49.6	38.2	47.7	40.8
1469	30/06/2024 18:24	46.4	61.5	35.5	49.5	38.6
1470	30/06/2024 18:29	45.7	59.3	37.1	48.7	39.4
1471	30/06/2024 18:34	44.5	56.7	33.9	47.6	38.5
1472	30/06/2024 18:39	45.4	61.7	31.3	48.7	36.2
1473	30/06/2024 18:44	41.0	53.1	28.8	44.8	32.1
1474	30/06/2024 18:49	43.9	59.1	34.1	45.6	36.5

Address	Start Time	Measured Sound Pressure Level [dB(A)]				
		L _{Aeq,5 mins}	L _{Amax,F,5mins}	L _{Amin,5mins}	L _{A10,5mins}	L _{A90,5mins}
1475	30/06/2024 18:54	42.7	52.3	34.3	45.8	36.9
1476	30/06/2024 18:59	42.8	51.7	36.8	44.8	39.9
1477	30/06/2024 19:04	45.9	66.3	31.5	48.6	37.4
1478	30/06/2024 19:09	43.6	56.0	34.5	46.7	36.9
1479	30/06/2024 19:14	44.9	63.9	34.3	48.1	36.4
1480	30/06/2024 19:19	44.3	55.8	34.0	47.5	37.9
1481	30/06/2024 19:24	46.7	55.8	32.5	50.6	38.2
1482	30/06/2024 19:29	42.7	54.1	34.5	45.7	36.7
1483	30/06/2024 19:34	42.9	55.8	29.9	46.1	35.4
1484	30/06/2024 19:39	43.4	53.9	31.7	47.7	35.7
1485	30/06/2024 19:44	42.2	52.9	32.2	46.5	35.6
1486	30/06/2024 19:49	44.9	59.4	33.5	47.5	36.3
1487	30/06/2024 19:54	43.5	64.8	33.7	44.3	36.1
1488	30/06/2024 19:59	40.7	52.7	31.6	44.1	33.9
1489	30/06/2024 20:04	40.6	50.7	34.2	43.0	36.7
1490	30/06/2024 20:09	40.2	64.0	30.4	41.9	33.5
1491	30/06/2024 20:14	40.7	54.3	32.0	43.1	35.0
1492	30/06/2024 20:19	41.6	52.2	32.3	45.3	35.8
1493	30/06/2024 20:24	42.2	58.2	31.2	44.2	34.7
1494	30/06/2024 20:29	39.1	52.0	30.2	42.1	33.6
1495	30/06/2024 20:34	41.8	55.7	28.6	46.3	30.6
1496	30/06/2024 20:39	35.9	51.6	27.2	39.4	29.3
1497	30/06/2024 20:44	38.3	49.5	28.8	41.5	31.2
1498	30/06/2024 20:49	42.0	59.6	29.8	45.6	32.6
1499	30/06/2024 20:54	34.0	50.2	26.1	36.7	28.8
1500	30/06/2024 20:59	33.7	48.7	25.9	36.0	29.6
1501	30/06/2024 21:04	36.8	55.7	27.4	39.4	30.4
1502	30/06/2024 21:09	37.0	50.6	26.1	41.4	28.8
1503	30/06/2024 21:14	36.9	48.0	26.4	40.9	29.5
1504	30/06/2024 21:19	34.4	49.4	27.2	37.8	29.1
1505	30/06/2024 21:24	35.1	51.3	24.4	37.1	27.1
1506	30/06/2024 21:29	38.4	65.3	23.9	34.5	26.4
1507	30/06/2024 21:34	29.7	40.9	23.4	32.0	25.7
1508	30/06/2024 21:39	36.2	54.9	24.4	34.7	26.2
1509	30/06/2024 21:44	29.5	43.4	24.6	31.9	26.8
1510	30/06/2024 21:49	29.0	40.1	22.2	31.1	25.4
1511	30/06/2024 21:54	29.0	38.6	20.0	31.8	24.8
1512	30/06/2024 21:59	25.7	33.2	20.0	28.1	22.0
1513	30/06/2024 22:04	27.0	40.5	21.4	29.4	23.2
1514	30/06/2024 22:09	27.8	40.9	22.3	29.6	24.4
1515	30/06/2024 22:14	36.4	55.3	22.1	38.5	25.0
1516	30/06/2024 22:19	42.5	55.2	21.9	46.7	25.0
1517	30/06/2024 22:24	32.8	47.1	20.5	37.5	22.1
1518	30/06/2024 22:29	27.3	34.9	21.6	29.9	23.4

Address	Start Time	Measured Sound Pressure Level [dB(A)]				
		L _{Aeq,5 mins}	L _{Amax,F,5mins}	L _{Amin,5mins}	L _{A10,5mins}	L _{A90,5mins}
1519	30/06/2024 22:34	33.1	46.5	21.5	36.7	23.2
1520	30/06/2024 22:39	33.2	47.4	22.7	37.1	25.0
1521	30/06/2024 22:44	32.1	48.2	21.5	34.8	24.0
1522	30/06/2024 22:49	32.5	48.9	22.5	36.3	25.1
1523	30/06/2024 22:54	34.6	48.0	20.5	39.3	22.5
1524	30/06/2024 22:59	24.0	29.7	19.3	26.5	20.6
1525	30/06/2024 23:04	31.2	46.8	19.9	35.2	22.7
1526	30/06/2024 23:09	32.3	47.0	20.5	37.5	22.7
1527	30/06/2024 23:14	27.0	38.0	20.0	29.2	22.8
1528	30/06/2024 23:19	31.4	42.9	19.2	36.5	21.0
1529	30/06/2024 23:24	28.6	38.1	21.6	31.0	23.9
1530	30/06/2024 23:29	26.6	40.0	19.5	28.8	20.7
1531	30/06/2024 23:34	29.5	42.6	18.3	34.0	20.3
1532	30/06/2024 23:39	26.3	38.4	19.4	28.7	21.6
1533	30/06/2024 23:44	28.6	45.3	19.8	31.6	21.3
1534	30/06/2024 23:49	24.3	33.1	19.4	26.9	21.2
1535	30/06/2024 23:54	30.4	48.8	19.9	32.7	22.0
1536	30/06/2024 23:59	29.8	44.2	21.4	33.6	23.3
1537	01/07/2024 00:04	26.4	33.4	20.8	28.9	23.1
1538	01/07/2024 00:09	29.7	41.3	20.5	34.5	23.1
1539	01/07/2024 00:14	27.2	37.5	22.4	29.6	24.1
1540	01/07/2024 00:19	25.6	38.0	19.0	29.5	20.5
1541	01/07/2024 00:24	23.7	32.1	19.4	25.9	20.6
1542	01/07/2024 00:29	24.3	43.6	18.1	27.3	19.4
1543	01/07/2024 00:34	21.8	29.0	19.0	23.4	20.0
1544	01/07/2024 00:39	23.5	34.7	17.9	27.4	19.0
1545	01/07/2024 00:44	20.0	32.9	17.6	21.0	18.8
1546	01/07/2024 00:49	20.4	42.6	16.8	21.3	17.7
1547	01/07/2024 00:54	20.2	28.4	16.5	22.2	17.5
1548	01/07/2024 00:59	18.4	25.1	16.6	19.4	17.3
1549	01/07/2024 01:04	18.8	28.3	16.3	20.3	16.9
1550	01/07/2024 01:09	24.3	36.4	17.3	27.9	18.4
1551	01/07/2024 01:14	26.9	45.0	16.8	30.3	17.7
1552	01/07/2024 01:19	21.7	33.8	16.9	24.7	18.0
1553	01/07/2024 01:24	22.4	34.8	16.3	25.7	17.3
1554	01/07/2024 01:29	23.4	38.0	17.3	25.0	18.4
1555	01/07/2024 01:34	25.5	39.9	16.5	28.2	17.6
1556	01/07/2024 01:39	18.8	35.6	16.2	19.5	17.2
1557	01/07/2024 01:44	20.0	28.6	17.1	22.7	17.7
1558	01/07/2024 01:49	36.3	45.0	20.0	41.3	23.7
1559	01/07/2024 01:54	39.7	49.6	24.0	43.6	29.0
1560	01/07/2024 01:59	35.8	44.0	25.2	39.7	28.8
1561	01/07/2024 02:04	34.9	42.4	25.4	38.9	27.9
1562	01/07/2024 02:09	34.1	43.2	24.7	37.5	28.1

Address	Start Time	Measured Sound Pressure Level [dB(A)]				
		L _{Aeq,5 mins}	L _{Amax,F,5mins}	L _{Amin,5mins}	L _{A10,5mins}	L _{A90,5mins}
1563	01/07/2024 02:14	35.9	42.1	23.0	40.2	27.9
1564	01/07/2024 02:19	32.0	41.4	21.5	36.7	24.2
1565	01/07/2024 02:24	35.0	43.2	24.0	38.5	27.1
1566	01/07/2024 02:29	27.2	35.0	20.3	29.9	22.2
1567	01/07/2024 02:34	29.8	39.2	22.1	32.7	24.1
1568	01/07/2024 02:39	29.4	37.6	20.7	33.5	23.0
1569	01/07/2024 02:44	25.4	35.2	19.9	27.3	21.9
1570	01/07/2024 02:49	22.4	27.6	18.7	24.4	19.8
1571	01/07/2024 02:54	23.3	37.0	18.9	25.8	20.0
1572	01/07/2024 02:59	22.1	33.7	18.3	23.4	20.5
1573	01/07/2024 03:04	21.3	28.3	18.7	22.8	19.8
1574	01/07/2024 03:09	21.6	36.7	18.0	23.4	18.9
1575	01/07/2024 03:14	22.1	32.9	17.5	25.0	18.8
1576	01/07/2024 03:19	22.3	37.4	18.4	24.9	19.4
1577	01/07/2024 03:24	25.0	40.5	18.1	28.9	19.4
1578	01/07/2024 03:29	23.1	46.5	17.5	23.9	19.2
1579	01/07/2024 03:34	22.5	32.8	18.0	25.4	18.9
1580	01/07/2024 03:39	22.8	32.5	18.0	25.9	19.3
1581	01/07/2024 03:44	23.7	34.0	18.3	26.9	19.8
1582	01/07/2024 03:49	25.0	33.7	19.5	28.2	20.8
1583	01/07/2024 03:54	27.8	37.8	20.1	30.9	21.9
1584	01/07/2024 03:59	30.3	42.1	21.9	33.3	25.1
1585	01/07/2024 04:04	31.4	42.0	23.2	34.8	26.4
1586	01/07/2024 04:09	46.8	58.5	24.3	51.5	29.4
1587	01/07/2024 04:14	44.6	59.8	24.5	49.0	28.5
1588	01/07/2024 04:19	42.3	58.9	24.9	46.1	30.5
1589	01/07/2024 04:24	39.4	51.4	26.2	43.6	30.3
1590	01/07/2024 04:29	36.2	47.6	24.1	40.1	28.4
1591	01/07/2024 04:34	39.4	49.0	25.2	43.5	30.1
1592	01/07/2024 04:39	46.0	65.3	24.7	45.4	29.4
1593	01/07/2024 04:44	37.1	49.3	24.6	41.4	28.3
1594	01/07/2024 04:49	44.2	59.0	25.6	50.2	29.6
1595	01/07/2024 04:54	46.7	58.3	26.8	52.3	31.7
1596	01/07/2024 04:59	43.2	54.1	27.3	49.1	31.9
1597	01/07/2024 05:04	44.6	59.6	29.6	48.3	34.2
1598	01/07/2024 05:09	40.5	54.4	28.0	43.5	32.5
1599	01/07/2024 05:14	42.0	57.9	26.6	45.3	29.9
1600	01/07/2024 05:19	42.7	61.8	28.1	44.9	33.3
1601	01/07/2024 05:24	42.3	59.6	28.1	43.7	31.0
1602	01/07/2024 05:29	41.9	53.0	26.7	46.0	32.7
1603	01/07/2024 05:34	41.9	59.3	28.6	44.9	32.5
1604	01/07/2024 05:39	42.1	61.9	27.9	46.2	31.1
1605	01/07/2024 05:44	42.5	56.5	30.2	45.9	32.6
1606	01/07/2024 05:49	39.1	56.4	28.0	42.1	30.8

Address	Start Time	Measured Sound Pressure Level [dB(A)]				
		L _{Aeq,5 mins}	L _{Amax,F,5mins}	L _{Amin,5mins}	L _{A10,5mins}	L _{A90,5mins}
1607	01/07/2024 05:54	38.7	55.3	28.5	41.5	32.0
1608	01/07/2024 05:59	39.3	54.6	30.6	43.4	33.0
1609	01/07/2024 06:04	35.3	42.8	30.6	37.8	32.1
1610	01/07/2024 06:09	37.8	50.6	29.8	41.0	31.5
1611	01/07/2024 06:14	37.8	47.4	30.0	41.5	32.8
1612	01/07/2024 06:19	39.7	58.3	31.5	40.2	33.1
1613	01/07/2024 06:24	47.9	65.0	29.9	51.1	33.1
1614	01/07/2024 06:29	44.6	65.0	30.5	46.6	33.4
1615	01/07/2024 06:34	40.4	57.2	30.9	43.4	33.3
1616	01/07/2024 06:39	45.1	61.9	31.5	45.3	33.8
1617	01/07/2024 06:44	40.0	60.9	32.3	39.6	34.2
1618	01/07/2024 06:49	38.4	56.3	31.5	40.7	33.6
1619	01/07/2024 06:54	44.5	64.8	31.6	43.4	33.6
1620	01/07/2024 06:59	41.1	51.3	33.9	44.7	36.3
1621	01/07/2024 07:04	40.2	51.5	33.3	43.7	36.0
1622	01/07/2024 07:09	45.0	64.0	33.3	45.2	35.6
1623	01/07/2024 07:14	39.7	61.2	31.3	41.6	33.9
1624	01/07/2024 07:19	44.4	60.8	31.3	46.9	34.5
1625	01/07/2024 07:24	44.4	57.3	30.8	49.1	34.2
1626	01/07/2024 07:29	41.3	56.1	31.6	43.6	33.8
1627	01/07/2024 07:34	41.8	58.6	32.8	45.4	35.0
1628	01/07/2024 07:39	44.5	61.4	33.1	47.2	35.5
1629	01/07/2024 07:44	43.8	55.4	34.2	47.5	37.4
1630	01/07/2024 07:49	44.2	58.1	31.8	48.2	35.9
1631	01/07/2024 07:54	40.9	62.9	31.1	42.2	34.0
1632	01/07/2024 07:59	39.9	53.9	32.3	43.6	34.5
1633	01/07/2024 08:04	41.0	51.9	33.0	44.5	35.5
1634	01/07/2024 08:09	39.3	49.4	34.4	41.5	36.4
1635	01/07/2024 08:14	40.2	50.9	34.5	42.8	36.6
1636	01/07/2024 08:19	43.1	56.2	32.9	45.3	36.7
1637	01/07/2024 08:24	39.5	55.8	33.7	41.6	35.7
1638	01/07/2024 08:29	42.4	54.9	34.4	45.0	36.9
1639	01/07/2024 08:34	43.1	54.3	34.1	46.4	36.3
1640	01/07/2024 08:39	40.6	58.6	33.2	43.0	35.9
1641	01/07/2024 08:44	47.8	62.3	33.1	51.8	36.4
1642	01/07/2024 08:49	42.6	55.4	33.4	46.1	36.0
1643	01/07/2024 08:54	45.7	64.5	34.7	47.8	37.4
1644	01/07/2024 08:59	41.1	56.3	34.3	42.8	36.2
1645	01/07/2024 09:04	42.4	58.8	35.1	44.8	37.0
1646	01/07/2024 09:09	44.8	57.1	34.8	48.2	37.5
1647	01/07/2024 09:14	41.3	56.8	33.6	43.6	36.1
1648	01/07/2024 09:19	44.9	55.9	36.4	47.9	38.9
1649	01/07/2024 09:24	41.1	51.0	33.5	44.3	36.1
1650	01/07/2024 09:29	43.4	67.2	34.8	43.6	37.6

Address	Start Time	Measured Sound Pressure Level [dB(A)]				
		L _{Aeq,5 mins}	L _{Amax,F,5mins}	L _{Amin,5mins}	L _{A10,5mins}	L _{A90,5mins}
1651	01/07/2024 09:34	41.1	51.6	32.2	45.4	35.0
1652	01/07/2024 09:39	45.5	64.8	35.8	47.8	39.4
1653	01/07/2024 09:44	41.2	53.8	34.7	44.2	37.0
1654	01/07/2024 09:49	45.3	54.7	34.6	50.0	37.7
1655	01/07/2024 09:54	47.8	64.2	35.1	51.5	38.8
1656	01/07/2024 09:59	46.0	58.6	36.0	50.2	38.3
1657	01/07/2024 10:04	48.3	65.4	36.3	51.8	39.2
1658	01/07/2024 10:09	46.8	59.8	34.9	50.7	38.2
1659	01/07/2024 10:14	46.4	58.2	38.1	50.5	41.0
1660	01/07/2024 10:19	48.4	60.2	36.5	51.0	42.1
1661	01/07/2024 10:24	46.5	61.2	35.6	48.2	41.5
1662	01/07/2024 10:29	52.2	67.6	39.4	56.2	44.3
1663	01/07/2024 10:34	46.8	61.8	40.2	49.4	43.2
1664	01/07/2024 10:39	48.4	62.5	35.8	51.0	43.1
1665	01/07/2024 10:44	48.8	60.4	35.6	52.2	41.0
1666	01/07/2024 10:49	47.4	58.5	38.8	50.9	42.0
1667	01/07/2024 10:54	45.0	57.3	37.0	48.3	39.6
1668	01/07/2024 10:59	41.2	53.9	34.0	44.0	36.6
1669	01/07/2024 11:04	42.2	55.9	34.2	44.9	37.0
1670	01/07/2024 11:09	47.6	62.6	37.9	51.2	40.4
1671	01/07/2024 11:14	53.7	65.6	39.9	57.7	43.7
1672	01/07/2024 11:19	47.4	60.6	39.4	49.3	42.4
1673	01/07/2024 11:24	49.8	66.5	41.0	52.2	43.6
1674	01/07/2024 11:29	48.4	59.5	39.9	51.3	42.7
1675	01/07/2024 11:34	46.3	55.7	38.7	49.0	41.9
1676	01/07/2024 11:39	51.3	64.9	43.5	53.4	46.8
1677	01/07/2024 11:44	45.4	57.1	37.7	48.2	40.8
1678	01/07/2024 11:49	43.4	52.0	37.2	46.6	39.5
1679	01/07/2024 11:54	41.7	51.4	34.7	44.6	37.1
1680	01/07/2024 11:59	44.4	51.9	34.9	47.9	39.0
1681	01/07/2024 12:04	47.6	57.5	38.3	51.4	41.0
1682	01/07/2024 12:09	45.1	54.4	34.7	48.5	38.5
1683	01/07/2024 12:14	40.2	53.1	33.9	42.4	35.7
1684	01/07/2024 12:19	42.2	48.5	36.5	44.7	38.7
1685	01/07/2024 12:24	43.8	56.5	34.8	48.0	36.9
1686	01/07/2024 12:29	41.6	53.5	36.3	44.2	38.2
1687	01/07/2024 12:34	42.1	51.6	35.6	44.6	37.8
1688	01/07/2024 12:39	44.5	54.1	38.4	47.2	40.6
1689	01/07/2024 12:44	43.3	55.0	36.6	46.1	38.9
1690	01/07/2024 12:49	45.4	57.2	36.3	49.7	38.9
1691	01/07/2024 12:54	46.0	58.8	37.1	47.9	40.0
1692	01/07/2024 12:59	45.2	58.1	37.3	48.1	39.7
1693	01/07/2024 13:04	49.3	66.8	39.5	53.3	41.8
1694	01/07/2024 13:09	44.1	53.9	37.3	46.6	41.0

Address	Start Time	Measured Sound Pressure Level [dB(A)]				
		L _{Aeq,5 mins}	L _{Amax,F,5mins}	L _{Amin,5mins}	L _{A10,5mins}	L _{A90,5mins}
1695	01/07/2024 13:14	43.9	62.0	38.7	46.1	40.2
1696	01/07/2024 13:19	48.9	65.1	40.3	54.2	41.9
1697	01/07/2024 13:24	52.7	59.5	44.3	55.2	48.4
1698	01/07/2024 13:29	53.0	63.3	45.0	56.5	47.6
1699	01/07/2024 13:34	54.4	64.2	46.3	56.7	50.2
1700	01/07/2024 13:39	54.2	63.1	44.4	57.6	46.5
1701	01/07/2024 13:44	55.8	63.8	46.6	58.6	50.7
1702	01/07/2024 13:49	55.5	62.5	47.2	58.8	50.0
1703	01/07/2024 13:54	56.0	62.6	46.0	58.3	51.6
1704	01/07/2024 13:59	53.3	58.6	44.2	55.9	48.2
1705	01/07/2024 14:04	54.3	62.0	46.8	57.3	49.1
1706	01/07/2024 14:09	53.6	62.8	46.2	56.5	48.8
1707	01/07/2024 14:14	53.4	59.8	46.8	55.5	49.6
1708	01/07/2024 14:19	53.7	59.4	47.0	56.0	49.9
1709	01/07/2024 14:24	52.1	57.3	43.7	54.9	47.6
1710	01/07/2024 14:29	51.4	60.2	44.2	54.2	46.9
1711	01/07/2024 14:34	57.2	65.3	47.8	59.8	51.6
1712	01/07/2024 14:39	55.6	66.1	47.7	58.4	51.4
1713	01/07/2024 14:44	55.1	61.8	46.1	57.7	49.4
1714	01/07/2024 14:49	56.5	62.1	48.1	59.5	52.1
1715	01/07/2024 14:54	51.8	58.5	45.2	54.6	48.1
1716	01/07/2024 14:59	51.5	61.7	45.3	53.9	47.3
1717	01/07/2024 15:04	55.0	65.5	44.2	57.9	48.6
1718	01/07/2024 15:09	52.2	58.0	46.1	55.3	48.1
1719	01/07/2024 15:14	49.4	60.2	42.2	52.4	44.2
1720	01/07/2024 15:19	47.3	57.7	41.8	49.6	44.3
1721	01/07/2024 15:24	45.1	57.0	40.4	47.2	42.0
1722	01/07/2024 15:29	50.8	56.6	42.0	53.9	45.6
1723	01/07/2024 15:34	52.0	65.4	46.6	54.5	48.2
1724	01/07/2024 15:39	48.1	60.4	39.7	50.7	42.4
1725	01/07/2024 15:44	50.8	56.2	44.5	53.1	46.3
1726	01/07/2024 15:49	50.7	56.9	43.9	53.2	46.1
1727	01/07/2024 15:54	49.0	58.7	39.7	52.4	41.9
1728	01/07/2024 15:59	50.6	57.5	41.9	53.8	45.0
1729	01/07/2024 16:04	47.8	54.1	39.1	50.9	42.1
1730	01/07/2024 16:09	50.2	64.4	39.1	52.6	43.5
1731	01/07/2024 16:14	50.8	66.5	40.8	52.9	44.6
1732	01/07/2024 16:19	45.9	55.4	39.5	48.7	42.4
1733	01/07/2024 16:24	50.0	56.9	41.6	53.4	45.1
1734	01/07/2024 16:29	51.6	63.5	41.5	54.7	44.2
1735	01/07/2024 16:34	51.0	57.9	41.9	54.3	44.3
1736	01/07/2024 16:39	51.5	57.3	42.9	54.4	45.6
1737	01/07/2024 16:44	52.7	62.8	46.6	54.8	49.8
1738	01/07/2024 16:49	50.9	58.0	44.2	53.0	47.6

Address	Start Time	Measured Sound Pressure Level [dB(A)]				
		L _{Aeq,5 mins}	L _{Amax,F,5mins}	L _{Amin,5mins}	L _{A10,5mins}	L _{A90,5mins}
1739	01/07/2024 16:54	48.9	58.6	41.7	51.7	44.7
1740	01/07/2024 16:59	51.1	61.9	43.0	54.3	45.4
1741	01/07/2024 17:04	49.3	56.2	40.9	52.2	45.0
1742	01/07/2024 17:09	52.3	69.8	43.5	55.0	45.9
1743	01/07/2024 17:14	50.3	58.1	39.4	53.9	43.2
1744	01/07/2024 17:19	50.3	57.3	41.0	53.2	44.3
1745	01/07/2024 17:24	49.6	55.7	40.4	52.9	44.5
1746	01/07/2024 17:29	48.2	52.5	41.9	50.2	45.2
1747	01/07/2024 17:34	47.5	59.2	39.8	51.1	42.3
1748	01/07/2024 17:39	48.0	54.2	41.2	51.4	43.2
1749	01/07/2024 17:44	48.0	53.4	41.3	50.7	44.1
1750	01/07/2024 17:49	48.2	58.7	40.0	51.3	42.8
1751	01/07/2024 17:54	51.6	56.8	43.5	54.3	46.5
1752	01/07/2024 17:59	49.8	58.6	42.3	52.5	45.6
1753	01/07/2024 18:04	50.4	57.0	43.6	53.0	46.4
1754	01/07/2024 18:09	51.3	56.2	43.0	54.1	46.8
1755	01/07/2024 18:14	52.1	58.1	41.7	54.7	47.4
1756	01/07/2024 18:19	48.6	52.4	42.2	50.6	45.9
1757	01/07/2024 18:24	47.3	56.8	39.8	50.3	42.1
1758	01/07/2024 18:29	46.5	52.4	39.2	50.3	41.6
1759	01/07/2024 18:34	46.8	57.2	37.8	49.9	41.1
1760	01/07/2024 18:39	48.1	54.2	40.3	50.9	44.3
1761	01/07/2024 18:44	48.7	57.7	40.0	51.7	43.1
1762	01/07/2024 18:49	46.1	58.6	38.8	48.4	42.5
1763	01/07/2024 18:54	43.3	53.6	36.8	45.9	39.3
1764	01/07/2024 18:59	43.1	51.7	36.8	46.1	39.3
1765	01/07/2024 19:04	43.9	55.1	35.7	46.2	39.0
1766	01/07/2024 19:09	44.5	59.8	38.6	46.6	40.3
1767	01/07/2024 19:14	43.5	64.9	35.6	45.8	38.4
1768	01/07/2024 19:19	45.2	61.8	35.3	47.3	37.6
1769	01/07/2024 19:24	43.1	54.5	37.0	45.7	39.4
1770	01/07/2024 19:29	42.7	52.8	36.6	45.1	38.8
1771	01/07/2024 19:34	41.8	55.2	36.5	43.8	38.3
1772	01/07/2024 19:39	43.1	53.9	34.1	46.2	37.3
1773	01/07/2024 19:44	42.9	59.6	36.7	45.3	39.0
1774	01/07/2024 19:49	40.8	52.9	34.9	43.1	37.3
1775	01/07/2024 19:54	38.9	48.8	32.2	42.0	34.8
1776	01/07/2024 19:59	41.7	52.8	32.8	45.3	36.0
1777	01/07/2024 20:04	38.3	54.1	31.0	40.6	33.6
1778	01/07/2024 20:09	40.7	58.7	33.4	43.0	36.1
1779	01/07/2024 20:14	40.9	52.0	33.7	43.9	36.6
1780	01/07/2024 20:19	39.3	62.5	33.0	41.7	35.3
1781	01/07/2024 20:24	41.0	56.2	33.1	45.2	35.5
1782	01/07/2024 20:29	40.5	50.0	34.7	43.2	37.0

Address	Start Time	Measured Sound Pressure Level [dB(A)]				
		L _{Aeq,5 mins}	L _{Amax,F,5mins}	L _{Amin,5mins}	L _{A10,5mins}	L _{A90,5mins}
1783	01/07/2024 20:34	42.2	55.0	34.2	44.7	38.3
1784	01/07/2024 20:39	42.1	50.5	35.1	45.0	37.6
1785	01/07/2024 20:44	40.2	49.4	34.4	42.6	36.7
1786	01/07/2024 20:49	40.6	56.5	32.1	44.2	34.5
1787	01/07/2024 20:54	42.1	57.1	31.4	45.4	35.2
1788	01/07/2024 20:59	45.6	63.1	30.7	49.7	33.8
1789	01/07/2024 21:04	39.3	53.1	31.0	41.4	33.8
1790	01/07/2024 21:09	41.1	56.2	31.2	45.1	34.0
1791	01/07/2024 21:14	35.9	49.7	29.4	37.8	32.9
1792	01/07/2024 21:19	38.5	51.4	26.7	40.6	30.3
1793	01/07/2024 21:24	39.0	63.8	29.3	39.3	32.7
1794	01/07/2024 21:29	35.1	46.3	28.6	37.2	31.2
1795	01/07/2024 21:34	34.9	47.0	28.6	37.5	30.5
1796	01/07/2024 21:39	40.5	56.5	31.3	44.7	33.2
1797	01/07/2024 21:44	33.8	48.2	28.4	35.6	30.9
1798	01/07/2024 21:49	33.7	42.5	28.4	35.6	31.1
1799	01/07/2024 21:54	33.7	41.3	29.0	35.8	30.8
1800	01/07/2024 21:59	36.5	46.9	29.1	39.3	32.7
1801	01/07/2024 22:04	38.3	50.1	27.9	42.4	30.4
1802	01/07/2024 22:09	34.8	47.4	28.0	37.6	30.2
1803	01/07/2024 22:14	35.5	40.2	28.9	37.6	31.2
1804	01/07/2024 22:19	34.3	46.4	28.2	36.1	31.3
1805	01/07/2024 22:24	36.4	45.7	29.2	39.0	31.4
1806	01/07/2024 22:29	33.0	40.9	26.8	35.6	29.6
1807	01/07/2024 22:34	33.4	41.4	27.0	35.9	29.7
1808	01/07/2024 22:39	33.7	39.0	27.8	36.6	30.1
1809	01/07/2024 22:44	38.5	48.2	30.2	42.3	32.9
1810	01/07/2024 22:49	35.6	44.1	27.4	38.6	29.4
1811	01/07/2024 22:54	33.8	43.0	26.7	36.6	29.7
1812	01/07/2024 22:59	37.0	47.1	26.4	40.8	28.6
1813	01/07/2024 23:04	35.9	45.1	25.8	39.9	28.3
1814	01/07/2024 23:09	38.3	49.2	27.7	41.8	31.7
1815	01/07/2024 23:14	42.4	57.0	28.5	44.7	32.7
1816	01/07/2024 23:19	35.4	43.7	27.0	38.8	31.0
1817	01/07/2024 23:24	33.1	45.8	23.7	36.8	26.8
1818	01/07/2024 23:29	31.3	38.9	24.3	34.2	27.2
1819	01/07/2024 23:34	32.4	50.8	24.8	34.5	27.6
1820	01/07/2024 23:39	36.6	46.9	26.7	40.8	29.5
1821	01/07/2024 23:44	44.5	51.8	29.1	47.2	33.8
1822	01/07/2024 23:49	41.8	48.8	33.7	44.9	36.2
1823	01/07/2024 23:54	36.4	48.9	28.1	39.8	30.6
1824	01/07/2024 23:59	35.7	47.5	28.5	38.8	31.2
1825	02/07/2024 00:04	37.4	53.5	26.3	41.3	28.8
1826	02/07/2024 00:09	31.7	38.6	25.1	34.4	27.0

Address	Start Time	Measured Sound Pressure Level [dB(A)]				
		L _{Aeq,5 mins}	L _{Amax,F,5mins}	L _{Amin,5mins}	L _{A10,5mins}	L _{A90,5mins}
1827	02/07/2024 00:14	33.3	42.5	24.7	36.6	28.0
1828	02/07/2024 00:19	34.1	44.9	24.9	37.6	28.2
1829	02/07/2024 00:24	32.8	44.5	22.8	36.3	26.0
1830	02/07/2024 00:29	33.6	43.4	24.7	36.2	28.4
1831	02/07/2024 00:34	33.6	40.0	24.9	36.5	28.3
1832	02/07/2024 00:39	33.7	42.4	24.6	37.5	27.0
1833	02/07/2024 00:44	29.3	36.1	23.0	31.9	25.6
1834	02/07/2024 00:49	27.5	36.7	20.3	29.6	22.4
1835	02/07/2024 00:54	24.8	33.5	19.0	27.7	20.6
1836	02/07/2024 00:59	26.3	36.6	19.0	29.4	20.7
1837	02/07/2024 01:04	31.2	37.6	23.0	34.1	25.9
1838	02/07/2024 01:09	29.5	41.5	22.1	32.5	25.0
1839	02/07/2024 01:14	25.3	39.6	19.2	27.8	21.6
1840	02/07/2024 01:19	25.6	32.2	19.9	29.0	21.5
1841	02/07/2024 01:24	33.7	51.3	18.9	30.0	22.3
1842	02/07/2024 01:29	33.0	51.4	20.4	33.0	22.4
1843	02/07/2024 01:34	26.4	38.0	20.0	28.9	22.3
1844	02/07/2024 01:39	38.5	54.6	19.0	43.0	21.4
1845	02/07/2024 01:44	25.7	42.3	18.1	27.8	21.4
1846	02/07/2024 01:49	28.4	37.4	20.0	32.0	22.3
1847	02/07/2024 01:54	31.1	41.2	21.2	34.5	25.0
1848	02/07/2024 01:59	31.2	39.9	19.5	35.0	24.1
1849	02/07/2024 02:04	32.5	38.2	24.8	36.1	27.1
1850	02/07/2024 02:09	28.9	35.0	22.1	31.3	23.7
1851	02/07/2024 02:14	29.8	36.7	21.2	32.6	25.5
1852	02/07/2024 02:19	30.8	41.5	21.4	34.6	24.2
1853	02/07/2024 02:24	28.2	39.5	18.4	32.2	19.8
1854	02/07/2024 02:29	24.5	31.0	19.4	26.9	21.1
1855	02/07/2024 02:34	22.8	30.0	19.3	24.6	20.6
1856	02/07/2024 02:39	22.6	29.6	18.3	24.6	19.6
1857	02/07/2024 02:44	20.4	28.0	17.2	21.8	18.7
1858	02/07/2024 02:49	27.2	42.6	19.0	31.7	20.4
1859	02/07/2024 02:54	27.9	40.9	19.5	32.9	20.7
1860	02/07/2024 02:59	23.0	34.5	19.5	24.9	20.7
1861	02/07/2024 03:04	22.5	31.3	17.2	25.0	18.9
1862	02/07/2024 03:09	23.5	31.4	21.2	25.2	22.2
1863	02/07/2024 03:14	26.3	38.7	20.5	29.5	21.8
1864	02/07/2024 03:19	29.2	43.3	22.0	32.5	23.6
1865	02/07/2024 03:24	26.9	34.5	21.4	29.4	23.4
1866	02/07/2024 03:29	29.1	36.6	25.1	30.8	26.6
1867	02/07/2024 03:34	30.1	39.0	22.3	33.5	24.7
1868	02/07/2024 03:39	27.6	37.7	19.6	31.0	21.8
1869	02/07/2024 03:44	30.6	41.9	22.1	33.2	26.4
1870	02/07/2024 03:49	30.0	38.4	23.7	32.6	26.4

Address	Start Time	Measured Sound Pressure Level [dB(A)]				
		L _{Aeq,5 mins}	L _{Amax,F,5mins}	L _{Amin,5mins}	L _{A10,5mins}	L _{A90,5mins}
1871	02/07/2024 03:54	34.1	42.3	26.5	37.0	29.3
1872	02/07/2024 03:59	35.8	44.3	26.8	38.7	30.1
1873	02/07/2024 04:04	35.4	47.0	26.6	38.7	29.8
1874	02/07/2024 04:09	38.6	52.0	24.2	43.1	28.6
1875	02/07/2024 04:14	40.9	53.7	26.3	45.0	31.7
1876	02/07/2024 04:19	43.4	56.4	26.6	47.5	32.8
1877	02/07/2024 04:24	39.3	53.0	28.1	42.8	32.2
1878	02/07/2024 04:29	40.5	54.9	25.2	44.4	30.2
1879	02/07/2024 04:34	42.8	59.6	26.4	45.4	30.6
1880	02/07/2024 04:39	48.3	65.1	28.3	52.7	32.2
1881	02/07/2024 04:44	43.3	58.7	26.2	47.3	31.2
1882	02/07/2024 04:49	42.6	62.5	26.2	44.7	30.1
1883	02/07/2024 04:54	42.9	53.1	30.4	46.6	35.5
1884	02/07/2024 04:59	44.7	56.3	29.9	48.7	35.4
1885	02/07/2024 05:04	45.1	59.2	32.1	48.4	36.6
1886	02/07/2024 05:09	50.2	61.5	35.9	53.5	43.7
1887	02/07/2024 05:14	42.4	55.6	31.8	46.2	36.0
1888	02/07/2024 05:19	46.1	64.9	33.7	47.9	38.5
1889	02/07/2024 05:24	47.6	63.0	34.0	51.1	38.8
1890	02/07/2024 05:29	43.9	64.7	31.9	43.7	35.7
1891	02/07/2024 05:34	45.4	57.7	31.5	48.2	36.2
1892	02/07/2024 05:39	45.1	56.2	32.8	49.0	36.3
1893	02/07/2024 05:44	42.4	55.9	32.7	44.8	37.1
1894	02/07/2024 05:49	48.2	70.5	30.4	44.3	35.1
1895	02/07/2024 05:54	43.4	58.6	31.2	46.7	36.2
1896	02/07/2024 05:59	44.9	58.7	32.5	47.9	35.2
1897	02/07/2024 06:04	38.6	50.7	28.7	42.0	32.8
1898	02/07/2024 06:09	42.8	66.1	31.2	45.4	33.8
1899	02/07/2024 06:14	40.1	51.5	29.8	43.2	34.1
1900	02/07/2024 06:19	41.8	51.6	31.1	45.5	34.6
1901	02/07/2024 06:24	38.4	56.2	32.2	40.4	34.3
1902	02/07/2024 06:29	40.4	56.0	32.3	41.8	35.3
1903	02/07/2024 06:34	46.1	64.9	32.6	48.0	37.1
1904	02/07/2024 06:39	43.1	52.3	33.6	45.9	38.0
1905	02/07/2024 06:44	45.9	68.7	33.3	46.4	37.5
1906	02/07/2024 06:49	45.8	63.3	36.6	47.4	40.3
1907	02/07/2024 06:54	48.7	68.4	35.4	49.0	38.9
1908	02/07/2024 06:59	46.2	55.6	35.6	49.1	38.9
1909	02/07/2024 07:04	48.4	55.4	38.2	51.6	42.5
1910	02/07/2024 07:09	46.1	58.4	37.0	48.6	41.5
1911	02/07/2024 07:14	45.3	58.4	37.8	47.4	40.7
1912	02/07/2024 07:19	51.7	68.3	37.1	54.4	42.1
1913	02/07/2024 07:24	46.7	61.0	36.4	50.0	40.4
1914	02/07/2024 07:29	46.3	53.2	37.6	49.8	40.4

Address	Start Time	Measured Sound Pressure Level [dB(A)]				
		L _{Aeq,5 mins}	L _{Amax,F,5mins}	L _{Amin,5mins}	L _{A10,5mins}	L _{A90,5mins}
1915	02/07/2024 07:34	49.8	62.0	38.6	53.8	42.7
1916	02/07/2024 07:39	49.0	68.5	39.3	51.0	43.1
1917	02/07/2024 07:44	47.3	64.0	39.3	50.3	41.4
1918	02/07/2024 07:49	48.8	60.3	40.3	51.6	44.5
1919	02/07/2024 07:54	49.6	68.1	41.4	52.5	44.2
1920	02/07/2024 07:59	50.0	67.2	39.5	53.5	42.2
1921	02/07/2024 08:04	46.6	52.0	39.0	50.0	41.4
1922	02/07/2024 08:09	50.6	58.5	40.3	53.9	43.0
1923	02/07/2024 08:14	50.2	57.0	40.7	53.7	44.0
1924	02/07/2024 08:19	54.6	64.0	43.8	58.1	47.1
1925	02/07/2024 08:24	53.5	60.6	39.9	57.3	44.4
1926	02/07/2024 08:29	53.0	60.6	42.8	56.4	46.2
1927	02/07/2024 08:34	50.9	59.8	40.5	54.6	43.7
1928	02/07/2024 08:39	46.1	53.2	39.5	48.9	41.8
1929	02/07/2024 08:44	50.0	62.8	38.5	53.8	42.4
1930	02/07/2024 08:49	53.5	73.1	39.2	54.8	42.0
1931	02/07/2024 08:54	46.8	53.7	37.3	50.3	40.2
1932	02/07/2024 08:59	47.2	53.6	38.7	50.3	42.0
1933	02/07/2024 09:04	46.3	53.9	37.0	50.0	39.6
1934	02/07/2024 09:09	48.7	59.4	40.4	52.0	42.5
1935	02/07/2024 09:14	49.2	64.6	39.9	52.1	42.6
1936	02/07/2024 09:19	48.4	60.0	39.8	51.1	43.6
1937	02/07/2024 09:24	49.3	63.6	41.0	52.6	43.9
1938	02/07/2024 09:29	50.6	57.1	43.8	53.3	46.7
1939	02/07/2024 09:34	50.3	57.9	43.8	52.6	47.1
1940	02/07/2024 09:39	48.3	56.0	40.7	50.9	43.9
1941	02/07/2024 09:44	47.6	53.6	42.0	50.3	44.1
1942	02/07/2024 09:49	51.4	58.0	43.8	54.6	47.0
1943	02/07/2024 09:54	51.1	62.0	39.9	53.8	46.6
1944	02/07/2024 09:59	47.7	55.6	40.6	50.2	43.6
1945	02/07/2024 10:04	51.1	57.6	41.5	54.6	45.3
1946	02/07/2024 10:09	50.7	57.7	40.2	54.8	42.5
1947	02/07/2024 10:14	50.3	57.9	41.5	53.9	44.4
1948	02/07/2024 10:19	47.4	55.1	39.7	50.1	42.8
1949	02/07/2024 10:24	50.2	65.4	42.5	52.6	46.2
1950	02/07/2024 10:29	48.2	58.1	39.7	51.6	42.3
1951	02/07/2024 10:34	47.7	65.8	38.8	52.2	40.9

Appendix C – Attended Noise Monitoring Results

Instrumentation

Type	Item	Serial No.	Last External Calibration
Rion type NA-28	Sound Level Meter	01001568	15/05/2023
Rion type NH-23	Pre-amplifier	01613	15/05/2023
Rion type UC-59	Microphone	02186	15/05/2023
Rion Type NC-74	Sound Calibrator	34851847	13/05/2024

On-site Calibration

Before survey:	94.0 dB (re 94.0)
After survey:	94.0 dB (re 94.0)

Filename: 2506

Measurement Data				Unweighted Octave Band Sound Pressure Level [dB]								Overall [dB(A)]	Comments
ID	Start Time	Duration	Metric	63 Hz	125 Hz	250 Hz	500 Hz	1 kHz	2 kHz	4 kHz	8 kHz		
12	16:39	5 mins	L _{eq}	54.7	48.4	40.4	39.3	35.9	32.0	28.2	22.5	41.6	Some industrial noise from the south.
			L _{max}	76.2	73.6	70.2	66.5	62.7	59.0	61.3	50.6	68.8	
			L ₉₀	48.5	40.3	31.6	30.8	30.5	24.6	17.6	14.6	35.3	
13	16:44	5 mins	L _{eq}	52.2	44.8	38.4	37.5	33.2	28.7	22.3	17.1	38.9	No industrial noise from the south except a bird scare shot towards the end of the measurement.
			L _{max}	66.2	54.0	50.7	52.3	49.9	44.2	40.3	32.6	52.7	
			L ₉₀	46.2	38.7	30.4	30.4	30.0	24.4	17.6	14.6	35.1	



Phlorum Limited

Head Office & Registered Office:

Unit 12
Hunns Mere Way
Woodingdean
Brighton
East Sussex
BN2 6AH

www.phlorum.com

Registered in England & Wales. Reg No. 4967256