

Bronte Welham

From: Amanda Scholes on behalf of Planning.Responses
Sent: 03 April 2017 09:05
To: Planning Scanning
Subject: FW: LU/13/15/PL RE: 39861 The Old Dairy, Littlehampton
Attachments: 39861-003 Littlehampton - Verification of Remediation Works.pdf

Follow Up Flag: Follow up
Flag Status: Completed

Sent: 03 April 2017 08:52
To: Matthew Kennett
Cc: Anita Gardner; Planning.Responses; Catherine Topliss
Subject: RE: LU/13/15/PL RE: 39861 The Old Dairy, Littlehampton

Good Morning Matthew,

Further to your email below, please find attached our 'Verification of Remediation Works' report, ref 39861/003.

If you have any questions or comments regarding this please do not hesitate to contact us.

Regards

Ruth Noble
Geotechnical/Geo-environmental Engineer

Eastwood&Partners
CONSULTING ENGINEERS

Eastwood & Partners (Consulting Engineers) Ltd is a company registered in England and Wales registered No 1835021.
Centaur House, Ancells Business Park, Ancells Road, Fleet, Hampshire, GU51 2UJ
Registered office: St Andrew's House, 23 Kingfield Road, Sheffield, S11 9AS

Email confidentiality notice: This message is private and confidential. If you have received this message in error, please notify us and remove it from your system.

Sent: 22 February 2017 12:02
To: 'Ruth Noble'
Cc: Anita Gardner; Planning.Responses
Subject: LU/13/15/PL RE: 39861 The Old Dairy, Littlehampton

Hi Ruth,

Thank you for forwarding me the investigation and remediation reports. Now that significant contamination has been discovered and the site requires remediation to make it suitable for residential use, please provide a verification report. The verification report will need to detail the measures proposed in the remediation report (ref:

39861-002 AUGUST 2016). Once this verification report has been received and approved by the council, condition 8 of LU/13/15/PL will be able to be passed.

Kind Regards

Matthew Kennett
Pollution Officer
Environmental Health Department

[REDACTED]
Arun Civic Centre, Maltravers Road, Littlehampton BN17 5LF
<http://www.arun.gov.uk/eh>



Sent: 21 February 2017 09:45
To: Matthew Kennett
Cc: Catherine Topliss
Subject: RE: 39861 The Old Dairy, Littlehampton

Hi Matthew,

Please find attached a copy of our Hydrocarbon Investigation report, ref 39861/001, dated 25 July 2016 and Remediation Implementation Plan, ref 39861/002, dated 30 August 2016.

The Hydrocarbon Investigation report was completed following a site investigation report carried out by others. We have not been provided a copy of this report, only extracts along with copies of logs and test results. A summary of these is however provided within the Hydrocarbon Investigation report, together with the additional investigation undertaken by Eastwood & Partners.

Since speaking with you yesterday I have been informed that we cannot get any safety fencing to site until Wednesday, therefore we won't be continuing the remediation works today, and instead we will be on site on Wednesday. You are, of course welcome to visit to observe the works.

I trust this has provided you with the information you require, however if you have any further questions or require any further information please do not hesitate to contact us.

Regards

Ruth Noble
Geotechnical/Geo-environmental Engineer



Eastwood&Partners
CONSULTING ENGINEERS

Eastwood & Partners (Consulting Engineers) Ltd, Centaur House, Ancells Business Park, Ancells Road, Fleet, Hampshire, GU51 2UJ



Please Read:

Information in this message is confidential and may be legally privileged. It is intended solely for the person to whom it is addressed. If you are not the intended recipient, please notify the sender and delete the message from your system immediately. It is your responsibility to check this email for viruses and Eastwood & Partners cannot be held responsible for any resulting loss or damage in the event that this message or any attachments contains a virus



Cc: Anita Gardner
Subject: [pending]RE: 39861 The Old Dairy, Littlehampton

Hi Ruth,

Thanks for the chat on the phone earlier, now that Environmental Health are aware of the contamination please can you send me what reports and assessment you have. Please continue with the remediation I may well come onto site tomorrow. What time do you plan on being there?

thanks

Matthew Kennett
Pollution Officer
Environmental Health Department

Arun Civic Centre, Maltravers Road, Littlehampton BN17 5LF
<http://www.arun.gov.uk/eh>



From: Anita Gardner
Sent: 17 February 2017 13:58
To: Matthew Kennett
Subject: FW: 39861 The Old Dairy, Littlehampton
Importance: High

The above application was approved with the following condition relating to contamination 'If during development, contamination not previously identified, is found to be present at the site then no further development (unless otherwise agreed in writing with the Local Planning Authority) shall be carried out until the developer has submitted, and obtained written approval from the Local Planning Authority for, an amendment to the remediation strategy detailing how this unsuspected contamination shall be dealt with.

Reason: To ensure that the development complies with approved details in the interests of protection of the environment and prevention of harm to human health in accordance with Arun District Plan policies GEN7 and GEN31.

The e-mail below has been sent to the EA and no response has been received. In your view should this information be submitted to discharge the condition or does it fall outside of the parameters?

I would appreciate your advice

Thanks

Anita

Anita Gardner | Principal Planner, Planning Department, [Arun District Council](http://www.arun.gov.uk) | Location: First Floor, Arun Civic Centre, Maltravers Road, Littlehampton, BN17 5LF

Visit Arun's web site at www.arun.gov.uk



Save the environment - think before you print.

From: Nicola Spencer **On Behalf Of** Planning
Sent: 17 February 2017 10:22
To: Anita Gardner
Subject: FW: 39861 The Old Dairy, Littlehampton
Importance: High

Nicola Spencer | Technical Support Manager, Planning Department, [Arun District Council](http://www.arun.gov.uk) | Location: First Floor, Arun Civic Centre,



From:
Cather
ine

Topliss

Sent: 16 February 2017 16:31

Subject: 39861 The Old Dairy, Littlehampton
Importance: High

Dear David,

I don't believe that we have received a response from you regarding our email below. We therefore trust that you have no objections to our remediation proposals. We will be completing the remediation works next Monday and Tuesday (20 and 21 February) and attached is the proposed remediation plan for your information. This is obviously subject to what is found during excavation works, and therefore the location/extent of trenches may change. You are more than welcome to visit site during the works, our site engineer is Ruth Noble and she can be contacted on 07840 053066.

If you require any further information please do not hesitate to contact us.

Regards

Catherine Topliss
Director

Eastwood&Partners
CONSULTING ENGINEERS

Eastwood & Partners (Consulting Engineers) Ltd
Centaur House, Ancells Business Park, Ancells Road, Fleet, Hampshire, GU51 2UJ

Eastwood & Partners (Consulting Engineers) Ltd is a company registered in England and Wales registered No 1835021.
Registered office: St Andrew's House, 23 Kingfield Road, Sheffield, S11 9AS

Email confidentiality notice: This message is private and confidential. If you have received this message in error, please notify us and remove it from your system.

Subject: FW: 39861 The Old Dairy, Littlehampton

Dear David,

I have been advised as per the email below to resend my query to this email address. I would be grateful if you could respond to our initial email at the bottom of this email chain.

Many thanks.

Regards

Ruth Noble
Geotechnical / Geoenvironmental Engineer

Eastwood&Partners
CONSULTING ENGINEERS

Eastwood & Partners (Consulting Engineers) Ltd

Principle House, 121 - 123 Fleet Road, Fleet, GU51 3PD

Please Read:

Information in this message is confidential and may be legally privileged. It is intended solely for the person to whom it is addressed. If you are not the intended recipient, please notify the sender and delete the message from your system immediately. It is your responsibility to check this email for viruses and Eastwood & Partners cannot be held responsible for any resulting loss or damage in the event that this message or any attachments contains a virus.

Subject: RE: 39861 The Old Dairy, Littlehampton [Filed 07 Nov 2016 14:16]

Dear Ms Noble,

You could try sending to

Anita Gardner | Principal Planner, Planning Department, Arun District Council | Location: First Floor, Arun Civic Centre, Maltravers Road, Littlehampton, BN17 5LF

Visit Arun's web site at www.arun.gov.uk



Save the environment - think before you print.

Sent: 07 November 2016 10:32

Cc: Planning; Catherine Topliss

Subject: FW: 39861 The Old Dairy, Littlehampton

Importance: High

Dear David,

We have not had a response from you regarding our email below, I would be grateful if you could confirm your position on this.

Regards

Ruth Noble

Geotechnical / Geoenvironmental Engineer

Eastwood&Partners
CONSULTING ENGINEERS

Eastwood & Partners (Consulting Engineers) Ltd
Principle House, 121 - 123 Fleet Road, Fleet, GU51 3PD

Please Read:

Information in this message is confidential and may be legally privileged. It is intended solely for the person to whom it is addressed. If you are not the intended recipient, please notify the sender and delete the message from your system immediately. It is your responsibility to check this email for viruses and Eastwood & Partners cannot be held responsible for any resulting loss or damage in the event that this message or any attachments contains a virus.

Subject: 39861 The Old Dairy, Littlehampton

Importance: High

Dear David,

We are contacting you on behalf of our client South Coast Properties Ltd, with regards to a site called 'The Old Dairy' in Littlehampton, West Sussex.

Ground investigations have been completed on site by ourselves and by Soils Ltd between 2015 and 2016. It was identified that the groundwater at depth below the site contains elevated concentrations of hydrocarbons. It is considered likely that the contamination is due to refilling of vehicles onsite in the past. Please find attached a copy of our Hydrocarbon Investigation report which reviews both investigations and the associated chemical testing carried out.

We have also prepared a remediation implementation plan for the site to remove the phase-separated product, in line with Condition 8 of the Planning Conditions for the site (planning application reference LU/13/15/PL). A copy is also attached.

We would appreciate it if someone from the Environment Agency would review the reports and confirm that our remediation proposals are acceptable.

Many thanks

Regards


Emily Mellor

Geotechnical / Geoenvironmental Engineer

Please note that I only work Wednesday to Friday. For any urgent enquiries please contact the office as below.

Eastwood&Partners
CONSULTING ENGINEERS

New Civil Engineer




COMPANIES OF THE YEAR 2016

70th RANKED COMPANY

Eastwood & Partners (Consulting Engineers) Ltd is a company registered in England and Wales registered No 1835021.
Registered office: St Andrew's House, 23 Kingfield Road, Sheffield, S11 9AS

Email confidentiality notice: This message is private and confidential. If you have received this message in error, please notify us and remove it from your system.



Eastwood & Partners (Consulting Engineers) Ltd
St Andrew's House, 23 Kingfield Road, Sheffield, S11 9AS

Please Read:


Information in this message is confidential and may be legally privileged. It is intended solely for the person to whom it is addressed. If you are not the intended recipient, please notify the sender and delete the message from your system immediately. It is your responsibility to check this email for viruses and Eastwood & Partners cannot be held responsible for any resulting loss or damage in the event that this message or any attachments contains a virus

<http://www.arun.gov.uk>

NLPG UPRN 100062237016

DX 57406 Littlehampton

Important Notice This e-mail is intended exclusively for the addressee and may contain information that is confidential and/or privileged. If you are not the intended recipient (or authorised to receive it for the addressee), please notify the sender and delete the e-mail immediately; using, copying, or disclosing it to anyone else, is strictly prohibited and may be unlawful. Any views, opinions or options presented are solely those of the author and do not necessarily represent those of Arun District Council. The information in this e-mail may be subject to public disclosure under the Freedom of Information Act 2000, therefore we cannot guarantee that we will not provide the whole or part of this e-mail to a third party. The Council reserves the right to monitor e-mails in accordance with relevant legislation. Whilst outgoing e-mails are checked for viruses, we cannot guarantee this e-mail is virus-free or has not been intercepted or changed and we do not accept liability for any damage caused. Any reference to "e-mail" in this disclaimer includes any attachments.



Eastwood & Partners (Consulting Engineers) Ltd
St Andrew's House, 23 Kingfield Road, Sheffield, S11 9AS

Please Read:

Information in this message is confidential and may be legally privileged. It is intended solely for the person to whom it is addressed. If you are not the intended recipient, please notify the sender and delete the message from your system immediately. It is your responsibility to check this email for viruses and Eastwood & Partners cannot be held responsible for any resulting loss or damage in the event that this message or any attachments contains a virus

<http://www.arun.gov.uk>

NLPG UPRN 100062237016
DX 57406 Littlehampton

Important Notice This e-mail is intended exclusively for the addressee and may contain information that is confidential and/or privileged. If you are not the intended recipient (or authorised to receive it for the addressee), please notify the sender and delete the e-mail immediately; using, copying, or disclosing it to anyone else, is strictly prohibited and may be unlawful. Any views, opinions or options presented are solely those of the author and do not necessarily represent those of Arun District Council. The information in this e-mail may be subject to public disclosure under the Freedom of Information Act 2000, therefore we cannot guarantee that we will not provide the whole or part of this e-mail to a third party. The Council reserves the right to monitor e-mails in accordance with relevant legislation. Whilst outgoing e-mails are checked for viruses, we cannot guarantee this e-mail is virus-free or has not been intercepted or changed and we do not accept liability for any damage caused. Any reference to "e-mail" in this disclaimer includes any attachments.

Eastwood & Partners (Consulting Engineers) Ltd
St Andrew's House, 23 Kingfield Road, Sheffield, S11 9AS

Please Read:

Information in this message is confidential and may be legally privileged. It is intended solely for the person to whom it is addressed. If you are not the intended recipient, please notify the sender and delete the message from your system immediately. It is your responsibility to check this email for viruses and Eastwood & Partners cannot be held responsible for any resulting loss or damage in the event that this message or any attachments contains a virus

<http://www.arun.gov.uk>

NLPG UPRN 100062237016
DX 57406 Littlehampton

Important Notice This e-mail is intended exclusively for the addressee and may contain information that is confidential and/or privileged. If you are not the intended recipient (or authorised to receive it for the addressee), please notify the sender and delete the e-mail immediately; using, copying, or disclosing it to anyone else, is strictly prohibited and may be unlawful. Any views, opinions or options presented are solely those of the author and do not necessarily represent those of Arun District Council. The information in this e-mail may be subject to public disclosure under the Freedom of Information Act 2000, therefore we cannot guarantee that we will not provide the whole or part of this e-mail to a third party. The Council reserves the right to monitor e-mails in accordance with relevant legislation. Whilst outgoing e-mails are checked for viruses, we cannot guarantee this e-mail is virus-free or has not been intercepted or changed and we do not accept liability for any damage caused. Any reference to "e-mail" in this disclaimer includes any attachments.



Eastwood & Partners (Consulting Engineers) Ltd
St Andrew's House, 23 Kingfield Road, Sheffield, S11 9AS

Please Read:

Information in this message is confidential and may be legally privileged. It is intended solely for the person to whom it is addressed. If you are not the intended recipient, please notify the sender and delete the message from your system immediately. It is your responsibility to check this email for viruses and Eastwood & Partners cannot be held responsible for any resulting loss or damage in the event that this message or any attachments contains a virus