

www.allaboutbricks.co.uk

0845 - 2300 941


Order Samples Online - Via Our Brick List

Important - Always mix bricks from at least 3 packs

**RIJSWAARD®
BAKSTEEN**



<http://www.allaboutbricks.co.uk/>



ALL ABOUT BRICKS

www.allaboutbricks.co.uk

0845 - 2300 941

Order Samples Online - Via Our Brick List

Important - Always mix bricks from at least 3 packs

**RIJSWAARD®
BAKSTEEN**



Hello guiseppe.

Sell

My eBay



Search for anything

All Categories

[Back to search results](#) | Listed in category: [Business, Office & Industrial](#) > [Building Materials & Supplies](#) > [Roofing](#)

Redland Roofing Eaves Top Roof Tiles - Farmhouse Red Pallet

Condition: **New other (see details)**Quantity: 7 available**£50.00**[Buy it now](#)[Add to basket](#)[Make offer](#)[Add to Watch list](#)[Add to collection](#)

Located in United Kingdom

Best Offer available

Collection: **Click & Collect** from your local Argos
Est. collection date Tue. 6 Feb.
[Select a store](#)

or

Postage: **£45.00 Economy Delivery** | [See details](#)

Item location: Rhyl, United Kingdom

Posts to: United Kingdom

Delivery: **Estimated between Fri, 2 Feb. and Tue, 6 Feb.**Payments: **PayPal** Processed by PayPal
[Postal order/Banker's draft](#) | [See payment information](#)Returns: **14 days refund, buyer pays return postage** | [See details](#)Protection: [details](#) | [See](#)

Seller information

[ariadevelopments](#) (9910)

99.9% Positive Feedback


[Save this seller](#)[Contact seller](#)Visit Shop: [Ariadevel](#)[See other items](#)

Registered as a business seller

[Have one to sell? Sell it yourself](#)

People who viewed this item also viewed

Fee

Redland Roofing Eaves Top
Roof Tiles - Brown Pallet Of
£50.00
+ £45.00Redland Roofing Right Hand
External Angle Roof Tiles -
£50.00
+ £45.00

Description

Postage and payments

Seller assumes all responsibility for this listing.

eBay It

Last updated on 03 Aug, 2017 11:52:10 BST [View all revisions](#)



ABOUT US ([HTTP://PREMIERTECHAQUA.CO.UK/SECOND-NAVIGATION/ABOUT-US.ASPX](http://premiertechaqua.co.uk/SECOND-NAVIGATION/ABOUT-US.ASPX))
 (/wastewater-stormwater-storage-pumping-stations)

CONTACT US ([HTTP://PREMIERTECHAQUA.CO.UK/SECOND-NAVIGATION/CONTACT-US.ASPX](http://premiertechaqua.co.uk/SECOND-NAVIGATION/CONTACT-US.ASPX))

Installation and Service (<http://premiertechaqua.co.uk/installation-and-service.aspx>)

JOB OFFERS ([HTTP://WWW.PREMIERTECH.COM/GLOBAL/EN/CAREERS/JOB-OFFERS/](http://www.premiertech.com/global/en/careers/job-offers/))

News (<http://premiertechaqua.co.uk/news-events>) Downloads



Home (<http://premiertechaqua.co.uk/home.aspx>) > Products > Wastewater > Wastewater > >
 Conder ASP Sewage Treatment Plant

Conder ASP Sewage Treatment Plant

The Conder ASP Package Sewage Treatment Plant is the perfect solution for residential and commercial projects where mains drainage is unavailable. The plant will serve a population range from 6 to 25 PE, and is fast becoming the industry's system of choice for reliability, ease and low installation costs.

Installed to treat wastewater with minimal impact on the environment, typical applications include single dwellings, small communities or developments, refurbishments and rural barn conversions.

Typical applications include:

- Single dwellings
- Small communities or developments
- Refurbishments
- Rural barn conversions

Superior Technical Performance

The thousands of Conder ASP sold across the globe were designed and tested in accordance with the BS EN12566-3:2005 standard, British Water Code of Practice for Flows and Loads as well as being CE marked. The standard range plants produce an effluent

Quality, Adaptable Design

The Conder ASP consists of a state-of-the-art GRP/HDPE durable, high-strength structure and includes remote or integral blower housing. An integral pumped system, deeper inverts (with supply of a standard extension kit) and choice of pumped influent or effluent are available. System is suitable for

Case studies



New Build
Property, Carlisle,
Scotland

Download
([/media/198330/ptc-](http://media/198330/ptc-case-study-carlisle-asp-and-download)



Barn Conversion,
Crewe

[/media/203215/ba-conversion-crewe-case-study-2pp-pta-003-.pdf](http://media/203215/ba-conversion-crewe-case-study-2pp-pta-003-.pdf)

More
(<http://premiertechaqua.co.uk/case-studies>)

standard quality or better than
20mg/LBOD; 30mg/L SS;
20mg/L NH3.

discharge to ground or
watercourse (subject to relevant
exemption, consent and
licence).

2

Low Costs

The Conder ASP offers superior technical performance at a competitive price without compromising on quality. Maintenance and running costs are extremely low and show for a better than average emptying frequency.

Complete Below Ground Installation

The ASP has a minimal visual impact on site location. It includes complete below ground installation and a quiet and odourless operation thanks to its compact and innovative design.

CONTACT A MEMBER OF THE PTA SALES TEAM

You may also be interested by:

Conder SAF Sewage Treatment Plant

The Conder SAF Package Sewage Treatment Plant is the perfect solution for small and large scale projects, where a population range exceeds 25 and mains drainage is unavailable.

Learn more

(/products/wastewater/conder-saf-sewage-treatment-plant.aspx#)



Conder Septic Tanks

The highly successful range of HDPE Septic Tanks offers some of the most advanced technical design qualities in the industry.

Learn more

(/products/wastewater/conder-septic-tanks.aspx#)



Conder Cesspools




Designed for wastewater storage, easy to install and maintenance-free, the range of cesspools from Premier Tech Aqua provide a capacity of up to 250,000 litres and are suitable for installation at a maximum of two metres below finished ground level.

Learn more

(/products/wastewater/conder-cesspools.aspx#)



Ecoflo Coco Filter - Wastewater Treatment Unit



IMPORTANT INVERT LEVEL NOTE (RIBBED TANKS ONLY)

The inlet and outlet invert level (IL) shown on this drawing is to internal of the shell unless otherwise stated.
For invert level to the outside of the shell ribs, see the conversion below:
ø1.0m, 1.2m, 1.5m, 1.8m, 2.5m IL+50mm ('X')
ø3.0m, 4.0m IL+75mm ('X')

TANKS SUPPLIED WITH LOOSE SHAFTS DO NOT COME SUPPLIED WITH A FIXING KIT.
THIS IS THE RESPONSIBILITY OF THE SITE CONTRACTOR.






TITLE ASP25

SEWAGE TREATMENT PLANT


DATE	26.09.11	CHKD.	PB	APPD.	RP	SCALE	NTS	DRAWING No.	ASP25	REVISION	2
DATE	26.09.11	DATE	26.09.11	DATE	26.09.11				SALES		

REV.	28.03.12	DATE	RU	BY	CHKD.	APPD.	RP	DESIGN REVIEWED	DESCRIPTION
A.3									DO NOT SCALE IF IN DOUBT ASK ALL DIMENSIONS IN MM
									GENERAL TOLERANCES (unless noted otherwise) ± 5mm ± 2mm ± 0.5mm
									THIS DRAWING IS THE PROPERTY OF PREMIER TECH AQUA LTD. AND IS NOT TO BE COPIED IN PART OR WHOLE WITHOUT WRITTEN PERMISSION



IMPORTANT INVERT LEVEL NOTE (RIBBED TANKS ONLY):
The inlet and outlet invert level(s) shown on this drawing is to internal of the shell unless otherwise stated.
For invert level to the outside of the shell ribs, see the conversion below:
ø1.0m, 1.2m, 1.5m, 1.8m, 2.5m IL+50mm ('X')
ø3.0m, 4.0m IL+75mm ('X')

TANKS SUPPLIED WITH LOOSE SHAFTS DO NOT COME SUPPLIED WITH A FIXING KIT.
THIS IS THE RESPONSIBILITY OF THE SITE CONTRACTOR.



TITLE
ASP25-P-TOP3
SEWAGE TREATMENT PLANT

DRAWN BY	CHKD.	SCALE	DRAWING No.	REVISION
RU	DG	NTS	ASP25-P-TOP3	1
DATE	DATE	DATE	SALES	
28.03.12	28.03.12	28.03.12		

REV.	DATE	BY	CHKD.	APPD.	DESCRIPTION
1	28.03.12	RU	DG	RP	FOR INFORMATION
GENERAL TOLERANCES (unless noted otherwise)					
DO NOT SCALE					
IF IN DOUBT ASK					
ALL DIMENSIONS IN MM					
THIS DRAWING IS THE PROPERTY OF PREMIER TECH AQUA LTD. AND IS NOT TO BE COPIED IN PART OR WHOLE WITHOUT WRITTEN PERMISSION					