

Monitoring Well	Date	Field Parameters	Temperature	Dissolved Oxygen	Dissolved Oxygen	EC	pH	Oxidation-Reduction Potential	Ammonia as NH4	Ammonia as NH3	Observations
		Unit	Deg C	%	mg/l	µS/cm	pH Units	mV	mg/l	mg/l	
		Time taken									
MW01	08/08/2025	1041	17	9.7	0.95	1700	7.16	-3.9	-	-	NVOSC
		1045	15.3	5.8	0.58	1742	7.11	-6.4	-	-	
		1049	15	4.9	0.48	1732	7.1	-8.7	-	-	
		1053	14.8	4	0.4	1731	7.09	-9.8	-	-	
		1057	14.8	4	0.39	1721	7.08	-10.2	-	-	
		1104	16.2	3.4	0.32	1730	7.06	-10.4	-	-	
		1105	15.3	3.1	0.3	1737	7.06	-10.7	-	-	
		1106	14.9	2.5	0.26	1738	7.07	-11.1	-	-	
		1108	14.3	6.4	0.65	1635	7.25	-39.6	-	-	
		1112	14.4	3.7	-	1643	7.19	-40.2	-	-	
	10/09/2025	1116	14.3	3.3	0.32	1663	7.18	-39.8	-	-	NVOSC
		1120	14.2	2.9	0.29	1670	7.18	-39.7	-	-	
		1127	14.4	3.1	0.33	1673	7.18	-39.4	-	-	
		1128	14.4	3.6	0.4	1682	7.17	-39	-	-	
		1129	14.3	3.5	0.34	1692	7.17	-38.9	-	-	
		1335	15.4	19.1	1.61	1545	7.37	-51.8	-	-	
		1339	15.1	3.7	0.37	1731	7.08	-48.8	-	-	
		1343	14.9	2.9	0.27	1736	7.07	-46.8	-	-	
		1347	14.9	2.7	0.26	1736	7.07	-46.6	-	-	
		1352	14.9	5.5	0.54	1738	7.09	-44.8	-	-	
	15/10/2025	1353	14.8	5.2	0.48	1736	7.08	-44.6	-	-	NVOS
		1354	14.8	3.8	0.4	1735	7.08	-44.3	-	-	
		1540	13.1	59.2	6.14	1044	7.8	-27.9	0.53	0.01	
		1544	13.1	39.1	4.09	979	7.5	-19.1	0.48	0	
		1548	13.2	39.1	4.08	951	7.48	-10.3	0.49	0	
		1552	13.3	38.7	4.04	958	7.47	-9.5	0.5	0	
		1558	13.2	39.1	4.09	956	7.47	-2.4	0.51	0	
		1559	13.2	40.2	4.2	948	7.47	-1.2	0.49	0	
		1600	13.2	40.2	4.2	955	7.46	-0.4	0.5	0	
		04/02/2026	1200	11.5	61.4	6.54	997	7.84	20.6	0.53	
	1204		11.5	51.7	5.61	991	7.66	28.4	0.57	0.01	
	1208		11.6	49.7	5.39	976	7.64	31.9	0.57	0.01	
	1214		11.7	49.9	5.4	976	7.62	35.3	0.61	0.01	
	1215		11.7	49.9	5.4	978	7.62	36.1	0.61	0.01	
	1216		11.6	49.8	5.39	979	7.62	36.7	0.61	0.01	
	1432		15.1	47	4.23	2686	7.41	-1.36	-	-	
	1436		15	4.2	0.41	2539	7.29	-123	-	-	
	1440		14.9	2.7	0.27	2487	7.26	-113.4	-	-	
	1444		14.8	2.2	0.22	2472	7.24	-105.3	-	-	
	05/08/2025	1448	14.9	2.1	0.2	2473	7.23	-103.1	-	-	NVOSC. Some white specks in groundwater.
		1454	16.1	34.1	3.34	2491	7.22	-96.3	-	-	
		1455	16.3	40.6	3.98	2500	7.22	-95.3	-	-	
		1456	16.1	42.5	4.18	2506	7.22	-94.4	-	-	
		1020	14	3.2	0.28	2595	7.38	-117.7	-	-	
		1024	14.3	2.7	0.28	2555	7.27	-113	-	-	
		1028	14.2	2.3	0.24	2590	7.23	-108.1	-	-	
		1032	14.1	1.7	0.17	2634	7.2	-102.5	-	-	
		1036	14	1.5	0.16	2663	7.19	-98.5	-	-	
		1043	14.4	2.5	0.24	2677	7.18	-93.5	-	-	
	10/09/2025	1044	14.2	2.4	0.25	2681	7.18	-93.1	-	-	NVOSC
		1045	14	2.3	0.24	2669	7.18	-92.8	-	-	
		1308	14.5	37.1	3.45	3120	7.66	-113.4	-	-	
		1312	14.2	3.2	0.36	2723	7.2	-99.5	-	-	
		1316	14.1	6.4	0.66	2657	7.15	-91.2	-	-	
		1320	14	6.7	0.7	2680	7.11	-83.2	-	-	
		1326	14.3	2.3	0.23	2691	7.1	-79	-	-	
		1327	14.2	1.9	0.21	2722	7.2	-77.7	-	-	
		1328	14.1	1.8	0.23	2733	7.1	-76.9	-	-	
		1510	12.9	23.4	2.26	2760	7.38	-45.3	1.21	0.01	
	09/12/2025	1514	12.9	6.2	0.65	2664	7.29	-52	1.33	0.01	NVOSC
		1518	12.9	2.4	0.25	2664	7.24	-52.8	1.38	0.01	
		1522	12.9	1.7	0.18	2715	7.23	-51.6	1.39	0.01	
		1526	12.9	1.6	0.17	2718	7.23	-51.5	1.4	0.01	
		1531	12.8	2.5	0.24	2744	7.23	-49.2	1.43	0.01	
		1532	12.7	2.8	0.3	2809	7.2	-47.8	1.43	0.01	
		1533	12.8	2.8	0.29	2867	7.2	-48.4	1.44	0.01	
		1118	12.2	14.2	1.48	2893	7.46	-26.1	1.79	0.01	
		1122	12.1	6.4	0.68	2729	7.34	-21.3	1.79	0.01	
		1126	12	4.2	0.45	2776	7.31	-17.1	1.84	0.01	
	04/02/2026	1130	12.1	3	0.32	2891	7.28	-13.5	1.92	0.01	NVOSC
		1134	12.2	2.7	0.29	2977	7.27	-11.7	1.96	0.01	
		1141	12.2	2.9	0.31	3344	7.23	-7.5	2.15	0.01	
		1142	12.3	2.9	0.3	3590	7.21	-5.8	2.28	0.01	
		1143	12.3	2.6	0.28	3687	7.2	-5.2	2.3	0.01	
		0942	14.4	28.6	2.85	1120	7.05	-25.5	-	-	
		0946	14.2	8.2	0.84	1084	7.04	-39.7	-	-	
		0950	14.2	5.7	0.57	1083	7.04	-43.2	-	-	
		0954	14.3	4.4	0.44	1083	7.04	-43.1	-	-	
		0958	14.3	5.5	0.57	1086	7.03	-41	-	-	
	08/08/2025	1002	14.3	4.9	0.49	1087	7.03	-40.7	-	-	NVOSC
		1006	14.3	5	0.51	1087	7.03	-39.5	-	-	
		1011	15	16.3	1.53	1091	7.02	-36.5	-	-	
		1012	14.6	9.8	0.98	1091	7.03	-36.4	-	-	
		1013	14.4	8.2	0.83	1091	7.03	-36.4	-	-	
		1520	14.4	5.3	0.61	1139	7.14	-31.6	-	-	
		1524	14.6	15.1	1.54	1132	7.07	-31.7	-	-	
		1528	14.6	8.3	0.87	1124	7.06	-30.3	-	-	
		1532	14.6	4.9	0.5	1130	7.05	-28.8	-	-	
		1536	14.6	4.8	0.48	1131	7.05	-27.7	-	-	
	09/09/2025	1541	15.2	4.3	0.44	1134	7.05	-25.3	-	-	NVOSC
		1542	14.8	4.2	0.42	1139	7.05	-25.2	-	-	
		1543	14.5	3.5	0.35	1138	7.05	-25.2	-	-	
		1354	14.2	26.8	2.7	1175	7.98	105.3	-	-	
		1358	14.1	13.2	1.34	1153	7.66	116.1	-	-	
		1402	14.1	5.5	0.57	1144	7.58	118.9	-	-	
		1406	14.1	7.7	0.79	1146	7.6	119.5	-	-	
		1410	14.1	6.7	0.68	1148	7.55	119.3	-	-	
		1416	14.5	6.3	0.64	1152	7.55	118.3	-	-	
		1417	14.3	6.3	0.65	1164	7.56	118.4	-	-	
	09/12/2025	1418	14.2	6.5	0.67	1163	7.57	118	-	-	NVOSC. No post sample parameters bc perf pump battery.
1810		13.2	28.1	2.76	1402	7.21	13.7	1.69	0.01		
1816		13.3	3	0.31	1578	7.06	10.5	0.86	0		
1820		13.3	2.4	0.25	1570	7.07	10.3	0.81	0		
1824		13.3	2.23	0.23	1559	7.07	10.6	0.78	0		
1552		12	23.6	2.47	1991	7.17	-11.5	1.98	0.01		
1556		12	6.7	0.71	2071	7.1	3.4	1.68	0		
1600		12	4.1	0.44	2063	7.11	10.2	1.5	0		
1604		12.1	2.7	0.29	2044	7.11	14.4	1.43	0		
1608		12	2.4	0.26	2029	7.11	17.8	1.38	0		
04/02/2026	1613	12.3	2.7	0.29	2030	7.11	21.3	1.35	0	NVOSC	
	1614	12.2	2.9	0.31	2037	7.11	22.3	1.33	0		
	1615	12.1	3.1	0.33	2037	7.11	23.3	1.32	0		

Monitoring Well	Date	Field Parameters	Temperature	Dissolved Oxygen	Dissolved Oxygen	EC	pH	Oxidation-Reduction	Ammonia as NH4	Ammonia as NH3	Observations						
		Unit	Deg C	%	mg/l	µS/cm	pH Units	mV	mg/l	mg/l							
		Time taken															
MW23-01	05/08/2025	15:16	16.5	28.3	2.69	1361	7.27	-69.7	-	-	NVOSC						
		15:20	15.3	5.4	0.54	1372	7.16	-58.8	-	-							
		15:24	14.9	2.6	0.25	1298	7.15	-51.1	-	-							
		15:28	14.9	2.6	0.25	1308	7.15	-50.1	-	-							
		15:34	15.7	7	0.65	1353	7.21	-32.8	-	-							
	10/09/2025	15:35	15.1	4.2	0.42	1344	7.15	-33	-	-	NVOSC						
		15:36	14.8	3.7	0.38	1336	7.14	-33.4	-	-							
		11:42	14.3	8.9		1264	7.33	-26.1	-	-							
		11:46	14	1.5	0.16	1333	7.19	-28.4	-	-							
		11:50	14	1.5	0.15	1338	7.19	-28.3	-	-							
	15/10/2025	11:59	14.5	2.3	0.25	1335	7.18	-28.1	-	-	NVOSC						
		12:00	14.5	2.7	0.28	1336	7.18	-28.2	-	-							
		12:01	14.5	2.8		1340	7.17	-28.2	-	-							
		13:59	-	29.2	2.87	1419	7.37	-28	-	-							
		14:03	-	4.2	0.42	1490	7.08	-28.2	-	-							
	09/12/2025	14:07	-	3.4	0.33	1434	7.09	-28.4	-	-	NVOSC						
		14:11	-	2	0.2	1384	7.09	-28.5	-	-							
		14:15	14.4	1.9	0.19	1355	7.09	-27.5	-	-							
		14:23	14.7	16.6	1.15	1359	7.09	-27.1	-	-							
		14:24	14.6	4.7	0.49	-	7.09	-26.8	-	-							
	04/02/2026	14:25	14.6	3.7	0.35		7.09	-26.6	-	-	NVOSC						
		16:12	13.6	12.5	1.29	874	7.41	3.3	0.53	0							
		16:16	13.5	11.5	1.19	882	7.41	1.2	0.52	0							
		16:20	13.5	10.9	1.13	892	7.38	2.1	0.55	0							
		16:25	13.5	11.3	1.19	894	7.39	2.8	0.55	0							
	MW23-03	05/08/2025	16:26	13.4	12.1	1.26	895	7.39	3.3	0.55	0	NVOSC					
			16:27	13.4	12.2	1.27	898	7.38	3.8	0.55	0						
			13:06	11.9	48.3	5.05	891	7.73	49	0.7	0.01						
			13:10	12	32.5	3.49	821	7.56	49.8	0.65	0.01						
			13:18	12.1	30.4	3.26	842	7.52	50	0.67	0						
		10/09/2025	13:22	12.2	29.7	3.18	850	7.51	50.3	0.68	0	NVOSC					
			13:28	12.4	29.8	3.18	863	7.51	49.7	0.7	0.01						
			13:29	12.4	29.8	3.17	870	7.5	50	0.7	0.01						
			13:30	12.5	29.3	3.11	875	7.5	50.2	0.7	0.01						
			13:07	14.9	26.5	2.42	4585	7.22	-12.2	-	-						
		05/08/2025	13:11	14.6	12.9	1.28	4617	7.16	-23.3	-	-	NVOSC					
			13:15	14.4	8.4	0.84	4892	7.13	-30.1	-	-						
			13:19	14.3	5.4	0.54	5290	7.08	-30.3	-	-						
			13:23	14.4	4.8	0.47	5502	7.05	-30.7	-	-						
			13:27	14.4	4.6	0.46	5522	7.04	-30.6	-	-						
		10/09/2025	13:39	15.7	8.4	0.8	5310	7.08	-16.8	-	-	NVOSC					
			13:40	15.3	7.4	0.73	5161	7.06	-18.1	-	-						
			13:41	15	6.4	0.61	5071	7.06	-18.8	-	-						
			09:04	14	31.6	2.98	5558	7.14	-106.5	-	-						
			09:08	13.8	10.3	1.03	5983	7.23	-109.7	-	-						
		15/10/2025	09:12	13.7	12.8	1.36	6358	7.16	-105.8	-	-	NVOSC					
			09:16	13.7	15.6	1.59	6478	7.14	-104	-	-						
			09:20	13.7	15	1.52	7090	7.06	-82.4	-	-						
09:24			13.7	15.8	1.58	7204	7.04	-85.6	-	-							
09:35			14.1	5.2	0.52	7190	7.04	-77.1	-	-							
04/02/2026		09:36	14	4.1	0.4	7199	7.04	-76.6	-	-	NVOSC						
		09:37	13.9	2.7	0.28	6817	7.04	-78.8	-	-							
		12:48	14.6	24.1	6902	7.46	-152.1	-	-	-							
		12:52	14	13.8	1.38	6904	7.32	-161.2	-	-							
		12:56	14	13.5	1.35	-	7.32	-161.9	-	-							
MW23-04		05/08/2025	13:01	14.1	2.4	0.25	-	7.31	-158.9	-	-	NVOSC					
			13:02	14.3	3	0.3	-	7.3	-154	-	-						
			13:03	14.2	3	0.29	-	7.29	-151	-	-						
			14:35	13	8.8	0.87	7681	7.42	-119.3	5.15	0.03						
			14:39	13	10.8	1.05	7142	7.38	-97.7	4.82	0.03						
		10/09/2025	14:43	12.9	2.9	0.29	7076	7.36	-101.5	4.72	0.02	NVOSC					
			14:47	12.9	1.6	0.17	7076	7.33	-98.3	4.58	0.02						
			14:51	13	1.7	0.18	7076	7.3	-82.7	3.88	0.01						
			14:58	12.9	1.4	0.15	7800	7.14	-77.5	3.66	0.01						
			14:59	13	1.7	0.22	7974	7.09	-74.1	3.69	0.01						
		15/10/2025	15:00	12.9	2	0.21	8091	7.08	-73	3.67	0.01	NVOSC					
			10:01	11.6	16.3	1.68	5540	7.25	-123.3	3.65	0.01						
			10:05	11.8	6.3	0.66	5502	7.19	-113.3	3.49	0.01						
			10:10	11.9	3.7	0.4	5437	7.18	-100.8	3.36	0.01						
			10:13	12	3.1	0.33	5400	7.18	-94.6	3.33	0.01						
		MW23-05	05/08/2025	10:17	12	2.7	0.29	5357	7.18	-86.3	3.29	0.01	NVOSC				
				10:25	12.1	3.7	0.38	5291	7.18	-82.1	3.28	0.01					
				10:26	12.1	3.3	0.35	5284	7.18	-80.9	3.27	0.01					
	10:27			12.1	3.1	0.33	5282	7.18	-79.8	3.27	0.01						
	11:05			15.8	145.7	10.84	1085	7.04	-57.8	-	-						
	10/09/2025		11:12	15.2	6.6	0.67	1084	6.99	-53.6	-	-	NVOSC					
			11:16	14.9	3.4	0.34	1084	6.98	-49.5	-	-						
			11:21	15	3.3	0.32	1084	6.98	-48.8	-	-						
			11:34	17.3	64.3	5.35	1096	6.95	-41.9	-	-						
			11:35	17.3	28.7	2.73	1090	6.97	-43	-	-						
	15/10/2025		11:36	16.8	27.5	2.67	1094	6.98	-43.2	-	-	NVOSC					
			13:09	15.4	10.2	0.89	1169	6.98	-31	-	-						
			13:13	14.4	1.5	0.15	1134	7.1	-28.1	-	-						
			13:17	14.3	1.3	0.13	1131	7.1	-31.7	-	-						
			13:21	14.3	1.2	0.12	1128	7.1	-39	-	-						
	MW23-06		05/08/2025	13:26	14.6	5.4	0.55	1125	7.1	-40.7	-	-	NVOSC				
				13:27	14.6	5.5	0.51	1125	7.1	-40.8	-	-					
				13:28	14.4	14.7	1.24	1125	7.09	-40.7	-	-					
				12:29	14.6	22.8	2.27	1148	7.71	-109.3	-	-					
				12:33	14.9	12.4	1.24	1139	7.56	-121.7	-	-					
			10/09/2025	12:37	15	9	0.9	1136	7.52	-126.4	-	-	Clear and colourless, very mild hydrocarbon odour. No NAPL or sheen present.				
				12:42	14.9	7.1	0.72	1135	7.57	-127.8	-	-					
				12:46	14.9	6.2	0.62	1133	7.57	-127.6	-	-					
				12:52	14.8	7.2	0.72	1129	7.57	-124.7	-	-					
				12:53	14.7	6.4	0.64	1125	7.57	-124.6	-	-					
			15/10/2025	12:54	14.7	6	0.6	1122	7.56	-124.4	-	-	Slightly opaque. Some white floating specks in sample. No odour or sheen.				
				17:38	13.6	3.1	0.32	1192	7.26	-43.1	19.8	0.09					
				17:42	13.5	2.7	0.28	1194	7.23	-43.6	20.75	0.09					
				17:46	13.6	2	0.2	1205	7.2	-43.6	18.56	0.07					
				17:50	13.6	1.9	0.19	1216	7.19	-41.7	16.94	0.06					
			MW23-07	05/08/2025	17:56	13.5	2.9	0.3	1223	7.19	-39.5	15.32	0.06	NVOSC			
					17:57	13.5	2.9	0.3	1228	7.18	-38.2	14.22	0.05				
					17:58	13.5	2.5	0.25	1230	7.17	-37.5	12.87	0.05				
15:20					12.5	21.7	2.21	1359	7.34	-130.6	29.42	0.15					
15:24					12.5	6.8	0.72	1428	7.33	-139	36.51	0.18					
10/09/2025				15:28	12.4	4.2	0.44	1433	7.32	-139.4	37.06	0.18	Some brown sediment, otherwise NVOSC				
				15:32	12.4	3.2	0.34	1439	7.32	-138	36.12	0.17					
				15:36	12.4	2.7	0.29	1450	7.3	-165.1	34.59	0.16					
				15:42	12.5	4.9	0.51	1473	7.3	-121.5	30.02	0.13					
				15:43	12.6	3.1	0.32	1494	7.26	-117.1	26.81	0.11					
MW23-08				05/08/2025	15:44	12.5	2.8	0.29	1499	7.26	-117.1	26.81	0.11	Clear, no sheen, strong hydrocarbon odour.			
					10:55										Strong hydrocarbon odour. Clear and colourless, no NAPL or sheen.		
					10:59/2025	13:55										Strong hydrocarbon odour. Clear and colourless, no NAPL or sheen.	
					13:59/2025	12:11											Strong hydrocarbon odour. Clear and colourless, no NAPL or sheen.
					18:40												
				04/02/2026	15:09									Strong hydrocarbon odour. Clear and colourless, no NAPL or sheen.			
					10:40										Yellow and silty, moderate hydrocarbon odour, no sheen.		
					05/08/2025	12:45										Silty, opaque, grey, no sheen, moderate hydrocarbon odour.	
		09/09/2025			15:55								Mild hydrocarbon odour, no sheen and clear.				
		11:45															NVOSC.
		09/12/2025		13:45										Slightly brown with sediment. Very mild sheen on surface. Mild hydrocarbon odour, no NAPL			
				9:45											Slightly brown with sediment. Very mild sheen on surface. Mild hydrocarbon odour, no NAPL		
				10:40												Slightly brown with sediment. Very mild sheen on surface. Mild hydrocarbon odour, no NAPL	
				10:40									Slightly brown with sediment. Very mild sheen on surface. Mild hydrocarbon odour, no NAPL				
				10:40													Slightly brown with sediment. Very mild sheen on surface. Mild hydrocarbon odour, no NAPL

Monitoring Well	Date	Field Parameters	Temperature	Dissolved Oxygen	Dissolved Oxygen	EC	pH	Oxidation-Reduction	Ammonia as NH4	Ammonia as NH3	Observations		
		Unit	Deg C	%	mg/l	µS/cm	pH Units	mV	mg/l	mg/l			
		Time taken											
MW24-01	05/08/2025	11:52	15.4	24.3	2.16	1084	7.13	-28.5	-	-	NVOSC		
		11:56	14.8	5.2	0.53	1112	7.05	-28	-	-			
		12:00	14.6	4.5	0.47	1112	7.03	-27	-	-			
		12:04	14.9	3.8	0.39	1110	7.01	-24.8	-	-			
		12:08	14.9	3	0.31	1111	7.01	-24.8	-	-			
		12:12	14.8	2.7	0.28	1113	7	-25.1	-	-			
		12:16	15	2.7	0.27	1142	7	-24.4	-	-			
		12:23	16	2.7	0.26	1260	6.98	-24.8	-	-			
		12:24	15.8	2.5	0.24	1485	6.95	-20.5	-	-			
	09/09/2025	12:25	15.5	2.4	0.24	1564	6.94	-19.8	-	-	NVOSC		
		14:39	13.9	9		1214	7.04	-13	-	-			
		14:43	14.6	5.5	0.56	1585	6.98	-28.7	-	-			
		14:47	14.5	5	0.51	1923	6.95	-30.6	-	-			
		14:51	14.5	4.3	0.44	2222	6.94	-32.2	-	-			
		14:55	14.4	2.8	0.28	2413	6.95	-35.2	-	-			
		14:59	14.4	2.8	0.28	2483	6.95	-35.7	-	-			
		15:07	14.4	7.3	0.77	2578	6.96	-34.9	-	-			
		15:08	14.1	9.1	0.89	2585	6.96	-35.1	-	-			
WS02	05/08/2025	15:09	14	7.3	0.67	2655	6.95	-34.2	-	-	NVOSC		
		15:47	16.3	36.9	3.38	689	7.24	-33.7	-	-			
		15:51	15	4.2	0.43	685	7.17	-34.9	-	-			
		15:55	15	3.3	0.33	693	7.18	-33	-	-			
		15:59	14.8	3.2	0.32	706	7.19	-30.8	-	-			
		16:10	15.9	29.4	2.91	748	7.18	-28.9	-	-			
		16:11	15.7	35.8	3.54	768	7.17	-28.2	-	-			
		16:12	15.2	37.2	3.72	780	7.17	-28.1	-	-			
		12:28	15.8	34.8	3.26	723	7.41	-15.9	-	-		NVOSC	
	12:32	14.9	8.8	0.87	690	7.24	-18.6	-	-				
	12:36	14.8	4.6	0.46	740	7.21	-15.7	-	-				
	12:40	14.8	4.4	0.42	763	7.21	-15.1	-	-				
	12:44	14.8	3.4	0.35	793	7.21	14.7	-	-				
	12:48	15	3.5	0.35	841	7.19	-14.8	-	-				
	12:53	15	3.7	0.37	847	7.19	-14.8	-	-				
	12:58	15.6	7.9	0.75	857	7.18	-15.8	-	-				
	12:59	15.4	6.1	0.59	869	7.18	-15.8	-	-				
	WS02	10/09/2025	13:00	15.3	5	0.51	871	7.18	-16.1	-	-	Some brown sediment, otherwise clear, no odour, sheen or NAPL	
			16:06	14.7	28.8	2.87	612	7.81	110.6	-	-		
			16:10	14.6	13	1.31	624	7.83	121.4	-	-		
			16:14	14.7	9.4	0.95	628	7.81	123.5	-	-		
			16:18	14.6	7.6	0.77	640	7.82	124.8	-	-		
			16:22	14.6	6.6	0.67	655	7.79	125.3	-	-		
			16:28	14.6	9	0.92	667	7.77	125.5	-	-		
			16:29	14.5	9	0.91	683	7.76	126.1	-	-		
			16:30	14.5	8.4	0.85	692	7.75	126.2	-	-		
		09/12/2025	16:59	13.7	59	6.12	203.3	8.37	7.2	0.1	0.01	No odour or sheen, slightly cloudy and opaque.	
			17:03	13.6	45.5	4.42	356.3	7.73	21.9	0.21	0		
			17:07	13.6	44.9	4.66	350	7.73	22.6	0.22	0		
			17:11	13.6	43.6	4.52	354	7.71	24.3	0.23	0		
			17:19	13.5	42.4	4.42	401.6	7.67	26.4	0.24	0		
			17:20	13.6	42.7	4.44	417.3	7.64	28.2	0.25	0		
			17:21	13.6	42	4.36	434.4	7.6	29		0		
			13:45	11.7	79.6	8.6	193.4	8.38	34	0.11	0.1		
			13:49	11.8	70.2	7.59	192	8.19	42.1	0.11	0		
		04/02/2026	13:53	11.8	63	6.81	231.9	8.06	46	0.16	0	Slightly brown sediment, earthy odour, no sheen or NAPL	
			13:57	11.8	61.5	6.64	256	8	48.8	0.18	0		
			14:01	11.9	56.3	6.08	291.2	7.92	50.6	0.23	0		
			14:05	11.9	53.6	5.78	315.8	7.87	52	0.26	0		
			14:09	11.9	46.2	4.97	375.1	7.79	52.2	0.35	0		
			14:13	12	44.8	4.81	386.6	7.78	56.6	0.36	0		
			14:19	12	43.4	4.67	413.3	7.76	51.3	0.38	0		
			14:20	12.1	41.6	4.45	428.5	7.74	51.3	0.39	0		
			14:21	12.2	39.9	4.27	439.2	7.72	50.5	0.41	0		
		WS04	05/08/2025	13:55	14.9	10.4	0.92	28704	7.39	-160.9	-	-	NVOSC. Some sandy sediment present.
14:00				15	5.2	0.48	28909	7.46	-193.7	-	-		
14:05				14.8	3.8	0.37	28905	7.47	-203.4	-	-		
14:09				14.7	3.1	0.28	28895	7.48	-208.5	-	-		
14:13				14.8	3.1	0.27	28895	7.48	-211.4	-	-		
14:20				15.7	43.6	3.97	28915	7.49	-195.8	-	-		
14:21				15	46.4	4.18	28883	7.49	-202.3	-	-		
14:22				14.9	45.9	4.13	28850	7.49	-205.9	-	-		
09:47				14.7	12.3	1.06	28437	7.43	-159.7	-	-	NVOSC	
10/09/2025			09:51	14.5	4.3	0.38	28538	7.45	-191.2	-	-		
			09:55	14.5	2	0.18	27923	7.45	-208.6	-	-		
			09:59	14.5	1.7	0.16	27599	7.44	-210.9	-	-		
			10:03	14.4	1.9	0.18	27330	7.43	-212	-	-		
			10:08	14.5	64.6	6	27154	7.44	-202.9	-	-		
			10:09	14.3	69.4	6.41	2714	7.44	-207.4	-	-		
			10:10	14.2	67	6.22	27083	7.44	-210.4	-	-		
			12:07	-	43.5	-	-	-	-94.5	-	-		
15/10/2025			12:11	-	7.2	-	-	-	-165.1	-	-	NVOSC	
	12:15		-	5.9	-	-	-	-180.6	-	-			
	12:19		-	4.5	-	-	-	-187.7	-	-			
	12:23		-	3.7	-	-	-	-191.6	-	-			
	12:27		-	2.7	-	-	-	-195.5	-	-			
	12:31		-	2.5	-	-	-	-198	-	-			
	12:39		-	2.2	-	-	-	-184.4	-	-			
	12:40		-	2.7	-	-	-	-188.3	-	-			
	12:41		-	2.2	-	-	-	-192.6	-	-			
09/12/2025	13:59		13.1	75.2	48.7	22910	7.44	-63.9	0.17	0	DUP-1 collected here. NVOSC		
	14:03		13.1	14.5	1.39	24242	7.42	-103.8	0.18	0			
	14:07		13.2	11	1.05	24299	7.43	-116.7	0.18	0			
	14:11		13.3	9.5	0.91	24325	7.44	-127.3	0.19	0			
	14:15		13.3	9.1	0.87	24325	7.44	-128.8	0.19	0			
	14:23		13.3	2.1	0.2	24232	7.45	-131.11	29.04	0.18			
	14:24		13.3	2.3	0.22	24028	7.44	-134	28.7	0.18			
	14:25		13.3	2.1	0.2	23917	7.44	-135.4	28.53	0.18			
	10:40		12.5	9.4	0.88	25082	7.46	-161.6	40.01	0.25		NVOSC. Some sandy sediment present.	
04/02/2026	10:44		12.2	4.5	0.43	24955	7.48	-167.2	38.16	0.24			
	10:48		12.3	3.1	0.3	24887	7.48	-169.3	37.59	0.23			
	10:52		12.3	2.5	0.25	24883	7.48	-170.7	37.38	0.24			
	10:56		12.4	2.1	0.21	24842	7.48	-171.5	37.25	0.24			
	11:02		12.5	2.1	0.2	24446	7.48	-169.5	36.12	0.23			
	11:03		12.6	2.2	0.21	24308	7.48	-169.1	35.88	0.23			
	11:04		12.5	2.3	0.22	24182	7.49	-168.5	35.58	0.23			
WS07	08/08/2025		09:30	Did not use YSI due to contamination concerns.									Slight grey colour, no sheen, moderate to strong hydrocarbon odour.
	09/09/2025		14:05	Did not use YSI due to contamination concerns.									