ARUN DISTRICT COUNCIL
No. LU 163 07
MINOR AMENDMENT
RECEIVED 6-3-08

RWP
302.5
4715
910
4265
New SVP
IC1
LAWN
302.5
2352.5
1235
1815
8990
8355
1750
3400
777.5
1360
3175
337.5
1115
450mm wide strip foundations min 225 thick with underside min 1000mm below finished ground level. Final depth to be agreed with Building inspector.
BEDROOM 2
LIVING/ DINING ROOM
1000
910
PAVING SLABS RAMPED AT FRONT ENTRANCE
EXISTING HEDGEROW
ASPHALT CAR PARKING SURFACE
A
1235
5775.29
BEDROOM 1
1227.5
6515
Cooker
3980
2150
600mm wide strip foundations min 225 thick with underside min 1000mm below finished ground level. Final depth to be agreed with Building inspector.
KITCHEN
2352.5
3504.71
New SVP
1112.5
RWP
1115
1360
1680
910
685
540
685
4040
11015
PAVING SLABS
IC2

PROPOSED GROUND FLOOR PLAN

SCALE 1:50

A

FOR SUPPORTING STRUCTURE REFER TO STRUCTURAL ENGINEERS CALCULATIONS AND DETAILS. STRUCTURAL ENGINEER'S DRAWINGS AND DETAILS ARE TO TAKE PRECEDENCE

CLIENTS MUST TAKE THEIR OWN ASSURANCES ON:

1). Soil conditions including gradient of land.
2). Suitability of storm water drainage.
3). Position of main sewer (if applicable).
4). Trees and their effect on foundation design.

WE CANNOT BE RESPONSIBLE FOR ANY ADDITIONAL BUILDING COST FOR PROBLEMS CAUSED BY THE ABOVE (OR OTHER PROBLEMS RELATED TO A PARTICULAR SITE)

EXTENSIONS & ALTERATIONS ARE SUBJECT TO REVISION DEPENDING ON EXISTING STRUCTURE AS EXPOSED.

0 1 2 3 4 5 6 7m

GROUND FLOOR PLAN

MR P WEST
8 THATCHWAY CLOSE
LITTLEHAMPTON

Job No. 574 DATE FEB 08 SCALE 1:50 AT A3
DRAWN S.G.L. DRG No. 02 REV 0
FOR BUILDING REGULATIONS APPROVAL

ARUN DISTRICT COUNCIL:LU/163/07/ 04/05/2007