

Mayer Brown Limited										Page 4
Lion House Oriental Road Woking, GU22 8AR					Hampton Park South & East Central Wetland Surface Water Drainage					
Date 01/06/2021					Designed by SF					
File East of wetlands_Revise...					Checked by SF					
Innovyze					Network 2020.1					
<u>Existing Network Details for Storm</u>										
	PN	Length (m)	Fall (m)	Slope (1:X)	I.Area (ha)	T.E. (mins)	k (mm)	HYD SECT	DIA (mm)	Section Type
	* 16.002	9.926	0.000	0.0	0.052	5.00	0.600	o	300	Pipe/Conduit
	* 16.003	45.868	0.000	0.0	0.088	0.00	0.600	\ /	-2	Pipe/Conduit
	* 18.000	39.534	0.270	146.4	0.052	5.00	0.600	o	225	Pipe/Conduit
	* 18.001	7.736	0.050	154.7	0.052	0.00	0.600	o	225	Pipe/Conduit
	* 19.000	25.034	0.160	156.5	0.052	5.00	0.600	o	225	Pipe/Conduit
	* 19.001	33.149	0.220	150.7	0.052	0.00	0.600	o	225	Pipe/Conduit
	* 18.002	10.000	0.220	45.5	0.052	0.00	0.600	o	300	Pipe/Conduit
	* 20.000	29.325	0.200	146.6	0.075	5.00	0.600	o	225	Pipe/Conduit
	* 20.001	18.718	0.150	124.8	0.075	5.00	0.600	o	225	Pipe/Conduit
	* 20.002	13.553	0.450	30.1	0.075	5.00	0.600	o	225	Pipe/Conduit
	* 16.004	81.700	0.000	0.0	0.088	0.00	0.600	\ /	-2	Pipe/Conduit
	* 16.005	20.466	-0.090	-227.4	0.088	0.00	0.600	o	375	Pipe/Conduit
	* 21.000	59.264	0.410	144.5	0.107	5.00	0.600	o	225	Pipe/Conduit
	16.006	14.257	0.200	71.3	0.039	0.00	0.600	o	375	Pipe/Conduit
	22.000	30.968	0.450	68.8	0.032	5.00	0.600	o	150	Pipe/Conduit
	* 23.000	16.822	0.120	140.2	0.042	5.00	0.600	o	225	Pipe/Conduit
	* 23.001	9.104	0.180	50.6	0.042	5.00	0.600	o	225	Pipe/Conduit
	PN	US/MH Name	US/CL (m)	US/IL (m)	US C.Depth (m)	DS/CL (m)	DS/IL (m)	DS C.Depth (m)	Ctrl	US/MH (mm)
	* 16.002	P5/3_S28	4.400	2.400	1.700	4.400	2.400	1.700		1200
	* 16.003	Swale 3_HW1	4.400	2.400	0.000	4.400	2.400	0.000		1200
	* 18.000	P5/3_S16	4.500	2.940	1.335	4.530	2.670	1.635		1200
	* 18.001	P5/3_S18	4.530	2.670	1.635	4.400	2.620	1.555		1200
	* 19.000	P5/3_SW20-1	4.550	3.000	1.325	4.400	2.840	1.335		1200
	* 19.001	P5/3_SW20-2	4.400	2.840	1.335	4.400	2.620	1.555		1200
	* 18.002	P5/3_S20	4.400	2.620	1.480	4.400	2.400	1.700		1200
	* 20.000	P6/3-SW4	4.700	3.200	1.275	4.500	3.000	1.275		1200
	* 20.001	P6/3-SW5	4.500	3.000	1.275	4.400	2.850	1.325		1200
	* 20.002	P6/3-SW6	4.400	2.850	1.325	4.400	2.400	1.775		1200
	* 16.004	Swale 3_HW2	4.400	2.400	0.000	4.400	2.400	0.000		1200
	* 16.005	Swale 3_HW3	4.400	2.400	1.625	4.690	2.490	1.825		1200
	* 21.000	MAV_SW10/1	5.000	3.060	1.715	4.690	2.650	1.815		1200
	16.006	MAV_SW10	4.690	3.400	0.915	4.400	3.200	0.825		1200
	22.000	Stub SW10-2	5.060	3.650	1.260	4.400	3.200	1.050		1200
	* 23.000	P6/4_SW1	4.700	3.500	0.975	4.400	3.380	0.795		1200
	* 23.001	P6/4_SW2	4.400	3.380	0.795	4.400	3.200	0.975		1200
©1982-2020 Innovyze										

Mayer Brown Limited										Page 5
Lion House Oriental Road Woking, GU22 8AR					Hampton Park South & East Central Wetland Surface Water Drainage					
Date 01/06/2021 File East of wetlands_Revise...					Designed by SF Checked by SF					
Innovyze					Network 2020.1					
Existing Network Details for Storm										
PN	Length (m)	Fall (m)	Slope (1:X)	I.Area (ha)	T.E. (mins)	k (mm)	HYD SECT	DIA (mm)	Section	Type
16.007	50.366	0.000	0.0	0.030	0.00	0.600	\\	-5	Pipe/Conduit	
24.000	24.346	0.150	162.3	0.163	5.00	0.600	o	225	Pipe/Conduit	
16.008	25.998	0.000	0.0	0.030	0.00	0.600	\\	-5	Pipe/Conduit	
25.000	22.671	0.160	141.7	0.115	5.00	0.600	o	225	Pipe/Conduit	
* 26.000	24.136	0.160	150.9	0.042	5.00	0.600	o	225	Pipe/Conduit	
* 26.001	12.051	0.140	86.1	0.042	5.00	0.600	o	225	Pipe/Conduit	
* 16.009	54.615	0.000	0.0	0.030	0.00	0.600	\\	-5	Pipe/Conduit	
27.000	61.281	0.407	150.6	0.113	5.00	0.600	o	225	Pipe/Conduit	
28.000	11.138	0.155	71.9	0.048	5.00	0.600	o	150	Pipe/Conduit	
27.001	14.797	0.045	328.8	0.079	0.00	0.600	o	225	Pipe/Conduit	
* 16.010	19.774	0.000	0.0	0.030	0.00	0.600	\\	-5	Pipe/Conduit	
* 29.000	15.437	0.110	140.3	0.042	5.00	0.600	o	225	Pipe/Conduit	
* 29.001	8.584	0.190	45.2	0.042	5.00	0.600	o	225	Pipe/Conduit	
* 16.011	23.401	0.000	0.0	0.030	0.00	0.600	\\	-5	Pipe/Conduit	
* 16.012	6.300	0.540	11.7	0.030	0.00	0.600	o	300	Pipe/Conduit	
PN	US/MH Name	US/CL (m)	US/IL (m)	US C.Depth (m)	DS/CL (m)	DS/IL (m)	DS C.Depth (m)	Ctrl	US/MH (mm)	
16.007	Swale 4_HW1	4.400	3.200	0.000	4.400	3.200	0.000		1200	
24.000	Stub HW2/03	5.000	3.350	1.425	4.400	3.200	0.975		1200	
16.008	Swale 4_HW2	4.400	3.200	0.000	4.400	3.200	0.000		1200	
25.000	Stub HW2/03	4.340	3.360	0.755	4.400	3.200	0.975		1200	
* 26.000	P6/4- SW3	4.600	3.500	0.875	4.400	3.340	0.835		1200	
* 26.001	P6/4- SW4	4.400	3.340	0.835	4.400	3.200	0.975		1200	
* 16.009	Swale 4_HW3	4.400	3.200	0.000	4.400	3.200	0.000		1200	
27.000	MAV_SW11	4.832	3.652	0.955	4.282	3.245	0.812		1200	
28.000	Stub SW12-1	4.500	3.400	0.950	4.282	3.245	0.887		1200	
27.001	MAV_SW12	4.282	3.245	0.812	4.400	3.200	0.975		1200	
* 16.010	Swale 4_HW4	4.400	3.200	0.000	4.400	3.200	0.000		1200	
* 29.000	P6/4-SW6	4.600	3.500	0.875	4.400	3.390	0.785		1200	
* 29.001	P6/4-SW5	4.400	3.390	0.785	4.400	3.200	0.975		1200	
* 16.011	Swale 4-HW5	4.400	3.200	0.000	4.400	3.200	0.000		1200	
* 16.012	Swale 4_HW6	4.400	3.200	0.900	4.500	2.660	1.540		1200	
©1982-2020 Innovyze										

Mayer Brown Limited										Page 6
Lion House Oriental Road Woking, GU22 8AR					Hampton Park South & East Central Wetland Surface Water Drainage					
Date 01/06/2021					Designed by SF					
File East of wetlands_Revise...					Checked by SF					
Innovyze					Network 2020.1					
Existing Network Details for Storm										
PN	Length (m)	Fall (m)	Slope (1:X)	I.Area (ha)	T.E. (mins)	k (mm)	HYD SECT	DIA (mm)	Section	Type
30.000	24.901	0.540	46.1	0.048	5.00	0.600	o	150	Pipe/Conduit	
* 16.013	33.590	0.360	93.3	0.000	0.00	0.600	o	375	Pipe/Conduit	
* 31.000	51.574	0.400	128.9	0.106	5.00	0.600	o	225	Pipe/Conduit	
31.001	30.071	0.140	214.8	0.019	0.00	0.600	o	225	Pipe/Conduit	
* 2.013	32.203	1.100	29.3	0.000	0.00	0.600	o	600	Pipe/Conduit	
* 2.014	88.949	0.100	889.5	0.000	0.00	0.600	\/-	-6	Pipe/Conduit	
* 32.000	82.538	0.785	105.1	0.063	5.00	0.600	o	225	Pipe/Conduit	
* 33.000	39.931	0.380	105.1	0.102	5.00	0.600	o	225	Pipe/Conduit	
* 34.000	27.068	0.380	71.2	0.102	5.00	0.600	o	225	Pipe/Conduit	
* 33.001	11.068	0.105	105.4	0.102	5.00	0.600	o	225	Pipe/Conduit	
* 32.001	11.960	0.070	170.9	0.063	5.00	0.600	o	300	Pipe/Conduit	
* 32.002	15.648	0.080	195.6	0.063	0.00	0.600	o	300	Pipe/Conduit	
35.000	30.471	0.300	101.6	0.118	5.00	0.600	o	225	Pipe/Conduit	
35.001	8.265	0.170	48.6	0.118	5.00	0.600	o	225	Pipe/Conduit	
* 32.003	42.000	0.140	300.0	0.000	0.00	0.600	o	375	Pipe/Conduit	
36.000	43.503	0.300	145.0	0.118	5.00	0.600	o	225	Pipe/Conduit	
PN	US/MH Name	US/CL (m)	US/IL (m)	US C.Depth (m)	DS/CL (m)	DS/IL (m)	DS C.Depth (m)	Ctrl	US/MH (mm)	
30.000	Stub SW13/1	4.900	3.200	1.550	4.500	2.660	1.690		1200	
* 16.013	MAV_SW13	4.500	2.660	1.465	4.400	2.300	1.725		1200	
* 31.000	MAV_SW14	4.670	3.220	1.225	5.000	2.820	1.955		1200	
31.001	MAV_SW15	5.000	2.820	1.955	4.400	2.680	1.495		1200	
* 2.013	MAV_SW16 (HB)	4.400	2.300	1.500	4.000	1.200	2.200	Hydro-Brake®	1200	
* 2.014	OUTFALL 03	4.000	1.200	0.800	4.000	1.100	0.900		1200	
* 32.000	MAV_SW17	4.424	3.000	1.199	3.800	2.215	1.360		1200	
* 33.000	Youth Site	4.400	2.700	1.475	4.100	2.320	1.555		1200	
* 34.000	Youth Site	4.400	2.700	1.475	4.100	2.320	1.555		1200	
* 33.001	SW18/1	4.100	2.320	1.555	3.800	2.215	1.360		1200	
* 32.001	MAV_SW18	3.800	2.140	1.360	3.700	2.070	1.330		1200	
* 32.002	MAV_SW19	3.700	2.070	1.330	3.700	1.990	1.410		1200	
35.000	Com Centre	3.700	2.600	0.875	3.700	2.300	1.175		1200	
35.001	Com Centre	3.700	2.300	1.175	3.700	2.130	1.345		1200	
* 32.003	MAV_SW20	3.700	1.990	1.335	3.700	1.850	1.475		1200	
36.000	Com Centre	3.800	2.600	0.975	3.800	2.300	1.275		1200	
©1982-2020 Innovyze										

Mayer Brown Limited										Page 7	
Lion House Oriental Road Woking, GU22 8AR					Hampton Park South & East Central Wetland Surface Water Drainage						
Date 01/06/2021					Designed by SF						
File East of wetlands_Revise...					Checked by SF						
Innovyze					Network 2020.1						
<u>Existing Network Details for Storm</u>											
	PN	Length (m)	Fall (m)	Slope (1:X)	I.Area (ha)	T.E. (mins)	k (mm)	HYD SECT	DIA (mm)	Section	Type
	* 36.001	24.955	0.170	146.8	0.116	0.00	0.600	o	225	Pipe/Conduit	
	* 32.004	2.944	0.020	147.2	0.000	0.00	0.600	o	450	Pipe/Conduit	
	* 32.005	8.636	0.080	108.0	0.000	0.00	0.600	o	450	Pipe/Conduit	
	* 32.006	58.152	0.300	193.8	0.000	0.00	0.600	\/	-6	Pipe/Conduit	
	* 32.007	10.488	0.100	104.9	0.000	0.00	0.600	o	375	Pipe/Conduit	
	* 32.008	32.774	0.200	163.9	0.000	5.00	0.600	\/	-6	Pipe/Conduit	
	* 1.001	50.997	0.100	510.0	0.000	0.00	0.600	\/	-6	Pipe/Conduit	
	* 1.002	39.476	0.000	0.0	0.000	0.00	0.600	\/	31	Pipe/Conduit	
	* 37.000	30.585	0.280	109.2	0.084	5.00	0.600	o	225	Pipe/Conduit	
	* 38.000	44.695	0.290	154.1	0.084	5.00	0.600	o	225	Pipe/Conduit	
	* 37.001	11.168	0.050	223.4	0.084	0.00	0.600	o	300	Pipe/Conduit	
	* 37.002	44.845	0.230	195.0	0.084	0.00	0.600	o	300	Pipe/Conduit	
	* 37.003	56.160	0.360	156.0	0.084	0.00	0.600	o	300	Pipe/Conduit	
	* 37.004	10.915	0.040	272.9	0.084	0.00	0.600	o	375	Pipe/Conduit	
	* 39.000	37.891	0.240	157.9	0.078	5.00	0.600	o	225	Pipe/Conduit	
	* 39.001	24.521	0.140	175.2	0.078	5.00	0.600	o	225	Pipe/Conduit	
	* 37.005	52.756	0.000	0.0	0.056	0.00	0.600	\/	-1	Pipe/Conduit	
	* 40.000	36.429	0.260	140.1	0.084	5.00	0.600	o	300	Pipe/Conduit	
	* 40.001	55.627	0.230	241.9	0.084	5.00	0.600	o	375	Pipe/Conduit	
	PN	US/MH Name	US/CL (m)	US/IL (m)	US C.Depth (m)	DS/CL (m)	DS/IL (m)	DS C.Depth (m)	Ctrl	US/MH (mm)	
	* 36.001	Com Centre	3.800	2.300	1.275	3.700	2.130	1.345		1200	
	* 32.004	MAV_SW21 (Tank)	3.700	1.850	1.400	3.700	1.830	1.420		1200	
	* 32.005	SW22 (HB)	3.700	1.830	1.420	4.000	1.750	1.800	Hydro-Brake®	1200	
	* 32.006	OUTFALL 04	4.000	1.700	0.300	4.000	1.400	0.600		1200	
	* 32.007	CWA Culvert_U/S	4.000	1.400	2.225	4.000	1.300	2.325		1200	
	* 32.008	CWA Culvert_DS	4.000	1.300	0.700	4.000	1.100	0.900		1200	
	* 1.001	CWA - Culvert	4.000	1.100	0.900	4.000	1.000	1.000		1325	
	* 1.002	CWA	4.000	1.000	2.400	4.000	1.000	2.400		1200	
	* 37.000	P5/1_S50	4.370	2.960	1.185	4.000	2.680	1.095		1200	
	* 38.000	P5/1_S52-1	4.200	2.970	1.005	4.000	2.680	1.095		1200	
	* 37.001	P5/1_S52	4.000	2.680	1.020	4.000	2.630	1.070		1200	
	* 37.002	P5/1_S54	4.000	2.630	1.070	4.000	2.400	1.300		1200	
	* 37.003	P5/1_S56	4.000	2.400	1.300	4.000	2.040	1.660		1200	
	* 37.004	P5/1_S58	4.000	2.040	1.585	3.700	2.000	1.325		1200	
	* 39.000	P5/1_SW1	4.750	2.380	2.145	4.150	2.140	1.785		1200	
	* 39.001	P5/1_SW2	4.150	2.140	1.785	3.700	2.000	1.475		1200	
	* 37.005	Swale1_HW1	3.700	1.900	0.000	3.700	1.900	0.000		1200	
	* 40.000	P5/1_S34	5.120	2.620	2.200	4.710	2.360	2.050		1200	
	* 40.001	P5/1_S36	4.710	2.360	1.975	4.150	2.130	1.645		1200	
©1982-2020 Innovyze											

Mayer Brown Limited										Page 8	
Lion House Oriental Road Woking, GU22 8AR					Hampton Park South & East Central Wetland Surface Water Drainage						
Date 01/06/2021					Designed by SF						
File East of wetlands_Revise...					Checked by SF						
Innovyze					Network 2020.1						
Existing Network Details for Storm											
	PN	Length (m)	Fall (m)	Slope (1:X)	I.Area (ha)	T.E. (mins)	k (mm)	HYD SECT	DIA (mm)	Section	Type
	* 41.000	8.995	0.370	24.3	0.084	5.00	0.600	o	300	Pipe/Conduit	
	* 40.002	19.722	0.080	246.5	0.084	5.00	0.600	o	375	Pipe/Conduit	
	* 40.003	16.970	0.050	339.4	0.084	5.00	0.600	o	375	Pipe/Conduit	
	* 42.000	31.135	0.270	115.3	0.078	5.00	0.600	o	225	Pipe/Conduit	
	* 42.001	45.961	0.250	183.8	0.078	5.00	0.600	o	300	Pipe/Conduit	
	* 42.002	13.532	0.080	169.2	0.078	5.00	0.600	o	300	Pipe/Conduit	
	* 37.006	51.838	0.000	0.0	0.056	0.00	0.600	\/	-1	Pipe/Conduit	
	* 43.000	14.620	1.100	13.3	0.039	5.00	0.600	o	150	Pipe/Conduit	
	* 44.000	11.222	1.100	10.2	0.037	5.00	0.600	o	150	Pipe/Conduit	
	* 37.007	16.923	-0.076	-222.7	0.056	0.00	0.600	o	375	Pipe/Conduit	
	45.000	87.306	0.563	155.1	0.128	5.00	0.600	o	225	Pipe/Conduit	
	46.000	14.446	0.097	148.9	0.000	5.00	0.600	o	225	Pipe/Conduit	
	* 45.001	43.604	0.310	140.7	0.083	0.00	0.600	o	300	Pipe/Conduit	
	* 47.000	10.074	0.123	81.9	0.041	5.00	0.600	o	150	Pipe/Conduit	
	48.000	11.226	0.072	155.9	0.053	5.00	0.600	o	150	Pipe/Conduit	
	PN	US/MH Name	US/CL (m)	US/IL (m)	US C.Depth (m)	DS/CL (m)	DS/IL (m)	DS C.Depth (m)	Ctrl	US/MH (mm)	
	* 41.000	P5/1_S38-1	4.250	2.500	1.450	4.150	2.130	1.720		1200	
	* 40.002	P5/1_S38	4.150	2.130	1.645	3.940	2.050	1.515		1200	
	* 40.003	P5/1_S40	3.940	2.050	1.515	3.700	2.000	1.325		1200	
	* 42.000	P5/1_S10	4.310	2.600	1.485	4.240	2.330	1.685		1200	
	* 42.001	P5/1_S12	4.240	2.330	1.610	3.800	2.080	1.420		1200	
	* 42.002	P5/1_S14	3.800	2.080	1.420	3.700	2.000	1.400		1200	
	* 37.006	Swale1_HW2	3.700	1.900	0.000	3.700	1.900	0.000		1200	
	* 43.000	P5/1_HW3/1	4.200	3.000	1.050	3.700	1.900	1.650		1200	
	* 44.000	P5/1_HW3/2	4.100	3.000	0.950	3.700	1.900	1.650		1200	
	* 37.007	Swale1_HW3	3.700	1.900	1.425	3.942	1.976	1.591		1200	
	45.000	MAV_SW03	4.716	3.450	1.041	4.866	2.887	1.754		1200	
	46.000	SW04/1	4.800	2.984	1.591	4.866	2.887	1.754		1200	
	* 45.001	MAV_SW04	4.866	2.887	1.679	4.449	2.577	1.572		1200	
	* 47.000	Stub SW05/1	4.620	2.700	1.770	4.449	2.577	1.722		1200	
	48.000	Stub SW05/2	4.620	2.724	1.746	4.449	2.652	1.647		1200	
©1982-2020 Innovyze											

Mayer Brown Limited										Page 9	
Lion House Oriental Road Woking, GU22 8AR					Hampton Park South & East Central Wetland Surface Water Drainage						
Date 01/06/2021					Designed by SF						
File East of wetlands_Revise...					Checked by SF						
Innovyze					Network 2020.1						
Existing Network Details for Storm											
	PN	Length (m)	Fall (m)	Slope (1:X)	I.Area (ha)	T.E. (mins)	k (mm)	HYD SECT	DIA (mm)	Section	Type
	* 45.002	67.660	0.451	150.0	0.115	5.00	0.600	o	300	Pipe/Conduit	
	* 49.000	10.555	0.105	100.5	0.035	5.00	0.600	o	150	Pipe/Conduit	
	49.001	53.006	0.520	101.9	0.133	5.00	0.600	o	300	Pipe/Conduit	
	* 50.000	19.368	0.170	113.9	0.056	5.00	0.600	o	225	Pipe/Conduit	
	* 50.001	28.232	0.375	75.3	0.056	5.00	0.600	o	225	Pipe/Conduit	
	* 51.000	23.385	0.150	155.9	0.078	5.00	0.600	o	150	Pipe/Conduit	
	* 51.001	28.915	0.395	73.2	0.078	5.00	0.600	o	225	Pipe/Conduit	
	* 49.002	56.206	0.429	131.0	0.127	5.00	0.600	o	375	Pipe/Conduit	
	* 37.008	17.807	0.076	234.3	0.000	0.00	0.600	o	375	Pipe/Conduit	
	* 52.000	12.319	0.660	18.7	0.033	5.00	0.600	o	150	Pipe/Conduit	
	* 53.000	13.461	0.650	20.7	0.037	5.00	0.600	o	150	Pipe/Conduit	
	* 37.009	63.082	0.000	0.0	0.061	0.00	0.600	\/	-1	Pipe/Conduit	
	* 54.000	46.921	0.380	123.5	0.069	5.00	0.600	o	225	Pipe/Conduit	
	* 55.000	17.062	0.190	89.8	0.069	5.00	0.600	o	300	Pipe/Conduit	
	* 54.001	38.069	0.220	173.0	0.069	5.00	0.600	o	375	Pipe/Conduit	
	PN	US/MH Name	US/CL (m)	US/IL (m)	US C.Depth (m)	DS/CL (m)	DS/IL (m)	DS C.Depth (m)	Ctrl	US/MH (mm)	
	* 45.002	MAV_SW05	4.449	2.502	1.647	3.942	2.051	1.591		1200	
	* 49.000	SW06/1	4.960	3.180	1.630	4.698	3.075	1.473		1200	
	49.001	MAV_SW06	4.698	3.000	1.398	4.254	2.480	1.474		1200	
	* 50.000	P5/Mav_S04	4.490	2.950	1.315	4.254	2.780	1.249		1200	
	* 50.001	P5/Mav_S06	4.254	2.780	1.249	4.254	2.405	1.624		1200	
	* 51.000	P5/Mav_S02-1	4.450	2.950	1.350	4.350	2.800	1.400		1200	
	* 51.001	P5/Mav_S02	4.350	2.800	1.325	4.254	2.405	1.624		1200	
	* 49.002	MAV_SW08	4.254	2.405	1.474	3.942	1.976	1.591		1200	
	* 37.008	MAV_SW09	3.942	1.976	1.591	3.700	1.900	1.425		1500	
	* 52.000	P5/2_HW1/1	4.160	2.560	1.450	3.700	1.900	1.650		1200	
	* 53.000	P5/2_HW1/2	4.080	2.550	1.380	3.700	1.900	1.650		100	
	* 37.009	Swale2_HW1	3.700	1.900	0.000	3.700	1.900	0.000		1200	
	* 54.000	P5/2_S64	4.480	2.630	1.625	4.080	2.250	1.605		1200	
	* 55.000	P5/2_S60	4.160	2.440	1.420	4.080	2.250	1.530		1200	
	* 54.001	P5/2_S66	4.080	2.250	1.455	4.250	2.030	1.845		1200	
©1982-2020 Innovyze											

Mayer Brown Limited										Page 10	
Lion House Oriental Road Woking, GU22 8AR					Hampton Park South & East Central Wetland Surface Water Drainage						
Date 01/06/2021					Designed by SF						
File East of wetlands_Revise...					Checked by SF						
Innovyze					Network 2020.1						
Existing Network Details for Storm											
	PN	Length (m)	Fall (m)	Slope (1:X)	I.Area (ha)	T.E. (mins)	k (mm)	HYD SECT	DIA (mm)	Section	Type
	* 54.002	10.000	0.030	333.3	0.069	5.00	0.600	o	375	Pipe/Conduit	
	* 56.000	35.815	0.310	115.5	0.056	5.00	0.600	o	225	Pipe/Conduit	
	* 56.001	29.916	0.230	130.1	0.056	5.00	0.600	o	300	Pipe/Conduit	
	* 57.000	13.518	0.170	79.5	0.056	5.00	0.600	o	225	Pipe/Conduit	
	* 57.001	13.902	0.140	99.3	0.056	0.00	0.600	o	300	Pipe/Conduit	
	* 58.000	17.364	0.190	91.4	0.056	5.00	0.600	o	225	Pipe/Conduit	
	* 58.001	15.101	0.150	100.7	0.056	0.00	0.600	o	300	Pipe/Conduit	
	* 56.002	52.542	0.190	276.5	0.056	5.00	0.600	o	375	Pipe/Conduit	
	* 56.003	13.554	0.030	451.8	0.056	5.00	0.600	o	375	Pipe/Conduit	
	* 37.010	51.236	0.000	0.0	0.061	0.00	0.600	\/	-1	Pipe/Conduit	
	* 59.000	15.737	0.100	157.4	0.056	5.00	0.600	o	225	Pipe/Conduit	
	* 59.001	17.030	0.180	94.6	0.056	0.00	0.600	o	225	Pipe/Conduit	
	* 60.000	15.593	0.100	155.9	0.056	5.00	0.600	o	225	Pipe/Conduit	
	* 60.001	31.591	0.160	197.4	0.056	0.00	0.600	o	300	Pipe/Conduit	
	* 59.002	30.409	0.150	202.7	0.056	0.00	0.600	o	300	Pipe/Conduit	
	* 59.003	9.753	0.120	81.3	0.056	0.00	0.600	o	300	Pipe/Conduit	
	* 59.004	16.152	0.060	269.2	0.056	0.00	0.600	o	375	Pipe/Conduit	
	* 59.005	17.760	0.060	296.0	0.056	0.00	0.600	o	375	Pipe/Conduit	
	PN	US/MH Name	US/CL (m)	US/IL (m)	US C.Depth (m)	DS/CL (m)	DS/IL (m)	DS C.Depth (m)	Ctrl	US/MH (mm)	
	* 54.002	P5/2_S72	4.250	2.030	1.845	3.700	2.000	1.325		1200	
	* 56.000	P5/2_S74	4.450	2.760	1.465	4.660	2.450	1.985		1200	
	* 56.001	P5/2_S76	4.660	2.450	1.910	4.250	2.220	1.730		1200	
	* 57.000	P5/2_S78	4.610	2.530	1.855	4.570	2.360	1.985		1200	
	* 57.001	P5/2_S80	4.570	2.360	1.910	4.250	2.220	1.730		1200	
	* 58.000	P5/2_S82	4.510	2.560	1.725	4.430	2.370	1.835		1200	
	* 58.001	P5/2_S84	4.430	2.370	1.760	4.250	2.220	1.730		1200	
	* 56.002	P5/2_S86	4.250	2.220	1.655	4.250	2.030	1.845		1200	
	* 56.003	P5/2_S88	4.250	2.030	1.845	3.700	2.000	1.325		1200	
	* 37.010	Swale2_HW2	3.700	1.900	0.000	3.700	1.900	0.000		1200	
	* 59.000	P5/2_S90	4.610	2.670	1.715	4.490	2.570	1.695		1200	
	* 59.001	P5/2_S92	4.490	2.570	1.695	4.320	2.390	1.705		1200	
	* 60.000	P5/2_SW94-1	4.350	2.650	1.475	4.350	2.550	1.575		1200	
	* 60.001	P5/2_SW94-2	4.350	2.550	1.500	4.320	2.390	1.630		1200	
	* 59.002	P5/2_S94	4.320	2.390	1.630	4.000	2.240	1.460		1200	
	* 59.003	P5/2_S96	4.000	2.240	1.460	4.000	2.120	1.580		1200	
	* 59.004	P5/2_S98	4.000	2.120	1.505	4.000	2.060	1.565		1200	
	* 59.005	P5/2_S100	4.000	2.060	1.565	3.700	2.000	1.325		1200	
©1982-2020 Innovyze											

Mayer Brown Limited										Page 11
Lion House Oriental Road Woking, GU22 8AR					Hampton Park South & East Central Wetland Surface Water Drainage					
Date 01/06/2021					Designed by SF					
File East of wetlands_Revise...					Checked by SF					
Innovyze					Network 2020.1					
<u>Existing Network Details for Storm</u>										
	PN	Length (m)	Fall (m)	Slope (1:X)	I.Area (ha)	T.E. (mins)	k (mm)	HYD SECT	DIA (mm)	Section Type
	* 61.000	54.711	0.350	156.3	0.069	5.00	0.600	o	225	Pipe/Conduit
	* 37.011	11.212	0.070	160.2	0.061	0.00	0.600	o	450	Pipe/Conduit
	* 37.012	31.166	0.660	47.2	0.000	0.00	0.600	o	375	Pipe/Conduit
	* 37.013	5.737	0.120	47.8	0.000	0.00	0.600	o	375	Pipe/Conduit
	* 37.014	43.742	0.050	874.8	0.000	0.00	0.600	\	-6	Pipe/Conduit
	* 1.003	29.317	0.000	0.0	0.000	0.00	0.600	\	-6	Pipe/Conduit
	* 1.004	116.964	0.000	0.0	0.000	0.00	0.600	\	-6	Pipe/Conduit
	* 1.005	38.347	0.000	0.0	0.000	0.00	0.600	\	-6	Pipe/Conduit
	* 1.006	18.930	0.000	0.0	0.000	0.00	0.600	\	-6	Pipe/Conduit
	62.000	43.516	0.300	145.1	0.072	5.00	0.600	o	225	Pipe/Conduit
	* 63.000	41.751	0.800	52.2	0.072	5.00	0.600	o	225	Pipe/Conduit
	* 62.001	16.511	0.100	165.1	0.072	0.00	0.600	o	300	Pipe/Conduit
	62.002	41.153	0.210	196.0	0.072	0.00	0.600	o	300	Pipe/Conduit
	64.000	15.977	0.320	49.9	0.072	5.00	0.600	o	225	Pipe/Conduit
	* 64.001	9.629	0.070	137.6	0.000	5.00	0.600	o	375	Pipe/Conduit
	* 62.003	14.374	0.630	22.8	0.000	0.00	0.600	o	450	Pipe/Conduit
	* 62.004	50.881	0.100	508.8	0.000	0.00	0.600	\	-6	Pipe/Conduit
	* 1.007	248.303	0.248	1000.0	0.000	0.00	0.600	\	-6	Pipe/Conduit
	* 1.008	225.791	0.226	1000.0	0.000	0.00	0.600	\	-6	Pipe/Conduit
	PN	US/MH Name	US/CL (m)	US/IL (m)	US C.Depth (m)	DS/CL (m)	DS/IL (m)	DS C.Depth (m)	Ctrl	US/MH (mm)
	* 61.000	P5/2_SHW6-1	4.400	2.350	1.825	3.700	2.000	1.475		1200
	* 37.011	Swale2_HW3	3.700	1.900	1.350	3.700	1.830	1.420		1200
	* 37.012	SW9A (HB)	3.700	1.830	1.495	2.600	1.170	1.055	Hydro-Brake®	1500
	* 37.013	SW9B	2.600	1.170	1.055	4.000	1.050	2.575		1500
	* 37.014	OUTFALL 02	4.000	1.050	0.950	4.000	1.000	1.000		1200
	* 1.003	CWA	4.000	1.000	1.000	4.000	1.000	1.000		1200
	* 1.004	CWA_PH4 Outfall	4.000	1.000	1.000	4.000	1.000	1.000		1200
	* 1.005	CWA - BEBO U/S	4.000	1.000	1.000	4.000	1.000	1.000		1200
	* 1.006	CWA - BEBO D/S	4.000	1.000	1.000	4.000	1.000	1.000		1200
	62.000	P5_S42	4.480	2.420	1.835	4.160	2.120	1.815		1200
	* 63.000	P5_SW1-1 (MBL)	4.200	3.000	0.975	4.160	2.200	1.735		1200
	* 62.001	P5_S44	4.160	2.120	1.740	4.150	2.020	1.830		1200
	62.002	P5_S46	4.150	1.940	1.910	4.000	1.730	1.970		1200
	64.000	P5_Flats	4.600	2.200	2.175	4.200	1.880	2.095		1200
	* 64.001	P5_Tank P5-01	4.200	1.800	2.025	4.000	1.730	1.895		1200
	* 62.003	P5_S48 (HB)	4.000	1.730	1.820	4.000	1.100	2.450	Hydro-Brake®	1200
	* 62.004	OUTFALL 01	4.000	1.100	0.900	4.000	1.000	1.000		1200
	* 1.007	CWA	4.000	1.000	1.000	4.000	0.752	1.248		1200
	* 1.008	Black Ditch	4.000	0.752	1.248	4.000	0.526	1.474		1200
©1982-2020 Innovyze										

Mayer Brown Limited										Page 12																																																																																																																																																																																																																										
Lion House Oriental Road Woking, GU22 8AR					Hampton Park South & East Central Wetland Surface Water Drainage																																																																																																																																																																																																																															
Date 01/06/2021					Designed by SF																																																																																																																																																																																																																															
File East of wetlands_Revise...					Checked by SF																																																																																																																																																																																																																															
Innovyze					Network 2020.1																																																																																																																																																																																																																															
Existing Network Details for Storm <table><thead><tr><th>PN</th><th>Length (m)</th><th>Fall (m)</th><th>Slope (1:X)</th><th>I.Area (ha)</th><th>T.E. (mins)</th><th>k (mm)</th><th>HYD SECT</th><th>DIA (mm)</th><th>Section Type</th></tr></thead><tbody><tr><td>* 65.000</td><td>114.144</td><td>0.724</td><td>157.7</td><td>0.000</td><td>5.00</td><td>0.600</td><td>o</td><td>150</td><td>Pipe/Conduit</td></tr><tr><td>* 1.009</td><td>137.935</td><td>0.138</td><td>1000.0</td><td>0.000</td><td>0.00</td><td>0.600</td><td>\</td><td>-6</td><td>Pipe/Conduit</td></tr><tr><td>* 66.000</td><td>84.086</td><td>0.500</td><td>168.2</td><td>0.000</td><td>5.00</td><td>0.600</td><td>o</td><td>150</td><td>Pipe/Conduit</td></tr><tr><td>* 1.010</td><td>238.089</td><td>0.238</td><td>1000.0</td><td>0.000</td><td>0.00</td><td>0.600</td><td>\</td><td>-6</td><td>Pipe/Conduit</td></tr><tr><td>* 1.011</td><td>116.070</td><td>0.116</td><td>1000.0</td><td>0.000</td><td>0.00</td><td>0.600</td><td>\</td><td>-6</td><td>Pipe/Conduit</td></tr><tr><td>* 1.012</td><td>76.154</td><td>0.076</td><td>1000.0</td><td>0.000</td><td>0.00</td><td>0.600</td><td>\</td><td>-6</td><td>Pipe/Conduit</td></tr></tbody></table> <table><thead><tr><th>PN</th><th>US/MH Name</th><th>US/CL (m)</th><th>US/IL (m)</th><th>US C.Depth (m)</th><th>DS/CL (m)</th><th>DS/IL (m)</th><th>DS C.Depth (m)</th><th>Ctrl</th><th>US/MH (mm)</th></tr></thead><tbody><tr><td>* 65.000</td><td>Drain Down</td><td>4.000</td><td>1.500</td><td>2.350</td><td>4.000</td><td>0.776</td><td>3.074</td><td></td><td>1200</td></tr><tr><td>* 1.009</td><td>Black Ditch</td><td>4.000</td><td>0.526</td><td>1.474</td><td>4.000</td><td>0.388</td><td>1.612</td><td></td><td>1200</td></tr><tr><td>* 66.000</td><td>Drain Down</td><td>4.000</td><td>1.500</td><td>2.350</td><td>4.000</td><td>1.000</td><td>2.850</td><td></td><td>1200</td></tr><tr><td>* 1.010</td><td>Black Ditch</td><td>4.000</td><td>0.338</td><td>1.662</td><td>4.000</td><td>0.100</td><td>1.900</td><td></td><td>1200</td></tr><tr><td>* 1.011</td><td>Black Ditch</td><td>4.000</td><td>0.100</td><td>1.900</td><td>4.000</td><td>-0.016</td><td>2.016</td><td></td><td>1200</td></tr><tr><td>* 1.012</td><td>Black Ditch</td><td>4.000</td><td>-0.016</td><td>2.016</td><td>4.000</td><td>-0.092</td><td>2.092</td><td></td><td>1200</td></tr></tbody></table> Conduit Sections for Storm NOTE: Diameters less than 66 refer to section numbers of hydraulic conduits. These conduits are marked by the symbols:- [] box culvert, \ open channel, oo dual pipe, ooo triple pipe, O egg. Section numbers < 0 are taken from user conduit table <table><thead><tr><th>Section Number</th><th>Conduit Type</th><th>Major Dimn. (mm)</th><th>Minor Dimn. (mm)</th><th>Side Slope (Deg)</th><th>Corner Splay (mm)</th><th>4*Hyd Radius (m)</th><th>XSect Area (m²)</th></tr></thead><tbody><tr><td>31</td><td>\</td><td>1000</td><td>1207</td><td>45.0</td><td></td><td>2.414</td><td>2.664</td></tr><tr><td>-1</td><td>\</td><td>1500</td><td>1800</td><td>17.0</td><td></td><td>3.851</td><td>13.298</td></tr><tr><td>-2</td><td>\</td><td>1500</td><td>2000</td><td>14.0</td><td></td><td>4.224</td><td>19.043</td></tr><tr><td>-3</td><td>\</td><td>1500</td><td>1900</td><td>17.0</td><td></td><td>4.044</td><td>14.658</td></tr><tr><td>-4</td><td>\</td><td>1500</td><td>2000</td><td>18.0</td><td></td><td>4.240</td><td>15.311</td></tr><tr><td>-5</td><td>\</td><td>1500</td><td>1200</td><td>19.0</td><td></td><td>2.697</td><td>5.982</td></tr><tr><td>-6</td><td>\</td><td>1000</td><td>1200</td><td>18.0</td><td></td><td>4.224</td><td>19.043</td></tr></tbody></table> Surcharged Outfall Details for Storm <table><thead><tr><th>Outfall Pipe Number</th><th>Outfall Name</th><th>C. Level (m)</th><th>I. Level (m)</th><th>Min I. Level (m)</th><th>D,L (mm)</th><th>W (mm)</th></tr></thead><tbody><tr><td>1.012</td><td></td><td>4.000</td><td>-0.092</td><td>0.000</td><td>0</td><td>0</td></tr></tbody></table> Datum (m) 0.000 Offset (mins) 0											PN	Length (m)	Fall (m)	Slope (1:X)	I.Area (ha)	T.E. (mins)	k (mm)	HYD SECT	DIA (mm)	Section Type	* 65.000	114.144	0.724	157.7	0.000	5.00	0.600	o	150	Pipe/Conduit	* 1.009	137.935	0.138	1000.0	0.000	0.00	0.600	\	-6	Pipe/Conduit	* 66.000	84.086	0.500	168.2	0.000	5.00	0.600	o	150	Pipe/Conduit	* 1.010	238.089	0.238	1000.0	0.000	0.00	0.600	\	-6	Pipe/Conduit	* 1.011	116.070	0.116	1000.0	0.000	0.00	0.600	\	-6	Pipe/Conduit	* 1.012	76.154	0.076	1000.0	0.000	0.00	0.600	\	-6	Pipe/Conduit	PN	US/MH Name	US/CL (m)	US/IL (m)	US C.Depth (m)	DS/CL (m)	DS/IL (m)	DS C.Depth (m)	Ctrl	US/MH (mm)	* 65.000	Drain Down	4.000	1.500	2.350	4.000	0.776	3.074		1200	* 1.009	Black Ditch	4.000	0.526	1.474	4.000	0.388	1.612		1200	* 66.000	Drain Down	4.000	1.500	2.350	4.000	1.000	2.850		1200	* 1.010	Black Ditch	4.000	0.338	1.662	4.000	0.100	1.900		1200	* 1.011	Black Ditch	4.000	0.100	1.900	4.000	-0.016	2.016		1200	* 1.012	Black Ditch	4.000	-0.016	2.016	4.000	-0.092	2.092		1200	Section Number	Conduit Type	Major Dimn. (mm)	Minor Dimn. (mm)	Side Slope (Deg)	Corner Splay (mm)	4*Hyd Radius (m)	XSect Area (m²)	31	\	1000	1207	45.0		2.414	2.664	-1	\	1500	1800	17.0		3.851	13.298	-2	\	1500	2000	14.0		4.224	19.043	-3	\	1500	1900	17.0		4.044	14.658	-4	\	1500	2000	18.0		4.240	15.311	-5	\	1500	1200	19.0		2.697	5.982	-6	\	1000	1200	18.0		4.224	19.043	Outfall Pipe Number	Outfall Name	C. Level (m)	I. Level (m)	Min I. Level (m)	D,L (mm)	W (mm)	1.012		4.000	-0.092	0.000	0	0
PN	Length (m)	Fall (m)	Slope (1:X)	I.Area (ha)	T.E. (mins)	k (mm)	HYD SECT	DIA (mm)	Section Type																																																																																																																																																																																																																											
* 65.000	114.144	0.724	157.7	0.000	5.00	0.600	o	150	Pipe/Conduit																																																																																																																																																																																																																											
* 1.009	137.935	0.138	1000.0	0.000	0.00	0.600	\	-6	Pipe/Conduit																																																																																																																																																																																																																											
* 66.000	84.086	0.500	168.2	0.000	5.00	0.600	o	150	Pipe/Conduit																																																																																																																																																																																																																											
* 1.010	238.089	0.238	1000.0	0.000	0.00	0.600	\	-6	Pipe/Conduit																																																																																																																																																																																																																											
* 1.011	116.070	0.116	1000.0	0.000	0.00	0.600	\	-6	Pipe/Conduit																																																																																																																																																																																																																											
* 1.012	76.154	0.076	1000.0	0.000	0.00	0.600	\	-6	Pipe/Conduit																																																																																																																																																																																																																											
PN	US/MH Name	US/CL (m)	US/IL (m)	US C.Depth (m)	DS/CL (m)	DS/IL (m)	DS C.Depth (m)	Ctrl	US/MH (mm)																																																																																																																																																																																																																											
* 65.000	Drain Down	4.000	1.500	2.350	4.000	0.776	3.074		1200																																																																																																																																																																																																																											
* 1.009	Black Ditch	4.000	0.526	1.474	4.000	0.388	1.612		1200																																																																																																																																																																																																																											
* 66.000	Drain Down	4.000	1.500	2.350	4.000	1.000	2.850		1200																																																																																																																																																																																																																											
* 1.010	Black Ditch	4.000	0.338	1.662	4.000	0.100	1.900		1200																																																																																																																																																																																																																											
* 1.011	Black Ditch	4.000	0.100	1.900	4.000	-0.016	2.016		1200																																																																																																																																																																																																																											
* 1.012	Black Ditch	4.000	-0.016	2.016	4.000	-0.092	2.092		1200																																																																																																																																																																																																																											
Section Number	Conduit Type	Major Dimn. (mm)	Minor Dimn. (mm)	Side Slope (Deg)	Corner Splay (mm)	4*Hyd Radius (m)	XSect Area (m²)																																																																																																																																																																																																																													
31	\	1000	1207	45.0		2.414	2.664																																																																																																																																																																																																																													
-1	\	1500	1800	17.0		3.851	13.298																																																																																																																																																																																																																													
-2	\	1500	2000	14.0		4.224	19.043																																																																																																																																																																																																																													
-3	\	1500	1900	17.0		4.044	14.658																																																																																																																																																																																																																													
-4	\	1500	2000	18.0		4.240	15.311																																																																																																																																																																																																																													
-5	\	1500	1200	19.0		2.697	5.982																																																																																																																																																																																																																													
-6	\	1000	1200	18.0		4.224	19.043																																																																																																																																																																																																																													
Outfall Pipe Number	Outfall Name	C. Level (m)	I. Level (m)	Min I. Level (m)	D,L (mm)	W (mm)																																																																																																																																																																																																																														
1.012		4.000	-0.092	0.000	0	0																																																																																																																																																																																																																														
©1982-2020 Innovyze																																																																																																																																																																																																																																				

Mayer Brown Limited										Page 13	
Lion House Oriental Road Woking, GU22 8AR					Hampton Park South & East Central Wetland Surface Water Drainage						
Date 01/06/2021					Designed by SF						
File East of wetlands_Revise...					Checked by SF						
Innovyze					Network 2020.1						
<u>Surcharged Outfall Details for Storm</u>											
Time (mins)	Depth (m)	Time (mins)	Depth (m)	Time (mins)	Depth (m)	Time (mins)	Depth (m)	Time (mins)	Depth (m)	Time (mins)	Depth (m)
1	1.800	63	1.800	125	1.800	187	1.800	249	1.800	311	1.800
2	1.800	64	1.800	126	1.800	188	1.800	250	1.800	312	1.800
3	1.800	65	1.800	127	1.800	189	1.800	251	1.800	313	1.800
4	1.800	66	1.800	128	1.800	190	1.800	252	1.800	314	1.800
5	1.800	67	1.800	129	1.800	191	1.800	253	1.800	315	1.800
6	1.800	68	1.800	130	1.800	192	1.800	254	1.800	316	1.800
7	1.800	69	1.800	131	1.800	193	1.800	255	1.800	317	1.800
8	1.800	70	1.800	132	1.800	194	1.800	256	1.800	318	1.800
9	1.800	71	1.800	133	1.800	195	1.800	257	1.800	319	1.800
10	1.800	72	1.800	134	1.800	196	1.800	258	1.800	320	1.800
11	1.800	73	1.800	135	1.800	197	1.800	259	1.800	321	1.800
12	1.800	74	1.800	136	1.800	198	1.800	260	1.800	322	1.800
13	1.800	75	1.800	137	1.800	199	1.800	261	1.800	323	1.800
14	1.800	76	1.800	138	1.800	200	1.800	262	1.800	324	1.800
15	1.800	77	1.800	139	1.800	201	1.800	263	1.800	325	1.800
16	1.800	78	1.800	140	1.800	202	1.800	264	1.800	326	1.800
17	1.800	79	1.800	141	1.800	203	1.800	265	1.800	327	1.800
18	1.800	80	1.800	142	1.800	204	1.800	266	1.800	328	1.800
19	1.800	81	1.800	143	1.800	205	1.800	267	1.800	329	1.800
20	1.800	82	1.800	144	1.800	206	1.800	268	1.800	330	1.800
21	1.800	83	1.800	145	1.800	207	1.800	269	1.800	331	1.800
22	1.800	84	1.800	146	1.800	208	1.800	270	1.800	332	1.800
23	1.800	85	1.800	147	1.800	209	1.800	271	1.800	333	1.800
24	1.800	86	1.800	148	1.800	210	1.800	272	1.800	334	1.800
25	1.800	87	1.800	149	1.800	211	1.800	273	1.800	335	1.800
26	1.800	88	1.800	150	1.800	212	1.800	274	1.800	336	1.800
27	1.800	89	1.800	151	1.800	213	1.800	275	1.800	337	1.800
28	1.800	90	1.800	152	1.800	214	1.800	276	1.800	338	1.800
29	1.800	91	1.800	153	1.800	215	1.800	277	1.800	339	1.800
30	1.800	92	1.800	154	1.800	216	1.800	278	1.800	340	1.800
31	1.800	93	1.800	155	1.800	217	1.800	279	1.800	341	1.800
32	1.800	94	1.800	156	1.800	218	1.800	280	1.800	342	1.800
33	1.800	95	1.800	157	1.800	219	1.800	281	1.800	343	1.800
34	1.800	96	1.800	158	1.800	220	1.800	282	1.800	344	1.800
35	1.800	97	1.800	159	1.800	221	1.800	283	1.800	345	1.800
36	1.800	98	1.800	160	1.800	222	1.800	284	1.800	346	1.800
37	1.800	99	1.800	161	1.800	223	1.800	285	1.800	347	1.800
38	1.800	100	1.800	162	1.800	224	1.800	286	1.800	348	1.800
39	1.800	101	1.800	163	1.800	225	1.800	287	1.800	349	1.800
40	1.800	102	1.800	164	1.800	226	1.800	288	1.800	350	1.800
41	1.800	103	1.800	165	1.800	227	1.800	289	1.800	351	1.800
42	1.800	104	1.800	166	1.800	228	1.800	290	1.800	352	1.800
43	1.800	105	1.800	167	1.800	229	1.800	291	1.800	353	1.800
44	1.800	106	1.800	168	1.800	230	1.800	292	1.800	354	1.800
45	1.800	107	1.800	169	1.800	231	1.800	293	1.800	355	1.800
46	1.800	108	1.800	170	1.800	232	1.800	294	1.800	356	1.800
47	1.800	109	1.800	171	1.800	233	1.800	295	1.800	357	1.800
48	1.800	110	1.800	172	1.800	234	1.800	296	1.800	358	1.800
49	1.800	111	1.800	173	1.800	235	1.800	297	1.800	359	1.800
50	1.800	112	1.800	174	1.800	236	1.800	298	1.800	360	1.800
51	1.800	113	1.800	175	1.800	237	1.800	299	1.800	361	1.800
52	1.800	114	1.800	176	1.800	238	1.800	300	1.800	362	1.800
53	1.800	115	1.800	177	1.800	239	1.800	301	1.800	363	1.800
54	1.800	116	1.800	178	1.800	240	1.800	302	1.800	364	1.800
55	1.800	117	1.800	179	1.800	241	1.800	303	1.800	365	1.800
56	1.800	118	1.800	180	1.800	242	1.800	304	1.800	366	1.800
57	1.800	119	1.800	181	1.800	243	1.800	305	1.800	367	1.800
58	1.800	120	1.800	182	1.800	244	1.800	306	1.800	368	1.800
59	1.800	121	1.800	183	1.800	245	1.800	307	1.800	369	1.800
60	1.800	122	1.800	184	1.800	246	1.800	308	1.800	370	1.800
61	1.800	123	1.800	185	1.800	247	1.800	309	1.800	371	1.800
62	1.800	124	1.800	186	1.800	248	1.800	310	1.800	372	1.800
©1982-2020 Innovyze											