

Tree Report

Site: **22 Dorset Close, Littlehampton, BN17 6ED**

Inspected By: Tim Rowell Dip Arb L4 (ABC)

Date: 21/11/2017

Ref: HYDE077335

Contents

Survey Results and Recommendations

Photos

Location Plan

Disclaimer



Groundscapes Ltd
Coles Lane, Capel, Dorking, Surrey RH5 5HW



Survey Results & Recommendations

**ALL WORK RECOMMENDATIONS ARE WITHIN A ONE YEAR PRIORITY
UNLESS STATED OTHERWISE**

ID	Species	Trunk Type	Age	Height	Spread	Stem Diameter	Condition	Requirement
0DQV	Fraxinus excelsior	Single	Mature	15-20m	5-10m	750mm+	Moderate	Reduce crown to previous points
Cost Code	10.4 Crown reduce tree 15-20m £350.00+VAT							

ID	Species	Trunk Type	Age	Height	Spread	Stem Diameter	Condition	Requirement
0DQW	Fraxinus excelsior	Single	Mature	15-20m	5-10m	750mm+	Moderate	Reduce crown to previous points
Cost Code	10.4 Crown reduce tree 15-20m £350.00+VAT							

Photos


0DQV



0DQW



Location Plan



Disclaimer

Under the instruction of the client we, County Tree Surgeons Ltd, have completed a tree condition survey in order to satisfy your responsibilities under the Owners and Occupiers Liability Act. I have assessed the trees' general condition and risk potential along with management recommendations for any remedial or preventative work in order to bring the condition of the trees to an acceptable level of risk..

The trees have been inspected on the basis of the visual tree assessment method expounded by Mattheck and Breoler (the body language of trees d.o.e booklet research for amenity trees No.4, 1994).The trees have been visually inspected from ground level only with the aid of binoculars. No boring or core sampling was undertaken. The comments made are based on observable factors present at the time of inspection and are based on maximizing the trees useful life expectancy given their current location.

The statements made in this survey / report do not take into account the effects of extremes of climate, vandalism or accident, whether physical, chemical or fire. We, County Tree Surgeons Ltd cannot accept liability in connection with these factors, nor where prescribed work is not carried out in a professional manner in accordance with current good practice. The authority of this report ceases at any stated time limit within or if none stated, after a period of three years from the inspection date or when conditions change, or pruning works or other works unspecified in the report are carried out to, or affecting the subject trees, whichever is sooner.