



FOUL DRAINAGE SCHEDULE						
MH	COVER	INVERT	SIZE	DISTANCE	MATERIAL	GRADE
FW02-TL	6.39	4.99	150	40.1	CLAY	1 IN 125
FW01A-TL	6.59	5.31	150	17.5	CLAY	1 IN 30
FW01-TL	6.74	5.89				
FA3	5.89	2.00	150	54.8	CLAY	1 IN 144
FA4	4.74	2.38	150	15.5	CLAY	1 IN 119
FA5	5.56	2.51	150	26.1	CLAY	1 IN 119
FA6	6.48	2.73	150	16.0	CLAY	1 IN 145
FA6A	6.71	2.84	150	9.6	CLAY	1 IN 107
FA7	6.72	2.93	150	54.4	CLAY	1 IN 151
FA8	7.63	3.29	150	25.5	CLAY	1 IN 127
FA9	7.90	3.49	150	34.6	CLAY	1 IN 165
FA10	7.99	3.70	150	49.1	CLAY	1 IN 158
FA11	6.96	4.01				
FA7	6.72	3.49	150	28.3	CLAY	1 IN 16
FA7-2	6.58	5.25				
FA8	7.63	4.96	150	27.9	CLAY	1 IN 133
FA8-3	7.62	5.17				
FA10	7.99	5.21				
FA10-5	7.84	6.19	100	24.9	CLAY	1 IN 25

Notes :

- GRID IS NATIONAL GRID.
- LEVELS BASED ON ORDNANCE DATUM, DERIVED FROM THE NATIONAL GNSS NETWORK
- DRAINAGE INFORMATION HAS BEEN DETERMINED WITHOUT MAN ENTRY INTO CHAMBERS AND WHILST EVERY EFFORT HAS BEEN MADE TO CORRECTLY IDENTIFY THIS INFORMATION, IT SHOULD ALWAYS BE CHECKED IN AREAS THAT ARE CRITICAL TO THE FUTURE PROPOSAL.
- ALL SEWERS ARE PRESUMED TO BE STRAIGHT BETWEEN CHAMBERS.
- BACKGROUND INFORMATION TAKEN FROM ORDNANCE SURVEY DIGITAL DATA.

CROWN COPYRIGHT. ALL RIGHTS RESERVED. LICENCE No. 100020430

KEY

- ADOPTED SURFACE SEWER
- ADOPTABLE SURFACE SEWER
- ADOPTED FOUL SEWER
- ADOPTABLE FOUL SEWER
- HIGHWAY DRAIN
- CONNECTION VIA BACKDROP
- S1 □ SURFACE WATER MANHOLE
- F1 ■ FOUL WATER MANHOLE
- SEWER EASEMENT

SURFACE DRAINAGE SCHEDULE						
MH	COVER	INVERT	SIZE	DISTANCE	MATERIAL	GRADE
SW05-TL	6.38	4.38	300	69.0	CONC	1 IN 246
SW04-TL	6.81	4.66	300	24.2	CONC	1 IN 242
SW03-TL	6.81	4.76				
SA5	6.02	3.19	300	26.2	CONC	1 IN 175
SA6	5.65	3.34	225	34.8	CONC	1 IN 158
SA7	5.05	3.63	225	27.3	CONC	1 IN 248
SA8	5.91	3.74	300	21.1	CONC	1 IN 162
SA9	6.68	3.87	300	11.3	CONC	1 IN 283
SA10	6.67	3.91	300	59.9	CONC	1 IN 260
SA11	7.62	4.14	300	30.8	CONC	1 IN 205
SA12	7.90	4.29	300	28.3	CONC	1 IN 263
SA13	7.89	4.39	225	52.0	CLAY	1 IN 168
SA14	6.74	4.77				
SA6	5.65	3.39	225	16.5	CONC	1 IN 110
SA6A	5.29	3.54				
SA7	5.05	3.63	225	21.2	CONC	1 IN 112
SA7A	4.86	3.82				
SA11	7.62	4.22	150	24.0	CLAY	1 IN 114
SA11-3	7.65	4.43				
SA12	7.90	4.44	150	58.3	CLAY	1 IN 162
SA12-1	7.71	4.80	150	35.8	CLAY	1 IN 156
SA12-2	7.95	5.03				
SA13	7.89	4.53	150	25.1	CLAY	1 IN 32
SA13-2	7.88	5.32				



Tel 01908 565561
Tel 01865 594979
Tel 0116 2840127
Tel 01384 404203
Tel 01403 243162

Milton Keynes
Oxford
East Midlands
West Midlands
Horsham

enquiries@mksurveys.co.uk
oxford@mksurveys.co.uk
eastmidlands@mksurveys.co.uk
westmidlands@mksurveys.co.uk
horsham@mksurveys.co.uk

www.mksurveys.com www.surveys4bim.co.uk



Phase 1
Toddington Lane
Littlehampton

Section 104 Agreement - As Built Survey

Scale 1:500	Sheet Size: A1	Sheet Number: 1	Date: June 2020
Project Number: 28610_104	Rev: -	Surveyed By: JL	Approved By: CP