



FD F-F

Technical drawing of a waterfront promenade section. The drawing shows a cross-section of the promenade with various zones and dimensions. Key features include:

- Stone edging on concrete haunching** (top left)
- New gravel path with reinforcement for wheelchair access on min. 150mm Hardcore and Terram** (top center)
- Existing ground line** (top right)
- Minimum 250mm Recinforced concrete wall extending c.750mm into pile flange.** (bottom left)
- Dimensions:**
 - 5.20m (width of the gravel path)
 - 5.00m (width of the gravel path)
 - 5.05m (width of the gravel path)
 - 4.85m (width of the gravel path)
 - 5.20m (width of the gravel path)
 - 5.35m (width of the gravel path)
 - 4.30m wide (width of the gravel path)
 - 2.00m (width of the gravel path)
- Labels:**
 - Footpath
 - Nominal water level
 - Bio-swale
 - Vegetation
 - Car park
 - Well-compacted hardcore

Rev B - 28/08/2020 - Planning Submission
Rev A - 19/05/2020 - Update to consultants

Stolon Studio | Kaolin Court | 33-39 Beadnell Road,
London SE23 1AA | 020 3355 9533 | mail@stolon.uk

Hampton Quay

Date 28/08/2020

Dwg No. 030-S3-SK020