

Environmental Health Consultation Response

To	Hannah Kersley
Date	20-01-2026
Planning Ref	LU/249/25/RES
Site Description	Street Record Anderson Way Wick West Sussex
Date of Application	2026-01-08 00:00:00
Category	Reserved Matters
Recommendation	No Objection No Objection — with conditions Objection Holding Objection

EH Comments:


I have reviewed the submitted documents for this reserved matters application.

The Remediation strategy by Idom Merebrook Reference : RMS-18426c-14-288, October 2014 set out the proposed remediation requirements and strategy and therefore complies with condition 33 of the outline application, however this does not satisfy condition 34.

The acoustic report by Tetra tech project ref 784-B07 1906 dated 19/11/2025 along with the TM59 Assessment by Southern Energy Consultants dated 25/11/2025 indicate that if all the proposed recommendations and mitigation are fully implemented then the development should comply with the current guideline levels.

The submitted lighting diagrams also indicate compliance with the guideline levels and therefore I have no objections on these grounds.

PL- Consultation- Environmental Health response



Arun District Council, Civic Centre, Maltravers Rd
Littlehampton, West Sussex, BN17 5LF
www.arun.gov.uk

To register to receive notification of planning applications in your area please go to
<https://www1.arun.gov.uk/planning-application-finder>



Connect with us: [Facebook](#) | [X](#) | [Instagram](#)

From: chris.white@arun.gov.uk <chris.white@arun.gov.uk>
Sent: 20 January 2026 11:49
To: Planning.Responses <Planning.Responses@arun.gov.uk>
Cc: Chris White <Chris.White@arun.gov.uk>
Subject: Planning Response LU-249-25-RES - Street Record, Anderson Way, Wick, West Sussex

Planning Response LU-249-25-RES - Street Record, Anderson Way, Wick, West Sussex

Hi Hannah,

Please find attached EH planning response for the above application..
Kind Regards

Chris White

Environmental Protection Officer, Environmental Health
Arun District Council

T: 01903 737663
E: chris.white@arun.gov.uk

Council Information:

Environmental Health, Arun Civic Centre, Maltravers Road,
Littlehampton, West Sussex, BN17 5LF

T: 01903 737500 - E: EHPlanningConsultations@arun.gov.uk

<http://www.arun.gov.uk>
NLPG UPRN 100062237016
DX 57406 Littlehampton

You can view Arun District Council's Privacy Policy from <https://www.arun.gov.uk/privacy-policy>

Important Notice: This e-mail is intended exclusively for the addressee and may contain information that is confidential and/or privileged. If you are not the intended recipient (or authorised to receive it for the addressee), please notify the sender and delete the e-mail immediately; using, copying, or disclosing it to anyone else, is strictly prohibited and may be unlawful. Any views, opinions or options presented are solely those of the author and do not necessarily represent those of Arun District Council. The information in this e-mail may be subject to public disclosure under the Freedom of Information Act 2000, therefore we cannot guarantee that we will not provide the whole or part of this e-mail to a third party. The Council reserves the right to monitor e-mails in accordance with relevant legislation. Whilst outgoing e-mails are checked for viruses, we cannot guarantee this e-mail is virus-free or has not been intercepted or changed and we do not accept liability for any damage caused. Any reference to "e-mail" in this disclaimer includes any attachments.