



GENERAL NOTES

- This drawing is to be read in conjunction with relevant architectural and engineering drawings.
- Levels indicated in blocks are Finished Floor Levels and are 150mm above adjacent finished ground levels unless otherwise shown.
- Levels of the existing road at the point of tie-in with proposed site road must be checked prior to commencement of works.
- Any discrepancies between the details shown and actual on site conditions to be reported immediately to the engineer prior to commencement of works.

Drainage Legend:

General

- Proposed Finished Floor Level
- Proposed Garage Slab Level
- Site Boundary

Private Drainage

- Foul Water Sewer (1000mm unless otherwise stated)
- Foul Water 525mm Inspection Chamber (Max Depth 3000mm)
- Foul Water 300mm Inspection Chamber (Max Depth 750mm)
- Acid Drain
- Proposed Outlet Sump and Level
- SW Sewer & MH
- SW Manhole Ref. (Cover & Invert Levels)
- Proposed Road Gully & Connection
- Storm Water Sewer (1000mm unless otherwise stated)
- Storm Water 525mm Inspection Chamber (Max Depth 3000mm)
- Storm Water Rodding Eye & Level (Max Depth 750mm)
- Proposed Cellular Storage
- Porous Tanked Paving
- FW Sewer & MH
- FW Manhole Ref. (Cover & Invert Levels)

Rev.	Description	Date	By
C	New layout inserted.	03.10.19	JL
B	Drawing amended to suit clients request.	19.05.19	TB
A	Plot 11 private storm drainage amended to suit clients comments.	03.06.19	TB
	First issue	15.08.19	CS

Drawing Status

FOR CONSTRUCTION

Client

PERSIMMON
Together, we make a home

Project

Littlehampton
West Sussex

Title

Private Drainage Layout
Sheet 1 of 2

BANNERS GATE
CIVIL, STRUCTURAL & ARCHITECTURAL DESIGN SERVICES
10-11 Birmingham Street, Hove, West Midlands BN3 3BN
Tel: 0121 687 1500 Fax: 0121 687 1501
E-mail: mail@bannersgate.com

Scale	A1 @ 1:250	Drawn	CS
Date	August 2019	Checked	TB
File	19163 / dwgs / civils / current	Drawing	19163 / 121C