ARUN DISTRICT COUNCIL:LU/318/06/ 10/10/2006



FORM ROOFLIGHT USING VELUX FLAT ROOF SYSTEM FRS P09 STRUCTURAL OPENING SIZE 1000X1000 EXPOSE EXISTING ROOF JOISTS AND TRIM NEW OPENING TO SATISFACTION OF BUILDING CONTROL.

EAST



NORTH

WINDOWS
GLAZING TO WINDOWS WITHIN 800m.m OF FINISHED FLOOR LEVEL TO BE SAFETY BROKEN TO BS 6206 CLASS 5.3
NEW WINDOWS TO ACHIEVE AN AREA WEIGHTED AVERAGE U VALUE OF 2.0 W/SQM.K AND TO BE FITTED WITH PILKINGTON 'K' GLASS WITH A 16m.m AIR GAP OR FITTED BY FISHER.



FLOOR PLAN

PLUMBING
ALL TO BS 12056. BASIN WASTE 32m.m DIA WITH 75m.m DEEP SEAL TRAP FROM PLUMBING EXPT BY CHANGES OF DIRECTION RUN WASTE TO EXISTING SOLLY
FIT TO NEW W.C MECHANICAL EXTRACT FAN, VENTED TO OUTSIDE AIR, CAPABLE OF EXTRACTING 15 LITRES OF AIR PER SECOND

ELECTRICAL
ALL NEW ADDITIONAL ELECTRICAL WORKS TO BE DESIGNED, CONSTRUCTED, INSPECTED AND TESTED IN ACCORD WITH BS.7671 (THE I.E.E WIRING REGULATIONS)



LOCATION PLAN SCALE 1/1250

ARUN DISTRICT COUNCIL

No.	LU	318	06	
RECEIVED	10.10.06			

NOTE. DRAWINGS ARE NOT TO BE SCALED EXCEPT FOR PLANNING PURPOSES. WORK TO FIGURED DIMENSIONS ONLY AND TO EXISTING WORKS. CONTRACTOR TO CHECK AND REPORT ANY DISCREPANCIES.

PROPOSED ALTERATIONS FOR Mr Mrs R BINGHAM.
55, BEACH ROAD, LITTLEHAMPTON, WEST SUSSEX
DRAWN BY K J MARSHALL 16, ARUNDEL GD. ROSTINGTON, WEST SUSSEX. BN16 3EH TEL No 01903 774188
SCALE. 1:50. DATE. AUG/06. DRWG No A/8/06