




**From:** Lisa Coney  
**Sent:** 24 February 2020 09:51  
**To:** [REDACTED]  
**Cc:** Julie Grieves <Julie.Grieves@arun.gov.uk>  
**Subject:** LU/363/19/PL & ENF/275/17- 51 Arundel Road, Littlehampton  
**Importance:** High

Dear Mr Creber

I note that your planning application to regularise the outstanding breach of planning control remains invalid, awaiting the submission of a location plan.

To avoid your application being returned, please ensure that the location plan is submitted to Mrs Grieves within 7 days from the date of this letter. Should the requested information not be submitted within the specified timescale, your application will be returned & the outstanding breach of planning control will be subject to further review.


Regards  
Lisa Coney



CIL is coming  
find out more...  
[www.arun.gov.uk/CIL](http://www.arun.gov.uk/CIL)

Community  
Infrastructure  
Levy

CIL



Lisa Coney | Senior Planning Officer – Compliance. Planning Department, Arun District Council | Location: First Floor, Arun Civic Centre, Maltravers Road, Littlehampton, BN17 5LF

Internal: 37524 | External: +44 (0) 1903 737524 | E-mail: [Lisa.Coney@arun.gov.uk](mailto:Lisa.Coney@arun.gov.uk)

Visit Arun's web site at <http://www.arun.gov.uk>



Save the environment - think before you print.