



To register to receive notification of planning applications in your area please go to
<https://www1.arun.gov.uk/planning-application-finder>

Arun District Council, Civic Centre, Maltravers Rd, Littlehampton, West Sussex, BN17 5LF
www.arun.gov.uk

Sign up to our newsletter [here](#)



[Redacted]
[Redacted] ADC Greenspace raising no objection to LU/363/21/AOO.

Thanks,

Michael

From: Sue Howell <Sue.Howell@arun.gov.uk>

Sent: 10 January 2022 10:59

To: Michael Eastham <Michael.Eastham@arun.gov.uk>

Subject: RE: *EXTERNAL: RE: Planning Consultation on: LU/363/21/AOO

Hi Michael

Yes satisfied with the defects period and yes happy to approve the planting scheme for the Western Parkland Area at Kingley Gate as my consultation below of 22/12/2021 and now amend to show defects confirmation 10/01/2022.

Regards

Sue

Response to Planning Application

From: Arun District Council Greenspace

Date: 22/12/2021

Application ref: LU/363/21/AOO

Description: Submission of Details of Landscaping (Amenity Space) Scheme for the Western Parkland as required under Obligation on Section 106 dated 22nd March 2021 linked to LU/355/10.

Location: Kingley Gate Littlehampton

Determining Authority: Arun DC

Summary recommendation: Recommendation is **approval of landscape submission of details of Landscaping** (Amenity Space) Scheme for the Western Parkland as required under Obligation on Section 106 dated 22nd March 2021 linked to LU/355/10 - Subject to confirmation of latent defects commitment. Now confirmed 10/01/2022

Comments – Revised - Now confirmed 10/01/2022

Response

Drawings have been submitted as follows: Western Parkland/Amenity area and allotments Landscape proposals S106 Approval layout 972/03/REV L, Playing Fields Landscape proposals S106 Approval Layout 972/04/REV J and A259 Landscape Area S106 Approval Layout 972/02 REV P.

The proposals would appear suitable from a landscape perspective and the information provided with plans and schedule as we would require them to be submitted. From the information submitted, I would have no objection to the species selection detail and the specified sizes at time of this replanting.

Further clarification has been provided for the stated removal of the native thicket and reinstate this whole area in front of the SW pumping station with grass seed and would appear acceptable.

These replacement trees are to carry a latent defects liability period with BDW to ensure the establishment of these? This should be for a minimum of 12 months with any failures in this time again replaced to specification to ensure that the replacements and initial planting is handed over as a thriving scheme.

Recommendation/Conclusion

In conclusion **recommendation is approval of landscape submission of details of Landscaping** (Amenity Space) Scheme for the Western Parkland as required under Obligation on Section 106 dated 22nd March 2021 linked to LU/355/10 - Subject to confirmation of latent defects commitment. – Now confirmed 10/01/2022

Sue Howell
Leisure and Landscape Officer,
Greenspace + Emergency Planning

T: 01903 737943



E: sue.howell@arun.gov.uk

Arun District Council, Civic Centre, Maltravers Rd, Littlehampton, West Sussex, BN17 5LF
www.arun.gov.uk

Sign up to our newsletter [here](#)



From: Planning.Responses <Planning.Responses@arun.gov.uk>

Sent: 16 November 2021 08:34

To: Tree Landscape [REDACTED]

Subject: Planning Consultation on: LU/363/21/AOO

To: **Parks and Landscapes**

NOTIFICATION FROM ARUN DISTRICT COUNCIL

Section 106 Town and Country Planning Act 1990

Application for Approval of Details to Satisfy an Obligation

Application No: LU/363/21/AOO

Registered: 15th November 2021

Site Address: Kingley Gate Littlehampton

Grid Reference:

Description of Works: Submission of Details of Landscaping (Amenity Space) Scheme for the Western Parkland as required under Obligation on Section 106 dated 22nd March 2021 linked to LU/355/10.

The Council have received the above application.

[Click here to view the application details](#)

Should you have any comments to make, these should be sent by replying to this email by . You can also monitor the progress of this application through the Council web site:

<https://www.arun.gov.uk/planning-application-search>

The application will be determined having regard to the development plan policies (if any are relevant) and other material considerations. The development plan can be accessed via the website

<https://www.arun.gov.uk/development-plan> as can information on what comments we can consider

<https://www.arun.gov.uk/planning-application-comments>

Please be aware that any comments you may make will be available on our website so please do not insert personal details or signatures on your reply.

Should the application go to appeal the Planning Inspectorate will publish any comments made to the Council on their website: <https://acp.planninginspectorate.gov.uk/> but they will protect personal details.

In the absence of a reply within the period stated, I shall assume that you have no observations to make

Yours sincerely

Michael Eastham

Planning Officer- Arun District Council

Telephone: 01903 737772

Email: michael.eastham@arun.gov.uk

Sue Howell

Leisure and Landscape Officer,
Greenspace + Emergency Planning

T: 01903 737943

E: sue.howell@arun.gov.uk



Arun District Council, Civic Centre, Maltravers Rd, Littlehampton, West Sussex, BN17 5LF

www.arun.gov.uk

Sign up to our newsletter [here](#)



From: Michael Eastham <Michael.Eastham@arun.gov.uk>
Sent: 10 January 2022 10:32
To: Sue Howell <Sue.Howell@arun.gov.uk>
Subject: FW: *EXTERNAL: RE: Planning Consultation on: LU/363/21/AOO

Hi Sue,

Please see the email below from Carina Paine at BDW Homes regarding the defect period on the new trees.

Are you satisfied with this defect period?

Are you happy for use to approve the planting scheme for the Western Parkland Area at Kingley Gate?

Regards,

Michael

From: Paine, Carina [REDACTED]
Sent: 10 January 2022 10:24
To: Michael Eastham <Michael.Eastham@arun.gov.uk>; Tim Bishop [REDACTED]
Cc: Sue Howell <Sue.Howell@arun.gov.uk>
Subject: RE: *EXTERNAL: RE: Planning Consultation on: LU/363/21/AOO

CAUTION: This email originated from outside of the organisation. You should take extra care when clicking links or opening attachments - if you are unsure the content is safe contact the IT Helpdesk before clicking or opening.

Hi Michael

I can confirm there will be a 12 month defect period on the new trees in that area.

Kind Regards

Carina Paine
Estates Manager
BARRATT DAVID WILSON HOMES

BDW Southern Counties (A Trading Name of BDW Trading Limited)
Compton House, The Guildway, Old Portsmouth Road, Guildford, GU3 1LR

 Please consider the environment before printing this e-mail



BARRATT
HOMES



DAVID WILSON HOMES
WHERE QUALITY COUNTS



From: Michael Eastham <Michael.Eastham@arun.gov.uk>
Sent: 10 January 2022 10:19
To: Tim Bishop [REDACTED]
Subject: *EXTERNAL: RE: Planning Consultation on: LU/363/21/AOO



EXTERNAL EMAIL WARNING

Please do not click on LINKS or ATTACHMENTS where you are unsure of its origin. In such cases delete the email.

Hi Tim,

Please could you confirm that there will be a **12 month defect period** on all of the new trees in the Western Parkland Area?

Kind regards,

Michael

From: Tim Bishop [REDACTED]
Sent: 28 December 2021 09:14
To: Michael Eastham <Michael.Eastham@arun.gov.uk>
Subject: Re: Planning Consultation on: LU/363/21/AOO

CAUTION: This email originated from outside of the organisation. You should take extra care when clicking links or opening attachments - if you are unsure the content is safe contact the IT Helpdesk before clicking or opening.

Good morning Michael

Thank you for the update below, I will speak to Carina at BDW but, I'm sure there will be a 12 month defect period on all the new trees.

On another matter, I spoke to the contractor working on the new shop at Kingley Gate and, was told it is going to be a Premier Local store.

Happy New Year.

Many thanks
Best regards
Tim

Tim Bishop
TP&J Project Management Services Ltd
[REDACTED]

From: Michael Eastham <Michael.Eastham@arun.gov.uk>
Sent: Monday, December 27, 2021 10:06:03 AM
To: Tim Bishop [REDACTED]
Subject: FW: Planning Consultation on: LU/363/21/AOO

Dear Tim,

Please see the email below from Sue Howell in **ADC Greenspace** regarding **LU/363/21/AOO**.

Could you confirm by return of email the latent defects liability period to ensure the establishment of the replacement trees?

Kind regards,

Michael

From: Sue Howell <Sue.Howell@arun.gov.uk>
Sent: 22 December 2021 11:04
To: Planning.Responses <Planning.Responses@arun.gov.uk>
Cc: Michael Eastham <Michael.Eastham@arun.gov.uk>
Subject: Planning Consultation on: LU/363/21/AOO

Response to Planning Application

From: Arun District Council Greenspace

Date: 22/12/2021

Application ref: LU/363/21/AOO

Description: Submission of Details of Landscaping (Amenity Space) Scheme for the Western Parkland as required under Obligation on Section 106 dated 22nd March 2021 linked to LU/355/10.

Location: Kingley Gate Littlehampton

Determining Authority: Arun DC

Summary recommendation: Recommendation is **approval of landscape submission of details of Landscaping (Amenity Space) Scheme for the Western Parkland** as required under Obligation on Section 106 dated 22nd March 2021 linked to LU/355/10 - Subject to confirmation of latent defects commitment.

Comments

Response

Drawings have been submitted as follows: Western Parkland/Amenity area and allotments Landscape proposals S106 Approval layout 972/03/REV L, Playing Fields Landscape proposals S106 Approval Layout 972/04/REV J and A259 Landscape Area S106 Approval Layout 972/02 REV P.

The proposals would appear suitable from a landscape perspective and the information provided with plans and schedule as we would require them to be submitted. From the information submitted, I would have no objection to the species selection detail and the specified sizes at time of this replanting.

Further clarification has been provided for the stated removal of the native thicket and reinstate this whole area in front of the SW pumping station with grass seed and would appear acceptable.

These replacement trees are to carry a latent defects liability period with BDW to ensure the establishment of these? This should be for a minimum of 12 months with any failures in this time again replaced to specification to ensure that the replacements and initial planting is handed over as a thriving scheme.

Recommendation/Conclusion

In conclusion **recommendation is approval of landscape submission of details of Landscaping** (Amenity Space) Scheme for the Western Parkland as required under Obligation on Section 106 dated 22nd March 2021 linked to LU/355/10 - Subject to confirmation of latent defects commitment.

Sue Howell

Leisure and Landscape Officer,
Greenspace + Emergency Planning



T: 01903 737943

E: sue.howell@arun.gov.uk

Arun District Council, Civic Centre, Maltravers Rd, Littlehampton, West Sussex, BN17 5LF
www.arun.gov.uk



Sign up to our newsletter [here](#)

From: Planning.Responses <Planning.Responses@arun.gov.uk>

Sent: 16 November 2021 08:34

To: Tree Landscape [REDACTED]

Subject: Planning Consultation on: LU/363/21/AOO

To: Parks and Landscapes

NOTIFICATION FROM ARUN DISTRICT COUNCIL

Section 106 Town and Country Planning Act 1990
Application for Approval of Details to Satisfy an Obligation

Application No: LU/363/21/AOO
Registered: 15th November 2021
Site Address: Kingley Gate Littlehampton
Grid Reference:
Description of Works: Submission of Details of Landscaping (Amenity Space) Scheme for the Western Parkland as required under Obligation on Section 106 dated 22nd March 2021 linked to LU/355/10.

The Council have received the above application.

[Click here to view the application details](#)

Should you have any comments to make, these should be sent by replying to this email by . You can also monitor the progress of this application through the Council web site:

<https://www.arun.gov.uk/planning-application-search>

The application will be determined having regard to the development plan policies (if any are relevant) and other material considerations. The development plan can be accessed via the website

<https://www.arun.gov.uk/development-plan> as can information on what comments we can consider

<https://www.arun.gov.uk/planning-application-comments>

Please be aware that any comments you may make will be available on our website so please do not insert personal details or signatures on your reply.

Should the application go to appeal the Planning Inspectorate will publish any comments made to the Council on their website: <https://acp.planninginspectorate.gov.uk/> but they will protect personal details.

In the absence of a reply within the period stated, I shall assume that you have no observations to make

Yours sincerely

Michael Eastham

Planning Officer- Arun District Council

Telephone: 01903 737772

Email: michael.eastham@arun.gov.uk

PLCONSULT (ODS) 2020

<http://www.arun.gov.uk>

DX 57406 Littlehampton

You can view Arun District Council's Privacy Policy from <https://www.arun.gov.uk/privacy-policy>

Important Notice This e-mail is intended exclusively for the addressee and may contain information that is confidential and/or privileged. If you are not the intended recipient (or authorised to receive it for the addressee), please notify the sender and delete the e-mail immediately; using, copying, or disclosing it to anyone else, is strictly prohibited and may be unlawful. Any views, opinions or options presented are solely those of the author and do not necessarily represent those of Arun District Council. The information in this e-mail may be subject to public disclosure under the Freedom of Information Act 2000, therefore we cannot guarantee that we will not provide the whole or part of this e-mail to a third party. The Council reserves

the right to monitor e-mails in accordance with relevant legislation. Whilst outgoing e-mails are checked for viruses, we cannot guarantee this e-mail is virus-free or has not been intercepted or changed and we do not accept liability for any damage caused. Any reference to "e-mail" in this disclaimer includes any attachments.

<http://www.arun.gov.uk>

DX 57406 Littlehampton

You can view Arun District Council's Privacy Policy from <https://www.arun.gov.uk/privacy-policy>

Important Notice This e-mail is intended exclusively for the addressee and may contain information that is confidential and/or privileged. If you are not the intended recipient (or authorised to receive it for the addressee), please notify the sender and delete the e-mail immediately; using, copying, or disclosing it to anyone else, is strictly prohibited and may be unlawful. Any views, opinions or options presented are solely those of the author and do not necessarily represent those of Arun District Council. The information in this e-mail may be subject to public disclosure under the Freedom of Information Act 2000, therefore we cannot guarantee that we will not provide the whole or part of this e-mail to a third party. The Council reserves the right to monitor e-mails in accordance with relevant legislation. Whilst outgoing e-mails are checked for viruses, we cannot guarantee this e-mail is virus-free or has not been intercepted or changed and we do not accept liability for any damage caused. Any reference to "e-mail" in this disclaimer includes any attachments.

The sender of this e-mail is a member of the Barratt Developments PLC group of companies, the ultimate parent of which is Barratt Developments PLC (company number 00604574). Barratt Developments PLC is registered in England and Wales with its registered office at Barratt House, Cartwright Way, Forest Business Park, Bardon Hill, Coalville, Leicestershire LE67 1UF, together with its principal subsidiaries BDW Trading Limited (03018173), and Wilson Bowden Developments Limited (00948402). Barratt Homes, Barratt London and David Wilson Homes are trading names of BDW Trading Limited. This e-mail message is meant only for use by the intended addressee and may contain privileged and/or confidential information. If you have received this message in error please notify us and remove it from your system. Please view our 'Email Addendum v2.0' at <http://www.barrattcommercialsupport.co.uk/barratt-developments-plc-email-a> for further details.