

ADC PARKS & GREENSPACE ARBORICULTURE

FROM: Dafydd Lloyd

TO: Ross Leal

PLANNING APPLICATION: LY/3/15/TC

ADDRESS: The Paddock Lyminster BN17 7QH

BRIEF DESCRIPTION: Fell 1No. Sycamore Tree within the Lyminster Conservation Area

INSPECTION DATE: 06/03/2015

RECOMMENDATION:

Objection ☐ No Objection ☒ Split Decision ☐

Comment ☒ Recommendation ☒ Suggested Conditions ☐

Tree Replacement ☐ Dead/Dangerous ☐ CA & Amenity Value ☐

T1 Species: Sycamore *Acer pseudoplatanus* **Height:** 10 meters **Average Branch Spread:** 3.5 meters **Crown Condition:** fair **Form:** fair to poor **Age Class:** semi mature

Comments:

- The outlined tree is situated in conservation area Lyminster. This is an attractive area that is quite rural, and has a mix of mainly established broadleaved trees, with a few conifer species present.
- The tree outlined in this application is situated abutting the western boundary. It is clear from the site inspection that this individual has had previous reduction/s.
- The proposed operation would mean the felling and removal of **T1**. From the site inspection it is clear that **T1** does not have the attributes to warrant a TPO order.

Recommendation:

- As **T1** does not have the merits to warrant a TPO order. **I would therefore have no objection to the proposed operation.**

Dafydd Lloyd
Arun District Council
Tree Officer