



EXISTING SURFACE WATER DRAINAGE TO REMAIN

RWP

RWP

MH

RWP

ACCESS POINT FROM SEA WAY

DWELLING

GARAGE

PORCH

RWP

RWP

MH

RWP

OUTFALL TO DRAIN IN ACCORDANCE WITH
DRAINAGE ENGINEERS REQUIREMENTS

ALL SURFACE WATER DRAINAGE TO BE 100DIA
PVCU LAID AND SURROUNDED IN 150 PEA GRAVEL
DRAINAGE SUBJECT TO VEHICULAR TRAFFIC AND
UNDER PORCH TO BE ENCASED IN MASS
CONCRETE

REFER TO PLANNING APPROVAL M/71/20/HH,
CONDITION 4

This drawing is the copyright of the Architect and
must not be reproduced or used without the
Architect's permission. Figured dimensions are to
take precedence over scaled dimensions. The
Contractor is responsible for checking all figured
dimensions on drawings against actual site
dimensions. Scaled dimensions are not to be used
for construction and setting out purposes. Any
discrepancies are to be reported to the Architect.
This drawing should be read in conjunction with
schedules, specifications and engineers drawings
and details where applicable.

DAVID BENNETT ARCHITECT
THE OLD COTTAGE, 10 VICARAGE LANE
FELPHAM, WEST SUSSEX PO22 7EA
01243 842619 and 07932 757144
Email: davidkbennett47@gmail.com

CLIENT

MR AND MRS PRYOR

PROJECT

**ALTERATIONS AND EXTENSIONS
18 SEA WAY, ELMER SANDS
BOGNOR REGIS, PO22 6JY**

DRAWING TITLE

DRAINAGE PLAN

SCALE

1/100 at A3

REFERENCE

11521.18