

Folkes Architects
The Old Forge
Storrington
RH20 4LA

Please ask for: Mrs A Gardner
Email: Anita.Gardner@arun.gov.uk
Telephone: 01903 737529
Our Ref: M/75/20/PL
Your Ref: Mr Paxton
Date: 28th January 2021

Dear Folkes Architects,

Town and Country Planning (Pre-commencement Conditions) 2018
Notice of intention to impose pre-commencement conditions

Demolition Of Existing Dwelling & Erection Of Replacement Dwelling. This Site Is In Cil Zone 4 & Is Cil Liable As New Dwelling.

13 Elm Drive Elmer Middleton-On-Sea PO22 6JE

From 1 October 2018 section 100ZA(5) of the Planning Act 1990 provides that planning permission for the development of land may not be granted subject to a pre-commencement condition without the written agreement of the applicant to the terms of the condition (except in the circumstances set out in the Town and Country Planning (Pre-commencement Conditions) Regulations 2018).

The following Pre Commencement Condition/s are Proposed:

- 10 Development shall not commence, other than works of site survey and investigation, until full details of the proposed surface water drainage scheme have been submitted to and approved in writing by the Local Planning Authority. The design should follow the hierarchy of preference for different types of surface water drainage disposal systems as set out in Approved Document H of the Building Regulations, and the recommendations of the SuDS Manual produced by CIRIA. Winter groundwater monitoring to establish highest annual ground water levels and winter Percolation testing to BRE 365, or similar approved, will be required to support the design of any Infiltration drainage. No building / No part of the extended building shall be occupied until the complete surface water drainage system serving the property has been implemented in accordance with the agreed details and the details so agreed shall be maintained in good working order in perpetuity.

Reason: To ensure that the proposed development is satisfactorily drained in accordance with policies W SP1, W DM1, W DM2 and W DM3 of the Arun Local Plan. This is required to be a pre-commencement condition because it is necessary to implement the surface water drainage system prior to commencing any building works.

OPTIONS:

1. Confirm your acceptance in writing by the **11th February 2021**.
2. Choose not respond (i.e. remain silent). If there is no response by the **11th February 2021** the Local Planning Authority may grant planning permission subject to the terms of the pre-commencement condition specified in the notice.
3. Provide comments before the **11th February 2021** on the proposed pre-commencement condition, in which case that condition cannot be imposed.
4. Indicate before the **11th February 2021** that you do not agree to the terms of the proposed pre-commencement condition, in which case the Local Planning Authority may then either:
 - a. grant planning permission without the pre-commencement condition,
 - b. seek written agreement to an alternative pre-commencement condition, or
 - c. refuse to grant permission (if it considers that the disputed pre-commencement condition is necessary to make the development acceptable in planning terms).

If you wish to discuss the contents of this letter, or if there is anything you do not understand, please contact the case officer on the above extension.

Yours sincerely



Neil Crowther
Group Head of Planning

For details of how the Council will deal with your data please refer to our privacy notices on the website www.arun.gov.uk/planning-privacy-statements

If you have provided an email address, all correspondence including the decision notice will be sent by email. It is therefore important that you keep us informed if this changes during the course of this application.

To register to receive notification of planning applications in your area, please go to <https://www.arun.gov.uk/planning> and click into Local Planning Application Finder.