


PO/3/26/L

Condition 5:

Prior to the commencement of works to the brickwork walls of the outbuilding, details of the proposed repair methodology shall be submitted to and approved in writing by the Local Planning Authority. The works shall thereafter be carried out in accordance with the approved details.

Repair Methodology:

- Conduct localised repairs to existing solid brickwork wall using lime mortar
- Salvage and re-use as much existing brickwork as possible
- Damaged bricks will be cut out, rotated and reinstated with the 'good' side facing out where possible
- Brickwork shortfall to be covered by reclaimed bricks to match existing



The Old Surgery
Rumbolds Hill
Midhurst
West Sussex
GU29 9BY

tel: 01243 201 102
email: enquiries@manorwood.co.uk
web: www.manorwood.co.uk

This drawing is the copyright of
Manorwood Construction Ltd.

Do not scale from this drawing.

Exemptions to copyright and scaling
apply for Local Authority planning
purposes only.

All dimensions must be checked on
site prior to commencement of works.

Address

St. Johns Priory, Poling
Street, Poling, Arundel,
BN18 9PS

Drawing

PO/3/26/L

Conditions 5

Brickwork Repair

Methodology

Scale @ A3

As Indicated

Drawn:	Issued:
02.07.2026	02.07.2026
Drawn By	Checked By
VM	BK

Job No.
2201ST_R1

Drawing No.
2201ST_R1_201

Status
FOR COMMENT

Revisions:
R.0

