

-----Original Message-----

From: Lesley Howlett [REDACTED]

Sent: 16 January 2022 18:22

To: Planning <Planning@arun.gov.uk>
Subject: P/153/21/RES

CAUTION: This email originated from outside of the organisation. You should take extra care when clicking links or opening attachments - if you are unsure the content is safe contact the IT Helpdesk before clicking or opening.

Good Evening,

I wish to lodge my formal objection to the above application.

Could you please in addition apply my objection against the following planning applications as the objection remains the same on all ..., P/155/21/RES and P/158/21/RES".

My objections are for the following reasons; insufficient infrastructure, increased traffic leading to increased nitrate levels. Pagham Road is not equipped to deal with increased demand. Insufficient provision for additional doctors, hospitals already overwhelmed, severe flooding risk due to coastal location and well documented environmental reports regarding this and lack of facilities to cope with sewage demand as already stated by Southern Water.

"It is noted that SOS (Sussex Ornithological Society) have clearly stated that the mitigation for the Brent Geese at this site has FAILED. Arun DC, against the wishes of the author chose NOT to put this report on the portal even though it was sent to ADC in early July 2021, this has delayed further investigations by other parties".

Kind regards,

Lesley Howlett

63 Conway Drive
Bognor Regis
PO21 4XD

Sent from my iPhone