

## NOTES

- This drawing is to be read in conjunction with all other BP Civils drawings, and with all relevant Architects' and Engineers' drawings and specification. Any discrepancies found are to be reported immediately to the Engineer.
- BP Civils accepts no responsibility for inaccuracies in data provided by third parties such as topographic surveys or Ordnance Survey mapping.
- Do not scale, work to figured dimensions only. All dimensions are in millimetres unless noted otherwise and all levels are in metres from the topographic survey/leveling datum.
- Any information given regarding existing underground services is given in good faith after consultation with the relevant authority, however accuracy is not certain. The main contractor is responsible for checking all information on site prior to work commencing and taking due care while undertaking the works.
- All dimensions to be checked on site. All details and dimensions relating to sub-contractors work must be checked and agreed between the sub-contractor or supplier and the general contractor.
- The electronic information from this drawing can not be guaranteed as dimensionally drawn exact. Figured dimensions must be used for setting out and detailing. BP Civils logos and company information must be removed from copies if information is re-used.
- Where used, this map is based on or reproduced from Ordnance Survey material with the permission of Ordnance Survey on behalf of the controller of His Majesty's Stationery Office (c) Crown Copyright. Licence number: 100022432. BP Civils accept no liability for any inaccuracies with the data.

| PHASE 0 (PRIVATE) FOUL WATER |                        |              |            |                 |                  |                     |             |              |  |
|------------------------------|------------------------|--------------|------------|-----------------|------------------|---------------------|-------------|--------------|--|
| MH No.                       | MANHOLE DIMENSION (mm) | MANHOLE TYPE | COVER TYPE | COVER LEVEL (m) | INVERT LEVEL (m) | DEPTH TO SOFFIT (m) | EASTING (m) | NORTHING (m) |  |
| PF770                        | 250                    | 250          | Inspection | 5.475           | 4.675            | 0.700               | 488756.833  | 97886.430    |  |
| PF772                        | 250                    | 250          | Inspection | 5.475           | 4.675            | 0.700               | 488749.433  | 97888.700    |  |
| PF773                        | 250                    | 250          | Inspection | 5.475           | 4.675            | 0.700               | 488766.584  | 97889.177    |  |
| PF774                        | 250                    | 250          | Inspection | 5.475           | 4.675            | 0.700               | 488793.704  | 97894.232    |  |
| PF775                        | 250                    | 250          | Inspection | 5.925           | 5.125            | 0.700               | 488753.883  | 97895.423    |  |
| PF776                        | 450                    | 450          | Inspection | 5.884           | 5.074            | 0.814               | 488748.628  | 97890.987    |  |
| PF777                        | 250                    | 250          | Inspection | 5.925           | 5.125            | 0.700               | 488753.883  | 97895.423    |  |
| PF778                        | 250                    | 250          | Inspection | 5.925           | 5.125            | 0.700               | 488749.471  | 97895.029    |  |
| PF779                        | 450                    | 450          | Inspection | 5.877           | 4.900            | 0.877               | 488743.738  | 97892.240    |  |
| PF780                        | 250                    | 250          | Inspection | 5.925           | 5.125            | 0.700               | 488745.572  | 97893.790    |  |
| PF781                        | 250                    | 250          | Inspection | 5.925           | 5.125            | 0.700               | 488752.228  | 97897.722    |  |
| PF782                        | 450                    | 450          | Inspection | 5.837           | 4.900            | 0.837               | 488748.348  | 97886.994    |  |
| PF783                        | 250                    | 250          | Inspection | 5.925           | 5.125            | 0.700               | 488749.403  | 97886.930    |  |
| PF784                        | 250                    | 250          | Inspection | 5.925           | 5.125            | 0.700               | 488746.395  | 97890.390    |  |
| PF785                        | 450                    | 450          | Inspection | 5.811           | 4.800            | 0.911               | 488746.763  | 97888.947    |  |
| PF786                        | 250                    | 250          | Inspection | 5.925           | 5.125            | 0.700               | 488747.347  | 97889.867    |  |
| PF789                        | 250                    | 250          | Inspection | 5.700           | 4.900            | 0.700               | 488759.180  | 97881.819    |  |
| PF790                        | 450                    | 450          | Inspection | 5.700           | 4.900            | 0.700               | 488753.739  | 97878.300    |  |
| PF791                        | 250                    | 250          | Inspection | 5.700           | 4.900            | 0.700               | 488755.546  | 97885.537    |  |
| PF792                        | 250                    | 250          | Inspection | 5.700           | 4.900            | 0.700               | 488759.141  | 97880.235    |  |
| PF793                        | 450                    | 450          | Inspection | 5.694           | 4.625            | 0.969               | 488754.919  | 97876.277    |  |
| PF794                        | 250                    | 250          | Inspection | 5.700           | 4.900            | 0.700               | 488755.285  | 97878.472    |  |
| PF795                        | 250                    | 250          | Inspection | 5.700           | 4.900            | 0.700               | 488758.773  | 97877.744    |  |
| PF796                        | 450                    | 450          | Inspection | 5.688           | 4.750            | 0.838               | 488755.663  | 97875.152    |  |
| PF797                        | 250                    | 250          | Inspection | 5.700           | 4.900            | 0.700               | 488760.695  | 97882.022    |  |
| PF798                        | 250                    | 250          | Inspection | 5.700           | 4.900            | 0.700               | 488761.081  | 97882.160    |  |
| PF799                        | 450                    | 450          | Inspection | 5.679           | 4.700            | 0.879               | 488766.865  | 97873.892    |  |
| PF800                        | 250                    | 250          | Inspection | 5.700           | 4.900            | 0.700               | 488762.164  | 97877.516    |  |
| PF801                        | 250                    | 250          | Inspection | 5.525           | 4.725            | 0.700               | 488768.640  | 97866.172    |  |
| PF802                        | 450                    | 450          | Inspection | 5.514           | 4.550            | 0.864               | 488764.605  | 97863.987    |  |
| PF803                        | 250                    | 250          | Inspection | 5.525           | 4.725            | 0.700               | 488765.426  | 97865.046    |  |
| PF804                        | 250                    | 250          | Inspection | 5.525           | 4.725            | 0.700               | 488769.153  | 97866.560    |  |
| PF805                        | 400                    | 400          | Inspection | 5.518           | 4.550            | 0.868               | 488763.807  | 97865.029    |  |
| PF806                        | 250                    | 250          | Inspection | 5.525           | 4.725            | 0.700               | 488767.852  | 97867.122    |  |
| PF807                        | 250                    | 250          | Inspection | 5.525           | 4.725            | 0.700               | 488771.362  | 97862.800    |  |
| PF808                        | 450                    | 450          | Inspection | 5.498           | 4.500            | 0.898               | 488767.115  | 97860.460    |  |
| PF809                        | 250                    | 250          | Inspection | 5.525           | 4.725            | 0.700               | 488768.520  | 97861.518    |  |
| PF810                        | 250                    | 250          | Inspection | 5.525           | 4.725            | 0.700               | 488771.831  | 97862.884    |  |
| PF811                        | 450                    | 450          | Inspection | 5.514           | 4.500            | 0.914               | 488766.342  | 97861.540    |  |
| PF812                        | 250                    | 250          | Inspection | 5.525           | 4.725            | 0.700               | 488770.515  | 97863.967    |  |
| PF813                        | 250                    | 250          | Inspection | 5.525           | 4.725            | 0.700               | 488771.831  | 97862.968    |  |
| PF814                        | 450                    | 450          | Inspection | 5.479           | 4.500            | 0.879               | 488768.024  | 97857.820    |  |
| PF815                        | 250                    | 250          | Inspection | 5.525           | 4.725            | 0.700               | 488769.544  | 97859.346    |  |
| PF816                        | 250                    | 250          | Inspection | 5.525           | 4.725            | 0.700               | 488772.130  | 97862.483    |  |
| PF817                        | 450                    | 450          | Inspection | 5.421           | 4.525            | 0.796               | 488769.641  | 97858.864    |  |
| PF818                        | 250                    | 250          | Inspection | 5.525           | 4.725            | 0.700               | 488772.460  | 97861.011    |  |
| PF819                        | 250                    | 250          | Inspection | 5.250           | 4.450            | 0.700               | 488778.561  | 97853.375    |  |
| PF820                        | 450                    | 450          | Inspection | 5.207           | 4.275            | 0.832               | 488773.678  | 97849.327    |  |
| PF821                        | 250                    | 250          | Inspection | 5.250           | 4.450            | 0.700               | 488783.003  | 97851.343    |  |
| PF822                        | 250                    | 250          | Inspection | 5.250           | 4.450            | 0.700               | 488777.334  | 97846.444    |  |
| PF823                        | 250                    | 250          | Inspection | 5.250           | 4.450            | 0.700               | 488778.742  | 97848.658    |  |
| PF824                        | 450                    | 450          | Inspection | 5.182           | 4.275            | 0.807               | 488771.438  | 97846.700    |  |
| PF825                        | 250                    | 250          | Inspection | 5.250           | 4.450            | 0.700               | 488783.391  | 97847.837    |  |
| PF826                        | 250                    | 250          | Inspection | 5.100           | 4.300            | 0.700               | 488784.808  | 97854.327    |  |
| PF827                        | 450                    | 450          | Inspection | 4.982           | 4.000            | 0.882               | 488788.218  | 97851.932    |  |
| PF828                        | 250                    | 250          | Inspection | 5.100           | 4.300            | 0.700               | 488783.464  | 97853.565    |  |
| PF829                        | 250                    | 250          | Inspection | 5.100           | 4.300            | 0.700               | 488782.409  | 97856.882    |  |
| PF830                        | 450                    | 450          | Inspection | 5.021           | 4.000            | 0.921               | 488786.990  | 97853.962    |  |
| PF831                        | 250                    | 250          | Inspection | 5.100           | 4.300            | 0.700               | 488788.678  | 97854.025    |  |
| PF832                        | 250                    | 250          | Inspection | 5.100           | 4.300            | 0.700               | 488790.022  | 97857.312    |  |
| PF833                        | 450                    | 450          | Inspection | 5.050           | 4.000            | 0.950               | 488786.002  | 97854.456    |  |
| PF834                        | 250                    | 250          | Inspection | 5.100           | 4.300            | 0.700               | 488787.303  | 97856.878    |  |
| PF835                        | 250                    | 250          | Inspection | 5.100           | 4.300            | 0.700               | 488786.528  | 97849.258    |  |
| PF836                        | 450                    | 450          | Inspection | 5.078           | 4.050            | 0.928               | 488785.351  | 97856.914    |  |
| PF837                        | 250                    | 250          | Inspection | 5.100           | 4.300            | 0.700               | 488785.104  | 97859.360    |  |
| PF838                        | 250                    | 250          | Inspection | 5.100           | 4.300            | 0.700               | 488786.220  | 97857.898    |  |
| PF839                        | 250                    | 250          | Inspection | 5.100           | 4.300            | 0.700               | 488792.279  | 97858.205    |  |
| PF840                        | 250                    | 250          | Inspection | 5.775           | 4.975            | 0.700               | 488793.201  | 97879.598    |  |
| PF841                        | 450                    | 450          | Inspection | 5.706           | 4.750            | 0.856               | 488793.002  | 97880.320    |  |
| PF842                        | 250                    | 250          | Inspection | 5.775           | 4.975            | 0.700               | 488728.909  | 97878.759    |  |
| PF843                        | 250                    | 250          | Inspection | 5.775           | 4.975            | 0.700               | 488730.320  | 97874.350    |  |
| PF844                        | 450                    | 450          | Inspection | 5.704           | 4.650            | 0.904               | 488733.680  | 97877.403    |  |
| PF845                        | 250                    | 250          | Inspection | 5.775           | 4.975            | 0.700               | 488732.017  | 97876.578    |  |
| PF846                        | 250                    | 250          | Inspection | 5.775           | 4.975            | 0.700               | 488731.216  | 97878.110    |  |
| PF847                        | 250                    | 250          | Inspection | 5.775           | 4.975            | 0.700               | 488731.009  | 97868.794    |  |
| PF848                        | 450                    | 450          | Inspection | 5.632           | 4.725            | 0.807               | 488730.634  | 97872.340    |  |
| PF849                        | 250                    | 250          | Inspection | 5.775           | 4.975            | 0.700               | 488730.550  | 97870.497    |  |
| PF850                        | 250                    | 250          | Inspection | 5.775           | 4.975            | 0.700               | 488733.823  | 97874.330    |  |
| PF851                        | 450                    | 450          | Inspection | 5.682           | 4.750            | 0.832               | 488734.534  | 97875.605    |  |
| PF852                        | 250                    | 250          | Inspection | 5.775           | 4.975            | 0.700               | 488734.069  | 97877.551    |  |
| PF853                        | 250                    | 250          | Inspection | 5.775           | 4.975            | 0.700               | 488726.819  | 97872.593    |  |
| PF854                        | 250                    | 250          | Inspection | 5.100           | 4.300            | 0.700               | 488751.426  | 97832.792    |  |
| PF855                        | 450                    | 450          | Inspection | 4.981           | 4.000            | 0.981               | 488758.049  | 97836.265    |  |
| PF856                        | 250                    | 250          | Inspection | 5.100           | 4.300            | 0.700               | 488752.497  | 97831.649    |  |
| PF857                        | 250                    | 250          | Inspection | 5.100           | 4.300            | 0.700               | 488759.479  | 97830.348    |  |
| PF858                        | 450                    | 450          | Inspection | 4.970           | 4.000            | 0.870               | 488759.273  | 97835.997    |  |
| PF859                        | 250                    | 250          | Inspection | 5.100           | 4.300            | 0.700               | 488756.253  | 97831.124    |  |
| PF860                        | 250                    | 250          | Inspection | 5.100           | 4.300            | 0.700               | 488756.707  | 97832.912    |  |
| PF861                        | 250                    | 250          | Inspection | 4.950           | 4.150            | 0.700               | 488758.889  | 97823.800    |  |
| PF862                        | 450                    | 450          | Inspection | 4.843           | 3.850            | 0.893               | 488765.442  | 97827.471    |  |
| PF863                        | 250                    | 250          | Inspection | 4.950           | 4.150            | 0.700               | 488759.859  | 97822.761    |  |
| PF864                        | 250                    | 250          | Inspection | 4.950           | 4.150            | 0.700               | 488766.795  | 97821.473    |  |
| PF865                        | 450                    | 450          | Inspection | 4.822           | 3.850            | 0.872               | 488766.841  | 97827.000    |  |
| PF866                        | 250                    | 250          | Inspection | 4.950           | 4.150            | 0.700               | 488764.001  | 97823.924    |  |
| PF867                        | 250                    | 250          | Inspection | 4.950           | 4.150            | 0.700               | 488765.598  | 97822.307    |  |
| PF868                        | 250                    | 250          | Inspection | 5.100           | 4.300            | 0.700               | 488736.845  | 97813.070    |  |
| PF869                        | 450                    | 450          | Inspection | 4.986           | 4.000            | 0.886               | 488746.198  | 97807.554    |  |
| PF870                        | 250                    | 250          | Inspection | 5.100           | 4.300            | 0.700               | 488739.360  | 97812.142    |  |
| PF871                        | 250                    | 250          | Inspection | 5.100           | 4.300            | 0.700               | 488739.180  | 97809.370    |  |
| PF872                        | 250                    | 250          | Inspection | 5.100           | 4.300            | 0.700               | 488740.084  | 97808.342    |  |
| PF873                        | 450                    | 450          | Inspection | 5.076           | 4.050            | 0.926               | 488742.281  | 97805.034    |  |
| PF874                        | 250                    | 250          | Inspection | 5.100           | 4.300            | 0.700               | 488739.347  | 97808.997    |  |
| PF875                        | 250                    | 250          | Inspection | 5.100           | 4.300            | 0.700               | 488739.629  | 97804.894    |  |
| PF876                        | 250                    | 250          | Inspection | 5.250           | 4.450            | 0.700               | 488731.344  | 97798.062    |  |
| PF877                        | 450                    | 450          | Inspection | 5.177           | 4.150            | 0.927               | 488731.797  | 97796.653    |  |
| PF878                        | 250                    | 250          | Inspection | 5.250           | 4.450            | 0.700               | 488729.127  | 97797.296    |  |
| PF879                        | 250                    | 250          | Inspection | 5.250           | 4.450            | 0.700               | 488723.682  | 97791.423    |  |
| PF880                        | 450                    | 450          | Inspection | 5.194           | 4.200            | 0.894               | 488728.088  | 97793.525    |  |
| PF881                        | 250                    | 250          | Inspection | 5.250           | 4.450            | 0.700               | 488724.350  | 97800.593    |  |
| PF882                        | 250                    | 250          | Inspection | 5.250           | 4.450            | 0.700               | 488726.248  | 97798.468    |  |
| PF883                        | 250                    | 250          | Inspection | 5.250           | 4.450            | 0.700               | 488728.172  | 97798.112    |  |
| PF884                        | 450                    | 450          | Inspection | 5.223           | 4.200            | 0.923               | 488730.203  | 97795.182    |  |
| PF885                        | 450                    | 450          | Inspection | 5.194           | 4.040            | 0.954               | 488731.299  | 97793.748    |  |
| PF887                        | 250                    | 250          | Inspection | 5.475           | 4.675            | 0.700               | 488765.544  | 97781.793    |  |
| PF888                        | 450                    | 450          | Inspection | 5.400           | 4.500            | 0.866               | 488767.855  | 97774.398    |  |
| PF889                        | 250                    | 250          | Inspection | 5.475           | 4.675            | 0.700               | 488766.664  | 97775.189    |  |
| PF890                        | 250                    | 250          | Inspection | 5.475           | 4.675            | 0.700               | 488766.295  | 97778.609    |  |
| PF901                        | 250                    |              |            |                 |                  |                     |             |              |  |