



The Contractor is to check and verify in conjunction with the Architects details all setting out points, building and site dimensions, levels and sewer invert levels at connection points and ensure that they are fully conversant with the contents and of requirements the site investigation report before work starts.
The Contractor is to comply in all respects with current building legislation, British Standard Specifications, Building Regulations etc., whether or not specifically stated on this drawing.

This drawing is not intended to show details of ground conditions or ground contaminants. Each area of ground relied upon to support any structure depicted (including drainage) must be investigated by the Contractor any areas of formation for said structures which do not accord with the anticipated conditions as described in the site investigation report are to be immediately notified to the Engineer, where applicable. Any suspect fluid ground or ground contaminants on or within the ground should be further investigated by a suitable expert. Any earthworks shown indicate typical slopes for guidance only and should be investigated further by a suitable geotechnical expert.

Where existing trees are shown to be retained they should be subject to a full Arboricultural inspection for safety. All trees are to be planted so as to ensure they are a minimum of 5 metres from buildings and 3 metres from drainage and services, where applicable. A foundation is to be provided to accommodate the proposed tree planting, where applicable.

© This drawing and the building works depicted are the copyright of Adama Consulting Limited and may not be reproduced or amended except by written permission. No liability will be accepted for amendments made by other persons.

- NOTES:
1. This drawing is to be read in conjunction with the relevant specification and all other related drawings issued by the engineer.
 2. Do not scale from this drawing. Work from figured dimensions only.

Rev.	Description	Drn	Ckd	Date

Client



HHD
HAMILTON HOMES & DEVELOPMENTS
www.hhad.co.uk

Project

Land adjacent Sefter School House, Sefter Road

Title

Site Location Plan



ADAMA
CONSULTING

Civil & Infrastructure Engineering Design
Unit 34, The Enterprise Centre, Cranborne Road, Potters Bar, EN6 3DQ
Tel: 01707 800 271 E-mail: info@adama-consulting.co.uk
Web: www.adama-consulting.co.uk

Scale	1:500 @ A2	Drawn	MD
Date	April 2022	Checked	TL
File	PR21-023-civils-dwg-005	Drawing No	21-023-005
		Rev	-