



Sir/Madam
 Sea Estates Residents Assoc. Ltd
 Arun Office Services
 Rustington
 West Sussex
 BN16 2RQ

Arun District Council
 Arun Civic Centre
 Maltravers Road
 Littlehampton
 West Sussex
 BN17 5LF

Tel: 01903 737500

Fax: 01903 716019
 DX: 57406 Littlehampton
 Minicom: (01903) 732765

E-mail: planning@arun.gov.uk

21 December 2017

Please ask for: Mr Denton

Your Ref: None

Our Ref: R/252/17/T

Dear Sir/Madam,

I have just received Arboricultural comments regarding your application for tree surgery at various locations throughout the Sea Estate, Rustington.

As it stands, the application is set to be refused as it is believed that the works would undermine the amenity value of trees 8,9,21,25,26,27,29,30,31.

Works to trees 1,2,3,4,5,6,7,10,11,13,14,15,16,17,18,19,22,23,24,32&33, can be approved, if the change of description is accepted.

Alternate works have been proposed for these trees as detailed below:

- 8 – Crown lift by removing only the two lowest whorls of branches.
- 9 – Crown lift by removing only the lowest whorl of branches.
- 21 – Crown lift to 4m over road and 2m in all other directions.
- 25 – Reduce the three lowest branches facing west by a maximum of 1m.
- 26 – Reduce the lowest west facing branch by a maximum of 1m.
- 27 – Reduce the five lowest west facing branches by a maximum of 1m.
- 29 – Crown lift to 5m removing only branches up to 4cm in diameter.
- 30 – Crown lift to 3m on road side only by removing branches less than 5cm in diameter.
- 31 – Crown lift to all sides by 2m only removing branches up to 4cm in diameter.

Please note, that as additional information is required for trees 12 and 28, they will be removed from the application.

Do you accept the change in description to trees 8,9,21,25,26,27,29,30,31?

Please reply within 2 weeks.

Yours sincerely,

Z Denton