65mm PERMEABLE BLOCK PAVING
20mm SAND BLINDING
MIN. 150mm BLINDED SUB BASE
150 X 50mm PCC EDGING WITH CONCRETE BASE AND HAUNCHING

SOFT LANDSCAPE

DRIVE DETAIL
SCALE 1:10

LIGHT DUTY COVER ANF FRAME TO BS EN 124 CLASS A15

LANDSCAPED AREA

AS DUG MATERIAL COMPACTED IN 225mm LAYERS

POLYPROPYLENE CHAMBER TO BS EN 1451
NOTE: ONLY TO BE LOCATED IN AREAS NOT ACCESSED BY MOTOR VEHICLES

CHAMBER NOT TO BE USED WHERE DEPTH TO INVERT GREATER THAN 1200mm

REFER TO PIPE BEDDING DETAILS

INSPECTION CHAMBER
SCALE 1:10

SEALING PLATE

LANDSCAPED AREA

NOTE: ONLY TO BE LOCATED IN AREAS NOT ACCESSED BY MOTOR VEHICLES

DETAIL NOT TO BE USED WHERE DEPTH TO INVERT GREATER THAN 600mm

REFER TO PIPE BEDDING DETAILS

RODDING EYE DETAIL
SCALE 1:10

NOTES AND LEGEND

- 100mm DIAMETER SURFACE WATER DRAIN RUN
- RE – RODDING ACCESS
- SW.06 C.L. = ?.?? – SURFACE WATER INSPECTION CHAMBER
- RWP CONNECTION WITH RODDING ACCESS
- S.L. 29.98 – PROPOSED LEVELS
- NEW SOAKAWAY TO ENGINEERS DESIGN

Project

Proposed Residential Development
Former Croft Works
Mill Lane
Rustington
West Sussex

Drawing

Proposed Site Setup Layout

Architects & Planning Consultants
Clock Tower House, Lewes Road
Lindfield, West Sussex. RH16 2LH
Telephone 01444 - 484711

Client

MLH Developments Limited

Drawing no.	date	scale	drawn
2223 PL02	Oct 23	1:100@A1	GRM
	revisions		

©THE CONTRACTOR SHOULD CHECK ALL DIMENSIONS ON SITE. NO DIMENSIONS TO BE SCALED FROM DRAWINGS. IT IS THE CONTRACTORS RESPONSIBILITY TO ENSURE COMPLIANCE WITH BUILDING REGULATIONS.