

FOUL WATER MANHOLE SCHEDULE							
CHAMBER NUMBER	COVER LEVEL (CL)	INVERT LEVEL (IL)	PIPE DIAMETER (m)	COVER TO SOFFIT (m)	SIZE (m) DIA OR W x L	TYPE	COVER TYPE
F1	4.423	2.912	0.150	1.361	0.45 DIA	3	A15
F2	3.690	2.746	0.150	0.794	0.45 DIA	3	A15
F3	4.221	2.567	0.150	1.504	1.2 DIA	B	B125
F4	3.961	2.379	0.150	1.432	1.35 DIA	C	B125
F5	3.932	2.314	0.150	1.468	1.35 DIA	C	B125
F6	3.898	2.272	0.150	1.476	0.45 DIA	3	D400
F7	3.952	2.092	0.150	1.710	1.2 DIA	B	D400
F8	4.000	1.992	0.150	1.858	0.45 DIA	3	B125
F9	3.816	1.911	0.150	1.755	1.2 DIA	B	B125
F10	4.240	1.631	0.150	2.459	0.45 DIA	3	B125
F11	3.966	1.540	0.150	2.276	1.2 DIA	B (*)	B125
F12	4.883	2.860	0.150	1.873	1.2 DIA	B (*)	B125
F13	4.460	2.789	0.150	1.521	0.45 DIA	3	A15
F14	4.400	2.650	0.150	1.600	0.45 DIA	3	D400

(*) MANHOLE INSTALLED ON THE LINE OF THE EXISTING DRAIN - IL TO BE CONFIRMED.

COVER LEVELS INDICATIVE AND ARE SUBJECT TO ADJUSTMENT ON SITE.

SURFACE WATER MANHOLE SCHEDULE							
CHAMBER NUMBER	COVER LEVEL (CL)	INVERT LEVEL (IL)	PIPE DIAMETER (m)	COVER TO SOFFIT (m)	SIZE (m) DIA OR W x L	TYPE	COVER TYPE
S1	5.070	3.885	0.150	1.035	1.35 DIA	C	D400
S2	4.670	3.535	0.225	0.910	1.35 DIA	C	D400
S3	4.465	3.349	0.225	0.891	1.35 DIA	C	D400
S4	4.487	3.255	0.225	1.007	1.35 (r) DIA	C	D400
S5	4.315	3.290	0.150	0.875	1.35 (r) DIA	C	D400
S6	4.773	3.201	0.225	1.347	1.5 (r) DIA	C	D400
S7	4.575	3.143	0.225	1.207	1.8 (r) DIA	C	D400
S8	4.721	3.103	0.225	1.393	1.8 (r) DIA	C	D400
S9	4.562	3.180	0.225	1.157	1.35 (r) DIA	C	D400
S10	4.960	3.045	0.225	1.690	1.8 (r) DIA	B	D400
S11	4.729	3.028	0.225	1.476	1.8 (r) DIA	C	D400
S12	3.990	2.920	0.225	0.845	1.8 (r) DIA	C	D400
S13	3.926	2.920	0.225	0.781	1.5 (r) DIA	C	D400
S14	4.080	2.920	0.225	0.935	0.60 DIA	3	D400
S15	4.335	2.950	0.225	1.160	1.35 DIA	C	D400
S16	5.229	3.075	0.225	1.929	1.2 DIA	B	D400
S17	3.933	2.891	0.225	0.817	1.35 (r) DIA	C	D400
S18	3.946	2.891	0.225	0.830	1.35 (r) DIA	C	D400
S19	3.993	2.846	0.225	0.922	1.35 DIA	C	D400
S20	4.104	2.810	0.225	1.069	1.35 DIA	C	D400
S21	5.420	3.122	0.150	2.148	1.2 DIA	B	D400
S22	3.820	2.920	0.225	0.675	0.6 DIA	3	D400
S23	4.125	2.920	0.150	1.055	0.6 DIA	3	D400
S24	4.200	2.919	0.150	1.131	0.45 DIA	3	D400
S25	4.210	2.810	0.140	1.260	0.45 DIA	3	D400
S26	3.930	2.810	0.150	0.970	0.45 DIA	3	D400

(*) SIZE OF MANHOLES INDICATIVE ONLY AND TO BE CONFIRMED AND DETERMINED ON SITE TO ACCOMMODATE ALL INLET AND OUTLET PIPES.

COVER LEVELS INDICATIVE AND ARE SUBJECT TO ADJUSTMENT ON SITE.

NOTES

FOR CONSTRUCTION
SUBJECT TO TECHNICAL
APPROVAL

Rev	Amendments	Dm	Chk	App	Date
-----	------------	----	-----	-----	------



ODYSSEY

Unit 1 Pucknell Farm
Dores Lane
Brashfield, Romsey
Hampshire SO51 0UJ

Telephone: 01794 537980
E: info@odysseyconsult.co.uk
W: www.odysseyconsult.co.uk

Job Title
SEA ROAD
RUSTINGTON, WEST SUSSEX

Drawing Title
MANHOLE SCHEDULES

Client
MACAR HOMES (RUSTINGTON) LTD

Scale N.T.S	Date MAY 25	Designed AK
Drawn AK	Checked BAC	Approved BAC
Job No 25-043	Drawing No 25-043-109	Rev -