

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

From: Kate Giddings
Sent: 08 February 2019 15:24
To: Anita Gardner
Subject: FW: WA/108/18/PD - Cherry Tree Nursery, Eastergate Lane, Walberton, West Sussex

Dear Anita,

Further to my below missive, please may the following also be added regarding hours of operation?:

- No demolition or construction work expect between the hours of:
08.00 – 18.00 hours Monday to Friday
08.00 – 13.00 hours Saturday
No working on Sunday or Bank Holidays

Apologies for the fragmented response!

Thank you,

Kate.

Kate Giddings | Senior Technical Officer, Environmental Health, Arun District Council | Location: Arun Civic Centre, Maltravers Road,
Littlehampton, West Sussex, BN17 5LF



From:

Kate Giddings

Sent: 07 February 2019 10:22

To: Anita Gardner

Cc: Anna Appleton; Planning.Responses

Subject: WA/108/18/PD - Cherry Tree Nursery, Eastergate Lane, Walberton, West Sussex

Good morning,

In relation to the above application, please note that due to the historic use(s) of the land in question and proposed changes to a more sensitive end-use, EH recommend the addition of the following condition re. potentially contaminated land:

Prior to commencement of the development hereby approved (or such other date or stage in development as may be agreed in writing with the Local Planning Authority), the following components of a scheme to deal with the risks associated with contamination of the site shall each be submitted to and approved in writing by the Local Planning Authority:

(1) A preliminary risk assessment which has identified: all previous uses; potential contaminants associated with those uses; a conceptual model of the site indicating sources, pathways and receptors; potentially unacceptable risks arising from contamination at the site

(2) A site investigation scheme, based on (1) above to provide information for a detailed assessment of the risk to all receptors that may be affected, including those off site

(3) The site investigation results and the detailed risk assessment (2) and, based on these, an options appraisal and remediation strategy giving full details of the remediation measures required and how they are to be undertaken

(4) A verification plan providing details of the data that will be collected in order to demonstrate that the works set out in (3) are complete and identifying any requirements for longer-term monitoring of pollutant linkages, maintenance and arrangements for contingency action.

Any changes to these components require the express consent of the Local Planning Authority.

The scheme shall be implemented as approved above and, prior to commencement of any construction work (or such other date or stage in development as may be agreed in writing with the Local Planning Authority), a Verification Report demonstrating completion of the works set out in the approved remediation strategy and the effectiveness of the remediation shall be submitted to and approved in writing by the Local Planning Authority. The report shall include results of sampling and monitoring carried out in accordance with the approved verification plan to demonstrate that the site remediation criteria have been met. It shall also include any plan (a 'long-term monitoring and maintenance plan') for longer-term monitoring of pollutant linkages, maintenance and arrangements for contingency action, as identified in the verification plan, and for the reporting of this to the Local Planning Authority.

This to ensure that risks from land contamination to the future users of the land and neighbouring land are minimised, together with those to controlled waters, property and ecological systems and to ensure that the development can be carried out safely without unacceptable risks to workers, neighbours and other offsite receptors (in accordance with clauses 178-180 of the NPPF, 2018).

If you have any queries, please do not hesitate to make contact.

Many thanks,

Kate.

Kate Giddings | Senior Technical Officer, Environmental Health, Arun District Council | Location: Arun Civic Centre, Maltravers Road,
Littlehampton, West Sussex, BN17 5LF

Internal: 37586 | External: +44 (0) 1903 737586 | e-mail: kate.giddings@arun.gov.uk

Visit Arun's web site at www.arun.gov.uk



Save the environment - think before you print.