




From: Nicholas Moss [REDACTED]
Sent: 10 December 2021 16:27
To: Harry Chalk <Harry.Chalk@arun.gov.uk>
Subject: Re: WA/110/21/HH, TPO concern.

CAUTION: This email originated from outside of the organisation. You should take extra care when clicking links or opening attachments - if you are unsure the content is safe contact the IT Helpdesk before clicking or opening.


Dear Harry,

Unfortunately, the surveyor will not be available to look at the tree before Christmas. Given this would you please withdraw the current application. We will resubmit as soon as the paperwork is ready.

With kind regards

Nick Moss

*ARCHITECTURAL DESIGN
Saxon End, Bordean, Petersfield, GU32 1EP*



From: Nicholas Moss [REDACTED]
Sent: 07 December 2021 11:31
To: Harry Chalk <Harry.Chalk@arun.gov.uk>
Subject: Re: WA/110/21/HH, TPO concern.

Dear Harry,

Thank you for the information, I apologise for not picking up on this at the time.

A report has now been requested but it is likely to be a few weeks before it's ready. I will of course forward it to you as soon as I can but if there are any problems with the delay, please let me know.

With kind regards

Nick Moss

ARCHITECTURAL DESIGN
Saxon End, Bordean, Petersfield, GU32 1EP

[REDACTED]

From: Harry Chalk <Harry.Chalk@arun.gov.uk>
Sent: 03 December 2021 08:50
To: [REDACTED]
Subject: WA/110/21/HH, TPO concern.

Hello Mr Moss,

A concern has been raised about the proposed works for WA/110/21/HH. A neighbouring dwelling contains a TPO tree close to the boundary that borders the Midway, Avisford Park Road. The TPO tree resides on the other side of the boundary, but is close enough that there is concern regarding the extension and it's possible interference with the root protection area. We request that a tree survey is carried out regarding the extension and its possible interference with the TPO tree, alongside any mitigation measures proposed and or proof of there being no interference. I have requested that the ADC Tree Officer also provides comments to further advise the situation.

The TPO in question is ref: TPO/WA/1/07. I have attached a screenshot of the location of the TPO tree in question for visual reference.

Kind Regards,
Harry

Harry Chalk
Planning Officer, Development Management



T: 01903 737577
E: harry.chalk@arun.gov.uk

Arun District Council, Civic Centre, Maltravers Rd, Littlehampton, West Sussex, BN17 5LF
www.arun.gov.uk



Sign up to our newsletter [here](#)

<http://www.arun.gov.uk>

DX 57406 Littlehampton

You can view Arun District Council's Privacy Policy from <https://www.arun.gov.uk/privacy-policy>

Important Notice This e-mail is intended exclusively for the addressee and may contain information that is confidential and/or privileged. If you are not the intended recipient (or authorised to receive it for the addressee), please notify the sender and delete the e-mail immediately; using, copying, or disclosing it to anyone else, is strictly prohibited and may be unlawful. Any views, opinions or options presented are solely those of the author and do not necessarily represent those of Arun District Council. The information in this e-mail may be subject to public disclosure under the Freedom of Information Act 2000, therefore we cannot guarantee that we will not provide the whole or part of this e-mail to a third party. The Council reserves the right to monitor e-mails in accordance with relevant legislation. Whilst outgoing e-mails are checked for viruses, we cannot guarantee this e-mail is virus-free or has not been intercepted or changed and we do not accept liability for any damage caused. Any reference to "e-mail" in this disclaimer includes any attachments.
