110 OSMADRAIN
TO NEW SOAKAWAY

4300
4000
300
B
68 RWP
BEDROOM
300
CAT N I C
EG 90/100
7620
57x100x150
MS BEARING PLATE
EX. 2nd FLOOR BEAM
6500
5900
A
LOUNGE
5455
HALL
A
CAT N I C
EG 90/100
STEEL BEAM NO. 1
2no. 300x100x46 PFC
50x100 STUDWORK
AT 600 cc
12·5 DUPLEX
PLASTER BOARD
EX. 2nd FLOOR BEAM
NEW 500x250 CELCON
HIGH STRENGTH
BLOCKWORK PIER
57x250x500
MS. BEARING PLATE
CAT N I C 90/100
300
KITCHEN
68 RWP
300
4000
450
4750
B
110 OSMADRAIN
TO NEW SOAKAWAY

GROUND FLOOR PLAN

0 500 1000 2000 3000 4000 5000

scale 1 : 50

CODE 4 LEAD
FLASHING
75
256 HR RIDGE TILES
WITH CODE 4 LEAD
RW. OUTLETS
CODE 4 LEAD
FLASHING
B
PLAIN TILES ON
UNTEARABLE FELT
B 225/50x200
50x100 RAFTERS
AT 400 c.c
45°
80 CELOTEX GA 4000
45 CELOTEX PL 4000
12·5 DUPLEX PLASTERBRD
100 FACING BRICKWORK
100 CROWN ORITHERM 32
100 CELCON STANDARD
13 LW. PLASTER
2350
3000
65 CEMENT SCREED
100 CONCRETE
500 G. POLYTHENE
DPC
GL
150
min. 150
79 CELOTEX TB 4000
VISQUEEN 1200 SUPER
50 SAND BLINDING
min. 125 HARDCORE
min.
1000
500

SECTION B-B

ART STONE COPING
CODE 4 LEAD FLASHING
DPC
75
A. 50x200 JOISTS AT 400 cc.
CAVITY TRAY

SECTION A - A

371 / 8

ARUN DISTRICT COUNCIL WA43/13/