Sheet 1 | Sheet 2
Sheet 3 | Sheet 4

For plot landscape refer to BDWS23688 11

Mixed Native Hedge
15No Cornus sanguinea 10%
73No Crataegus monogyna 50%
8No Prunus spinosa 5%
8No Euonymus europaeus 5%
15No Viburnum opulus 10%
15No Rosa canina 10%
15No Viburnum lantana 10%

1No Acer campestre 'Elsrijk'

146No Carpinus betulus

1No Prunus cerasifera 'Pissardii'

3No Salvia greggii 'Peach'
No Hebe 'Nicola's Blush'
Abelia grandiflora 'Francis Mason'
osporum tenuifol. 'Irene Patterson'
randiflora 'Francis Mason'
ggii 'Peach'

1No Prunus cerasifera 'Pissardii'

3No Prunus padus 'Albertii'

1No Alnus glutinosa 'Imperialis'

1No Fagus sylvatica 'Purpurea'

2No Carpinus betulus

Scrub Mix
7No Carpinus betulus 10%
7No Cornus alba 10%
10No Corylus avellana 15%
13No Crataegus monogyna 20%
10No Ligustrum vulgare 15%
10No Sambucus nigra 15%
10No Symphoricarpos albus 15%

1No Pinus sylvestris

1No Quercus robur

1No Carpinus betulus

3No Betula nigra

Scrub Mix
14No Carpinus betulus 10%
14No Cornus alba 10%
20No Corylus avellana 15%
27No Crataegus monogyna 20%
20No Ligustrum vulgare 15%
20No Sambucus nigra 15%
20No Symphoricarpos albus 15%

No Salix cinerea

Carex testacea

3No Carex testacea

2No Salix cinerea

1No Sorbus aria

17No Salix caprea 'Kilmarnock' 20%
25No Salix cinerea 30%
17No Salix purpurea 20%
25No Salix viminalis 30%

1No Prunus cerasifera 'Pissardii'

1No Quercus robur

Mixed Native Hedge
8No Cornus sanguinea 10%
39No Crataegus monogyna 50%
4No Prunus spinosa 5%
4No Euonymus europaeus 5%
8No Viburnum opulus 10%
8No Rosa canina 10%
8No Viburnum lantana 10%

2No Carpinus betulus

Mixed Native Hedge
35No Cornus sanguinea 10%
174No Crataegus monogyna 50%
18No Prunus spinosa 5%
18No Euonymus europaeus 5%
35No Viburnum opulus 10%
35No Rosa canina 10%
35No Viburnum lantana 10%

13No Salix caprea 'Kilmarnock' 20%
20No Salix cinerea 30%
13No Salix purpurea 20%
20No Salix viminalis 30%

Mixed Native Hedge
29No Cornus sanguinea 10%
141No Crataegus monogyna 50%
15No Prunus spinosa 5%
15No Euonymus europaeus 5%
29No Viburnum opulus 10%
29No Rosa canina 10%
29No Viburnum lantana 10%

15.89

15.89

2No Prunus padus 'Albertii'

1No Pear 'Doyenne du Commice

5No Apple 'Bramley'

3No Plum 'Victoria'

Mixed Native Hedge
38No Cornus sanguinea 10%
188No Crataegus monogyna 50%
19No Prunus spinosa 5%
19No Euonymus europaeus 5%
38No Viburnum opulus 10%
38No Rosa canina 10%
38No Viburnum lantana 10%

Mixed Native Hedge
4No Cornus sanguinea 10%
16No Crataegus monogyna 50%
2No Prunus spinosa 5%
2No Euonymus europaeus 5%
4No Viburnum opulus 10%
4No Rosa canina 10%
4No Viburnum lantana 10%

Boardwalk

LAP

bollards

Open Space

Open Space

SuDS

Garden for Little Firs

SLOW

SPECIFICATION
All works generally, to comply with the written Soft Landscape Specification.

NOTES:
DO NOT SCALE FROM DRAWING
NOT FOR CONSTRUCTION, FOR PLANNING PURPOSES ONLY

Legend

- Existing trees to be retained and protected during construction
- Proposed tree planting within soft landscape. See detail on sheet 2
- Proposed specimen shrub planting to receive short angular staking on half standards with expandable tree ties.
- Proposed *Carpinus* (hornbeam) hedge planting to be planted in a double staggered row 300mm apart and at 500mm centres in each row. To be maintained at 1m height
- Proposed mixed native hedge planting to be planted in a double staggered row 300mm apart and at 500mm centres in each row. To be maintained at 1m height and 1.8m height adjacent to site boundaries
- Proposed shrub planting to receive 75mm bark mulch after planting operations
- Proposed decorative mix shrub planting to be planted in groups of 5-7no. of each species and as above
- Proposed grass areas to receive good quality amenity grass turves laid in line with good horticultural practices
- Proposed native mix scrub planting to be planted in groups of 5-7no. of each species
- Proposed grassland areas, to be seeded with EM10 Tussock mix as supplied by Emorsgate and sown at 4 grams per msq, or similar and approved
- Proposed grassland to be seeded with EH1 Hedgerow seed mix as supplied by Emorsgate and sown at 4 grams per msq, or similar and approved
- Proposed basin to be seeded with EG8 meadow grassland as supplied by Emorsgate and sown at 4 grams per msq, or similar and approved
- Proposed basin to be seeded with EP1 pond edge grassland as supplied by Emorsgate and sown at 4 grams per msq, or similar and approved
- Proposed mown grass path
- Large boulders in bottom of the basin
- Proposed native marginal pond planting to be planted in groups of 2-3no. of each species and as above
- Proposed E22 strong grass seed supplied by Emorsgate and sown at 25 grams per msq, or similar and approved
- Retained grassland. Any bare patches to be seeded with EM10 Tussock Mixture
- Derby Litter Bin
- Hardwood Bench
- Cut lines
- Open Space

Planting Schedule on Sheet 2

Rev	Date	Details	Drawn
Q	01.12.23	Compensation planting amended	LS
P	21.11.23	Lighting amended	LS
O	10.10.23	Lighting added	LS
N	31.08.23	Layout amended	RH
M	26.07.23	Drainage Layout amended	RH
L	25.07.23	Drainage Layout amended	RH
K	10.07.23	Layout amended	RH
J	24.03.23	Wildflower amended	LS

ACD ENVIRONMENTAL
HEAD OFFICE
Rodbourne Rail Business Centre, Grange Lane,
Malmesbury, SN16 0ES
Tel: 01666 825646

4 & 5 The Old Mill, Fry's Yard, Bridge Street,
Godalming, GU7 1HP
Tel: 01483 425714

Suite 6, Crescent House, Yonge Close,
Eastleigh, SO50 9SX
Tel: 02382 026300

email: mail@acdenv.co.uk
www.acdenvironmental.co.uk

BARRATT HOMES

scheme: Tye Lane
Walberton, Arundel
client: Barratt Homes
drawing: Open Space Proposals
date: February 2022

drawing no: BDWS23688 20 Sheet 4
scale: 1:500@A1
drawn: LS checked: DKM

Copyright of ACD Environmental Ltd. All rights described in Chapter IV of the Copyright, Designs and Patents Act 1988 have been generally asserted. 2011. Copyright of this plan remains with ACD until all fees have been paid in full.