

[REDACTED]

**From:** Laura Humphries [REDACTED]  
**Sent:** 31 October 2019 08:59  
**To:** Michael Eastham <Michael.Eastham@arun.gov.uk>  
**Subject:** RE: Updated Letter - Walberton Golf Net - WA/95/19/DOC, WA/96/19/DOC and WA/94/19/NMA

Hi Michael

Here are the amended letters.

Kind regards,

Laura Humphries MRTPI  
Senior Planning Manager  
[REDACTED]

Linden Homes South  
1A Guildford Business Park  
Guildford  
Surrey  
GU2 8XG  
[REDACTED]



---

**From:** Michael Eastham <Michael.Eastham@arun.gov.uk>  
**Sent:** 31 October 2019 08:16  
**To:** Laura Humphries (Linden Homes) [REDACTED]  
**Subject:** RE: Updated Letter - Walberton Golf Net - WA/95/19/DOC, WA/96/19/DOC and WA/94/19/NMA

**CAUTION EXTERNAL EMAIL:** This message originated outside the organisation. Do not click links or open attachments unless you recognise the sender and know the content is safe.

Hi Laura,

I have been going through all of the submitted plans with colleagues in the Technical Support Unit for WA/95/19/DOC, WA/96/19/DOC and WA/94/19/NMA and we have noticed that Drawing No. 3823-105 - Hard Landscaping Proposals (Sheet 2 of 3) and Drawing No. 3823-106 - Hard Landscaping Proposals (Sheet 3 of 3) have the wrong revision numbers.

I have inserted the correct revision numbers in yellow in the list below.

- Drawing No. 3823-101 Rev. I - Soft Landscaping Proposals (Sheet 1 of 3).
- Drawing No. 3823-102 Rev. F - Soft Landscaping Proposals (Sheet 2 of 3).

- Drawing No. 3823-103 Rev. F - Soft Landscaping Proposals (Sheet 3 of 3).
- Drawing No. 3823-104 Rev. I - Hard Landscaping Proposals (Sheet 1 of 3).
- Drawing No. 3823-105 **Rev. F** - Hard Landscaping Proposals (Sheet 2 of 3).
- Drawing No. 3823-106 **Rev. E** - Hard Landscaping Proposals (Sheet 3 of 3).
- Drawing No. 3823-107 Rev. J - Public Open Space Proposals (Sheet 1 of 4).
- Drawing No. 3823-108 Rev. H - Public Open Space Proposals (Sheet 2 of 4).
- Drawing No. 3823-109 Rev. J - Public Open Space Proposals (Sheet 3 of 4).
- Drawing No. 3823-110 Rev. H - Public Open Space Proposals (Sheet 4 of 4).

Could you submit revised letters with the correct drawing numbers on for the three applications WA/95/19/DOC, WA/96/19/DOC and WA/94/19/NMA?

Kind regards,

Michael

**From:** Laura Humphries (Linden Homes) [REDACTED]  
**Sent:** 30 October 2019 15:57  
**To:** Michael Eastham <[Michael.Eastham@arun.gov.uk](mailto:Michael.Eastham@arun.gov.uk)>  
**Subject:** Updated Letter - Walberton Golf Net

Hi Michael,

Please find attached a copy of the letter combining the revisions and the details of my covering letter.

Kind regards,

Laura Humphries MRTPI  
 Senior Planning Manager

Linden Homes South  
 1A Guildford Business Park  
 Guildford  
 Surrey  
 GU2 8XG



**DISCLAIMER:** This email, together with any attachments, is for the exclusive and confidential use of the addressee(s) and may contain legally privileged information. Any other distribution, use or reproduction without the sender's prior consent is unauthorised and strictly prohibited. If you have received this email in error please notify the sender by telephone, fax or email immediately and destroy the message without making any copies. For details on how we process and safeguard electronic communications, including the use of any personal data disclosed by the sender, refer to our [Privacy Notice](#)

<http://www.arun.gov.uk>

DX 57406 Littlehampton

You can view Arun District Council's Privacy Policy from <https://www.arun.gov.uk/privacy-policy>

**Important Notice** This e-mail is intended exclusively for the addressee and may contain information that is confidential and/or privileged. If you are not the intended recipient (or authorised to receive it for the addressee), please notify the sender and delete the e-mail immediately; using, copying, or disclosing it to anyone else, is strictly prohibited and may be unlawful. Any views, opinions or options presented are solely those of the author and do not necessarily represent those of Arun District Council. The information in this e-mail may be subject to public disclosure under the Freedom of Information Act 2000, therefore we cannot guarantee that we will not provide the whole or part of this e-mail to a third party. The Council reserves the right to monitor e-mails in accordance with relevant legislation. Whilst outgoing e-mails are checked for viruses, we cannot guarantee this e-mail is virus-free or has not been intercepted or changed and we do not accept liability for any damage caused. Any reference to "e-mail" in this disclaimer includes any attachments.

\*\*\*\*\*

**DISCLAIMER:** This email, together with any attachments, is for the exclusive and confidential use of the addressee(s)

and may contain legally privileged information. Any other distribution, use or reproduction without the sender's prior consent is unauthorised and strictly prohibited. If you have received this email in error please notify the sender by telephone, fax or email immediately and destroy the message without making any copies. For details on how we process and safeguard electronic communications, including the use of any personal data disclosed by the sender, refer to our [Privacy Notice](#)

31<sup>st</sup> October 2019



Michael Eastham  
Arun District Council  
The Arun Civic Centre  
Maltravers Road  
Littlehampton  
West Sussex  
BN17 5LF

Linden Homes South  
1A Guildford Business Park  
Guildford  
Surrey  
GU2 8XG

Dear Mr Eastham

**Town and Country Planning Act 1990**  
**Application to discharge RM condition 5 relating to golf mitigation (WA/95/18/RES)**  
**Land east of Tye Lane, Walberton**

I am writing on behalf of Linden Homes (South) following our recent submission of revised plans and our recent discussion in connection with the above application, to discharge planning condition 5 attached the recently approved Approval of Reserved Matters (LPA reference WA/95/18/RES). As agreed, I have amalgamated the details outlined in my original letter of 16.9.2019 with the list of the recently submitted revised plans on 25.10.2019.

**Background**

Condition 5 states:

**Prior to any development of a dwelling above damp proof course level, a scheme setting any on-site or off-site mitigation measures necessary to minimise the ingress of golf balls onto the application site shall be submitted to and be approved in writing by the Local Planning Authority. The scheme shall be implemented in full prior to the occupation and use of the dwellings to which the mitigation measures relates and any mitigation measures (e.g. ball stop fences) shall be maintained in good condition thereafter.**

Following the approval of the Reserved Matters application, detailed discussions have been had with the Golf Club regarding the relationship to the development site. Detailed discussions have also taken place with officers of the Council (Michael Eastham and Claire Potts) regarding the mitigation measure. These discussions have cumulated in a series of mitigation measures on and off site which mitigated insofar as reasonably practical the ingress of golf balls into the site.

### Off Site Measures:

The boundary of the site lies adjacent to Tees 1 and 2 on the golf course. As part of these discussions a number of off site measures have been agreed which seek to adjust the 1<sup>st</sup> and 2<sup>nd</sup> tee positions. This will have the effective of directing play away from the boundary with the site.

Plan number LIND171208GTP.01 (Rev A) shows the existing and proposed positions of the tees which clearly demonstrates that the relocation of these tees will result in the direction of play away from the boundary. The plan also indicates the typical angle and distance from that tee position. This will have a positive mitigating impact on the potential ingress.

The discussions with the Golf Club will dictate the final detailed landscaping associated with the tee position and other additional landscaping within the course to supplement the tee changes. This is not material to the mitigation and the works to the tees do not require planning permission.

### Internal Measures

The purpose of the condition is to minimise the risk of golf balls entering the site. Clearly any mitigation proposed should be as effective as possible but this can only work with the known constraints of the site. These include the existing golf course, the approved layout, the existing and proposed boundary treatments as well as factors such as the mature TPO trees present on this boundary.

With these constraints in mind, it is proposed to include a length of golf netting along the 1<sup>st</sup> tee line. This will be placed within the development site on the line of the approved tree protection fencing so that there is sufficient space to the TPO trees on this boundary. The netting is proposed to be 10m high for a length of 100m. This is considered to be the optimal height to achieve the best level of protection having regard to the visual impact and the proximity of the TPO trees.

The netting will be installed on a series of posts which have been designed to minimise the impact on the trees. The type of post has been chosen for rigidly but which reduces the number of posts required. The submission will be accompanied by an Arboricultural Method Statement and Arboricultural Impact Assessment which demonstrates there are no adverse impact on the trees.

Additional landscaping is proposed to address this fence line including soft landscaping to the front and rear of the fence. This will help to soften the position of the fence which is directed by the RPAs of the trees. The species have been chosen to ensure they are low maintenance but provide a suitable softening of the fence.

The fence will be seen against the backdrop of the golf course which provides a context for a fence. It has also been chosen to be as light weight as possible to minimise its visual intrusion. Care has been taken in relation to the trees but the trees themselves offer a soft screening/backdrop for the fence.

The fence falls within the application site and will be maintained as part of the site wide management company.

Timescales:

The repositioning of the tees will minimise the potential risk of golf balls egressing into the site and more specifically the plots adjacent to the tees. For the avoidance of doubt plan LIND171208GNL.01 (Rev A) highlights the plots which have the potential to be affected, although a low risk.

The off site mitigation will take place over the Autumn 2019 to Early Spring of 2020 when the golf course activity is in low season. There may be additional off site landscaping works which take place in the next available planting season but the physical works to the tees will be undertaken prior to the occupation of the plots shown on the submitted plans.

The fence will be installed prior to the occupation of those highlighted plots which are located on this boundary.

**This accords with the requirements of condition 5.**

In response to the Council's request to amend the height and extent of the fence along with the addition of a fence to the NW corner of the site, the list of revised plans (as submitted on 25.10.19) is as follows;

| Title                                                 | Drg No.          | Rev |
|-------------------------------------------------------|------------------|-----|
| Soft Landscaping Proposals Sheet 1 of 3               | 3823-101         | I   |
| Soft Landscaping Proposals Sheet 2 of 3               | 3823-102         | F   |
| Soft Landscaping Proposals Sheet 3 of 3               | 3823-103         | F   |
| Hard Landscaping Proposals Sheet 1 of 3               | 3823-104         | I   |
| Hard Landscaping Proposals Sheet 2 of 3               | 3823-105         | F   |
| Hard Landscaping Proposals Sheet 3 of 3               | 3823-106         | E   |
| Public Open Space Proposals Sheet 1 of 4              | 3823-107         | J   |
| Public Open Space Proposals Sheet 2 of 4              | 3823-108         | H   |
| Public Open Space Proposals Sheet 3 of 4              | 3823-109         | J   |
| Public Open Space Proposals Sheet 4 of 4              | 3823-110         | H   |
| Golf Course Fencing Details                           | 3823_119         | A   |
|                                                       |                  |     |
| Arboricultural Method Statement and Impact Assessment | BHA_C.2636       | A   |
|                                                       |                  |     |
| Proposed Golf Net Location                            | LIND171208GNL.01 | A   |

These plans have also been submitted in respect of the discharge of condition and the S96a application relating to the approved plans as part of the Reserved Matters.

I trust the enclosed will allow the application to proceed to determination, however, please do not hesitate to contact me should you have any queries.

Yours sincerely,



Laura Humphries  
**Senior Planning Manager**



31<sup>st</sup> October 2019



Michael Eastham  
Arun District Council  
The Arun Civic Centre  
Maltravers Road  
Littlehampton  
West Sussex  
BN17 5LF

Linden Homes South  
1A Guildford Business Park  
Guildford  
Surrey  
GU2 8XG

Dear Mr Eastham

**Town and Country Planning Act 1990**  
**Application to discharge outline condition 11 relating to landscaping (WA/44/17/OUT)**  
**Land east of Tye Lane, Walberton**

I am writing on behalf of Linden Homes (South) to submit revised information in connection with the above application, to discharge planning condition 11 attached the outline planning permission for the development of this site for up to 175 dwellings and associated works.

Accordingly, please find enclosed the following for consideration:

| Title                                    | Drg No.  | Rev |
|------------------------------------------|----------|-----|
| Soft Landscaping Proposals Sheet 1 of 3  | 3823-101 | I   |
| Soft Landscaping Proposals Sheet 2 of 3  | 3823-102 | F   |
| Soft Landscaping Proposals Sheet 3 of 3  | 3823-103 | F   |
| Hard Landscaping Proposals Sheet 1 of 3  | 3823-104 | I   |
| Hard Landscaping Proposals Sheet 2 of 3  | 3823-105 | F   |
| Hard Landscaping Proposals Sheet 3 of 3  | 3823-106 | E   |
| Public Open Space Proposals Sheet 1 of 4 | 3823-107 | J   |
| Public Open Space Proposals Sheet 2 of 4 | 3823-108 | H   |
| Public Open Space Proposals Sheet 3 of 4 | 3823-109 | J   |
| Public Open Space Proposals Sheet 4 of 4 | 3823-110 | H   |

The details submitted accord with the revised details submitted as part of the discharge of condition 5 of the Reserved Matter Approval in relation to the provision of revised landscaping and a golf net.

I trust the enclosed will allow the application to now be determined at your earliest opportunity. However, please do not hesitate to contact me should you have any queries.

Yours sincerely,



Laura Humphries  
**Senior Planning Manager**



31<sup>st</sup> October 2019



Michael Eastham  
Arun District Council  
The Arun Civic Centre  
Maltravers Road  
Littlehampton  
West Sussex  
BN17 5LF

Linden Homes South  
1A Guildford Business Park  
Guildford  
Surrey  
GU2 8XG

Tel: 01483 705100

Fax: 01483 705111

[lindenhomes.co.uk](http://lindenhomes.co.uk)

Dear Sirs,

**Town and Country Planning Act 1990**

**Application for Non-Material Amendment to Condition 1 of planning application ref: WA/95/18/RES**

**Land East of Tye Lane, Walberton**

I am writing with regards to the recent application for a Non-Material Amendment in connection with the above site.

Following the approval of the detailed layout and the discharge of the outline planning conditions, the purpose of this application is to seek a Non-Material Amendment to amendment Condition 1 to reflect the proposals as approved via the reserved matter conditions relating to golf mitigation.

**Condition 1**

Condition 1 provided a list of the approved plans as part of the Reserved Matters. In relation to the landscaping plans, the following were listed as approved;

Drawing No. 3823\_101 Rev. E - Soft Landscaping Sheet 1 of 3  
Drawing No. 3823\_102 Rev. B - Soft Landscaping Sheet 2 of 3  
Drawing No. 3823\_103 Rev. B - Soft Landscaping Sheet 3 of 3  
Drawing No. 3823\_104 Rev. E - Hard Landscaping Sheet 1 of 3  
Drawing No. 3823\_105 Rev. B - Hard Landscaping Sheet 2 of 3  
Drawing No. 3823\_106 Rev. B - Hard Landscaping Sheet 3 of 3  
Drawing No. 3823\_107 Rev. E - Public Open Space Design  
Drawing No. 3823\_109 Rev. C - Public Open Space Design  
Drawing No. 3823\_110 Rev. B - Public Open Space Design

As a result of the submission for the mitigation of the adjoining Golf Club via condition 5, there is a need to amend the approved landscaping plans to ensure consistency across the approved documents. It is now proposed that the conditions be amended to reflect those submitted under condition 5 so condition 1 is proposed to include reference to the following plans;

|                                          |                |
|------------------------------------------|----------------|
| Soft Landscaping Proposals Sheet 1 of 3  | 3823-101 Rev I |
| Soft Landscaping Proposals Sheet 2 of 3  | 3823-102 Rev F |
| Soft Landscaping Proposals Sheet 3 of 3  | 3823-103 Rev F |
| Hard Landscaping Proposals Sheet 1 of 3  | 3823-104 Rev I |
| Hard Landscaping Proposals Sheet 2 of 3  | 3823-105 Rev F |
| Hard Landscaping Proposals Sheet 3 of 3  | 3823-106 Rev E |
| Public Open Space Proposals Sheet 1 of 4 | 3823-107 Rev J |
| Public Open Space Proposals Sheet 2 of 4 | 3823-108 Rev H |
| Public Open Space Proposals Sheet 3 of 4 | 3823-109 Rev J |
| Public Open Space Proposals Sheet 4 of 4 | 3823-110 Rev H |

In summary, the proposed amendment of Condition 1 to amend the wording in relation to the list of approved landscape plans does not substantially alter or change the approved development, nor the evidence base which supported the original application.

I trust that the enclosed provides you with sufficient information to now determine the application but should you have any queries please contact me at the above address.

Yours faithfully,



Laura Humphries  
**Senior Planning Manager**

Direct Dial: 01483 705108

Email: [laura.humphries@lindenhomes.co.uk](mailto:laura.humphries@lindenhomes.co.uk)