




MAP 2 Records of Relevant Species within the Zone of Influence

KEY

- Site boundary
- 400m linear distance from site boundary
- Record accurate to 1km
- Record accurate to 2km

Bats			
Common Pipistrelle		Turtle Dove	
Soprano Pipistrelle (55 kHz)		Yellowhammer	
Pipistrelle sp.		Herptiles	
Brown Long-eared Bat		Adder	
Long-eared sp.		Common Frog	
Daubenton's Bat		Common Lizard	
Natterer's Bat		Common Toad	
Noctule Bat		Grass Snake	
Serotine		Great Crested Newt	
Western Barbastelle		Palmate Newt	
Whiskered/Brandt's		Slow-worm	
Bat sp.		Smooth Newt	
Birds		Mammals	
Barn Owl		Brown Hare	
Bullfinch		Badger (sett)	
Grey Partridge		European Water Vole	
Lapwing		Harvest Mouse	
Linnet		Hazel Dormouse	
Skylark		Polecat	
Starling		West European Hedgehog	

SCALE: 1:30,000 at A3

0 500 1,000 1,500 2,000 Metres



Ecological Planning & Research

CLIENT: Wates Development

PROJECT: Walberton

DATE: June 2017

V:\Walberton\GIS\Map2_Datasearch_P1701_070617.mxd

Credits: © OpenStreetMap (and) contributors, CC-BY-SA



MAP 3 Habitats and Features on Site

KEY

-  Site boundary
-  Arable
-  Semi-improved grassland
-  Broadleaved woodland
-  Scattered scrub
-  Bare ground
-  Species-poor hedge
-  Tree
-  Target note (with ID)
-  Hedgerow trees

SCALE: 1:2,500 at A3

0 25 50 75 100 Metres



Ecological Planning & Research

CLIENT: Wates Development

PROJECT: Walberton

DATE: June 2017

V:\Walberton\GIS\Map3_FEA\Results_P1701_070617.mxd


P17/01

Credits: Source: Esri, DigitalGlobe, GeoEye, Earthstar Geographics, CNES/Airbus DS, USDA, USGS, AeroGRID, IGN, and the GIS User



MAP 4 Breeding Bird Survey Results

KEY

-  Site boundary
-  Red Listed Species: approximate centre of territory
-  Red Listed Species: seen/heard
-  Amber Listed Species: approximate centre of territory
-  Amber Listed Species: seen/heard
-  Bird in flight

SG - Starling
D - Dunnock
HS - House Sparrow
LI - Linnet
K - Kestrel
MA - Mallard

SCALE: 1:2,500 at A3

0 25 50 75 100 Metres



Ecological Planning & Research

CLIENT: Wates Development

PROJECT: Walberton

DATE: June 2017

V:\Walberton\GIS\Map4_BirdResults_P1701_070617.mxd

P17/01

Credits: Source: Esri, DigitalGlobe, GeoEye, Earthstar Geographics, CNES/Airbus DS, USDA, USGS, AeroGRID, IGN, and the GIS User



MAP 5 Ground Level Tree Bat Inspection Results

KEY

-  Site boundary
-  Low potential tree
-  Negligible potential tree

SCALE: 1:2,500 at A3

0 25 50 75 100 Metres



Ecological Planning & Research

CLIENT: Wates Development

PROJECT: Walberton

DATE: June 2017

V:\Walberton\GIS\Map3_BatTrees_P1701_070617.mxd

MAP 6 Habitat Suitability Index Survey Results

KEY



SCALE: 1:2,500 at A3

0 25 50 75 100 Metres



Ecological Planning & Research

CLIENT: Wates Development

PROJECT: Walberton

DATE: June 2017

V:\Walberton\GIS\Map6_HSI_LP1701_070617.mxd

Credits:

P17/01