

1. All dimensions are in metres unless stated otherwise.
2. Do not scale drawings. Only written dimensions are to be used.
3. This drawing should be read in conjunction with the Architect's and Structural Engineer's design drawings and specification.
4. Site Layout and boundary based on AAP Architecture Proposed Site Layout, drawing numbers 15340-11 Revision K, P1549-21 Revision K and P1549-31 Revision J received on 21/01/2020.
5. Topographic Survey taken from mikunapsy Topographical Survey drawing number 25802, Sheets 1-3, dated 05.10.18.
6. Architectural blocks based on AAP Architecture Sub Structures, as issued 19/02/2020, 21/02/2020, 24/02/2020 & 25/02/2020.
7. Tree survey information is based on FPCR Environmental and design Ltd. Drawing Number B233-A-02 to 20 dated May 2018.

ANY VARIANCE OR DISCREPANCY MUST BE REPORTED BACK TO RCP ENGINEERING BEFORE WORK BEGINS.

Site Boundary not shown allowing confirmed architects Site Boundary

FFL + Plot / Garage Finished Floor Level

Existing Ground Level

Proposed Contour Level

Proposed Permeable Paving Formation Level

× 30.881m

FFL=31.90

+30.00


31.70

Extent of Permeable Paving which is to have a formation no steeper than 1 in 60,
and to be constructed with check dams

Work Outside of Phase 1

Permeable Paving Check Dam

1. EXISTING SERVICES. Depth of existing services must be determined prior to works commencing. The contractor is responsible for establishing underground services in accordance with HSE Guidance note HS (G) 47. Any services which would be within the proposed construction layers must be lowered to below the sub-base.

[illegible]

Rev.	Date	Details	By	Chkd	App
A	09.12.20	Formation levels revised to suit new site layout.	GD-I	LD	T

Client:-  dandara

Site:- Fontwell Eastergate Arundel	Drawing Title:- Permeable Paving Formation Levels
---	---

		Sheet 3 of 1	
Date:	May 2020	Scales:	1:200 at A1

Drawn:	TRS	Checked:	TRS	Approved:	TRS
Drawing No. FON-121-03-A					

FOR INFORMATION ONLY



Rogers Cory Partnership
Architectural and Civil Consultants
The Old School Old School Road
Hook Hampshire RG27 9NJ

T: 01256 769269 E: mail@rcpconsultants.co.uk W: rcpconsultants.co.uk