



NOTES

1. All dimensions are in metres unless stated otherwise.
2. Do not scale from this drawing. Only written dimensions are to be used.
3. This drawing should be read in conjunction with the Architect's and Structural Engineer's design drawings and specification.
4. Site layout and boundary based on AAP Architecture Proposed Site Layout, drawing numbers P1549.11 Revision ZZZZE, received on 26/10/2020.
5. Topographic Survey taken from re-surveys Topographical Survey drawing number 25602, Sheets 1-3, dated 05.10.18.
6. Architectural blocks based on AAP Architecture Site Structures, as issued 02.02.21
7. Tree survey information is based on FPCR Environmental and design Ltd, Drawing Number 6233-A-02 to 20 dated May 2018.
8. This drawing should be read in conjunction other External Levels Layouts, Highways Longitudinal Sections (FON-162-01 to 07), Foul Water Sewer Longitudinal Sections (FON-160-01 to 04), Surface Water Sewer Longitudinal Sections (FON-161-01 to 03), Highways Construction Details (FON-160-01 to 02), Highways Contours Layouts (FON-164-01 to 18), Highways Setting out Layout (FON-163-01 to 03), Highways Setting Out Coordinate Listings (FON-113-20 to 22), Section 104 Construction Details (FON-181-01 to 02), Drainage Construction Details (FON-164-01 to 02), Foul Water Manhole Schedules (FON-141-01 to 03), Domestic Drainage Layouts (FON-130-01 to 18), Domestic Drainage Construction Details (FON-162-01 to 02), Surface Water Attenuation Details (FON-183-01 to 02) and Building Setting Out Layouts (FON-115-01 to 18).
9. For check dam details refer to drawing FON-182-02.
10. **ANY VARIANCE OR DISCREPANCY MUST BE REPORTED BACK TO RCP ENGINEERING BEFORE WORK BEGINS.**

KEY

Site Boundary not shown awaiting confirmed planning architects Site Boundary

FFL = Plot / Garage Finished Floor Level **FFL=31.90**

Existing Ground Level +30.00

Proposed Contour Level 31.75

Proposed Permeable Paving Formation Level **26.358m**

Extent of Permeable Paving which is to have a formation no steeper than 1 in 60, and to be constructed with check dams where indicated.

Works Outside of Phase 1

Permeable Paving Check Dam

Root Protection Area
(based on FPCR Environmental Drawing received from Dandara 19.08.20)

No dig Ground Protection Area
(based on FPCR Environmental Drawing received from Dandara 19.08.20)

CDM NOTES

1. **EXISTING SERVICES.** Depth of existing services must be determined prior to works commencing. The contractor is responsible for establishing underground services in accordance with HSE Guidance note HS (G) 47. Any services which would be within the proposed construction layers must be lowered to below the sub-base.



SCALE BAR 1:200 at A1
© Crown copyright. All rights reserved. Licence number 100042156

Rev.	Date	Details	By	Chkd	Appd
C	15.02.21	Notes updated. Issued for construction.	LD	LD	TS
B	26.01.21	Formation levels & check dams updated. Key updated.	LD	TK	TS
A	09.12.20	Formation levels revised to suit new site layout.	GD-1	LD	TS

Client:- **dandara**

Site:- **Fontwell
Eastergate
Arundel**

Drawing Title:- **Permeable Paving
Formation Levels**

Sheet 9 of 18

Date: May 2020 Scales: 1:200 at A1

Drawn: TRS Checked: TRS Approved: TRS

Drawing No. **FON-121-09-C**

FOR CONSTRUCTION

RCP ARCHITECTURE & CIVIL ENGINEERING

Rogers Cory Partnership
Architectural and Civil Consultants
The Old School Old School Road
Hook Hampshire RG27 9NJ

T: 01256 769269 E: mail@rcpconsultants.co.uk W: rcpconsultants.co.uk