

[REDACTED]

From: Simon Davis

Sent: 23 December 2020 17:41

To: Sparkes, Jessica [REDACTED]

Subject: Y/127/20/PL Standalone Application for the Access

Hi Jessica,

I am sorry but the Y/127/20/PL decision won't be going out until in January. I had hoped it could be issued before Xmas but my report came back with some changes and I didn't have time to review these until just now. I have also had to add on a pre-commencement CMP condition for which we need your agreement (please see separate letter sent through our system to Sean).

Kind Regards

Simon J Davis MRTPI
Principal Planning Officer
Directorate of Place

T: 01903 737874

E: simon.davis@arun.gov.uk

Arun District Council, Civic Centre, Maltravers Rd, Littlehampton, West Sussex, BN17 5LF
www.arun.gov.uk

Arun is a CIL Charging Authority, for more information go to www.arun.gov.uk/cil

Sign up to our newsletter [here](#)



From: Sparkes, Jessica [REDACTED]

Sent: 18 December 2020 08:42

To: Simon Davis <Simon.Davis@arun.gov.uk>

Subject: RE: *EXTERNAL: RE: Land at Drove Lane, Yapton - drainage conditions

Thanks Simon

That would be some good news to have before Xmas.

Many thanks

Jess

From: Simon Davis <Simon.Davis@arun.gov.uk>

Sent: 17 December 2020 17:24

To: Sparkes, Jessica [REDACTED]
Subject: RE: *EXTERNAL: RE: Land at Drove Lane, Yapton - drainage conditions

Hi Jess,

I have just finished Y/127/20/PL and it is with Claire for review so it might yet get issued before Xmas. I'll look forward to seeing the revisions to the RM.

Kind Regards

Simon J Davis MRTPI
Principal Planning Officer
Directorate of Place

T: 01903 737674
E: simon.davis@arun.gov.uk

Arun District Council, Civic Centre, Maltravers Rd, Littlehampton, West Sussex, BN17 5LF
www.arun.gov.uk

Arun is a CIL Charging Authority, for more information go to www.arun.gov.uk/cil

Sign up to our newsletter [here](#)

