



AKSWard Ltd

A K S WARD, 116, HIGH STREET,
SOUTHAMPTON, SO14 2AA

Groundsure
Reference:

GS-3196086

Your Reference:

GRS01998

Report Date

26 Jul 2016

Report Delivery
Method:

Email - pdf

Groundsure Enviro Insight


Address: 497547.000 103471.000,

Dear Sir/ Madam,

Thank you for placing your order with Groundsure. Please find enclosed the **Groundsure Enviro Insight** as requested.

If you need any further assistance, please do not hesitate to contact our helpline on 08444 159000 quoting the above Groundsure reference number.

Yours faithfully,



Managing Director
Groundsure Limited

Enc.
Groundsure Enviroinsight

Groundsure Enviro Insight

Address: 497547,000 103471,000,
Date: 26 Jul 2016
Reference: GS-3196086
Client: AKSWard Ltd

NW

N

NE

W

E



SW

S

SE

Aerial Photograph Capture date: 13-Sep-2012
Grid Reference: 497547,103471
Site Size: 3.23ha

Report Reference: GS-3196086
Client Reference: GRS01998

Contents Page

Contents Page	3
Overview of Findings	6
Using this report	10
1. Historical Land Use	11
1. Historical Industrial Sites	12
1.1 Potentially Contaminative Uses identified from 1:10,000 scale Mapping	12
1.2 Additional Information – Historical Tank Database	13
1.3 Additional Information – Historical Energy Features Database	13
1.4 Additional Information – Historical Petrol and Fuel Site Database	15
1.5 Additional Information – Historical Garage and Motor Vehicle Repair Database	15
1.6 Potentially Infilled Land	15
2. Environmental Permits, Incidents and Registers Map	17
2. Environmental Permits, Incidents and Registers	18
2.1 Industrial Sites Holding Licences and/or Authorisations	18
2.1.1 Records of historic IPC Authorisations within 500m of the study site	18
2.1.2 Records of Part A(1) and IPPC Authorised Activities within 500m of the study site	18
2.1.3 Records of Red List Discharge Consents (potentially harmful discharges to controlled waters) within 500m of the study site	18
2.1.4 Records of List 1 Dangerous Substances Inventory Sites within 500m of the study site	18
2.1.5 Records of List 2 Dangerous Substance Inventory Sites within 500m of the study site	18
2.1.6 Records of Part A(2) and Part B Activities and Enforcements within 500m of the study site	19
2.1.7 Records of Category 3 or 4 Radioactive Substances Authorisations	19
2.1.8 Records of Licensed Discharge Consents within 500m of the study site	19
2.1.9 Records of Water Industry Referrals (potentially harmful discharges to the public sewer) within 500m of the study site	19
2.1.10 Records of Planning Hazardous Substance Consents and Enforcements within 500m of the study site	19
2.2 Dangerous or Hazardous Sites	19
2.3 Environment Agency Recorded Pollution Incidents	20
2.3.1 Records of National Incidents Recording System, List 2 within 500m of the study site	20
2.3.2 Records of National Incidents Recording System, List 1 within 500m of the study site	20
2.4 Sites Determined as Contaminated Land under Part 2A EPA 1990	20
3. Landfill and Other Waste Sites Map	21
3. Landfill and Other Waste Sites	22
3.1 Landfill Sites	22
3.1.1 Records from Environment Agency landfill data within 1000m of the study site	22
3.1.2 Records of Environment Agency historic landfill sites within 1500m of the study site	22
3.1.3 Records of BGS/DoE non-operational landfill sites within 1500m of the study site	22
3.1.4 Records of Landfills from Local Authority and Historical Mapping Records within 1500m of the study site	23
3.2 Other Waste Sites	23
3.2.1 Records of waste treatment, transfer or disposal sites within 500m of the study site	23
3.2.2 Records of Environment Agency licensed waste sites within 1500m of the study site	23
4. Current Land Use Map	25
4. Current Land Uses	26
4.1 Current Industrial Data	26
4.2 Petrol and Fuel Sites	26
4.3 National Grid High Voltage Underground Electricity Transmission Cables	26
4.4 National Grid High Pressure Gas Transmission Pipelines	27
5. Geology	28
5.1 Artificial Ground and Made Ground	28

5.2 Superficial Ground and Drift Geology	28
5.3 Bedrock and Solid Geology	28
6 Hydrogeology and Hydrology	29
6a. Aquifer Within Superficial Geology	29
6b. Aquifer Within Bedrock Geology and Abstraction Licenses	30
6c. Hydrogeology – Source Protection Zones and Potable Water Abstraction Licenses	31
6d. Hydrogeology – Source Protection Zones within confined aquifer	32
6e. Hydrology – Detailed River Network and River Quality	33
6. Hydrogeology and Hydrology	34
6.1 Aquifer within Superficial Deposits.....	34
6.2 Aquifer within Bedrock Deposits.....	34
6.3 Groundwater Abstraction Licences.....	34
6.4 Surface Water Abstraction Licences.....	36
6.5 Potable Water Abstraction Licences.....	37
6.6 Source Protection Zones.....	38
6.7 Source Protection Zones within Confined Aquifer.....	38
6.8 Groundwater Vulnerability and Soil Leaching Potential.....	38
6.9 River Quality.....	38
6.9.1 Biological Quality:.....	38
6.9.2 Chemical Quality:.....	39
6.10 Detailed River Network.....	39
6.11 Surface Water Features.....	39
7a. Environment Agency Flood Map for Planning (from rivers and the sea)	40
7b. Environment Agency Risk of Flooding from Rivers and the Sea (RoFRaS) Map	41
7 Flooding	42
7.1 River and Coastal Zone 2 Flooding.....	42
7.2 River and Coastal Zone 3 Flooding.....	42
7.3 Risk of Flooding from Rivers and the Sea (RoFRaS) Flood Rating.....	43
7.4 Flood Defences.....	43
7.5 Areas benefiting from Flood Defences.....	43
7.6 Areas benefiting from Flood Storage.....	43
7.7 Groundwater Flooding Susceptibility Areas.....	43
7.7.1 Are there any British Geological Survey groundwater flooding susceptibility areas within 50m of the boundary of the study site? Yes.....	43
7.7.2 What is the highest susceptibility to groundwater flooding in the search area based on the underlying geological conditions?.....	44
7.8 Groundwater Flooding Confidence Areas.....	44
8. Designated Environmentally Sensitive Sites Map	45
8. Designated Environmentally Sensitive Sites	46
8.1 Records of Sites of Special Scientific Interest (SSSI) within 2000m of the study site:.....	46
8.2 Records of National Nature Reserves (NNR) within 2000m of the study site:.....	46
8.3 Records of Special Areas of Conservation (SAC) within 2000m of the study site:.....	46
8.4 Records of Special Protection Areas (SPA) within 2000m of the study site:.....	46
8.5 Records of Ramsar sites within 2000m of the study site:.....	46
8.6 Records of Ancient Woodland within 2000m of the study site:	47
8.7 Records of Local Nature Reserves (LNR) within 2000m of the study site:.....	47
8.8 Records of World Heritage Sites within 2000m of the study site:.....	47
8.9 Records of Environmentally Sensitive Areas within 2000m of the study site:	47
8.10 Records of Areas of Outstanding Natural Beauty (AONB) within 2000m of the study site:	47
8.11 Records of National Parks (NP) within 2000m of the study site:	47
8.12 Records of Nitrate Sensitive Areas within 2000m of the study site:.....	48
8.13 Records of Nitrate Vulnerable Zones within 2000m of the study site:.....	48

8.14 Records of Green Belt land within 2000m of the study site:.....	48
9. Natural Hazards Findings.....	49
9.1 Detailed BGS GeoSure Data.....	49
9.1.1 Shrink Swell.....	49
9.1.2 Landslides.....	49
9.1.3 Soluble Rocks.....	49
9.1.4 Compressible Ground.....	50
9.1.5 Collapsible Rocks.....	50
9.1.6 Running Sand.....	50
9.2 Radon.....	50
9.2.1 Radon Affected Areas.....	50
9.2.2 Radon Protection.....	51
10. Mining.....	52
10.1 Coal Mining.....	52
10.2 Non-Coal Mining.....	52
10.3 Brine Affected Areas	52
Contact Details.....	53
Standard Terms and Conditions.....	55

Overview of Findings

For further details on each dataset, please refer to each individual section in the main report as listed. Where the database has been searched a numerical result will be recorded. Where the database has not been searched '-' will be recorded.

Section 1: Historical Industrial Sites	On-site	0-50	51-250	251-500
1.1 Potentially Contaminative Uses identified from 1:10,000 scale mapping	0	4	13	14
1.2 Additional Information – Historical Tank Database	0	5	13	13
1.3 Additional Information – Historical Energy Features Database	0	10	6	30
1.4 Additional Information – Historical Petrol and Fuel Site Database	0	0	0	0
1.5 Additional Information – Historical Garage and Motor Vehicle Repair Database	0	8	0	0
1.6 Potentially Infilled Land	0	4	6	8
Section 2: Environmental Permits, Incidents and Registers	On-site	0-50m	51-250	251-500
2.1 Industrial Sites Holding Environmental Permits and/or Authorisations				
2.1.1 Records of historic IPC Authorisations	0	0	0	0
2.1.2 Records of Part A(1) and IPPC Authorised Activities	0	0	0	0
2.1.3 Records of Red List Discharge Consents	0	0	0	0
2.1.4 Records of List 1 Dangerous Substances Inventory sites	0	0	0	0
2.1.5 Records of List 2 Dangerous Substances Inventory sites	0	0	0	0
2.1.6 Records of Part A(2) and Part B Activities and Enforcements	0	0	0	0
2.1.7 Records of Category 3 or 4 Radioactive Substances Authorisations	0	0	0	0
2.1.8 Records of Licensed Discharge Consents	0	0	0	0
2.1.9 Records of Water Industry Referrals	0	0	0	0
2.1.10 Records of Planning Hazardous Substance Consents and Enforcements within 500m of the study site	0	0	0	0
2.2 Records of COMAH and NIHHS sites	0	0	0	0
2.3 Environment Agency Recorded Pollution Incidents				
2.3.1 National Incidents Recording System, List 2	0	2	0	3
2.3.2 National Incidents Recording System, List 1	0	0	0	0
2.4 Sites Determined as Contaminated Land under Part 2A EPA 1990	0	0	0	0

Section 3: Landfill and Other Waste Sites	On-site	0-50m	51-250	251-500	501-1000	1000-1500
---	---------	-------	--------	---------	----------	-----------

3.1 Landfill Sites						
3.1.1 Environment Agency Registered Landfill Sites	0	0	0	0	0	Not searched
3.1.2 Environment Agency Historic Landfill Sites	0	0	1	0	1	1
3.1.3 BGS/DoE Landfill Site Survey	0	0	0	0	0	0
3.1.4 Records of Landfills in Local Authority and Historical Mapping Records	0	0	0	0	0	0
3.2 Landfill and Other Waste Sites Findings						
3.2.1 Operational and Non-Operational Waste Treatment, Transfer and Disposal Sites	0	0	0	0	Not searched	Not searched
3.2.2 Environment Agency Licensed Waste Sites	0	0	0	0	3	2

Section 4: Current Land Use	On-site	0-50m	51-250	251-500
-----------------------------	---------	-------	--------	---------

4.1 Current Industrial Sites Data	0	0	3	Not searched
4.2 Records of Petrol and Fuel Sites	0	0	1	0
4.3 National Grid Underground Electricity Cables	0	0	0	0
4.4 National Grid Gas Transmission Pipelines	0	0	0	0

Section 5: Geology

5.1 Are there any records of Artificial Ground and Made Ground present beneath the study site?	No
5.2 Are there any records of Superficial Ground and Drift Geology present beneath the study site?	Yes
5.3 For records of Bedrock and Solid Geology beneath the study site see the detailed findings section.	

Section 6: Hydrogeology and Hydrology	0-500m
---------------------------------------	--------

6.1 Are there any records of Strata Classification in the Superficial Geology within 500m of the study site?	Yes
6.2 Are there any records of Strata Classification in the Bedrock Geology within 500m of the study site?	Yes

	On-site	0-50m	51-250	251-500	501-1000	1000-2000
6.3 Groundwater Abstraction Licences (within 2000m of the study site)	0	0	0	1	1	11
6.4 Surface Water Abstraction Licences (within 2000m of the study site)	0	0	0	0	1	7
6.5 Potable Water Abstraction Licences (within 2000m of the study site)	0	0	0	0	0	0
6.6 Source Protection Zones (within 500m of the study site)	0	0	0	0	Not searched	Not searched
6.7 Source Protection Zones within Confined Aquifer	0	0	0	0	Not searched	Not searched
6.8 Groundwater Vulnerability and Soil Leaching Potential (within 500m of the study site)	1	0	1	0	Not searched	Not searched
	On-site	0-50m	51-250	251-500	501-1000	1000-1500

Section 6: Hydrogeology and Hydrology

0-500m

6.9 Is there any Environment Agency information on river quality within 1500m of the study site?	No	No	No	No	No	No
6.10 Detailed River Network entries within 500m of the site	0	0	2	4	Not searched	Not searched
6.11 Surface water features within 250m of the study site	No	No	Yes	Not searched	Not searched	Not searched

Section 7: Flooding

7.1 Are there any Environment Agency Zone 2 floodplains within 250m of the study site?	Yes
7.2 Are there any Environment Agency Zone 3 floodplains within 250m of the study site?	Yes
7.3 What is the Risk of flooding from Rivers and the Sea (RoFRaS) rating for the study site?	Very Low
7.4 Are there any Flood Defences within 250m of the study site?	No
7.5 Are there any areas benefiting from Flood Defences within 250m of the study site?	No
7.6 Are there any areas used for Flood Storage within 250m of the study site?	No
7.7 What is the maximum BGS Groundwater Flooding susceptibility within 50m of the study site?	Potential below Surface
7.8 What is the BGS confidence rating for the Groundwater Flooding susceptibility areas?	High

Section 8: Designated Environmentally Sensitive Sites

On-site 0-50m 51-250 251-500 501-1000 1000-2000

8.1 Records of Sites of Special Scientific Interest (SSSI)	0	0	0	0	0	0
8.2 Records of National Nature Reserves (NNR)	0	0	0	0	0	0
8.3 Records of Special Areas of Conservation (SAC)	0	0	0	0	0	0
8.4 Records of Special Protection Areas (SPA)	0	0	0	0	0	0
8.5 Records of Ramsar sites	0	0	0	0	0	0
8.6 Records of Ancient Woodlands	0	0	0	0	0	2
8.7 Records of Local Nature Reserves (LNR)	0	0	0	0	0	0
8.8 Records of World Heritage Sites	0	0	0	0	0	0
8.9 Records of Environmentally Sensitive Areas	0	0	0	0	0	0
8.10 Records of Areas of Outstanding Natural Beauty (AONB)	0	0	0	0	0	0

Section 8: Designated Environmentally Sensitive Sites	On-site	0-50m	51-250	251-500	501-1000	1000-2000
8.11 Records of National Parks	0	0	0	0	0	0
8.12 Records of Nitrate Sensitive Areas	0	0	0	0	0	0
8.13 Records of Nitrate Vulnerable Zones	1	0	0	0	0	0
8.14 Records of Green Belt land	0	0	0	0	0	0

Section 9: Natural Hazards	
9.1 What is the maximum risk of natural ground subsidence?	Low
9.1.1 What is the maximum Shrink-Swell hazard rating identified on the study site?	Low
9.1.2 What is the maximum Landslides hazard rating identified on the study site?	Very Low
9.1.3 What is the maximum Soluble Rocks hazard rating identified on the study site?	Very Low
9.1.4 What is the maximum Compressible Ground hazard rating identified on the study site?	Negligible
9.1.5 What is the maximum Collapsible Rocks hazard rating identified on the study site?	Low
9.1.6 What is the maximum Running Sand hazard rating identified on the study site?	Low
9.2 Radon	
9.2.1 Is the property in a Radon Affected Area as defined by the Health Protection Agency (HPA) and if so what percentage of homes are above the Action Level?	The property is not in a Radon Affected Area, as less than 1% of properties are above the Action Level.
9.2.2 Is the property in an area where Radon Protection are required for new properties or extensions to existing ones as described in publication BR211 by the Building Research Establishment?	No radon protective measures are necessary.

Section 10: Mining	
10.1 Are there any coal mining areas within 75m of the study site?	No
10.2 Are there any Non-Coal Mining areas within 50m of the study site boundary?	No
10.3 Are there any brine affected areas within 75m of the study site?	No

Using this report

The following report is designed by Environmental Consultants for Environmental Professionals bringing together the most up-to-date market leading environmental data. This report is provided under and subject to the Terms & Conditions agreed between Groundsure and the Client. The document contains the following sections:

1. Historical Industrial Sites

Provides information on past land uses that may pose a risk to the study site in terms of potential contamination from activities or processes. Potentially Infilled Land features are also included. This search is conducted using radii of up to 500m.

2. Environmental Permits, Incidents and Registers

Provides information on Regulated Industrial Activities and Pollution Incidents as recorded by Regulatory Authorities, and sites determined as Contaminated Land. This search is conducted using radii up to 500m.

3. Landfills and Other Waste Sites

Provides information on landfills and other waste sites that may pose a risk to the study site. This search is conducted using radii up to 1500m.

4. Current Land Uses

Provides information on current land uses that may pose a risk to the study site in terms of potential contamination from activities or processes. These searches are conducted using radii of up to 500m. This includes information on potentially contaminative industrial sites, petrol stations and fuel sites as well as high pressure gas pipelines and underground electricity transmission lines.

5. Geology

Provides information on artificial and superficial deposits and bedrock beneath the study site.

6. Hydrogeology and Hydrology

Provides information on productive strata within the bedrock and superficial geological layers, abstraction licenses, Source Protection Zones (SPZs) and river quality. These searches are conducted using radii of up to 2000m.

7. Flooding

Provides information on river and coastal flooding, flood defences, flood storage areas and groundwater flood areas. This search is conducted using radii of up to 250m.

8. Designated Environmentally Sensitive Sites

Provides information on the Sites of Special Scientific Interest (SSSI), National Nature Reserves (NNR), Special Areas of Conservation (SAC), Special Protection Areas (SPA), Ramsar sites, Local Nature Reserves (LNR), Areas of Outstanding Natural Beauty (AONB), National Parks (NP), Environmentally Sensitive Areas, Nitrate Sensitive Areas, Nitrate Vulnerable Zones and World Heritage Sites and Scheduled Ancient Woodland. These searches are conducted using radii of up to 2000m.

9. Natural Hazards

Provides information on a range of natural hazards that may pose a risk to the study site. These factors include natural ground subsidence and radon.

10. Mining

Provides information on areas of coal and non-coal mining and brine affected areas.

11. Contacts


This section of the report provides contact points for statutory bodies and data providers that may be able to provide further information on issues raised within this report. Alternatively, Groundsure provide a free Technical Helpline (08444 159000) for further information and guidance.

Note: Maps

Only certain features are placed on the maps within the report. All features represented on maps found within this search are given an identification number. This number identifies the feature on the mapping and correlates it to the additional information provided below. This identification number precedes all other information and takes the following format -Id: 1, Id: 2, etc. Where numerous features on the same map are in such close proximity that the numbers would obscure each other a letter identifier is used instead to represent the features. (e.g. Three features which overlap may be given the identifier "A" on the map and would be identified separately as features 1A, 3A, 10A on the data tables provided).

Where a feature is reported in the data tables to a distance greater than the map area, it is noted in the data table as "Not Shown".

All distances given in this report are in Metres (m). Directions are given as compass headings such as N: North, E: East, NE: North East from the nearest point of the study site boundary.



Site Outline

Industrial Land Use

Potentially Infilled Land

Historical 1:2,500, 1:1,250 and 1:500 scale mapping

Search Buffers (m)

250

500

Energy Features

Tanks

Petrol Stations

Garages

1. Historical Industrial Sites

1.1 Potentially Contaminative Uses identified from 1:10,000 scale Mapping

The systematic analysis of data extracted from standard 1:10,560 and 1:10,000 scale historical maps provides the following information:

Records of sites with a potentially contaminative past land use within 500m of the search boundary: 31

ID	Distance [m]	Direction	Use	Date
1W	46	SW	Disused Canal	1876
2A	49	SW	Disused Canal	1966
3A	49	SW	Old Canal	1978
4A	49	SW	Old Canal	1991
5B	54	SW	Disused Canal	1910
6B	54	SW	Disused Canal	1896
7X	60	SW	Disused Canal	1950
8C	73	S	Old Canal	1966
9C	73	S	Old Canal	1978
10C	75	S	Old Canal	1950
11Q	116	NE	Abattoir	1978
12F	117	SE	Smithy	1910
13D	133	NW	Nursery	1978
14D	133	NW	Nursery	1991
15E	142	SE	Smithy	1950
16E	146	SE	Smithy	1876
17F	174	SE	Smithy	1896
18G	271	NE	Telecomm Exchange	1978
19G	271	NE	Telecomm Exchange	1991
20Y	321	SE	Unspecified Pit	1910
21J	321	SE	Brick Works	1910
22H	331	NE	Nursery	1978
23H	331	NE	Nursery	1991
24I	332	SE	Unspecified Ground Workings	1950
25I	337	SE	Unspecified Ground Workings	1966
26J	339	SE	Brick Yard	1896
27I	365	SE	Unspecified Ground Workings	1896
28Z	420	SE	Old Canal	1950
29K	437	NW	Nursery	1978
30K	437	NW	Nursery	1991
31AA	465	E	Grave Yard	1876

1.2 Additional Information – Historical Tank Database

The systematic analysis of data extracted from High Detailed 1:1,250 and 1:2,500 scale historical maps provides the following information.

Records of historical tanks within 500m of the search boundary:

31

ID	Distance (m)	Direction	Use	Date
32L	14	SW	Unspecified Tank	1982
33L	14	SW	Unspecified Tank	1988
34L	14	SW	Unspecified Tank	1974
35L	17	SW	Unspecified Tank	1989
36L	17	SW	Unspecified Tank	1989
37M	209	N	Unspecified Tank	1974
38M	209	N	Unspecified Tank	1989
39M	209	N	Unspecified Tank	1982
40M	209	N	Unspecified Tank	1992
41M	209	N	Unspecified Tank	1989
42M	209	N	Unspecified Tank	1992
43M	209	N	Unspecified Tank	1988
44M	209	N	Unspecified Tank	1988
45N	227	N	Unspecified Tank	1989
46N	227	N	Unspecified Tank	1982
47N	227	N	Unspecified Tank	1989
48N	227	N	Unspecified Tank	1988
49N	227	N	Unspecified Tank	1988
50	268	E	Unspecified Tank	1897
51O	346	NE	Unspecified Tank	1982
52O	346	NE	Unspecified Tank	1989
53O	346	NE	Unspecified Tank	1989
54O	346	NE	Unspecified Tank	1988
55O	346	NE	Unspecified Tank	1988
56O	346	NE	Unspecified Tank	1974
57O	365	NE	Unspecified Tank	1974
58O	365	NE	Unspecified Tank	1989
59O	365	NE	Unspecified Tank	1982
60O	365	NE	Unspecified Tank	1988
61O	365	NE	Unspecified Tank	1988
62O	365	NE	Unspecified Tank	1989

1.3 Additional Information – Historical Energy Features Database

The systematic analysis of data extracted from High Detailed 1:1,250 and 1:2,500 scale historical maps provides the following information.

Records of historical energy features within 500m of the search boundary:

46

ID	Distance (m)	Direction	Use	Date
63P	43	SE	Electricity Substation	1989
64P	43	SE	Electricity Substation	1988
65P	43	SE	Electricity Substation	1989
66P	46	SE	Electricity Substation	1988
67P	46	SE	Electricity Substation	1982
68P	48	SE	Electricity Substation	1974
69P	49	SE	Electricity Substation	1995
70P	49	SE	Electricity Substation	1995
71P	50	SE	Electricity Substation	1992
72P	50	SE	Electricity Substation	1992
73Q	170	NE	Electricity Substation	1995
74R	170	NE	Electricity Substation	1995
75R	170	NE	Electricity Substation	1989
76R	170	NE	Electricity Substation	1992
77R	170	NE	Electricity Substation	1989
78R	170	NE	Electricity Substation	1992
79S	268	NE	Electricity Substation	1995
80S	268	NE	Electricity Substation	1995
81S	268	NE	Electricity Substation	1974
82S	268	NE	Electricity Substation	1992
83S	268	NE	Electricity Substation	1992
84S	268	NE	Electricity Substation	1988
85S	268	NE	Electricity Substation	1982
86S	268	NE	Electricity Substation	1989
87S	268	NE	Electricity Substation	1988
88S	268	NE	Electricity Substation	1989
89T	317	SE	Electricity Substation	1989
90T	317	SE	Electricity Substation	1989
91T	317	SE	Electricity Substation	1992
92T	317	SE	Electricity Substation	1982
93T	317	SE	Electricity Substation	1988
94T	317	SE	Electricity Substation	1988
95T	317	SE	Electricity Substation	1992
96T	319	SE	Electricity Substation	1995
97T	319	SE	Electricity Substation	1995
98T	319	SE	Electricity Substation	1974
99U	343	SE	Electricity Substation	1989
100U	343	SE	Electricity Substation	1992
101U	343	SE	Electricity Substation	1988
102U	343	SE	Electricity Substation	1989
103U	343	SE	Electricity Substation	1982

104U	343	SE	Electricity Substation	1988
105U	343	SE	Electricity Substation	1992
106U	344	SE	Electricity Substation	1974
107U	345	SE	Electricity Substation	1995
108U	345	SE	Electricity Substation	1995

1.4 Additional Information – Historical Petrol and Fuel Site Database

The systematic analysis of data extracted from High Detailed 1:1,250 and 1:2,500 scale historical maps provides the following information.

Records of historical petrol stations and fuel sites within 500m of the search boundary: 0

Database searched and no data found.

1.5 Additional Information – Historical Garage and Motor Vehicle Repair Database

The systematic analysis of data extracted from High Detailed 1:1,250 and 1:2,500 scale historical maps provides the following information.

Records of historical garage and motor vehicle repair sites within 500m of the search boundary: 8

ID	Distance (m)	Direction	Use	Date
109V	9	SW	Garage	1988
110V	9	SW	Garage	1982
111V	9	SW	Garage	1989
112V	9	SW	Garage	1989
113V	9	SW	Garage	1992
114V	9	SW	Garage	1992
115V	15	SW	Garage	1995
116V	15	SW	Garage	1995


1.6 Potentially Infilled Land

Records of Potentially Infilled Features from 1:10,000 scale mapping within 500m of the study site: 18

The following Historical Potentially Infilled Features derived from the Historical Mapping information is provided by Groundsure:

ID	Distance(m)	Direction	Use	Date
117W	46	SW	Disused Canal	1876
118A	49	SW	Old Canal	1991
119A	49	SW	Old Canal	1978
120A	49	SW	Disused Canal	1966
121B	54	SW	Disused Canal	1910

122B	54	SW	Disused Canal	1896
123X	60	SW	Disused Canal	1950
124C	73	S	Old Canal	1966
125C	73	S	Old Canal	1978
126C	75	S	Old Canal	1950
127J	321	SE	Brick Works	1910
128Y	321	SE	Unspecified Pit	1910
129I	332	SE	Unspecified Ground Workings	1950
130I	337	SE	Unspecified Ground Workings	1966
131J	339	SE	Brick Yard	1896
132Y	365	SE	Unspecified Ground Workings	1896
133Z	420	SE	Old Canal	1950
134AA	465	E	Grave Yard	1876



- Report Reference: GS-3196086
Client Reference: GRS01998

2. Environmental Permits, Incidents and Registers

2.1 Industrial Sites Holding Licences and/or Authorisations

Searches of information provided by the Environment Agency and Local Authorities reveal the following information:

2.1.1 Records of historic IPC Authorisations within 500m of the study site:

0

Database searched and no data found.

2.1.2 Records of Part A(1) and IPPC Authorised Activities within 500m of the study site:

0

Database searched and no data found.

2.1.3 Records of Red List Discharge Consents (potentially harmful discharges to controlled waters) within 500m of the study site:

0

Database searched and no data found.

2.1.4 Records of List 1 Dangerous Substances Inventory Sites within 500m of the study site:

0

Database searched and no data found.

2.1.5 Records of List 2 Dangerous Substance Inventory Sites within 500m of the study site:

0

Database searched and no data found.

2.1.6 Records of Part A(2) and Part B Activities and Enforcements within 500m of the study site:

0

Database searched and no data found.

2.1.7 Records of Category 3 or 4 Radioactive Substances Authorisations:

0

Database searched and no data found.

2.1.8 Records of Licensed Discharge Consents within 500m of the study site:

0

Database searched and no data found.

2.1.9 Records of Water Industry Referrals (potentially harmful discharges to the public sewer) within 500m of the study site:

0

Database searched and no data found.

2.1.10 Records of Planning Hazardous Substance Consents and Enforcements within 500m of the study site:

0

Database searched and no data found.

2.2 Dangerous or Hazardous Sites

Records of COMAH & NIHHS sites within 500m of the study site:

0

Database searched and no data found.

2.3 Environment Agency Recorded Pollution Incidents

2.3.1 Records of National Incidents Recording System, List 2 within 500m of the study site:

5

The following NIRS List 2 records are represented as points on the Environmental Permits, Incidents and Registers Map:

ID	Distance (m)	Direction	NGR	Details
1A	40	SE	497620 103300	Incident Date: 26-Mar-2003 Incident Identification: 146036 Pollutant: Sewage Materials Pollutant Description: Grey Water Water Impact: Category 3 (Minor) Land Impact: Category 3 (Minor) Air Impact: Category 3 (Minor)
2A	40	SE	497620 103300	Incident Date: 26-Mar-2003 Incident Identification: 146036 Pollutant: Sewage Materials Pollutant Description: Grey Water Water Impact: Category 3 (Minor) Land Impact: Category 3 (Minor) Air Impact: Category 3 (Minor)
3B	417	SE	498000 103190	Incident Date: 06-Feb-2003 Incident Identification: 135166 Pollutant: Oils and Fuel Pollutant Description: Unidentified Oil Water Impact: Category 3 (Minor) Land Impact: Category 4 (No Impact) Air Impact: Category 3 (Minor)
4B	417	SE	498000 103190	Incident Date: 06-Feb-2003 Incident Identification: 135166 Pollutant: Contaminated Water Pollutant Description: Firefighting Run-Off Water Impact: Category 3 (Minor) Land Impact: Category 4 (No Impact) Air Impact: Category 3 (Minor)
5B	417	SE	498000 103190	Incident Date: 06-Feb-2003 Incident Identification: 135166 Pollutant: Contaminated Water;Oils and Fuel Pollutant Description: Firefighting Run-Off;Unidentified Oil Water Impact: Category 3 (Minor) Land Impact: Category 4 (No Impact) Air Impact: Category 3 (Minor)

2.3.2 Records of National Incidents Recording System, List 1 within 500m of the study site:

0


Database searched and no data found.

2.4 Sites Determined as Contaminated Land under Part 2A EPA 1990

How many records of sites determined as contaminated land under Section 78R of the Environmental Protection Act 1990 are there within 500m of the study site?

0

Database searched and no data found.



3. Landfill and Other Waste Sites

3.1 Landfill Sites

3.1.1 Records from Environment Agency landfill data within 1000m of the study site:

0

Database searched and no data found.

3.1.2 Records of Environment Agency historic landfill sites within 1500m of the study site:

3

The following landfill records are represented as either points or polygons on the Landfill and Other Waste Sites map:

ID	Distance (m)	Direction	NGR	Details
1	68	SW	496400 103500	Site Address: Disused Canal at Barnham, Barnham, Sussex Waste Licence: Yes Site Reference: WD27/023 Waste Type: Inert Environmental Permitting Regulations (Waste) Reference: - Licence Issue: 01-Jan-1976 Licence Surrendered: Licence Holder Address: - Operator: - Licence Holder: - First Recorded: 31-Dec-1970 Last Recorded: 31-Dec-1970
2	700	SE	498300 103100	Site Address: Disused Canal at Yapton, Yapton, Sussex Waste Licence: Yes Site Reference: WD27/243, WD13/66 Waste Type: Inert Environmental Permitting Regulations (Waste) Reference: - Licence Issue: 10-Dec-1979 Licence Surrendered: 08-Nov-1984 Licence Holder Address: - Operator: - Licence Holder: A C Langmead First Recorded: 31-Dec-1980 Last Recorded: 26-Mar-1981
Not shown	1070	W	496400 103500	Site Address: Disused Canal at Barnham, Barnham, Sussex Waste Licence: Yes Site Reference: WD27/023 Waste Type: Inert Environmental Permitting Regulations (Waste) Reference: - Licence Issue: 01-Jan-1976 Licence Surrendered: Licence Holder Address: - Operator: - Licence Holder: - First Recorded: 31-Dec-1970 Last Recorded: 31-Dec-1970

3.1.3 Records of BGS/DoE non-operational landfill sites within 1500m of the study site:

0

Database searched and no data found.

3.1.4 Records of Landfills from Local Authority and Historical Mapping Records within 1500m of the study site:

0

Database searched and no data found.

3.2 Other Waste Sites

3.2.1 Records of waste treatment, transfer or disposal sites within 500m of the study site:

0

Database searched and no data found.

3.2.2 Records of Environment Agency licensed waste sites within 1500m of the study site:


5

The following waste treatment, transfer or disposal sites records are represented as points on the Landfill and Other Waste Sites map:


ID	Distance (m)	Direction	NGR	Details
Not shown	951	SE	498471 102930	Site Address: Hanger No8, Northwood Farm, Burndell Road, Yapton, West Sussex, BN18 0HR Type: Household, Commercial & Industrial Waste T Stn Size: < 25000 tonnes Environmental Permitting Regulations (Waste) Licence Number: ENV120 EPR reference: EA/EPR/RP3995EE/A001 Operator: Envirowaste (Southern) Ltd Waste Management licence No: 100156 Annual Tonnage: 4999.0 Issue Date: 28/01/2008 Effective Date: - Modified: - Surrendered Date: - Expiry Date: - Cancelled Date: - Status: Issued Site Name: Envirowaste (Southern) Ltd Correspondence Address: -
Not shown	951	SE	498471 102930	Site Address: Hanger No8, Northwood Farm, Burndell Road, Yapton, West Sussex, BN18 0HR Type: Household, Commercial & Industrial Waste T Stn Size: < 25000 tonnes Environmental Permitting Regulations (Waste) Licence Number: TJW008 EPR reference: EA/EPR/FB3330AE/T001 Operator: T J Waste & Recycling Ltd Waste Management licence No: 100156 Annual Tonnage: 4999.0 Issue Date: 28/01/2008 Effective Date: 19/05/2012 Modified: - Surrendered Date: - Expiry Date: - Cancelled Date: - Status: Transferred Site Name: Yapton Waste Recycling Facility Correspondence Address: -

ID	Distance (m)	Direction	NGR	Details
Not shown	951	SE	498471 102930	Site Address: Northwood Farm (Hanger No8), Burndell Road, Yapton, West Sussex, BN18 0HR Type: Household, Commercial & Industrial Waste T. Stn Size: < 25000 tonnes Environmental Permitting Regulations (Waste) Licence Number: TJW008 EPR reference: EA/EPR/FB3330AE/V002 Operator: T J Waste & Recycling Limited Waste Management licence No: 100156 Annual Tonnage: 24999.0 Issue Date: 28/01/2008 Effective Date: 19/05/2012 Modified: 27/07/2012 Surrendered Date: 0 Expiry Date: - Cancelled Date: - Status: Modified Site Name: Yapton Waste Recycling Facility Correspondence Address: -
Not shown	1051	SE	498500 102800	Site Address: Jones And Co, Burndell Road, Yapton, West Sussex, BN18 0HP Type: Metal Recycling Site (mixed MRS's) Size: < 25000 tonnes Environmental Permitting Regulations (Waste) Licence Number: JON001 EPR reference: EA/EPR/RP3694HH/A001 Operator: Jones P H Waste Management licence No: 19754 Annual Tonnage: 2500.0 Issue Date: 31/03/1994 Effective Date: - Modified: - Surrendered Date: 0 Expiry Date: - Cancelled Date: - Status: Issued Site Name: Jones And Co Correspondence Address: -
Not shown	1303	E	498943 103132	Site Address: The Factory, Ford Airfield Ind Estate, Rolliaston Park, Yapton, BN18 0HY Type: Metal recycling, vehicle storage, depollution Size: < 25000 tonnes Environmental Permitting Regulations (Waste) Licence Number: HDW001 EPR reference: EA/EPR/DB3300GN/A001 Operator: H D White Ltd Waste Management licence No: 401195 Annual Tonnage: 24999.99 Issue Date: 14/02/2014 Effective Date: - Modified: - Surrendered Date: 0 Expiry Date: - Cancelled Date: - Status: Issued Site Name: H D White Ltd Correspondence Address: -

4. Current Land Use Map



© Crown copyright and database rights 2016.
Ordnance Survey license 100035207.




Site Outline



Current Industrial Sites

Electricity Transmission Cables



Search Buffers (m)



Petrol & Fuel Sites

Gas Transmission Pipelines

4. Current Land Uses

4.1 Current Industrial Data

Records of potentially contaminative industrial sites within 250m of the study site: 3

The following records are represented as points on the Current Land Uses map.

ID	Distance (m)	Direction	Company	NGR	Address	Activity	Category
1	52	SE	Electricity Sub Station	497649 103329	BN18	Electrical Features	Infrastructure and Facilities
2	115	NW	Pumping House	497385 103634	PO22	Water Pumping Stations	Industrial Features
3	167	NE	Electricity Sub Station	497783 103595	BN18	Electrical Features	Infrastructure and Facilities

4.2 Petrol and Fuel Sites

Records of petrol or fuel sites within 500m of the study site: 1

The following petrol or fuel site records provided by Catalist are represented as points on the Current Land Use map:

ID	Distance (m)	Direction	NGR	Company	Address	LPG	Status
4	59	SE	497474 103357	Obsolete	Central Garage, Main Road, Main Road, Yapton, Arundel, West Sussex, BN18 0EA	Not Applicable	Obsolete

4.3 National Grid High Voltage Underground Electricity Transmission Cables

This dataset identifies the high voltage electricity transmission lines running between generating power plants and electricity substations. The dataset does not include the electricity distribution network (smaller, lower voltage cables distributing power from substations to the local user network). This information has been extracted from databases held by National Grid and is provided for information only with no guarantee as to its completeness or accuracy. National Grid do not offer any warranty as to the accuracy of the available data and are excluded from any liability for any such inaccuracies or errors.

Records of National Grid high voltage underground electricity transmission cables within 500m of the study site: 0

Database searched and no data found.

4.4 National Grid High Pressure Gas Transmission Pipelines

This dataset identifies high-pressure, large diameter pipelines which carry gas between gas terminals, power stations, compressors and storage facilities. The dataset does not include the Local Transmission System (LTS) which supplies gas directly into homes and businesses. This information has been extracted from databases held by National Grid and is provided for information only with no guarantee as to its completeness or accuracy. National Grid do not offer any warranty as to the accuracy of the available data and are excluded from any liability for any such inaccuracies or errors.

Records of National Grid high pressure gas transmission pipelines within 500m of the study site: 0

Database searched and no data found.

5. Geology

5.1 Artificial Ground and Made Ground

Database searched and no data found.

The database has been searched on site, including a 50m buffer.

5.2 Superficial Ground and Drift Geology

The database has been searched on site, including a 50m buffer.

Lex Code	Description	Rock Type
RTDU	RIVER TERRACE DEPOSITS (UNDIFFERENTIATED)	SAND, SILT AND CLAY [UNLITHIFIED DEPOSITS CODING SCHEME]
RTDU	RIVER TERRACE DEPOSITS (UNDIFFERENTIATED)	SAND, SILT AND CLAY [UNLITHIFIED DEPOSITS CODING SCHEME]

5.3 Bedrock and Solid Geology


The database has been searched on site, including a 50m buffer.

Lex Code	Description	Rock Type
LPCK-CHLK	LEWES NODULAR CHALK FORMATION, SEAFORD CHALK FORMATION, NEWHAVEN CHALK FORMATION, CULVER CHALK FORMATION AND PORTSDOWN CHALK FORMATION (UNDIFFERENTIATED)	CHALK
LPCK-CHLK	LEWES NODULAR CHALK FORMATION, SEAFORD CHALK FORMATION, NEWHAVEN CHALK FORMATION, CULVER CHALK FORMATION AND PORTSDOWN CHALK FORMATION (UNDIFFERENTIATED)	CHALK


(Derived from the BGS 1:50,000 Digital Geological Map of Great Britain)

6 Hydrogeology and Hydrology


6a. Aquifer Within Superficial Geology




© Crown copyright and database rights 2016
Ordnance Survey license 100035207.




6b. Aquifer Within Bedrock Geology and Abstraction Licenses




© Crown copyright and database rights 2016
Ordnance Survey license 100035207.




6c. Hydrogeology – Source Protection Zones and Potable Water Abstraction Licenses




© Crown copyright and database rights 2016
Ordnance Survey license 100035207.





6d. Hydrogeology – Source Protection Zones within confined aquifer



© Crown copyright and database rights 2016
Ordnance Survey license 100035207.





6. Hydrogeology and Hydrology

6.1 Aquifer within Superficial Deposits

Are there records of strata classification within the superficial geology at or in proximity to the property? **Yes**

From 1 April 2010, the Environment Agency's Groundwater Protection Policy has been using aquifer designations consistent with the Water Framework Directive. For further details on the designation and interpretation of this information, please refer to the Groundsure Enviro Insight User Guide.

The following aquifer records are shown on the Aquifer within Superficial Geology Map (6a):

ID	Distance (m)	Direction	Designation	Description
1	0	On Site	Secondary A	Permeable layers capable of supporting water supplies at a local rather than strategic scale, and in some cases forming an important source of base flow to rivers. These are generally aquifers formerly classified as minor aquifers

6.2 Aquifer within Bedrock Deposits

Are there records of strata classification within the bedrock geology at or in proximity to the property? **Yes**

From 1 April 2010, the Environment Agency's Groundwater Protection Policy has been using aquifer designations consistent with the Water Framework Directive. For further details on the designation and interpretation of this information, please refer to the Groundsure Enviro Insight User Guide.

The following aquifer records are shown on the Aquifer within Bedrock Geology Map (6b):

ID	Distance (m)	Direction	Designation	Description
1	0	On Site	Principal	Geology of high intergranular and/or fracture permeability, usually providing a high level of water storage and may support water supply/river base flow on a strategic scale. Generally principal aquifers were previously major aquifers

6.3 Groundwater Abstraction Licences

Are there any Groundwater Abstraction Licences within 2000m of the study site? **Yes**

The following Abstraction Licences records are represented as points, lines and regions on the Aquifer within Bedrock Geology Map (6b):

ID	Distance (m)	Direction	NGR	Details
4	395	NE	497840 103830	Status: Historical Licence No: 10/41/411007 Details: Horticultural Watering Direct Source: Southern Region Groundwater Point: The Streddles, North End Road, Yapton Data Type: Point Name: Clay Esq Annual Volume (m³): - Max Daily Volume (m³): - Original Application No: WR.0612 Original Start Date: - Expiry Date: - Issue No: 100 Version Start Date: 18/7/1979 Version End Date:

ID	Distance (m)	Direction	NGR	Details	
Not shown	977	W	496460 103690	Status: Historical Licence No: 10/41/542008 Details: Spray Irrigation - Direct Direct Source: Southern Region Groundwater Point: Point A At Tile Barn Farm, barnham Data Type: Point Name: Lonsdale	Annual Volume (m³): 25003 Max Daily Volume (m³): 204.5 Original Application No: - Original Start Date: - Expiry Date: - Issue No: 101 Version Start Date: 17/1/2008 Version End Date:
Not shown	1065	N	497110 104580	Status: Historical Licence No: 10/41/542208 Details: Spray Irrigation - Direct Direct Source: Southern Region Groundwater Point: Point B, Lake Lane, barnham Data Type: Point Name: Eric Wall Holdings Ltd	Annual Volume (m³): 100000 Max Daily Volume (m³): 545 Original Application No: WR.0442 Original Start Date: - Expiry Date: - Issue No: 100 Version Start Date: 10/6/2009 Version End Date:
Not shown	1203	NE	498790 103930	Status: Historical Licence No: 10/41/412007 Details: Spray Irrigation - Direct Direct Source: Southern Region Groundwater Point: Wicks Farm, Ford Data Type: Point Name: Keith Langmead Ltd	Annual Volume (m³): 15000 Max Daily Volume (m³): 120 Original Application No: - Original Start Date: - Expiry Date: - Issue No: 101 Version Start Date: 8/6/2009 Version End Date:
Not shown	1239	NW	496740 104570	Status: Historical Licence No: 10/41/542208 Details: Spray Irrigation - Direct Direct Source: Southern Region Groundwater Point: Point A, Lake Lane, barnham Data Type: Point Name: Eric Wall Holdings Ltd	Annual Volume (m³): 100000 Max Daily Volume (m³): 545 Original Application No: WR.0442 Original Start Date: - Expiry Date: - Issue No: 100 Version Start Date: 10/6/2009 Version End Date:
Not shown	1390	N	497610 104970	Status: Historical Licence No: 10/41/412006 Details: Horticultural Watering Direct Source: Southern Region Groundwater Point: Todhurst Barn, Yapton Lane, Walberton Data Type: Point Name: Walberton Nursery LLP	Annual Volume (m³): 4546 Max Daily Volume (m³): 90.9 Original Application No: NPS/WR/015212 Original Start Date: - Expiry Date: - Issue No: 101 Version Start Date: 24/1/2014 Version End Date:
Not shown	1602	N	497640 105180	Status: Historical Licence No: 27/194 Details: Spray Irrigation - Direct Direct Source: Southern Region Groundwater Point: Point A At Walberton Nurseries, Walberton Data Type: Point Name: D Tristram T/A Walberton Nurseries	Annual Volume (m³): 42000 Max Daily Volume (m³): 288 Original Application No: 169/1629 Original Start Date: - Expiry Date: 1/4/2008 00 Issue No: 100 Version Start Date: 2/4/1998 Version End Date:
Not shown	1602	N	497640 105180	Status: Historical Licence No: 27/194A Details: Spray Irrigation - Direct Direct Source: Southern Region Groundwater Point: Point A At Walberton Nurseries, Walberton Data Type: Point Name: Walberton Nursery LLP	Annual Volume (m³): 42000 Max Daily Volume (m³): 288 Original Application No: NPS/WR/015686 Original Start Date: 10/10/2005 Expiry Date: 31/3/2016 Issue No: 2 Version Start Date: 17/4/2014 Version End Date:
Not shown	1602	N	497640 105180	Status: Historical Licence No: 27/194A/R01 Details: Spray Irrigation - Direct Direct Source: Southern Region Groundwater Point: Point A At Walberton Nurseries, Walberton Data Type: Point Name: Walberton Nursery LLP	Annual Volume (m³): 42000 Max Daily Volume (m³): 288 Original Application No: NPS/WR/019253 Original Start Date: 1/4/2016 Expiry Date: 31/3/2028 Issue No: 1 Version Start Date: 1/4/2016 Version End Date:

ID	Distance (m)	Direction	NGR	Details
Not shown	1708	E	499330 103910	Status: Historical Licence No: 10/41/412004 Details: General Farming & Domestic Direct Source: Southern Region Groundwater Point: Wicks Farm, Yapton Data Type: Point Name: Langmead Annual Volume (m³): - Max Daily Volume (m³): - Original Application No: WR.0113 Original Start Date: - Expiry Date: - Issue No: 100 Version Start Date: 2/4/1987 Version End Date:
Not shown	1745	NW	496740 105160	Status: Historical Licence No: 10/41/542209 Details: Spray Irrigation - Direct Direct Source: Southern Region Groundwater Point: At Lake Lane, barnham Data Type: Point Name: Toddington Nurseries Limited Annual Volume (m³): 36368 Max Daily Volume (m³): 681.9 Original Application No: NPS/WR/013602 Original Start Date: - Expiry Date: - Issue No: 102 Version Start Date: 9/8/2013 Version End Date:
Not shown	1849	E	499530 103390	Status: Historical Licence No: 27/198 Details: Process Water Direct Source: Southern Region Groundwater Point: Ford Industrial Estate, Arundel Data Type: Point Name: Tarmac Ltd Annual Volume (m³): 105000 Max Daily Volume (m³): 351 Original Application No: 159/1738 Original Start Date: 4/1/2001 Expiry Date: - Issue No: 1 Version Start Date: 4/1/2001 Version End Date:
Not shown	1927	SW	496440 101760	Status: Historical Licence No: 10/41/541002 Details: General Farming & Domestic Direct Source: Southern Region Groundwater Point: Point 2 At Shripney Farm & Flansham Farm Data Type: Point Name: The Donald Langmead Partnership Annual Volume (m³): - Max Daily Volume (m³): - Original Application No: WR.0009 Original Start Date: - Expiry Date: - Issue No: 100 Version Start Date: 21/3/2001 Version End Date:

6.4 Surface Water Abstraction Licences

Are there any Surface Water Abstraction Licences within 2000m of the study site? Yes

The following Surface Water Abstraction Licences records are represented as points, lines and regions on the Aquifer within Bedrock Geology Map (6b):

ID	Distance (m)	Direction	NGR	Details
Not shown	961	NE	497730 104580	Status: Historical Licence No: 10/41/412002 Details: Spray Irrigation - Direct Direct Source: Southern Region Surface Waters Point: Todhurst Rife At Yapton Lane, Walberton Data Type: Line Name: Fresh Acres Nurseries Ltd Annual Volume (m³): - Max Daily Volume (m³): - Application No: WR.0755 Original Start Date: - Expiry Date: - Issue No: 100 Version Start Date: 29/6/1998 Version End Date:
Not shown	1134	N	497700 104700	Status: Active Licence No: 27/176 Details: Spray Irrigation - Spray Irrigation Definition Order Direct Source: Southern Region Surface Waters Point: Todhurst Rife At Star Nurseries, Barnham Data Type: Point Name: Star Nurseries Ltd Annual Volume (m³): 20000 Max Daily Volume (m³): 214 Application No: 169/1113 Original Start Date: - Expiry Date: - Issue No: 100 Version Start Date: 16/6/2009 Version End Date:

ID	Distance (m)	Direction	NGR	Details
Not shown	1540	NE	498810 104510	Status: Active Licence No: 27/190 Details: Spray Irrigation - Storage Direct Source: Southern Region Surface Waters Point: Point A On Binstead Rife, Wicks Farm, Yapton Data Type: Point Name: Keith Langmead Ltd Annual Volume (m³): 100000 Max Daily Volume (m³): 1200 Application No: - Original Start Date: - Expiry Date: - Issue No: 102 Version Start Date: 16/6/2009 Version End Date:
Not shown	1741	S	496190 101940	Status: Active Licence No: 10/41/411016 Details: Spray Irrigation - Direct Direct Source: Southern Region Surface Waters Point: Ryebank Rife - New Reach Data Type: Line Name: James D Baird (Home Farm) Ltd Annual Volume (m³): 27272 Max Daily Volume (m³): 2182 Application No: - Original Start Date: - Expiry Date: - Issue No: 101 Version Start Date: 8/6/2009 Version End Date:
Not shown	1901	SW	496390 101830	Status: Historical Licence No: 27/209 Details: Spray Irrigation - Storage Direct Source: Southern Region Surface Waters Point: Ryebank Rife, Point A - Bilsham Data Type: Point Name: Langmead Farms Ltd Annual Volume (m³): 250402 Max Daily Volume (m³): 7800 Application No: 169S/0025 Original Start Date: 18/12/2007 Expiry Date: 31/3/2016 Issue No: 1 Version Start Date: 16/6/2009 Version End Date:
Not shown	1948	S	498000 101370	Status: Active Licence No: 10/41/542011 Details: Spray Irrigation - Storage Direct Source: Southern Region Surface Waters Point: Points C&d At Ryebank Rife, Middleton Data Type: Line Name: Gibbs Annual Volume (m³): 4550 Max Daily Volume (m³): 45 Application No: 169/0800 Original Start Date: - Expiry Date: - Issue No: 100 Version Start Date: 10/6/2009 Version End Date:
Not shown	1958	SW	495837 102285	Status: Active Licence No: SO/041/0024/005 Details: Spray Irrigation - Storage Direct Source: Southern Region Surface Waters Point: Ryebank Rife - Stakers Farm, Yapton Data Type: Point Name: Langmead Farms Ltd Annual Volume (m³): 295053 Max Daily Volume (m³): 7800 Application No: NPS/WR/006679 Original Start Date: 23/6/2011 Expiry Date: 31/3/2028 Issue No: 1 Version Start Date: 1/4/2013 Version End Date:
Not shown	1993	S	497800 101250	Status: Active Licence No: 10/41/542011 Details: Spray Irrigation - Storage Direct Source: Southern Region Surface Waters Point: Points A&b At Ryebank Rife, Middleton Data Type: Line Name: Gibbs Annual Volume (m³): 4550 Max Daily Volume (m³): 45 Application No: 169/0800 Original Start Date: - Expiry Date: - Issue No: 100 Version Start Date: 10/6/2009 Version End Date:

6.5 Potable Water Abstraction Licences

Are there any Potable Water Abstraction Licences within 2000m of the study site?

No

Database searched and no data found.

6.6 Source Protection Zones

Are there any Source Protection Zones within 500m of the study site?

No

Database searched and no data found.

6.7 Source Protection Zones within Confined Aquifer

Are there any Source Protection Zones within the Confined Aquifer within 500m of the study site?

No

Historically, Source Protection Zone maps have been focused on regulation of activities which occur at or near the ground surface, such as prevention of point source pollution and bacterial contamination of water supplies. Sources in confined aquifers were often considered to be protected from these surface pressures due to the presence of a low permeability confining layer (e.g. glacial till, clay). The increased interest in subsurface activities such as onshore oil and gas exploration, ground source heating and cooling requires protection zones for confined sources to be marked on SPZ maps where this has not already been done.

Database searched and no data found.

6.8 Groundwater Vulnerability and Soil Leaching Potential

Is there any Environment Agency information on groundwater vulnerability and soil leaching potential within 500m of the study site?

Yes

Distance (m)	Direction	Classification	Soil Vulnerability Category	Description
0	On Site	Major Aquifer/Intermediate Leaching Potential	I1	Soils which can possibly transmit a wide range of pollutants.
142	S	Major Aquifer/High Leaching Potential	H1	Soils which readily transmit liquid discharges because they are shallow or susceptible to rapid flow directly to rock, gravel or groundwater.

6.9 River Quality

Is there any Environment Agency information on river quality within 1500m of the study site?

No

6.9.1 Biological Quality:

Database searched and no data found.

6.9.2 Chemical Quality:

Database searched and no data found.

6.10 Detailed River Network

Are there any Detailed River Network entries within 500m of the study site?

Yes

The following Detailed River Network records are represented on the Hydrology Map (6e):

ID	Distance (m)	Direction	Details
1	112	NW	River Name: - Welsh River Name: - Alternative Name: - River Type: Culvert Main River Status: Currently Undefined
2	223	W	River Name: Drain Welsh River Name: - Alternative Name: - River Type: Primary River Main River Status: Currently Undefined
3	398	SW	River Name: Drain Welsh River Name: - Alternative Name: - River Type: Secondary River Main River Status: Currently Undefined
4	398	SW	River Name: Drain Welsh River Name: - Alternative Name: - River Type: Tertiary River Main River Status: Currently Undefined
5	460	S	River Name: Drain Welsh River Name: - Alternative Name: - River Type: Secondary River Main River Status: Currently Undefined
6	500	S	River Name: - Welsh River Name: - Alternative Name: - River Type: Secondary River Main River Status: Currently Undefined

6.11 Surface Water Features


Are there any surface water features within 250m of the study site?

Yes


The following surface water records are not represented on mapping:

Distance (m)	Direction
222	W


7a. Environment Agency Flood Map for Planning (from rivers and the sea)




© Crown copyright and database rights 2016.
Ordnance Survey license 100035207.



7b. Environment Agency Risk of Flooding from Rivers and the Sea (RoFRaS) Map



© Crown copyright and database rights 2016.
Ordnance Survey license 100035207.



7 Flooding

7.1 River and Coastal Zone 2 Flooding

Is the site within 250m of an Environment Agency Zone 2 floodplain?

Yes

Environment Agency Zone 2 floodplains estimate the annual probability of flooding as between 1 in 1000 (0.1%) and 1 in 100 (1%) from rivers and between 1 in 1000 (0.1%) and 1 in 200 (0.5%) from the sea. Any relevant data is represented on Map 7a – Flood Map for Planning:

ID	Distance (m)	Direction	Update	Type
1	49	NW	01-Jul-2016	Zone 2 - (Fluvial /Tidal Models)
2	129	NW	01-Jul-2016	Zone 2 - (Fluvial /Tidal Models)
3	238	W	01-Jul-2016	Zone 2 - (Fluvial /Tidal Models)

7.2 River and Coastal Zone 3 Flooding

Is the site within 250m of an Environment Agency Zone 3 floodplain?

Yes

Zone 3 shows the extent of a river flood with a 1 in 100 (1%) or greater chance of occurring in any year or a sea flood with a 1 in 200 (0.5%) or greater chance of occurring in any year. Any relevant data is represented on Map 7a – Flood Map for Planning.

ID	Distance (m)	Direction	Update	Type
1	49	NW	01-Jul-2016	Zone 3 - (Fluvial Models)
2	171	W	01-Jul-2016	Zone 3 - (Fluvial Models)
3	238	W	01-Jul-2016	Zone 3 - (Fluvial Models)

7.3 Risk of Flooding from Rivers and the Sea (RoFRaS) Flood Rating

What is the highest risk of flooding onsite?

Very Low

The Environment Agency RoFRaS database provides an indication of river and coastal flood risk at a national level on a 50m grid with the flood rating at the centre of the grid calculated and given above. The data considers the probability that the flood defences will overtop or breach by considering their location, type, condition and standard of protection.

RoFRaS data for the study site indicates the property is in an area with a Very Low (less than 1 in 1000) chance of flooding in any given year.

Any relevant data within 250m is represented on the RoFRaS Flood map. Data to 50m is reported in the table below.

ID	Distance (m)	Direction	RoFRaS flood Risk
1	49.0	NW	Medium

7.4 Flood Defences

Are there any Flood Defences within 250m of the study site?

No

Database searched and no data found.

7.5 Areas benefiting from Flood Defences

Are there any areas benefiting from Flood Defences within 250m of the study site?

No

7.6 Areas benefiting from Flood Storage

Are there any areas used for Flood Storage within 250m of the study site?

No

7.7 Groundwater Flooding Susceptibility Areas

7.7.1 Are there any British Geological Survey groundwater flooding susceptibility areas within 50m of the boundary of the study site? Yes

Does this relate to Clearwater Flooding or Superficial Deposits Flooding?

Clearwater Flooding

Notes: Groundwater flooding may either be associated with shallow unconsolidated sedimentary aquifers which overlie unproductive aquifers (Superficial Deposits Flooding), or with unconfined aquifers (Clearwater Flooding).

7.7.2 What is the highest susceptibility to groundwater flooding in the search area based on the underlying geological conditions?

Potential below Surface

Where potential for groundwater flooding of property situated below ground level is indicated, this means that given the geological conditions there may be a groundwater flooding hazard to basements and other below surface infrastructure. Unless other relevant information, e.g. records of previous flooding, suggests groundwater flooding has occurred before in this area you need take no further action in relation to groundwater flooding hazard. If there are records of previous incidences of groundwater flooding, then is recommended that other information e.g. rainfall history, property type, and land drainage information in addition to previous records of flooding be investigated in order to establish relative, but not absolute, risk of groundwater flooding.

7.8 Groundwater Flooding Confidence Areas


What is the British Geological Survey confidence rating in this result?

High


Notes: Groundwater flooding is defined as the emergence of groundwater at the ground surface or the rising of groundwater into man-made ground under conditions where the normal range of groundwater levels is exceeded.

The confidence rating is on a threefold scale - Low, Moderate and High. This provides a relative indication of the BGS confidence in the accuracy of the susceptibility result for groundwater flooding. This is based on the amount and precision of the information used in the assessment. In areas with a relatively lower level of confidence the susceptibility result should be treated with more caution. In other areas with higher levels of confidence the susceptibility result can be used with more confidence.

8. Designated Environmentally Sensitive Sites Map



© Crown copyright and database rights 2016.
Ordnance Survey license 100035207.



8. Designated Environmentally Sensitive Sites

Presence of Designated Environmentally Sensitive Sites within 2000m of the study site? Yes

8.1 Records of Sites of Special Scientific Interest (SSSI) within 2000m of the study site:

0

Database searched and no data found.

8.2 Records of National Nature Reserves (NNR) within 2000m of the study site:

0

Database searched and no data found.

8.3 Records of Special Areas of Conservation (SAC) within 2000m of the study site:

0

Database searched and no data found.

8.4 Records of Special Protection Areas (SPA) within 2000m of the study site:

0

Database searched and no data found.

8.5 Records of Ramsar sites within 2000m of the study site:

0

Database searched and no data found.

8.6 Records of Ancient Woodland within 2000m of the study site:

2

The following records of Designated Ancient Woodland provided by Natural England/Natural Resources Wales are represented as polygons on the Designated Environmentally Sensitive Sites Map:

ID	Distance (m)	Direction	Ancient Woodland Name	Data Source
Not shown	1621	NW	UNKNOWN	Ancient and Semi-Natural Woodland
Not shown	1818	NW	UNKNOWN	Ancient and Semi-Natural Woodland

8.7 Records of Local Nature Reserves (LNR) within 2000m of the study site:

0

Database searched and no data found.

8.8 Records of World Heritage Sites within 2000m of the study site:

0

Database searched and no data found.

8.9 Records of Environmentally Sensitive Areas within 2000m of the study site:

0

Database searched and no data found.

8.10 Records of Areas of Outstanding Natural Beauty (AONB) within 2000m of the study site:

0

Database searched and no data found.

8.11 Records of National Parks (NP) within 2000m of the study site:

0

Database searched and no data found.

8.12 Records of Nitrate Sensitive Areas within 2000m of the study site:

0

Database searched and no data found.

8.13 Records of Nitrate Vulnerable Zones within 2000m of the study site:

1

The following Nitrate Vulnerable Zone records produced by DEFRA are represented as polygons on the Designated Environmentally Sensitive Sites Map:

ID	Distance (m)	Direction	NVZ Name	Data Source
1	0	On Site	Existing	DEFRA

8.14 Records of Green Belt land within 2000m of the study site:

0

Database searched and no data found.

9. Natural Hazards Findings

9.1 Detailed BGS GeoSure Data

BGS GeoSure Data has been searched to 50m. The data is included in tabular format. If you require further information on geology and ground stability, please obtain a Groundsure Geo Insight, available from our [website](#). The following information has been found:

9.1.1 Shrink Swell

What is the maximum Shrink-Swell* hazard rating identified on the study site? Low

The following natural subsidence information provided by the British Geological Survey is not represented on mapping:

Hazard
Ground conditions predominantly medium plasticity. Do not plant trees with high soil moisture demands near to buildings. For new build, consideration should be given to advice published by the National House Building Council (NHBC) and the Building Research Establishment (BRE). There is a possible increase in construction cost to reduce potential shrink-swell problems. For existing property, there is a possible increase in insurance risk, especially during droughts or where vegetation with high moisture demands is present.

9.1.2 Landslides

What is the maximum Landslide* hazard rating identified on the study site? Very Low

The following natural subsidence information provided by the British Geological Survey is not represented on mapping:

Hazard
Slope instability problems are unlikely to be present. No special actions required to avoid problems due to landslides. No special ground investigation required, and increased construction costs or increased financial risks are unlikely due to potential problems with landslides.

9.1.3 Soluble Rocks

What is the maximum Soluble Rocks* hazard rating identified on the study site? Very Low

The following natural subsidence information provided by the British Geological Survey is not represented on mapping:

Hazard
Significant soluble rocks are present. Problems unlikely except with considerable surface or subsurface water flow. No special actions required to avoid problems due to soluble rocks. No special ground investigation required or increased construction costs are likely. An increase in financial risk due to potential problems with soluble rocks is unlikely.

* This indicates an automatically generated 50m buffer and site.

9.1.4 Compressible Ground

What is the maximum Compressible Ground* hazard rating identified on the study site? Negligible

The following natural subsidence information provided by the British Geological Survey is not represented on mapping:

Hazard
No indicators for compressible deposits identified. No special actions required to avoid problems due to compressible deposits. No special ground investigation required, and increased construction costs or increased financial risks are unlikely due to potential problems with compressible deposits.

9.1.5 Collapsible Rocks

What is the maximum Collapsible Rocks* hazard rating identified on the study site? Low

The following natural subsidence information provided by the British Geological Survey is not represented on mapping:

Hazard
Slight possibility for collapsible deposit problems after major changes in loading or groundwater conditions. Normal maintenance to avoid large amounts of water entering the ground through pipe leakage or soak-aways should reduce the likelihood of problems due to collapsible deposits. For new build, assess the possibility of collapsible (loessic) deposits in ground investigation. For existing property, no significant increase in insurance risk from collapsible deposits is likely.

9.1.6 Running Sand

What is the maximum Running Sand* hazard rating identified on the study site? Low

The following natural subsidence information provided by the British Geological Survey is not represented on mapping:

Hazard
Possibility of running sand problems after major changes in ground conditions. Normal maintenance to avoid leakage of water-bearing services or water bodies (ponds, swimming pools) should reduce likelihood of problems due to running sand. For new build Ò consider possibility of running sand into trenches or excavations if water table is high or sandy strata are exposed to water. Avoid concentrated water inputs to site. Unlikely to be an increase in construction costs due to potential for running sand. For existing property Ò no significant increase in insurance risk due to running sand problems is likely.

9.2 Radon

9.2.1 Radon Affected Areas

Is the property in a Radon Affected Area as defined by the Health Protection Agency (HPA) and if so what percentage of homes are above the Action Level? The property is not in a Radon Affected Area, as less than 1% of properties are above the Action Level.

* This indicates an automatically generated 50m buffer and site.

9.2.2 Radon Protection

Is the property in an area where Radon Protection are required for new properties or extensions to existing

ones as described in publication BR211 by the Building Research Establishment?

No radon protective measures are necessary.

10. Mining

10.1 Coal Mining

Are there any coal mining areas within 75m of the study site?

No

Database searched and no data found.

10.2 Non-Coal Mining

Are there any Non-Coal Mining areas within 50m of the study site boundary?

No

Database searched and no data found.

10.3 Brine Affected Areas

Are there any brine affected areas within 75m of the study site?

No

Guidance: No Guidance Required.

Contact Details

Groundsure Helpline
Telephone: 08444 159 000
info@groundsure.com



British Geological Survey Enquiries
Kingsley Dunham Centre
Keyworth, Nottingham NG12 5GG



BGS Geological Hazards Reports and general geological enquiries:

Environment Agency
National Customer Contact Centre, PO Box 544
Rotherham, S60 1BY
Tel: 08708 506 506



Public Health England
Public information access office
Public Health England, Wellington House
133-155 Waterloo Road, London, SE1 8UG



The Coal Authority
200 Lichfield Lane
Mansfield
Notts NG18 4RG



Ordnance Survey
Adanac Drive, Southampton
SO16 0AS



Local Authority
Authority: Arun District Council

Address: Maltavers Road, Littlehampton, West Sussex, BN17 5LF

Gemapping PLC
Virginia Villas, High Street, Hartley Witney,
Hampshire RG27 8NW



Acknowledgements: Site of Special Scientific Interest, National Nature Reserve, Ramsar Site, Special Protection Area, Special Area of Conservation data is provided by, and used with the permission of, Natural England who retain the Copyright and Intellectual Property Rights for the data.

PointX © Database Right/Copyright, Thomson Directories Limited © Copyright Link Interchange Network Limited © Database Right/Copyright and Ordnance Survey © Crown Copyright and/or Database Right. All Rights Reserved. Licence Number [03421028].

This report has been prepared in accordance with the Groundsure Ltd standard Terms and Conditions of business for work of this nature.

Standard Terms and Conditions

1 Definitions

In these terms and conditions unless the context otherwise requires:

"Beneficiary" means the person or entity for whose benefit the Client has obtained the Services.

"Client" means the party or parties entering into a Contract with Groundsure.

"Commercial" means any building or property which is not Residential.

"Confidential Information" means the contents of this Contract and all information received from the Client as a result of, or in connection with, this Contract other than

(i) information which the Client can prove was rightfully in its possession prior to disclosure by Groundsure and

(ii) any information which is in the public domain (other than by virtue of a breach of this Contract).

"Support Services" means Support Services provided by Groundsure including, without limitation, interpreting third party and in-house environmental data, providing environmental support advice, undertaking environmental audits and assessments, Site investigation, Site monitoring and related items.

"Contract" means the contract between Groundsure and the Client for the provision of the Services, and which shall incorporate these terms and conditions, the Order, and the relevant User Guide.

"Third Party Data Provider" means any third party providing Third Party Content to Groundsure.

"Data Reports" means reports comprising factual data with no accompanying interpretation.

"Fees" has the meaning set out in clause 5.1.

"Groundsure" means Groundsure Limited, a company registered in England and Wales under number 03421028.

"Groundsure Materials" means all materials prepared by Groundsure and provided as part of the Services, including but not limited to Third Party Content, Data Reports, Mapping, and Risk Screening Reports.

"Intellectual Property" means any patent, copyright, design rights, trade or service mark, moral rights, data protection rights, know-how or trade mark in each case whether registered or not and including applications for the same or any other rights of a similar nature anywhere in the world.

"Mapping" means a map, map data or a combination of historical maps of various ages, time periods and scales.

"Order" means an electronic, written or other order form submitted by the Client requesting Services from Groundsure in respect of a specified Site.

"Ordnance Survey" means the Secretary of State for Business, Innovation and Skills, acting through Ordnance Survey, Adanac Drive, Southampton, SO16 0AS, UK.

"Order Website" means the online platform through which Orders may be placed by the Client and accepted by Groundsure.

"Report" means a Risk Screening Report or Data Report for Commercial or Residential property.

"Residential" means any building or property used as or intended to be used as a single dwelling.

"Risk Screening Report" means a risk screening report comprising factual data with an accompanying interpretation by Groundsure.

"Services" means any Report, Mapping and/or Support Services which Groundsure has agreed to provide by accepting an Order pursuant to clause 2.6.

"Site" means the area of land in respect of which the Client has requested Groundsure to provide the Services.

"Third Party Content" means data, database information or other information which is provided to Groundsure by a Third Party Data Provider.

"User Guide" means the user guide, as amended from time to time, available upon request from Groundsure and on the website (www.Groundsure.com) and forming part of this Contract.

2 Scope of Services, terms and conditions, requests for insurance and quotations

2.1 Groundsure agrees to provide the Services in accordance with the Contract.

2.2 Groundsure shall exercise reasonable skill and care in the provision of the Services.

2.3 Subject to clause 7.3 the Client acknowledges that it has not relied on any statement or representation made by or on behalf of Groundsure which is not set out and expressly agreed in writing in the Contract and all such statements and representations are hereby excluded to the fullest extent permitted by law.

2.4 The Client acknowledges that terms and conditions appearing on a Client's order form, printed stationery or other communication, or any terms or conditions implied by custom, practice or course of dealing shall be of no effect, and that this Contract shall prevail over all others in relation to the Order.

2.5 If the Client or Beneficiary requests insurance in conjunction with or as a result of the Services, Groundsure shall use reasonable endeavours to recommend such insurance, but makes no warranty that such insurance shall be available from insurers or that it will be offered on reasonable terms. Any insurance purchased by the Client or Beneficiary shall be subject solely to the terms of the policy issued by insurers and Groundsure will have no liability therefor. In addition you acknowledge and agree that Groundsure does not act as an agent or broker for any insurance providers. The Client should take (and ensure that the Beneficiary takes) independent advice to ensure that the insurance policy requested or offered is suitable for its requirements.

2.6 Groundsure's quotations or proposals are valid for a period of 30 days only unless an alternative period of time is explicitly stipulated by Groundsure. Groundsure reserves the right to withdraw any quotation or proposal at any time before an Order is accepted by Groundsure. Groundsure's acceptance of an Order shall be binding only when made in writing and signed by Groundsure's authorised representative or when accepted through the Order Website.

3 The Client's obligations

3.1 The Client shall comply with the terms of this Contract and

(i) procure that the Beneficiary or any third party relying on the Services complies with and acts as if it is bound by the Contract and

(ii) be liable to Groundsure for the acts and omissions of the Beneficiary or any third party relying on the Services as if such acts and omissions were those of the Client.

3.2 The Client shall be solely responsible for ensuring that the Services are appropriate and suitable for its and/or the Beneficiary's needs.

3.3 The Client shall supply to Groundsure as soon as practicable and without charge all requisite information (and the Client warrants that such information is accurate, complete and appropriate), including without limitation any environmental information relating to the Site and shall give such assistance as Groundsure shall reasonably require in the provision of the Services including, without limitation, access to the Site, facilities and equipment.

3.4 Where the Client's approval or decision is required to enable Groundsure to carry out work in order to provide the Services, such approval or decision shall be given or procured in reasonable time and so as not to delay or disrupt the performance of the Services.

3.5 Save as expressly permitted by this Contract the Client shall not, and shall procure that the Beneficiary shall not, re-sell, alter, add to, or amend the Groundsure Materials, or use the Groundsure Materials in a manner for which they were not intended. The Client may make the Groundsure Materials available to a third party who is considering acquiring some or all of, or providing funding in relation to, the Site, but such third party cannot rely on the same unless expressly permitted under clause 4.

3.6 The Client is responsible for maintaining the confidentiality of its user name and password if using the Order Website and the Client acknowledges that Groundsure accepts no liability of any kind for any loss or damage suffered by the Client as a consequence of using the Order Website.

4 Reliance

4.1 The Client acknowledges that the Services provided by Groundsure consist of the presentation and analysis of Third Party Content and other content and that information obtained from a Third Party Data Provider cannot be guaranteed or warranted by Groundsure to be reliable.

4.2 In respect of Data Reports, Mapping and Risk Screening Reports, the following classes of person and no other are entitled to rely on their contents;

- (i) the Beneficiary,
- (ii) the Beneficiary's professional advisers, (iii) any person providing funding to the Beneficiary in relation to the Site (whether directly or as part of a lending syndicate),
- (iv) the first purchaser or first tenant of the Site, and
- (v) the professional advisers and lenders of the first purchaser or tenant of the Site.

4.3 In respect of Support Services, only the Client, Beneficiary and parties expressly named in a Report and no other parties are entitled to rely on its contents.

4.4 Save as set out in clauses 4.2 and 4.3 and unless otherwise expressly agreed in writing, no other person or entity of any kind is entitled to rely on any Services or Report issued or provided by Groundsure. Any party considering such Reports and Services does so at their own risk.

5 Fees and Disbursements

5.1 Groundsure shall charge and the Client shall pay fees at the rate and

frequency specified in the written proposal, Order Website or Order acknowledgement form, plus (in the case of Support Services) all proper disbursements incurred by Groundsure. The Client shall in addition pay all value added tax or other tax payable on such fees and disbursements in relation to the provision of the Services (together "Fees").

5.2 The Client shall pay all outstanding Fees to Groundsure in full without deduction, counterclaim or set off within 30 days of the date of Groundsure's invoice or such other period as may be agreed in writing between Groundsure and the Client ("Payment Date"). Interest on late payments will accrue on a daily basis from the Payment Date until the date of payment (whether before or after judgment) at the rate of 8% per annum.

5.3 The Client shall be deemed to have agreed the amount of any invoice unless an objection is made in writing within 28 days of the date of the invoice. As soon as reasonably practicable after being notified of an objection, without prejudice to clause 5.2 a member of Groundsure's management team will contact the Client and the parties shall then use all reasonable endeavours to resolve the dispute within 15 days.

6 Intellectual Property and Confidentiality

6.1 Subject to

(i) full payment of all relevant Fees and

(ii) compliance with this Contract, the Client is granted (and is permitted to sub-licence to the Beneficiary) a royalty-free, worldwide, non-assignable and (save to the extent set out in this Contract) non-transferable licence to make use of the Groundsure Materials.

6.2 All Intellectual Property in the Groundsure Materials are and shall remain owned by Groundsure or Groundsure's licensors (including without limitation the Third Party Data Providers) the Client acknowledges, and shall procure acknowledgement by the Beneficiary of, such ownership. Nothing in this Contract purports to transfer or assign any rights to the Client or the Beneficiary in respect of such Intellectual Property.

6.3 Third Party Data Providers may enforce any breach of clauses 6.1 and 6.2 against the Client or Beneficiary.

6.4 The Client shall, and shall procure that any recipients of the Groundsure Materials shall:

(i) not remove, suppress or modify any trade mark, copyright or other proprietary marking belonging to Groundsure or any third party from the Services;

(ii) use the information obtained as part of the Services in respect of the subject Site only, and shall not store or reuse any information obtained as part of the Services provided in respect of adjacent or nearby sites;

(iii) not create any product or report which is derived directly or indirectly from the Services (save that those acting in a professional capacity to the Beneficiary may provide advice based upon the Services);

(iv) not combine the Services with or incorporate such Services into any other information data or service;

(v) not reformat or otherwise change (whether by modification, addition or enhancement), the Services (save that those acting for the Beneficiary in a professional capacity shall not be in breach of this clause 6.4(v) where such reformatting is in the normal course of providing advice based upon the Services);

(vi) where a Report and/or Mapping contains material belonging to Ordnance Survey, acknowledge and agree that such content is protected by Crown Copyright and shall not use such content for any purpose outside of receiving the Services; and

(vii) not copy in whole or in part by any means any map prints or run-on copies containing content belonging to Ordnance Survey (other than that contained within Ordnance Survey's OS Street Map) without first being in possession of a valid Paper Map Copying Licence from Ordnance Survey.

6.5 Notwithstanding clause 6.4, the Client may make reasonable use of the Groundsure Materials in order to advise the Beneficiary in a professional capacity. However, Groundsure shall have no liability in respect of any advice, opinion or report given or provided to Beneficiaries by the Client.

6.6 The Client shall procure that any person to whom the Services are made available shall notify Groundsure of any request or requirement to disclose, publish or disseminate any information contained in the Services in accordance with the Freedom of Information Act 2000, the Environmental Information Regulations 2004 or any associated legislation or regulations in force from time to time.

7 Liability: Particular Attention Should Be Paid To This Clause

7.1 This Clause 7 sets out the entire liability of Groundsure, including any liability for the acts or omissions of its employees, agents, consultants, subcontractors and Third Party Content, in respect of:

(i) any breach of contract, including any deliberate breach of the Contract by Groundsure or its employees, agents or

subcontractors;

(ii) any use made of the Reports, Services, Materials or any part of them; and

(iii) any representation, statement or tortious act or omission (including negligence) arising under or in connection with the Contract.

7.2 All warranties, conditions and other terms implied by statute or common law are, to the fullest extent permitted by law, excluded from the Contract.

7.3 Nothing in the Contract limits or excludes the liability of the Supplier for death or personal injury resulting from negligence, or for any damage or liability incurred by the Client or Beneficiary as a result of fraud or fraudulent misrepresentation.

7.4 Groundsure shall not be liable for

(i) loss of profits;

(ii) loss of business;

(iii) depletion of goodwill and/or similar losses;

(iv) loss of anticipated savings;

(v) loss of goods;

(vi) loss of contract;

(vii) loss of use;

(viii) loss or corruption of data or information;

(ix) business interruption;

(x) any kind of special, indirect, consequential or pure economic loss, costs, damages, charges or expenses;

(xi) loss or damage that arise as a result of the use of all or part of the Groundsure Materials in breach of the Contract;

(xii) loss or damage arising as a result of any error, omission or inaccuracy in any part of the Groundsure Materials where such error, omission or inaccuracy is caused by any Third Party Content or any reasonable interpretation of Third Party Content;

(xiii) loss or damage to a computer, software, modem, telephone or other property; and

(xiv) loss or damage caused by a delay or loss of use of Groundsure's internet ordering service.

7.5 Groundsure's total liability in relation to or under the Contract shall be limited to £10 million for any claim or claims.

7.6 Groundsure shall procure that the Beneficiary shall be bound by limitations and exclusions of liability in favour of Groundsure which accord with those detailed in clauses 7.4 and 7.5 (subject to clause 7.3) in respect of all claims which the Beneficiary may bring against Groundsure in relation to the Services or other matters arising pursuant to the Contract.

8 Groundsure's right to suspend or terminate

8.1 If Groundsure reasonably believes that the Client or Beneficiary has not provided the information or assistance required to enable the proper provision of the Services, Groundsure shall be entitled to suspend all further performance of the Services until such time as any such deficiency has been made good.

8.2 Groundsure shall be entitled to terminate the Contract immediately on written notice in the event that:

(i) the Client fails to pay any sum due to Groundsure within 30 days of the Payment Date; or

(ii) the Client (being an individual) has a bankruptcy order made against him or (being a company) shall enter into liquidation whether compulsory or voluntary or have an administration order made against it or if a receiver shall be appointed over the whole or any part of its property assets or undertaking or if the Client is struck off the Register of Companies or dissolved; or

(iii) the Client being a company is unable to pay its debts within the meaning of Section 123 of the Insolvency Act 1986 or being an individual appears unable to pay his debts within the meaning of Section 268 of the Insolvency Act 1986 or if the Client shall enter into a composition or arrangement with the Client's creditors or shall suffer distress or execution to be levied on his goods; or

(iv) the Client or the Beneficiary breaches any term of the Contract (including, but not limited to, the obligations in clause 4) which is incapable of remedy or if remediable, is not remedied within five days of notice of the breach.

9. Client's Right to Terminate and Suspend

9.1 Subject to clause 10.1, the Client may at any time upon written notice terminate or suspend the provision of all or any of the Services.

9.2 In any event, where the Client is a consumer (and not a business) he/she hereby expressly acknowledges and agrees that:

(i) the supply of Services under this Contract (and therefore the performance of this Contract) commences immediately upon Groundsure's acceptance of the Order; and

(ii) the Reports and/or Mapping provided under this Contract are

- (a) supplied to the Client's specification(s) and in any event
- (b) by their nature cannot be returned.

10 Consequences of Withdrawal, Termination or Suspension

10.1 Upon termination of the Contract:

(i) Groundsure shall take steps to bring to an end the Services in an orderly manner, vacate any Site with all reasonable speed and shall deliver to the Client and/or Beneficiary any property of the Client and/or Beneficiary in Groundsure's possession or control; and

(ii) the Client shall pay to Groundsure all and any Fees payable in respect of the performance of the Services up to the date of termination or suspension. In respect of any Support Services provided, the Client shall also pay Groundsure any additional costs incurred in relation to the termination or suspension of the Contract.

11 Anti-Bribery

11.1 The Client warrants that it shall:

(i) comply with all applicable laws, statutes and regulations relating to anti-bribery and anti-corruption including but not limited to the Bribery Act 2010;

(ii) comply with such of Groundsure's anti-bribery and anti-corruption policies as are notified to the Client from time to time; and

(iii) promptly report to Groundsure any request or demand for any undue financial or other advantage of any kind received by or on behalf of the Client in connection with the performance of this Contract.

11.2 Breach of this Clause 11 shall be deemed a material breach of this Contract.

12 General

12.1 The Mapping contained in the Services is protected by Crown copyright and must not be used for any purpose other than as part of the Services or as specifically provided in the Contract.

12.2 The Client shall be permitted to make one copy only of each Report or Mapping Order. Thereafter the Client shall be entitled to make unlimited copies of the Report or Mapping Order only in accordance with an Ordnance Survey paper map copy license available through Groundsure.

12.3 Groundsure reserves the right to amend or vary this Contract. No amendment or variation to this Contract shall be valid unless signed by an authorised representative of Groundsure.

12.4 No failure on the part of Groundsure to exercise, and no delay in exercising, any right, power or provision under this Contract shall operate as a waiver thereof.

12.5 Save as expressly provided in this Contract, no person other than the persons set out therein shall have any right under the Contract (Rights of Third Parties) Act 1999 to enforce any terms of the Contract.

12.6 The Secretary of State for Business, Innovation and Skills ("BIS") or BIS' successor body, as the case may be, acting through Ordnance Survey may enforce a breach of clause 6.4(vi) and clause 6.4(vii) of these terms and conditions against the Client in accordance with the provisions of the Contracts (Rights of Third Parties) Act 1999.

12.7 Groundsure shall not be liable to the Client if the provision of the Services is delayed or prevented by one or more of the following circumstances:

- (i) the Client or Beneficiary's failure to provide facilities, access or information;
- (ii) fire, storm, flood, tempest or epidemic;
- (iii) Acts of God or the public enemy;
- (iv) riot, civil commotion or war;
- (v) strikes, labour disputes or industrial action;
- (vi) acts or regulations of any governmental or other agency;
- (vii) suspension or delay of services at public registries by Third Party Data Providers;
- (viii) changes in law; or
- (ix) any other reason beyond Groundsure's reasonable control.

In the event that Groundsure is prevented from performing the Services (or any part thereof) in accordance with this clause 12.6 for a period of not less than 30 days then Groundsure shall be entitled to terminate this Contract immediately on written notice to the Client.

12.8 Any notice provided shall be in writing and shall be deemed to be properly given if delivered by hand or sent by first class post, facsimile or by email to the address, facsimile number or email address of the relevant party as may have been notified by each party to the other for such purpose or in the absence of such notification the last known address.

12.9 Such notice shall be deemed to have been received on the day of delivery if delivered by hand, facsimile or email (save to the extent such day is not a working day where it shall be deemed to have been delivered on the next working day) and on the second working day after the day of posting if sent by first class post.

12.10 The Contract constitutes the entire agreement between the parties and shall supersede all previous arrangements between the parties relating to the subject matter hereof.

12.11 Each of the provisions of the Contract is severable and distinct from the others and if one or more provisions is or should become invalid, illegal or unenforceable, the validity and enforceability of the remaining provisions shall not in any way be tainted or impaired.

12.12 This Contract shall be governed by and construed in accordance with English law and any proceedings arising out of or connected with this Contract shall be subject to the exclusive jurisdiction of the English courts.

12.13 Groundsure is an executive member of the Council of Property Search Organisation (CoPSO) and has signed up to the Search Code administered by the Property Codes Compliance Board (PCCB). All Risk Screening Reports shall be supplied in accordance with the provisions of the Search Code.

12.14 If the Client or Beneficiary has a complaint about the Services, written notice should be given to the Compliance Officer at Groundsure who will respond in a timely manner. In the event you are not satisfied with Groundsure's complaints handling process or you are unable to resolve the complaint, at your discretion you may refer the complaint to The Property Ombudsman Scheme at the following URL/email: website www.tpos.co.uk or email: admin@tpos.co.uk

12.15 The Client agrees that it shall, and shall procure that each Beneficiary shall, treat in confidence all Confidential Information and shall not, and shall procure that each Beneficiary shall not (i) disclose any Confidential Information to any third party other than in accordance with the terms of this Contract; and (ii) use Confidential Information for a purpose other than the exercise of its rights and obligations under this Contract. Subject to clause 6.6, nothing shall prevent the Client or any Beneficiary from disclosing Confidential Information to the extent required by law. © Groundsure Limited June 2013