

Amanda Scholes | Receptionist, Department, Arun District Council | Location: Ground Floor, Arun Civic Centre, Maltravers Road, Littlehampton, BN17 5LF

Internal: 37736 | External: +44 (0) 1903 737500 ext 37736 | E-mail: [amanda.scholes@arun.gov.uk](mailto:amanda.scholes@arun.gov.uk)



Visit Arun's web site at [www.arun.gov.uk](http://www.arun.gov.uk) **Error! Hyperlink reference not valid.**



Save the environment - think before you print.

**From:** Maria Tomalova <[Maria.Tomalova@arun.gov.uk](mailto:Maria.Tomalova@arun.gov.uk)>

**Sent:** 13 May 2020 09:46

**To:** Planning.Responses <[Planning.Responses@arun.gov.uk](mailto:Planning.Responses@arun.gov.uk)>

**Subject:** FW: Fresh Acres Lighting Y/24/20/PL

Please upload the below to the above application: further information.

Maria Tomalova | Senior Planning Officer, Directorate of Place, Arun District Council | Location: First Floor, Arun Civic Centre, Maltravers Road, Littlehampton, BN17 5LF

Internal: 37510 | External: +44 (0) 1903 737510 | E-mail: [maria.tomalova@arun.gov.uk](mailto:maria.tomalova@arun.gov.uk)



Visit Arun's web site at [www.arun.gov.uk](http://www.arun.gov.uk)



Save the environment - think before you print.

**From:** Susan Leeson

**Sent:** 12 May 2020 13:05

**To:** Maria Tomalova <[Maria.Tomalova@arun.gov.uk](mailto:Maria.Tomalova@arun.gov.uk)>

**Cc:** Joanne Lewis <[Joanne.Lewis@arun.gov.uk](mailto:Joanne.Lewis@arun.gov.uk)>

**Subject:** RE: Fresh Acres Lighting

Hi Maria

The lighting will be on the poles as previously discussed, shown on the attached plan and marked CCTV.


Best regards

Susan

Susan Leeson B.Sc, M.Phil

Associate

My working days are Tuesday, Wednesday and Thursday



Company Registration No. 07164666. Registered Office is at 1 & 2 The Barn, West Stoke Road, Chichester, West Sussex, PO18 9AA.

This email and any attachments are strictly confidential and intended solely for the addressee. It may contain information which is privileged. If you are not the intended addressee, you must not disclose, forward, copy or take any action in reliance of this email or any attachments.

DISCLAIMER

Neame Sutton Ltd has taken precautions to minimise the risk of transmitting software viruses, however, this email and any attachments may contain software viruses which could damage your system. We cannot accept liability for any damage which you sustain as a result of software viruses and advise that you carry out your own virus check.

---

**From:** Maria Tomalova <[Maria.Tomalova@arun.gov.uk](mailto:Maria.Tomalova@arun.gov.uk)>

**Sent:** 12 May 2020 12:00

**To:** Susan Leeson

**Subject:** FW: Fresh Acres Lighting

Hi Susan,

Please see below.

Kind regards

Maria

Maria Tomalova | Senior Planning Officer, Directorate of Place, Arun District Council | Location: First Floor, Arun Civic Centre, Maltravers Road, Littlehampton, BN17 5LF

Internal: 37510 | External: +44 (0) 1903 737510 | E-mail: [maria.tomalova@arun.gov.uk](mailto:maria.tomalova@arun.gov.uk)



Visit Arun's web site at [www.arun.gov.uk](http://www.arun.gov.uk)



Save the environment - think before you print.

**From:** Joanne Lewis <[joanne.lewis@arun.gov.uk](mailto:joanne.lewis@arun.gov.uk)>

**Sent:** 12 May 2020 11:57

**To:** Maria Tomalova <[Maria.Tomalova@arun.gov.uk](mailto:Maria.Tomalova@arun.gov.uk)>

**Subject:** RE: Fresh Acres Lighting

Hi Marie

I am happy with the confirmation details from the agent, assuming you can hold them to this?

However, it would be useful if I could see a plan of where the proposed lighting is to be located on the site, just to be sure that there shouldn't be a problem.

Joanne

I work part time and during the current situation I will be trying to work at some point every day Monday – Friday instead of my normal days Wednesday – Friday only.

Joanne Lewis | Senior Environmental Health Officer, Arun District Council | Location: Arun Civic Centre, Maltravers Road, Littlehampton, BN17 5LF

Internal: 37666 | External: +44 (0) 1903 737666 | E-mail: [joanne.lewis@arun.gov.uk](mailto:joanne.lewis@arun.gov.uk)

Visit Arun's web site at [www.arun.gov.uk](http://www.arun.gov.uk)



Save the environment - think before you print.



---

**From:** Maria Tomalova <[Maria.Tomalova@arun.gov.uk](mailto:Maria.Tomalova@arun.gov.uk)>

**Sent:** 11 May 2020 19:10

**To:** Joanne Lewis <[Joanne.Lewis@arun.gov.uk](mailto:Joanne.Lewis@arun.gov.uk)>

**Subject:** FW: Fresh Acres Lighting

Hi Joanna,

Would you be so kind to look at the attachment and below if you are happy with  
And if I can omit the condition with regards to lighting or only part of it.

Please let me know.

(Dealing with this application I was slightly lost; 'Properly' orchestrated by the agent).

Kind regards

Maria

---

[Maria Tomalova](#) | Senior Planning Officer, Directorate of Place, [Arun District Council](#) | Location: First Floor, Arun Civic Centre,  
Maltravers Road, Littlehampton, BN17 5LF

Internal: 37510 | External: +44 (0) 1903 737510 | E-mail: [maria.tomalova@arun.gov.uk](mailto:maria.tomalova@arun.gov.uk)



Visit Arun's web site at [www.arun.gov.uk](http://www.arun.gov.uk)



Save the environment - think before you print.

---

**From:** Susan Leeson [REDACTED]

**Sent:** 14 April 2020 07:10

**To:** Maria Tomalova <[Maria.Tomalova@arun.gov.uk](mailto:Maria.Tomalova@arun.gov.uk)>

**Subject:** Fresh Acres Lighting

Good Morning Maria

Our lighting consultant has confirmed, : 'Light intrusion into residential windows shall not exceed 10 Lux between 07:00 and 21:00 hours and 5 Lux between 21:00 and 07:00 hours, measured as Vertical Illuminance (EV) normal to glazing. The Sky Glow (Upward Light Ratio) shall not exceed 5.0%

As shown in the attached drawings the light level is no more than 5 lux beyond the perimeter of the site and the Upward light ratio is 0.01, which equates to 1%.

Please can you forward to the EHO for comments.


If you need anything further, please let me know.

Best regards

Susan

Susan Leeson B.Sc, M.Phil  
Associate

My working days are Tuesday, Wednesday and Thursday



Company Registration No. 07164666. Registered Office is at 1 & 2 The Barn, West Stoke Road, Chichester, West Sussex, PO18 9AA.

This email and any attachments are strictly confidential and intended solely for the addressee. It may contain information which is privileged. If you are not the intended addressee, you must not disclose, forward, copy or take any action in reliance of this email or any attachments.

#### DISCLAIMER

Neame Sutton Ltd has taken precautions to minimise the risk of transmitting software viruses, however, this email and any attachments may contain software viruses which could damage your system. We cannot accept liability for any damage which you sustain as a result of software viruses and advise that you carry out your own virus check.

<http://www.arun.gov.uk>

DX 57406 Littlehampton

You can view Arun District Council's Privacy Policy from <https://www.arun.gov.uk/privacy-policy>

Important Notice This e-mail is intended exclusively for the addressee and may contain information that is confidential and/or privileged. If you are not the intended recipient (or authorised to receive it for the addressee), please notify the sender and delete the e-mail immediately; using, copying, or disclosing it to anyone else, is strictly prohibited and may be unlawful. Any views, opinions or options presented are solely those of the author and do not necessarily represent those of Arun District Council. The information in this e-mail may be subject to public disclosure under the Freedom of Information Act 2000, therefore we cannot guarantee that we will not provide the whole or part of this e-mail to a third party. The Council reserves the right to monitor e-mails in accordance with relevant legislation. Whilst outgoing e-mails are checked for viruses, we cannot guarantee this e-mail is virus-free or has not been intercepted or changed and we do not accept liability for any damage caused. Any reference to "e-mail" in this disclaimer includes any attachments.

\*\*\*\*\*