

Please upload email to Y/49/17/OUT

From: [REDACTED]
Sent: 20 July 2017 17:47
To: Planning.Responses; Planning
Subject: RE: Further Information Required on Your Ref: PP-06213506 Our Ref: Y/49/17/OUT
Importance: High

FOR THE ATTENTION OF MRS D JOHNSON

Dear Mrs Johnson,

Thank you for your letter dated 20 July 2017 (copy attached for bcc recipients) advising that you consider that you are unable to accept our documents as a formal application until the following item(s) have been received or resolved :-

"You have indicated on your Local Validation Checklist that the Lidsey Foul Water Catchment Area statement is located within the FRA statement. We did not receive the FRA statement upon submission. Please forward the FRA statement to this office".

I am sorry that you did not receive FRA and Drainage Statement now attached. For clarity Item 21 on the Council's Local Validation Checklist states *"If the development is located within the Lidsey Foul Water Treatment Catchment Area it will be necessary to confirm in writing whether or not the proposal involves connection to the mains foul water drainage" and that if the proposal is not connecting to the mains drainage, the application will be held as invalid unless it is accompanied by a full environmental assessment in accordance with Circular 03/99 as was agreed at Full Council on 11 January 2012"*.

The attached Statement confirms in writing that the proposal does involve a connection to the mains foul water drainage system in accordance with the first part of the requirement so fortunately we do not have to debate the legitimacy of the second part as that second part does not apply in this case. (Paragraphs 9 and 10).

I therefore assume that the application will now be validated as submitted and look forward to receiving your confirmation soonest.

Thanks

Paul Collins

Paul Collins BA (Hons) DipTP
[REDACTED]

From: planning.responses@arun.gov.uk [<mailto:planning.responses@arun.gov.uk>]
Sent: Thursday, July 20, 2017 4:49 PM

To: [REDACTED]

Subject: Further Information Required on Your Ref: PP-06213506 Our Ref: Y/49/17/OUT

<http://www.arun.gov.uk>

NLPG UPRN 100062237016

DX 57406 Littlehampton

Important Notice This e-mail is intended exclusively for the addressee and may contain information that is confidential and/or privileged. If you are not the intended recipient (or authorised to receive it for the addressee), please notify the sender and delete the e-mail immediately; using, copying, or disclosing it to anyone else, is strictly prohibited and may be unlawful. Any views, opinions or options presented are solely those of the author and do not necessarily represent those of Arun District Council. The information in this e-mail may be subject to public disclosure under the Freedom of Information Act 2000, therefore we cannot guarantee that we will not provide the whole or part of this e-mail to a third party. The Council reserves the right to monitor e-mails in accordance with relevant legislation. Whilst outgoing e-mails are checked for viruses, we cannot guarantee this e-mail is virus-free or has not been intercepted or changed and we do not accept liability for any damage caused. Any reference to "e-mail" in this disclaimer includes any attachments.
