




SPECIFICATION DOCUMENT


DATE: 12/04/21
QUOTE NO: Q6300_E
DRAWING NO: Q6300_D
PROJECT: Q6300_Yapton View, LEAP
CUSTOMER: Natalie Bond
ADDRESS: Bovis Homes Southern Counties
Basingstoke RG24 8GU
TELEPHONE: 01256 674100
EMAIL: Natalie.Bond@bovishomes.co.uk

Part No.	Description	Qty.
SB2054	Vesuvius Basket Swing	1
Inst009a	INSTALLATION OF BASKET SWING	1
SB2059	Bromo Double Toddler Swing	1
Inst009	INSTALLATION OF SINGLE BAY OF SWINGS	1
MAECS02	Radiata Pine Clamber Stack 2	1
Inst002	INSTALLATION OF CLAMBER STACK	1
SB3034	Mekkar Twirl Roundabout	1
Inst012	INSTALLATION OF ROUNDABOUT	1
SB3111	Rosie Springy Balance Beam	1
Inst014	INSTALLATION OF BALANCE BEAM	1
SB4052	Mia Accessible Spring Rider	1
Inst021	INSTALLATION OF SPRING RIDER	1
SB7091 (0.9m)	0.9m High Embankment Slide	1
Inst048	INSTALLATION OF SLIDE	1
SB5057	Spirix Bench	1
Inst028	INSTALLATION OF BENCH	1
SB5084	Timber Litter Bin	1
Inst027	INSTALLATION OF BIN	1
GM03	SUPPLY AND INSTALL ECOSMART GRASS TILES 1.5M X 1M TO CFH 2.9M- 50+ SQM (WE RECOMMEND INSTALL OF 45MM SMARTPLAY SHOCKPAD UNDER GRASS MATS FOR CFH OVER 2.0M) (GRASS TILE SURFACING TO FOLLOW EXISTING LAY OF THE LAND), PER SQM	128
Del01	Delivery of Equipment to site	133
MSS001	Shipping Surcharge- see details below*	79
BT1001	SUPPLY 1M HIGH STRAIGHT BOW TOP FENCING, GALVANISED ONLY	103
FINST01	INSTALLATION OF BOWTOP FENCING (Per LM)	103
BT1006	SUPPLY 1M HIGH CORNER/END POSTS, GALVANISED ONLY	3
BT1003	SUPPLY 1M HIGH, 1.2M WIDE SELF CLOSING SINGLE GATE, GALVANISED AND POWDER COATED	1
FINST02	INSTALLATION OF 1.2M WIDE PEDESTRIAN GATE	1
BT1005	SUPPLY 1M HIGH, 3M WIDE DUAL USE, PEDESTRIAN AND VEHICLE ACCESS GATE, GALVANISED AND POWDER COATED	1
FINST03	INSTALLATION OF 3M WIDE DUAL-USE GATE	1



Miracle

Design & Play




SB2054

Vesuvius Basket Swing




Product Description:

Our classic basket seat swing.




This product has been designed in accordance with BS EN:1176

Miracle Design and Play Ltd



Miracle

Design & Play




SB2059

Bromo Toddler Double Swing




Product Description:

Our classic double toddler seat swing.




This product has been designed in accordance with BS EN:1176

Miracle Design and Play Ltd




MAECS02

Radiata Pine Clamber Stack 2




Product Description:


A neat clamber stack of logs which encourages and develops balancing and co-ordination




5 - 14 years



1.50m




7.51m x 6.22m



3.97m x 3.05m x 2.70m


This product has been designed in accordance with BS EN:1176

Miracle Design and Play Ltd




SB3034

Mekkar Twirl Roundabout




Product Description:

A revolving 1.2m diameter disc, set close to the ground. Three support tubes at either side can be used to hold onto for children needing support.




This product has been designed in accordance with BS EN:1176

Miracle Design and Play Ltd




Miracle

Design & Play




S83111

Rosie Springy Balance Beam




Product Description:

With a multitude of options, all of our trim trail items are designed to create circuits and courses of all sizes. A variety of balancing, climbing, traversing and sport activities will result in a diverse and exciting trail with a degree of challenge to all users regardless of ability.




This product has been designed in accordance with BS EN:1176

Miracle Design and Play Ltd




Miracle

Design & Play




SB7091 (0.9m)

(0.9m) Embankment Slide




Product Description:

Our classic embankment slide, available in a range of lengths and heights.




This product has been designed in accordance with BS EN:1176

Miracle Design and Play Ltd




Miracle

Design & Play




SB5057

Spirix Bench




Product Description:

Our park furniture range has been designed to complement our playground equipment. The steel will be galvanized and powder coated to ensure long life expectancy and suitability for any outdoor environment.




This product has been designed in accordance with BS EN:1176

Miracle Design and Play Ltd




Miracle

Design & Play




SB5084

Timber Litter Bin (40L Capacity)



Product Description:

A classic timber effect litter bin.



This product has been designed in accordance with BS EN:1176

Miracle Design and Play Ltd



EcoSmart safety surfacing - Specification Guide

Product

If you intend to specify PlaySmart's EcoSmart safety surfacing, we would recommend that the following information is included in the specification in order to ensure that EcoSmart Safety Surface is used for the intended project.

- A high quality mat with a 10 year product guarantee
- 1.5m x 1.0m x 23mm, black, rubber with high recycled content and a reinforced 10mm outer edge.
- EcoSmart has achieved a 2.9m Critical Fall Height (CFH) when installed on a good grass base and tested in accordance with BS EN 1177 (2008) in independent field tests; however, as performance may be affected by soil type, moisture content, condition of turf and ongoing maintenance, we recommend a SmartPlay system is used above 2m CFH or in poor ground conditions
- Installation to be completed by trained PlaySmart team leader with a minimum of five years experience of EcoSmart and PlaySmart trade marked installation method, a minimum of 60 cable ties per mat to be used.
- Five Year installation guarantee.
- A triax test will be provided on completion FOC.(above 30m2 or a charge will apply)
- On completion PlaySmart will provide a completion pack to the client with the following, A sample of mat from batch, pictures of completed site, installation instructions, team leader details with sign off sheet, Triax test data and PlaySmart ten year product and five year installation guarantees.

Installation

PlaySmart use their own proprietary (trademarked) installation method to install EcoSmart safety surfacing which produces high quality installations time and again. Therefore, if you are specifying EcoSmart or an equivalent product of the same standard but want to ensure that it is installed in the correct manner, you need to specify the PlaySmart to carryout installation method as well as supplying the product.



The key points of PlaySmart's installation method as follows:

- EcoSmart should be installed on a good grass base to give good performance
- Local undulations or potholes should be addressed prior to installation
- Ground stabilising mesh or SmartPlay should be laid prior to installing matting
- Typical number of fixings is 40 per m² – cable ties recommended
- All cable ties used should be trimmed flush leaving no sharp edges
- Mats on the outer rows of the area should be recessed correctly
- Mats on the outer rows should be secured with at least 5 pegs per 1.5m side
- A 5 year installation guarantee should be provided

For a full copy of PlaySmart's installation practice, please contact PlaySmart directly.

Maintenance

EcoSmart is a durable, low maintenance product. Installed correctly, it can be mown over and is easily repaired. From time to time, individual mats may be lifted to shake off loose dirt and maintain a good appearance during the product life. Please feel free to contact us for further maintenance information.



PlaySmart UK Ltd, Unit 4, Birchy Cross Business Centre, Broad Lane, Tanworth-in-Arden, Solihull B94 5DN

Registered address – as above • Reg No: 10507105X • VAT No: 924 2149 30

